

# Peter C Rowe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4112796/publications.pdf>

Version: 2024-02-01

60  
papers

2,740  
citations

331259

21  
h-index

182168

51  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1659  
citing authors

#	ARTICLE	IF	CITATIONS
1	Eosinophilic esophagitis attributed to gastroesophageal reflux: Improvement with an amino acid-based formula. <i>Gastroenterology</i> , 1995, 109, 1503-1512.	0.6	1,028
2	Orthostatic intolerance and chronic fatigue syndrome associated with Ehlers-Danlos syndrome. <i>Journal of Pediatrics</i> , 1999, 135, 494-499.	0.9	171
3	Fludrocortisone Acetate to Treat Neurally Mediated Hypotension in Chronic Fatigue Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 52.	3.8	127
4	Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Diagnosis and Management in Young People: A Primer. <i>Frontiers in Pediatrics</i> , 2017, 5, 121.	0.9	120
5	Postural orthostatic tachycardia syndrome (POTS): State of the science and clinical care from a 2019 National Institutes of Health Expert Consensus Meeting - Part 1. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102828.	1.4	113
6	Joint hypermobility is more common in children with chronic fatigue syndrome than in healthy controls. <i>Journal of Pediatrics</i> , 2002, 141, 421-425.	0.9	82
7	Cerebral blood flow is reduced in ME/CFS during head-up tilt testing even in the absence of hypotension or tachycardia: A quantitative, controlled study using Doppler echography. <i>Clinical Neurophysiology Practice</i> , 2020, 5, 50-58.	0.6	82
8	Estimating Prevalence, Demographics, and Costs of ME/CFS Using Large Scale Medical Claims Data and Machine Learning. <i>Frontiers in Pediatrics</i> , 2018, 6, 412.	0.9	79
9	Postural tachycardia syndrome and other forms of orthostatic intolerance in Ehlers-Danlos syndrome. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 215, 89-96.	1.4	73
10	Circulating inflammatory cytokine levels in hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 1999, 13, 840-845.	0.9	64
11	Disease Mechanisms and Clonidine Treatment in Adolescent Chronic Fatigue Syndrome. <i>JAMA Pediatrics</i> , 2014, 168, 351.	3.3	62
12	Diagnosis of mast cell activation syndrome: a global "consensus-2". <i>Diagnosis</i> , 2021, 8, 137-152.	1.2	59
13	Adolescent and Young Adult ME/CFS After Confirmed or Probable COVID-19. <i>Frontiers in Medicine</i> , 2021, 8, 668944.	1.2	46
14	Orthostatic Intolerance and the Headache Patient. <i>Seminars in Pediatric Neurology</i> , 2010, 17, 109-116.	1.0	43
15	Factors affecting quality of life in children and adolescents with hypermobile Ehlers-Danlos syndrome/hypermobility spectrum disorders. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 561-569.	0.7	39
16	Orthostatic Symptoms and Reductions in Cerebral Blood Flow in Long-Haul COVID-19 Patients: Similarities with Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Medicina (Lithuania)</i> , 2022, 58, 28.	0.8	39
17	Cerebral and Systemic Hemodynamics Changes During Upright Tilt in Chronic Fatigue Syndrome. <i>Journal of Neuroimaging</i> , 2003, 13, 57-67.	1.0	32
18	Long-Term COVID 19 Sequelae in Adolescents: the Overlap with Orthostatic Intolerance and ME/CFS. <i>Current Pediatrics Reports</i> , 2022, 10, 31-44.	1.7	32

#	ARTICLE	IF	CITATIONS
19	Postural orthostatic tachycardia syndrome (POTS): Priorities for POTS care and research from a 2019 National Institutes of Health Expert Consensus Meeting – Part 2. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102836.	1.4	30
20	Cerebral Blood Flow Is Reduced in Severe Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Patients During Mild Orthostatic Stress Testing: An Exploratory Study at 20 Degrees of Head-Up Tilt Testing. <i>Healthcare (Switzerland)</i> , 2020, 8, 169.	1.0	29
21	Neuromuscular Strain Increases Symptom Intensity in Chronic Fatigue Syndrome. <i>PLoS ONE</i> , 2016, 11, e0159386.	1.1	27
22	Reductions in Cerebral Blood Flow Can Be Provoked by Sitting in Severe Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Patients. <i>Healthcare (Switzerland)</i> , 2020, 8, 394.	1.0	22
23	Impaired Health-Related Quality of Life in Adolescent Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: The Impact of Core Symptoms. <i>Frontiers in Pediatrics</i> , 2019, 7, 26.	0.9	21
24	Cerebral blood flow remains reduced after tilt testing in myalgic encephalomyelitis/chronic fatigue syndrome patients. <i>Clinical Neurophysiology Practice</i> , 2021, 6, 245-255.	0.6	21
25	Neuromuscular strain as a contributor to cognitive and other symptoms in chronic fatigue syndrome: hypothesis and conceptual model. <i>Frontiers in Physiology</i> , 2013, 4, 115.	1.3	17
26	Improvement of severe myalgic encephalomyelitis/chronic fatigue syndrome symptoms following surgical treatment of cervical spinal stenosis. <i>Journal of Translational Medicine</i> , 2018, 16, 21.	1.8	17
27	Impaired Range of Motion of Limbs and Spine in Chronic Fatigue Syndrome. <i>Journal of Pediatrics</i> , 2014, 165, 360-366.	0.9	16
28	Blood Volume Status in ME/CFS Correlates With the Presence or Absence of Orthostatic Symptoms: Preliminary Results. <i>Frontiers in Pediatrics</i> , 2018, 6, 352.	0.9	16
29	Two-Day Cardiopulmonary Exercise Testing in Females with a Severe Grade of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: Comparison with Patients with Mild and Moderate Disease. <i>Healthcare (Switzerland)</i> , 2020, 8, 192.	1.0	16
30	Passive standing tests for the office diagnosis of postural tachycardia syndrome: New methodological considerations. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2018, 6, 179-192.	1.2	15
31	Cerebral and systemic hemodynamics changes during upright tilt in chronic fatigue syndrome. , 2003, 13, 57-67.		15
32	Cow's milk protein intolerance in adolescents and young adults with chronic fatigue syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, e412-8.	0.7	13
33	Atlanto-axial rotary instability (Fielding type 1): characteristic clinical and radiological findings, and treatment outcomes following alignment, fusion, and stabilization. <i>Neurosurgical Review</i> , 2021, 44, 1553-1568.	1.2	13
34	Pediatric Long COVID and Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2022, 41, e139-e141.	1.1	13
35	Pain and sleep quality in children with non-vascular Ehlers-Danlos syndromes. <i>American Journal of Medical Genetics, Part A</i> , 2018, 176, 1858-1864.	0.7	12
36	Deconditioning does not explain orthostatic intolerance in ME/CFS (myalgic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (encephalomyelitis)	1.8	12

#	ARTICLE	IF	CITATIONS
37	Screening for Orthostatic Intolerance in Symptomatic Children Presenting for Concussion Care. <i>Clinical Pediatrics</i> , 2020, 59, 75-82.	0.4	11
38	Cognitive Function Declines Following Orthostatic Stress in Adults With Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS). <i>Frontiers in Neuroscience</i> , 2020, 14, 688.	1.4	11
39	Numeric Rating Scales Show Prolonged Post-exertional Symptoms After Orthostatic Testing of Adults With Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Frontiers in Medicine</i> , 2020, 7, 602894.	1.2	11
40	Effects of low-dose clonidine on cardiovascular and autonomic variables in adolescents with chronic fatigue: a randomized controlled trial. <i>BMC Pediatrics</i> , 2015, 15, 117.	0.7	10
41	Validity of 2-Day Cardiopulmonary Exercise Testing in Male Patients with Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Advances in Physical Education</i> , 2020, 10, 68-80.	0.2	10
42	Research and Statistics. <i>Pediatrics in Review</i> , 2010, 31, 511-513.	0.2	9
43	Validation of the Severity of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome by Other Measures than History: Activity Bracelet, Cardiopulmonary Exercise Testing and a Validated Activity Questionnaire: SF-36. <i>Healthcare (Switzerland)</i> , 2020, 8, 273.	1.0	8
44	Refractory Syncope and Presyncope Associated with Atlantoaxial Instability: Preliminary Evidence of Improvement Following Surgical Stabilization. <i>World Neurosurgery</i> , 2021, 149, e854-e865.	0.7	7
45	Physical activity measures in patients with myalgic encephalomyelitis/chronic fatigue syndrome: correlations between peak oxygen consumption, the physical functioning scale of the SF-36 questionnaire, and the number of steps from an activity meter. <i>Journal of Translational Medicine</i> , 2020, 18, 228.	1.8	6
46	Low Sensitivity of Abbreviated Tilt Table Testing for Diagnosing Postural Tachycardia Syndrome in Adults With ME/CFS. <i>Frontiers in Pediatrics</i> , 2018, 6, 349.	0.9	5
47	Two-Year Follow-Up of Impaired Range of Motion in Chronic Fatigue Syndrome. <i>Journal of Pediatrics</i> , 2018, 200, 249-253.e1.	0.9	5
48	The association of fatigue with dispositional mindfulness: relationships by levels of depressive symptoms, sleep quality, childhood adversity, and chronic medical conditions. <i>Preventive Medicine</i> , 2019, 129, 105873.	1.6	5
49	Compression Stockings Improve Cardiac Output and Cerebral Blood Flow during Tilt Testing in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS) Patients: A Randomized Crossover Trial. <i>Medicina (Lithuania)</i> , 2022, 58, 51.	0.8	5
50	An online survey of pelvic congestion support group members regarding comorbid symptoms and syndromes. <i>Phlebology</i> , 2022, 37, 596-601.	0.6	5
51	Orthostatic stress testing in myalgic encephalomyelitis/chronic fatigue syndrome patients with or without concomitant fibromyalgia: effects on pressure pain thresholds and temporal summation. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 39-47.	0.4	4
52	Research and Statistics. <i>Pediatrics in Review</i> , 2011, 32, 296-298.	0.2	3
53	Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: Trial Fails to Confirm Earlier Observations of Rituximab's Effectiveness. <i>Annals of Internal Medicine</i> , 2019, 170, 656.	2.0	2
54	Comparison of the finger plethysmography derived stroke volumes by Nexfin CO Trek and suprasternal aortic Doppler derived stroke volume measurements in adults with myalgic encephalomyelitis/chronic fatigue syndrome and in healthy controls. <i>Technology and Health Care</i> , 2021, 29, 629-642.	0.5	2

#	ARTICLE	IF	CITATIONS
55	The Presentation of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Is Not Influenced by the Presence or Absence of Joint Hypermobility. <i>Journal of Pediatrics</i> , 2022, 240, 186-191.e2.	0.9	2
56	Orthostatic stress testing in myalgic encephalomyelitis/chronic fatigue syndrome patients with or without concomitant fibromyalgia: effects on pressure pain thresholds and temporal summation. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 130, 39-47.	0.4	2
57	Research and Statistics. <i>Pediatrics in Review</i> , 2010, 31, 380-382.	0.2	1
58	Letter to the editor regarding "Atlantoaxial dislocation due to os odontoideum in patients with Down's syndrome: literature review and case reports". <i>Child's Nervous System</i> , 2021, 37, 1041-1043.	0.6	0
59	Research and Statistics. <i>Pediatrics in Review</i> , 2009, 30, 364-365.	0.2	0
60	Successful Treatment of Refractory Orthostatic Intolerance (OI) With Droxidopa. <i>Clinical Pediatrics</i> , 0, , 000992282210926.	0.4	0