

Peter C Rowe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4112796/publications.pdf>

Version: 2024-02-01

60
papers

2,740
citations

331259

21
h-index

182168

51
g-index

65
all docs

65
docs citations

65
times ranked

1659
citing authors

#	ARTICLE	IF	CITATIONS
1	The Presentation of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Is Not Influenced by the Presence or Absence of Joint Hypermobility. <i>Journal of Pediatrics</i> , 2022, 240, 186-191.e2.	0.9	2
2	Pediatric Long COVID and Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2022, 41, e139-e141.	1.1	13
3	Long-Term COVID 19 Sequelae in Adolescents: the Overlap with Orthostatic Intolerance and ME/CFS. <i>Current Pediatrics Reports</i> , 2022, 10, 31-44.	1.7	32
4	Compression Stockings Improve Cardiac Output and Cerebral Blood Flow during Tilt Testing in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS) Patients: A Randomized Crossover Trial. <i>Medicina (Lithuania)</i> , 2022, 58, 51.	0.8	5
5	Orthostatic Symptoms and Reductions in Cerebral Blood Flow in Long-Haul COVID-19 Patients: Similarities with Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Medicina (Lithuania)</i> , 2022, 58, 28.	0.8	39
6	An online survey of pelvic congestion support group members regarding comorbid symptoms and syndromes. <i>Phlebology</i> , 2022, 37, 596-601.	0.6	5
7	Atlanto-axial rotary instability (Fielding type 1): characteristic clinical and radiological findings, and treatment outcomes following alignment, fusion, and stabilization. <i>Neurosurgical Review</i> , 2021, 44, 1553-1568.	1.2	13
8	Letter to the editor regarding "Atlantoaxial dislocation due to os odontoideum in patients with Down's syndrome: literature review and case reports". <i>Child's Nervous System</i> , 2021, 37, 1041-1043.	0.6	0
9	Adolescent and Young Adult ME/CFS After Confirmed or Probable COVID-19. <i>Frontiers in Medicine</i> , 2021, 8, 668944.	1.2	46
10	Refractory Syncope and Presyncope Associated with Atlantoaxial Instability: Preliminary Evidence of Improvement Following Surgical Stabilization. <i>World Neurosurgery</i> , 2021, 149, e854-e865.	0.7	7
11	Deconditioning does not explain orthostatic intolerance in ME/CFS (myalgic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 342 Td (en	1.8	12
12	Comparison of the finger plethysmography derived stroke volumes by Nexfin CO Trek and suprasternal aortic Doppler derived stroke volume measurements in adults with myalgic encephalomyelitis/chronic fatigue syndrome and in healthy controls. <i>Technology and Health Care</i> , 2021, 29, 629-642.	0.5	2
13	Cerebral blood flow remains reduced after tilt testing in myalgic encephalomyelitis/chronic fatigue syndrome patients. <i>Clinical Neurophysiology Practice</i> , 2021, 6, 245-255.	0.6	21
14	Postural orthostatic tachycardia syndrome (POTS): State of the science and clinical care from a 2019 National Institutes of Health Expert Consensus Meeting - Part 1. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102828.	1.4	113
15	Postural orthostatic tachycardia syndrome (POTS): Priorities for POTS care and research from a 2019 National Institutes of Health Expert Consensus Meeting " Part 2. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102836.	1.4	30
16	Diagnosis of mast cell activation syndrome: a global "consensus-2". <i>Diagnosis</i> , 2021, 8, 137-152.	1.2	59
17	Orthostatic stress testing in myalgic encephalomyelitis/chronic fatigue syndrome patients with or without concomitant fibromyalgia: effects on pressure pain thresholds and temporal summation. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 130, 39-47.	0.4	2
18	Orthostatic stress testing in myalgic encephalomyelitis/chronic fatigue syndrome patients with or without concomitant fibromyalgia: effects on pressure pain thresholds and temporal summation. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 39-47.	0.4	4

#	ARTICLE	IF	CITATIONS
19	Screening for Orthostatic Intolerance in Symptomatic Children Presenting for Concussion Care. <i>Clinical Pediatrics</i> , 2020, 59, 75-82.	0.4	11
20	Reductions in Cerebral Blood Flow Can Be Provoked by Sitting in Severe Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Patients. <i>Healthcare (Switzerland)</i> , 2020, 8, 394.	1.0	22
21	Validation of the Severity of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome by Other Measures than History: Activity Bracelet, Cardiopulmonary Exercise Testing and a Validated Activity Questionnaire: SF-36. <i>Healthcare (Switzerland)</i> , 2020, 8, 273.	1.0	8
22	Cerebral Blood Flow Is Reduced in Severe Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Patients During Mild Orthostatic Stress Testing: An Exploratory Study at 20 Degrees of Head-Up Tilt Testing. <i>Healthcare (Switzerland)</i> , 2020, 8, 169.	1.0	29
23	Physical activity measures in patients with myalgic encephalomyelitis/chronic fatigue syndrome: correlations between peak oxygen consumption, the physical functioning scale of the SF-36 questionnaire, and the number of steps from an activity meter. <i>Journal of Translational Medicine</i> , 2020, 18, 228.	1.8	6
24	Cognitive Function Declines Following Orthostatic Stress in Adults With Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS). <i>Frontiers in Neuroscience</i> , 2020, 14, 688.	1.4	11
25	Two-Day Cardiopulmonary Exercise Testing in Females with a Severe Grade of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: Comparison with Patients with Mild and Moderate Disease. <i>Healthcare (Switzerland)</i> , 2020, 8, 192.	1.0	16
26	Cerebral blood flow is reduced in ME/CFS during head-up tilt testing even in the absence of hypotension or tachycardia: A quantitative, controlled study using Doppler echography. <i>Clinical Neurophysiology Practice</i> , 2020, 5, 50-58.	0.6	82
27	Numeric Rating Scales Show Prolonged Post-exertional Symptoms After Orthostatic Testing of Adults With Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Frontiers in Medicine</i> , 2020, 7, 602894.	1.2	11
28	Validity of 2-Day Cardiopulmonary Exercise Testing in Male Patients with Myalgic Encephalomyelitis/Chronic Fatigue Syndrome. <i>Advances in Physical Education</i> , 2020, 10, 68-80.	0.2	10
29	The association of fatigue with dispositional mindfulness: relationships by levels of depressive symptoms, sleep quality, childhood adversity, and chronic medical conditions. <i>Preventive Medicine</i> , 2019, 129, 105873.	1.6	5
30	Factors affecting quality of life in children and adolescents with hypermobile Ehlers-Danlos syndrome/hypermobility spectrum disorders. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 561-569.	0.7	39
31	Impaired Health-Related Quality of Life in Adolescent Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: The Impact of Core Symptoms. <i>Frontiers in Pediatrics</i> , 2019, 7, 26.	0.9	21
32	Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: Trial Fails to Confirm Earlier Observations of Rituximab's Effectiveness. <i>Annals of Internal Medicine</i> , 2019, 170, 656.	2.0	2
33	Postural tachycardia syndrome and other forms of orthostatic intolerance in Ehlers-Danlos syndrome. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2018, 215, 89-96.	1.4	73
34	Improvement of severe myalgic encephalomyelitis/chronic fatigue syndrome symptoms following surgical treatment of cervical spinal stenosis. <i>Journal of Translational Medicine</i> , 2018, 16, 21.	1.8	17
35	Blood Volume Status in ME/CFS Correlates With the Presence or Absence of Orthostatic Symptoms: Preliminary Results. <i>Frontiers in Pediatrics</i> , 2018, 6, 352.	0.9	16
36	Low Sensitivity of Abbreviated Tilt Table Testing for Diagnosing Postural Tachycardia Syndrome in Adults With ME/CFS. <i>Frontiers in Pediatrics</i> , 2018, 6, 349.	0.9	5

#	ARTICLE	IF	CITATIONS
37	Pain and sleep quality in children with non-vascular Ehlers-Danlos syndromes. <i>American Journal of Medical Genetics, Part A</i> , 2018, 176, 1858-1864.	0.7	12
38	Passive standing tests for the office diagnosis of postural tachycardia syndrome: New methodological considerations. <i>Fatigue: Biomedicine, Health and Behavior</i> , 2018, 6, 179-192.	1.2	15
39	Two-Year Follow-Up of Impaired Range of Motion in Chronic Fatigue Syndrome. <i>Journal of Pediatrics</i> , 2018, 200, 249-253.e1.	0.9	5
40	Estimating Prevalence, Demographics, and Costs of ME/CFS Using Large Scale Medical Claims Data and Machine Learning. <i>Frontiers in Pediatrics</i> , 2018, 6, 412.	0.9	79
41	Myalgic Encephalomyelitis/Chronic Fatigue Syndrome Diagnosis and Management in Young People: A Primer. <i>Frontiers in Pediatrics</i> , 2017, 5, 121.	0.9	120
42	Cow's milk protein intolerance in adolescents and young adults with chronic fatigue syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, e412-8.	0.7	13
43	Neuromuscular Strain Increases Symptom Intensity in Chronic Fatigue Syndrome. <i>PLoS ONE</i> , 2016, 11, e0159386.	1.1	27
44	Effects of low-dose clonidine on cardiovascular and autonomic variables in adolescents with chronic fatigue: a randomized controlled trial. <i>BMC Pediatrics</i> , 2015, 15, 117.	0.7	10
45	Disease Mechanisms and Clonidine Treatment in Adolescent Chronic Fatigue Syndrome. <i>JAMA Pediatrics</i> , 2014, 168, 351.	3.3	62
46	Impaired Range of Motion of Limbs and Spine in Chronic Fatigue Syndrome. <i>Journal of Pediatrics</i> , 2014, 165, 360-366.	0.9	16
47	Neuromuscular strain as a contributor to cognitive and other symptoms in chronic fatigue syndrome: hypothesis and conceptual model. <i>Frontiers in Physiology</i> , 2013, 4, 115.	1.3	17
48	Research and Statistics. <i>Pediatrics in Review</i> , 2011, 32, 296-298.	0.2	3
49	Orthostatic Intolerance and the Headache Patient. <i>Seminars in Pediatric Neurology</i> , 2010, 17, 109-116.	1.0	43
50	Research and Statistics. <i>Pediatrics in Review</i> , 2010, 31, 380-382.	0.2	1
51	Research and Statistics. <i>Pediatrics in Review</i> , 2010, 31, 511-513.	0.2	9
52	Research and Statistics. <i>Pediatrics in Review</i> , 2009, 30, 364-365.	0.2	0
53	Cerebral and Systemic Hemodynamics Changes During Upright Tilt in Chronic Fatigue Syndrome. <i>Journal of Neuroimaging</i> , 2003, 13, 57-67.	1.0	32
54	Cerebral and systemic hemodynamics changes during upright tilt in chronic fatigue syndrome. , 2003, 13, 57-67.		15

#	ARTICLE	IF	CITATIONS
55	Joint hypermobility is more common in children with chronic fatigue syndrome than in healthy controls. <i>Journal of Pediatrics</i> , 2002, 141, 421-425.	0.9	82
56	Fludrocortisone Acetate to Treat Neurally Mediated Hypotension in Chronic Fatigue Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 52.	3.8	127
57	Circulating inflammatory cytokine levels in hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 1999, 13, 840-845.	0.9	64
58	Orthostatic intolerance and chronic fatigue syndrome associated with Ehlers-Danlos syndrome. <i>Journal of Pediatrics</i> , 1999, 135, 494-499.	0.9	171
59	Eosinophilic esophagitis attributed to gastroesophageal reflux: Improvement with an amino acid-based formula. <i>Gastroenterology</i> , 1995, 109, 1503-1512.	0.6	1,028
60	Successful Treatment of Refractory Orthostatic Intolerance (OI) With Droxidopa. <i>Clinical Pediatrics</i> , 0, , 000992282210926.	0.4	0