

Francesc Formiga

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4113288/francesc-formiga-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

371
papers

5,412
citations

32
h-index

52
g-index

596
ext. papers

7,302
ext. citations

2.6
avg, IF

5.55
L-index

#	Paper	IF	Citations
371	Distinct DNA methylomes of newborns and centenarians. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 10522-7	11.5	563
370	Patterns of comorbidity and multimorbidity in the oldest old: the Octabaix study. <i>European Journal of Internal Medicine</i> , 2013 , 24, 40-4	3.9	100
369	Mild presentation of systemic lupus erythematosus in elderly patients assessed by SLEDAI. SLE Disease Activity Index. <i>Lupus</i> , 1999 , 8, 462-5	2.6	87
368	End-of-life preferences in elderly patients admitted for heart failure. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2004 , 97, 803-8	2.7	85
367	Mortality and morbidity in nonagenarian patients following hip fracture surgery. <i>Gerontology</i> , 2003 , 49, 41-5	5.5	73
366	Loss of bone mineral density in premenopausal women with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 1995 , 54, 274-6	2.4	73
365	Association of antiphospholipid antibodies with retinal vascular disease in systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 1999 , 28, 326-32	5.3	72
364	Inappropriate prescribing to the oldest old patients admitted to hospital: prevalence, most frequently used medicines, and associated factors. <i>BMC Geriatrics</i> , 2015 , 15, 42	4.1	55
363	Comorbidity in heart failure. Results of the Spanish RICA Registry. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014 , 107, 989-94	2.7	53
362	Factors associated with hip fracture-related falls among patients with a history of recurrent falling. <i>Bone</i> , 2008 , 43, 941-4	4.7	52
361	Adverse drug reactions leading to urgent hospital admission in an elderly population: prevalence and main features. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 219-26	2.8	50
360	The impact of common co-morbidities (as measured using the Charlson index) on hip fracture risk in elderly men: a population-based cohort study. <i>Osteoporosis International</i> , 2014 , 25, 1751-8	5.3	48
359	An Easy Assessment of Frailty at Baseline Independently Predicts Prognosis in Very Elderly Patients With Acute Coronary Syndromes. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 296-303	5.9	46
358	Basal functional status predicts three-month mortality after a heart failure hospitalization in elderly patients - the prospective RICA study. <i>International Journal of Cardiology</i> , 2014 , 172, 127-31	3.2	40
357	Antithrombotic treatment in elderly patients with atrial fibrillation: a practical approach. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 143	2.3	40
356	Cut-off Points for Muscle Mass - Not Grip Strength or Gait Speed - Determine Variations in Sarcopenia Prevalence. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 825-829	5.2	39
355	Association between type-2 diabetes mellitus and post-discharge outcomes in heart failure patients: findings from the RICA registry. <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 410-9	7.4	39

354	Assessing risk screening methods of malnutrition in geriatric patients: Mini Nutritional Assessment (MNA) versus Geriatric Nutritional Risk Index (GNRI). <i>Nutricion Hospitalaria</i> , 2012 , 27, 590-8	1	39
353	Comorbidity and clinical features in elderly patients with dementia: differences according to dementia severity. <i>Journal of Nutrition, Health and Aging</i> , 2009 , 13, 423-7	5.2	37
352	Hospitalization due to acute heart failure. Role of the precipitating factors. <i>International Journal of Cardiology</i> , 2007 , 120, 237-41	3.2	37
351	Validation of a portable device for mapping motor and gait disturbances in Parkinson's disease. <i>JMIR MHealth and UHealth</i> , 2015 , 3, e9	5.5	37
350	Eficacia de los scores de riesgo hemorrágico en el paciente anciano con síndrome coronario agudo. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 463-470	1.5	35
349	New onset heart failure--Clinical characteristics and short-term mortality. A RICA (Spanish registry of acute heart failure) study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 357-62	3.9	34
348	Inappropriate prescribing to older patients admitted to hospital: a comparison of different tools of misprescribing and underprescribing. <i>European Journal of Internal Medicine</i> , 2014 , 25, 710-6	3.9	34
347	Predictors of long-term survival in nonagenarians: the NonaSantfeliu study. <i>Age and Ageing</i> , 2011 , 40, 111-6	3	34
346	Low comorbidity and male sex in nonagenarian community-dwelling people are associated with better functional and cognitive abilities: the NonaSantfeliu study. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1836-7	5.6	34
345	Recomendaciones de la Sección de Cardiología Geriátrica de la Sociedad Española de Cardiología para la valoración de la fragilidad en el anciano con cardiopatía. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 63-71	1.5	34
344	Calidad de vida relacionada con la salud de los pacientes con insuficiencia cardiaca crónica sistólica en España: resultados del estudio VIDA-IC. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 256-271	1.5	32
343	Influence of admission blood pressure on mortality in patients with acute decompensated heart failure. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011 , 104, 325-33	2.7	32
342	Functional outcomes of elderly patients after the first hospital admission for decompensated heart failure (HF). A prospective study. <i>Archives of Gerontology and Geriatrics</i> , 2006 , 43, 175-85	4	32
341	Aspiration pneumonia in old patients with dementia. Prognostic factors of mortality. <i>European Journal of Internal Medicine</i> , 2012 , 23, 720-6	3.9	31
340	Admission characteristics predicting longer length of stay among elderly patients hospitalized for decompensated heart failure. <i>European Journal of Internal Medicine</i> , 2008 , 19, 198-202	3.9	31
339	The Assessment of Scales of Frailty and Physical Performance Improves Prediction of Major Adverse Cardiac Events in Older Adults with Acute Coronary Syndrome. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1113-1119	6.4	31
338	Impact of Frailty and Other Geriatric Syndromes on Clinical Management and Outcomes in Elderly Patients With Non-ST-Segment Elevation Acute Coronary Syndromes: Rationale and Design of the LONGEVO-SCA Registry. <i>Clinical Cardiology</i> , 2016 , 39, 373-7	3.3	30
337	Lipid and lipoprotein levels in premenopausal systemic lupus erythematosus patients. <i>Lupus</i> , 2001 , 10, 359-63	2.6	30

336	Angina and Future Cardiovascular Events in Stable Patients With Coronary Artery Disease: Insights From the Reduction of Atherothrombosis for Continued Health (REACH) Registry. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	30
335	Geriatric Assessment Predicts Survival and Competing Mortality in Elderly Patients with Early Colorectal Cancer: Can It Help in Adjuvant Therapy Decision-Making?. <i>Oncologist</i> , 2017 , 22, 934-943	5.7	29
334	Utility of geriatric assessment tools to identify 85-years old subjects with vitamin D deficiency. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 110-4	5.2	29
333	Dying in hospital of terminal heart failure or severe dementia: the circumstances associated with death and the opinions of caregivers. <i>Palliative Medicine</i> , 2007 , 21, 35-40	5.5	29
332	Natural history of functional decline 1 year after hospital discharge in nonagenarian patients. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1040-1	5.6	29
331	Invasive strategy and frailty in very elderly patients with acute coronary syndromes. <i>EuroIntervention</i> , 2018 , 14, e336-e342	3.1	29
330	Impact of frailty and functional status on outcomes in elderly patients with ST-segment elevation myocardial infarction undergoing primary angioplasty: rationale and design of the IFFANIAM study. <i>Clinical Cardiology</i> , 2013 , 36, 565-9	3.3	27
329	Thyroid status and functional and cognitive status at baseline and survival after 3 years of follow-up: the OCTABAIX study. <i>European Journal of Endocrinology</i> , 2014 , 170, 69-75	6.5	26
328	Use of proton pump inhibitors and risk of fragility hip fracture in a Mediterranean region. <i>Bone</i> , 2013 , 52, 557-61	4.7	26
327	Predictive items of functional decline and 2-year mortality in nonagenarians--the NonaSantfeliu study. <i>European Journal of Public Health</i> , 2008 , 18, 406-9	2.1	26
326	Predictors of in-hospital mortality present at admission among patients hospitalised because of decompensated heart failure. <i>Cardiology</i> , 2007 , 108, 73-8	1.6	26
325	Predictive items of one-year mortality in nonagenarians. The NonaSantfeliu Study. <i>Aging Clinical and Experimental Research</i> , 2007 , 19, 265-8	4.8	26
324	Beneficial effect of corticosteroids in preventing mortality in patients receiving tocilizumab to treat severe COVID-19 illness. <i>International Journal of Infectious Diseases</i> , 2020 , 101, 290-297	10.5	26
323	Basal functional status predicts one-year mortality after a heart failure hospitalization in elderly patients - The RICA prospective study. <i>International Journal of Cardiology</i> , 2018 , 254, 182-188	3.2	25
322	Rationale and Design of the "Safety and Efficacy of the Combination of Loop with Thiazide-type Diuretics in Patients with Decompensated Heart Failure (CLOROTIC Trial):" A Double-Blind, Randomized, Placebo-Controlled Study to Determine the Effect of Combined Diuretic Therapy (Loop Diuretics With Thiazide-Type Diuretics) Among Patients With Decompensated Heart Failure.	3.3	25
321	Failure to treat osteoporosis and the risk of subsequent fractures in elderly patients with previous hip fracture: a five-year retrospective study. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 96-9	4.8	25
320	Inappropriate prescribing in elderly people with diabetes admitted to hospital. <i>Diabetic Medicine</i> , 2016 , 33, 655-62	3.5	25
319	Risk factors for functional decline in a population aged 75 years and older without total dependence: A one-year follow-up. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 65, 239-47	4	25

318	Multimorbidity as specific disease combinations, an important predictor factor for mortality in octogenarians: the Octabaix study. <i>Clinical Interventions in Aging</i> , 2017 , 12, 223-231	4	24
317	Low co-morbidity, low levels of malnutrition, and low risk of falls in a community-dwelling sample of 85-year-olds are associated with successful aging: the Octabaix study. <i>Rejuvenation Research</i> , 2011 , 14, 309-14	2.6	24
316	One-year follow-up of heart failure patients after their first admission. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2004 , 97, 81-6	2.7	24
315	Clinical characteristics and prognostic influence of renal dysfunction in heart failure patients with preserved ejection fraction. <i>European Journal of Internal Medicine</i> , 2013 , 24, 677-83	3.9	23
314	Clinical characteristics and one-year survival in heart failure patients more than 85 years of age compared with younger. <i>European Journal of Internal Medicine</i> , 2013 , 24, 339-45	3.9	23
313	Treatment of type 2 diabetes mellitus in elderly patients. <i>Revista Clinica Espanola</i> , 2018 , 218, 74-88	0.7	22
312	Diabetes mellitus as a risk factor for functional and cognitive decline in very old people: the Octabaix study. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 924-8	5.9	22
311	Bone mineral density and hormonal status in men with systemic lupus erythematosus. <i>Lupus</i> , 1996 , 5, 623-6	2.6	22
310	Differences in the characteristics of elderly patients suffering from hip fracture due to falls according to place of residence. <i>Journal of the American Medical Directors Association</i> , 2007 , 8, 533-7	5.9	22
309	No correlation between mini-nutritional assessment (short form) scale and clinical outcomes in 73 elderly patients admitted for hip fracture. <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 343-6	4.8	22
308	High disease activity at baseline does not prevent a remission in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 1999 , 38, 724-7	3.9	22
307	High comorbidity, measured by the Charlson Comorbidity Index, associates with higher 1-year mortality risks in elderly patients experiencing a first acute heart failure hospitalization. <i>Aging Clinical and Experimental Research</i> , 2018 , 30, 927-933	4.8	22
306	Interatrial block, frailty and prognosis in elderly patients with myocardial infarction. <i>Journal of Electrocardiology</i> , 2018 , 51, 1-7	1.4	21
305	Gender related differences in clinical profile and outcome of patients with heart failure. Results of the RICA Registry. <i>Revista Clinica Espanola</i> , 2015 , 215, 363-70	0.7	20
304	Prevalence of sarcopenia in patients attending outpatient geriatric clinics: the ELLI study. <i>Age and Ageing</i> , 2015 , 44, 807-9	3	20
303	Health-related Quality of Life of Patients With Chronic Systolic Heart Failure in Spain: Results of the VIDA-IC Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 256-71	0.7	20
302	Diabetes mellitus: prevalence and effect of morbidities in the oldest old. The Octabaix study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 462-7	5.6	20
301	Hyponatremia as predictor of worse outcome in real world patients admitted with acute heart failure. <i>Cardiology Journal</i> , 2013 , 20, 506-12	1.4	20

300	Evidence of functional declining and global comorbidity measured at baseline proved to be the strongest predictors for long-term death in elderly community residents aged 85 years: a 5-year follow-up evaluation, the OCTABAIX study. <i>Clinical Interventions in Aging</i> , 2016 , 11, 437-44	4	20
299	Anemia is a mortality prognostic factor in patients initially hospitalized for acute heart failure. <i>Internal and Emergency Medicine</i> , 2017 , 12, 749-756	3.7	19
298	Utility of the SENIORS elderly heart failure risk model applied to the RICA registry of acute heart failure. <i>International Journal of Cardiology</i> , 2015 , 182, 449-53	3.2	19
297	Frailty in the oldest old: prevalence and associated factors. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 294-6	5.6	19
296	Impact of weight loss on mortality in chronic heart failure: findings from the RICA Registry. <i>International Journal of Cardiology</i> , 2013 , 168, 306-11	3.2	19
295	Risk of falls in 85-year-olds is associated with functional and cognitive status: the Octabaix Study. <i>Archives of Gerontology and Geriatrics</i> , 2012 , 54, 352-6	4	19
294	Sarcopenia, frailty, cognitive impairment and mortality in elderly patients with non-valvular atrial fibrillation. <i>Revista Clinica Espanola</i> , 2019 , 219, 424-432	0.7	19
293	Soft clustering using real-world data for the identification of multimorbidity patterns in an elderly population: cross-sectional study in a Mediterranean population. <i>BMJ Open</i> , 2019 , 9, e029594	3	19
292	Recommendations of the Geriatric Cardiology Section of the Spanish Society of Cardiology for the Assessment of Frailty in Elderly Patients With Heart Disease. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 63-71	0.7	19
291	Antithrombotic treatment and characteristics of elderly patients with non-valvular atrial fibrillation hospitalized at Internal Medicine departments. NONAVASC registry. <i>Medicina Clínica</i> , 2017 , 148, 204-210 ¹		18
290	Applicability of the heart failure Readmission Risk score: A first European study. <i>International Journal of Cardiology</i> , 2017 , 236, 304-309	3.2	18
289	Effects of renin-angiotensin blockers/inhibitors and statins on mortality and functional impairment in polypathological patients. <i>European Journal of Internal Medicine</i> , 2012 , 23, 179-84	3.9	18
288	The association of dehydroepiandrosterone sulphate levels with bone mineral density in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 1997 , 15, 387-92	2.2	18
287	Baseline functional status as the strongest predictor of in-hospital mortality in elderly patients with non-valvular atrial fibrillation: Results of the NONAVASC registry. <i>European Journal of Internal Medicine</i> , 2018 , 47, 69-74	3.9	17
286	Lower limb function and 10-year survival in population aged 75 years and older. <i>Family Practice</i> , 2016 , 33, 10-6	1.9	17
285	Utility of geriatric assessment to predict mortality in the oldest old: the Octabaix study 3-year follow-up. <i>Rejuvenation Research</i> , 2013 , 16, 279-84	2.6	17
284	Falls in nonagenarians living in their own homes: the Nonasantfeliu study. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 273-6	5.2	17
283	Evaluació funcional y cognitiva en una població urbana de majors de 89 anys. Estudio NonaSantFeliu. <i>Revista Espanola De Geriatria Y Gerontologia</i> , 2006 , 41, 21-26	1.7	17

282	Valoraci3n funcional en pacientes ancianos ingresados por insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 740-742	1.5	17
281	Influence of frailty on anticoagulant prescription and clinical outcomes after 1-year follow-up in hospitalised older patients with atrial fibrillation. <i>Internal and Emergency Medicine</i> , 2019 , 14, 59-69	3.7	17
280	Impacto pron3stico de la especialidad en el paciente ambulatorio con insuficiencia cardiaca: un an3lisis emparejado de los registros REDINSCOR y RICA. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 347-354	1.5	16
279	Impact of prealbumin on mortality and hospital readmission in patients with acute heart failure. <i>European Journal of Internal Medicine</i> , 2017 , 43, 36-41	3.9	16
278	Multifactorial assessment and targeted intervention in nutritional status among the older adults: a randomized controlled trial: the Octabaix study. <i>BMC Geriatrics</i> , 2015 , 15, 45	4.1	16
277	Global Geriatric Assessment and In-Hospital Bleeding Risk in Elderly Patients with Acute Coronary Syndromes: Insights from the LONGEVO-SCA Registry. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 581-590	7	16
276	Precipitating factors of heart failure admission: Differences related to age and left ventricular ejection fraction. <i>International Journal of Cardiology</i> , 2016 , 219, 150-5	3.2	16
275	Hospital deaths of people aged 90 and over: end-of-life palliative care management. <i>Gerontology</i> , 2008 , 54, 148-52	5.5	16
274	Lymphopenia as prognostic factor for mortality and hospital length of stay for elderly hospitalized patients. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 721-7	4.8	16
273	Comorbidity assessment for mortality risk stratification in elderly patients with acute coronary syndrome. <i>European Journal of Internal Medicine</i> , 2019 , 62, 48-53	3.9	15
272	Predicting factors of health-related quality of life in octogenarians: a 3-year follow-up longitudinal study. <i>Quality of Life Research</i> , 2015 , 24, 2701-11	3.7	15
271	Low serum vitamin D is not associated with an increase in mortality in oldest old subjects: the Octabaix three-year follow-up study. <i>Gerontology</i> , 2014 , 60, 10-5	5.5	15
270	Impact of anaemia on mortality and its causes in elderly patients with acute coronary syndromes. <i>Heart Lung and Circulation</i> , 2015 , 24, 557-65	1.8	15
269	Risk factors for functional decline in nonagenarians: a one-year follow-up. The NonaSantfeliu study. <i>Gerontology</i> , 2007 , 53, 211-7	5.5	15
268	Nutritional status and all-cause mortality in older adults with acute coronary syndrome. <i>Clinical Nutrition</i> , 2020 , 39, 1572-1579	5.9	15
267	Tratamiento de la insuficiencia cardiaca con funci3n sist3lica deprimida: situaci3n actual en Espa3a. Resultados del estudio VIDAI3C. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 769-770	1.5	14
266	Relationship between osteoprotegerin and mortality in decompensated heart failure with preserved ejection fraction. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 438-43	1.9	14
265	Antithrombotic treatment in elderly patients with atrial fibrillation. <i>Revista Clinica Espanola</i> , 2015 , 215, 171-81	0.7	14

264	Characteristics of fall-related hip fractures in community-dwelling elderly patients according to cognitive status. <i>Aging Clinical and Experimental Research</i> , 2008 , 20, 434-8	4.8	14
263	Characteristics of falls producing hip fracture in an elderly population. <i>Gerontology</i> , 2004 , 50, 118-9	5.5	14
262	Dying from heart failure in hospital: palliative decision making analysis. <i>British Heart Journal</i> , 2002 , 88, 187		14
261	Prevalence and outcome of diuretic resistance in heart failure. <i>Internal and Emergency Medicine</i> , 2019 , 14, 529-537	3.7	14
260	Prediction of Post-Discharge Bleeding in Elderly Patients with Acute Coronary Syndromes: Insights from the BleeMACS Registry. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 929-938	7	13
259	High serum osmolarity at admission determines a worse outcome in patients with heart failure: Is a new target emerging?. <i>International Journal of Cardiology</i> , 2016 , 221, 238-42	3.2	13
258	The utility of heart failure registries: a descriptive and comparative study of two heart failure registries. <i>Postgraduate Medical Journal</i> , 2016 , 92, 260-6	2	13
257	Inverted CD4:CD8 ratio is not associated with three-year mortality in a sample of community-dwelling oldest old: the OCTABAIX immune study. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 425-8	5.2	13
256	Efficacy of bleeding risk scores in elderly patients with acute coronary syndromes. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 463-70	0.7	13
255	Serum high-density lipoprotein cholesterol levels, their relationship with baseline functional and cognitive status, and their utility in predicting mortality in nonagenarians. <i>Geriatrics and Gerontology International</i> , 2011 , 11, 358-64	2.9	13
254	Anemia in new-onset congestive heart failure inpatients admitted for acute decompensation. <i>European Journal of Internal Medicine</i> , 2006 , 17, 179-84	3.9	13
253	Treatment of hyponatremia induced by the syndrome of Inappropriate antidiuretic hormone secretion: a multidisciplinary spanish algorithm. <i>Nefrologia</i> , 2014 , 34, 439-50	1.5	13
252	Advantages of care for patients with hip fractures in the acute geriatric unit: Hip study Anoaia. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 407-414	2.9	12
251	Management of Nonagenarian Patients With Severe Aortic Stenosis: The Role of Comorbidity. <i>Heart Lung and Circulation</i> , 2018 , 27, 219-226	1.8	11
250	An inter-rater reliability study of the prescribing indicated medications quality indicators of the Assessing Care Of Vulnerable Elders (ACOVE) 3 criteria as a potentially inappropriate prescribing tool. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 58, 460-4	4	11
249	Risk of being undernourished in a cohort of community-dwelling 85-year-olds: the Octabaix study. <i>Geriatrics and Gerontology International</i> , 2014 , 14, 702-9	2.9	11
248	Prognostic value of glomerular filtration rate estimation equations in acute heart failure with preserved versus reduced ejection fraction. <i>International Journal of Clinical Practice</i> , 2015 , 69, 829-39	2.9	11
247	Multifactorial assessment and targeted intervention to reduce falls among the oldest-old: a randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2014 , 9, 383-93	4	11

246	Serum high-density lipoprotein cholesterol levels correlate well with functional but not with cognitive status in 85-year-old subjects. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 449-53	5.2	11
245	Epilepsy and antiphospholipid antibodies in systemic lupus erythematosus patients. <i>Lupus</i> , 1997 , 6, 486	2.6	11
244	Dying from heart failure in hospital. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003 , 96, 777-87	8.7	11
243	Octogenarian women with acute coronary syndrome present frailty and readmissions more frequently than men. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 252-263	4.3	11
242	Secondary prevention programme of ischaemic heart disease in the elderly: A randomised clinical trial. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 278-286	3.9	11
241	Anemia in patients with acute coronary syndromes treated with prasugrel or ticagrelor: Insights from the RENAMI registry. <i>Thrombosis Research</i> , 2018 , 167, 142-148	8.2	11
240	Potentially Inappropriate Antihypertensive Prescriptions to Elderly Patients: Results of a Prospective, Observational Study. <i>Drugs and Aging</i> , 2017 , 34, 453-466	4.7	10
239	High Levels of Antifibrinolytic Proteins Are Found in Plasma of Older Octogenarians With Cardiovascular Disease and Cognitive Decline. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2667-2669	15.1	10
238	Lower Barthel Index scores predict less prescription of pharmacological therapy in elderly patients with Alzheimer disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 29, 198-203	2.6	10
237	Atrial fibrillation in elderly patients with dementia. <i>Gerontology</i> , 2009 , 55, 202-4	5.5	10
236	A new prognostic index centered on polypathological patients. The PROFUND index. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011 , 66, 1393-4; author reply 1395-6	6.4	10
235	Metastatic prostate carcinoma presenting as numb chin syndrome in elderly people. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 581-2	5.6	10
234	Inter-rater reliability of the Barthel Index. <i>Age and Ageing</i> , 2005 , 34, 655-6	3	10
233	Fulminant thrombotic thrombocytopenic purpura in systemic lupus erythematosus. <i>Scandinavian Journal of Rheumatology</i> , 1998 , 27, 76-7	1.9	10
232	Applicability of the PRECISE-DAPT score in elderly patients with myocardial infarction. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 713-717	1.7	10
231	Management of myocardial infarction in the elderly. Insights from Spanish Minimum Basic Data Set. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 242-251	4.3	10
230	Estimated glomerular filtration rate and functional status among older people: A systematic review. <i>European Journal of Internal Medicine</i> , 2018 , 56, 39-48	3.9	10
229	Coronavirus: the geriatric emergency of 2020. Joint document of the Section on Geriatric Cardiology of the Spanish Society of Cardiology and the Spanish Society of Geriatrics and Gerontology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 569-576	0.7	9

228	Elderly patients treated with psychotropic medicines admitted to hospital: associated characteristics and inappropriate use. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 755-64	2.8	9
227	Features and costs of patients admitted for cardiac arrhythmias in Spain. <i>Revista Clinica Espanola</i> , 2013 , 213, 235-9	0.7	9
226	High rate of anticoagulation therapy in oldest old subjects with atrial fibrillation: the Octabaix study. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 8-10	5.9	9
225	Influence of acute exacerbation of chronic obstructive pulmonary disease or congestive heart failure on functional decline after hospitalization in nonagenarian patients. <i>European Journal of Internal Medicine</i> , 2005 , 16, 24-28	3.9	9
224	Apolipoprotein e genotypes in nonagenarians. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1471-3.6	3.6	9
223	Relation of Low Lymphocyte Count to Frailty and its Usefulness as a Prognostic Biomarker in Patients >65 Years of Age With Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2020 , 125, 1033-1038	3	9
222	Documento de consenso y recomendaciones sobre cuidados paliativos en insuficiencia cardiaca de las Secciones de Insuficiencia Cardiaca y Cardiología Geriátrica de la Sociedad Española de Cardiología. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 69-77	1.5	9
221	Prognostic influence of prior chronic obstructive pulmonary disease in patients admitted for their first episode of acute heart failure. <i>Internal and Emergency Medicine</i> , 2018 , 13, 351-357	3.7	8
220	¿Se ha incrementado el uso de bloqueadores beta en pacientes con insuficiencia cardiaca en medicina interna? Implicaciones pronósticas: registro RICA. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 196-202	1.5	8
219	Oral anticoagulation in patients with atrial fibrillation and medical non-neoplastic disease in a terminal stage. <i>Internal and Emergency Medicine</i> , 2017 , 12, 53-61	3.7	8
218	Unanswered clinical questions in the management of cardiometabolic risk in the elderly: a statement of the Spanish Society of Internal Medicine. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 193	2.3	8
217	Dying in hospital of severe dementia: palliative decision-making analysis. <i>Aging Clinical and Experimental Research</i> , 2004 , 16, 420-1	4.8	8
216	Reversible dementia due to two coexisting diseases. <i>Lancet, The</i> , 2000 , 355, 1154	4.0	8
215	De novo acute heart failure: Clinical features and one-year mortality in the Spanish nationwide Registry of Acute Heart Failure. <i>Medicina Clínica</i> , 2019 , 152, 127-134	1	7
214	Clinical evidence of diabetes mellitus end-organ damage as risk factor for falls complicated by hip fracture: A multi-center study of 1225 patients. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 233-7.4	7.4	7
213	Geriatric assessment and chronic kidney disease in the oldest old: the Octabaix study. <i>European Journal of Internal Medicine</i> , 2012 , 23, 534-8	3.9	7
212	Falls in nonagenarians after 1-year of follow-up: the NonaSantfeliu study. <i>Archives of Gerontology and Geriatrics</i> , 2008 , 46, 15-23	4	7
211	Sequential study of bone mineral density in patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 857	2.4	7

210	FRAIL Scale also Predicts Long-Term Outcomes in Older Patients With Acute Coronary Syndromes. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 683-687.e1	5.9	7
209	Gender Differences in Health-Related Quality of Life in Patients with Systolic Heart Failure: Results of the VIDA Multicenter Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
208	Beneficial and harmful outcomes of tocilizumab in severe COVID-19: A systematic review and meta-analysis. <i>Pharmacotherapy</i> , 2021 , 41, 884-906	5.8	7
207	Diabetes mellitus, frailty and prognosis in very elderly patients with acute coronary syndromes. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1635-1643	4.8	6
206	Influence of atrial fibrillation on the mortality of patients with heart failure with preserved ejection fraction. <i>Medicina Clínica</i> , 2018 , 150, 376-382	1	6
205	Inadequate Glycaemic Control and Therapeutic Management of Adults over 65 Years Old with Type 2 Diabetes Mellitus in Spain. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 1365-1370	5.2	6
204	Conservative management in very elderly patients with severe aortic stenosis: Time to change?. <i>Journal of Cardiology</i> , 2017 , 69, 883-887	3	6
203	Troponin T in acute heart failure: clinical implications and prognosis in the Spanish National Registry on Heart Failure. <i>European Journal of Internal Medicine</i> , 2014 , 25, 739-44	3.9	6
202	Predictors of cognitive decline in 85-year-old patients without cognitive impairment at baseline: 2-year follow-up of the octabaix study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2013 , 28, 147-53	2.5	6
201	Differences according to gender and health status in CD4:CD8 ratio in a sample of community-dwelling oldest old. The OCTABAIX immune study. <i>Aging Clinical and Experimental Research</i> , 2011 , 23, 268-72	4.8	6
200	Decline in the performance of activities of daily living over three years of follow-up in nonagenarians: The NonaSantfeliu study. <i>European Geriatric Medicine</i> , 2010 , 1, 77-81	3	6
199	Delirium in hospitalised older persons: review. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 246-51	5.2	6
198	Morir en el hospital por demencia en fase terminal: análisis de la toma de decisiones después de un programa educativo. <i>Revista Española De Geriatria Y Gerontología</i> , 2005 , 40, 18-21	1.7	6
197	Functional decline in nonagenarians after a visit to an ED. <i>American Journal of Emergency Medicine</i> , 2003 , 21, 509	2.9	6
196	Association between risperidone treatment and cerebrovascular adverse events in elderly patients with dementia. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1446-8	5.6	6
195	Prevalence of sarcopenia in community-dwelling older adults using the updated EWGSOP2 definition according to kidney function and albuminuria : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 327	4.1	6
194	VitaminD supplementation for the prevention and treatment of COVID-19: a position statement from the Spanish Society of Geriatrics and Gerontology. <i>Revista Española De Geriatria Y Gerontología</i> , 2021 , 56, 177-182	1.7	6
193	Characteristics of falls producing hip fractures in nonagenarians. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 664-7	5.2	6

192	Utility of the Controlling Nutritional Status (CONUT) score in patients admitted due to acute heart failure. <i>International Journal of Cardiology</i> , 2017 , 235, 203	3.2	5
191	Clinical characteristics and one-year mortality according to admission renal function in patients with a first acute heart failure hospitalization. <i>Revista Portuguesa De Cardiologia</i> , 2018 , 37, 159-165	1	5
190	Predictive items of 2-year mortality in nonagenarians with cognitive impairment at baseline: the NonaSantfeliu study. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 48, 254-7	4	5
189	Predictors of two-year mortality in nonagenarians with severe functional impairment at baseline: the NonaSantfeliu study. <i>Age and Ageing</i> , 2008 , 37, 104-7	3	5
188	Charles-Bonnet syndrome exacerbated by tramadol. <i>Aging Clinical and Experimental Research</i> , 2003 , 15, 518-9	4.8	5
187	Red blood cell distribution width as a prognostic factor of mortality in elderly patients firstly hospitalized due to heart failure. <i>Kardiologia Polska</i> , 2019 , 77, 632-638	0.9	5
186	Palliative Sedation in Patients Hospitalized in Internal Medicine Departments. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 302-309	4.8	5
185	Consensus document and recommendations on palliative care in heart failure of the Heart Failure and Geriatric Cardiology Working Groups of the Spanish Society of Cardiology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 69-77	0.7	5
184	Association between kidney function, nutritional status and anthropometric measures in older people : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 366	4.1	5
183	Risk Categories in COVID-19 Based on Degrees of Inflammation: Data on More Than 17,000 Patients from the Spanish SEMI-COVID-19 Registry. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
182	High rate of mortality in Spanish community-dwelling population aged 85 with atrial fibrillation after three years of follow-up: The Octabaix study. <i>Australasian Journal on Ageing</i> , 2016 , 35, 216-9	1.5	5
181	Reflexiones sobre la importancia de la fragilidad en la valoración del riesgo cardiovascular en el anciano. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 1008-1010	1.5	5
180	End-of-life care for patients hospitalised in internal medicine departments. <i>Revista Clinica Espanola</i> , 2019 , 219, 107-115	0.7	5
179	Influence of potassium levels on one-year outcomes in elderly patients with acute heart failure. <i>European Journal of Internal Medicine</i> , 2019 , 60, 24-30	3.9	5
178	Inflammation and hemostasis in older octogenarians: implication in 5-year survival. <i>Translational Research</i> , 2017 , 185, 34-46.e9	11	4
177	Sarcopenia, frailty, cognitive impairment and mortality in elderly patients with non-valvular atrial fibrillation. <i>Revista Clínica Espanola</i> , 2019 , 219, 424-432	0.5	4
176	The problem of underdosing with direct-acting oral anticoagulants in elderly patients with nonvalvular atrial fibrillation. <i>Journal of Comparative Effectiveness Research</i> , 2020 , 9, 509-523	2.1	4
175	Clinical characteristics and prognosis in patients with a first acute heart failure hospitalization according to admission hyponatremia. <i>Acta Clinica Belgica</i> , 2018 , 73, 281-286	1.8	4

174	Comprehensive therapeutic approach for patients with heart failure and comorbidity. <i>Revista Clinica Espanola</i> , 2016 , 216, 323-30	0.7	4
173	Stress-induced hyperglycemia on complications in non-critically elderly hospitalized patients. <i>Revista Clinica Espanola</i> , 2018 , 218, 223-231	0.7	4
172	Statin Treatment and Prognosis of Elderly Patients Discharged after Non-ST Segment Elevation Acute Coronary Syndrome. <i>Cardiology</i> , 2019 , 143, 14-21	1.6	4
171	Simplification of the Barthel scale for screening for frailty and severe dependency in poly pathological patients. <i>Revista Clinica Espanola</i> , 2019 , 219, 433-439	0.7	4
170	Massive open online courses (MOOCs) for long-distance education in geriatric medicine across Europe : A pilot project launched by the consortium of the project "Screening for Chronic Kidney Disease among Older People": SCOPE project. <i>European Geriatric Medicine</i> , 2019 , 10, 989-994	3	4
169	The difficult way to become a centenarian. the NonaSantfeliu Study: ten years of follow-up. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1792-3	5.6	4
168	The challenge of maintaining successful aging at 87 years old: the Octabaix study two-year follow-up. <i>Rejuvenation Research</i> , 2012 , 15, 584-9	2.6	4
167	Thyrotropin serum values and 3-year mortality in nonagenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 1250-1; author reply 1252-3	6.4	4
166	Predictors of 3-year mortality in subjects over 95 years of age. The NonaSantfeliu study. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 63-5	5.2	4
165	High percentage of vitamin d deficiency in nonagenarians. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 2147-8	5.6	4
164	Community-dwelling nondisabled nonagenarians: two-year follow-up: the NonaSantfeliu Study. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 801-3	5.6	4
163	Abordaje de la insuficiencia cardiaca en ancianos: una visi3n desde la atenci3n primaria. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 290-291	1.5	4
162	Clinical Implications of Estimating Glomerular Filtration Rate with Three Different Equations Among Older People. Preliminary Results of the Project "Screening for Chronic Kidney Disease among Older People across Europe (SCOPE)". <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
161	Prognostic impact of anemia according to frailty status in elderly patients with acute coronary syndromes. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 27-33	1.9	4
160	Chronic kidney disease in the context of multimorbidity patterns: the role of physical performance : The screening for CKD among older people across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 350	4.1	4
159	First hospital admission due to heart failure: In-hospital mortality and patient profile. <i>Revista Clinica Espanola</i> , 2019 , 219, 130-140	0.7	4
158	Effort Oxygen Saturation and Effort Heart Rate to Detect Exacerbations of Chronic Obstructive Pulmonary Disease or Congestive Heart Failure. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
157	Differential characteristics of acute heart failure in very elderly patients: the prospective RICA study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1789-1799	4.8	4

156	Sex differences in 1-year mortality risks in older patients experiencing a first acute heart failure hospitalization. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 184-188	2.9	4
155	Criteria for admitting elderly patients with acute coronary syndrome to critical care units from Spanish hospital emergency departments: a LONGEVO-SCA cohort study. <i>Emergencias</i> , 2019 , 31, 154-160	0.9	4
154	Combining heart rate and systolic blood pressure to improve risk stratification in older patients with heart failure: Findings from the RICA Registry. <i>International Journal of Cardiology</i> , 2017 , 230, 625-629	2.2	3
153	Prognostic Impact of Physician Specialty on the Prognosis of Outpatients With Heart Failure: Propensity Matched Analysis of the REDINSCOR and RICA Registries. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 347-354	0.7	3
152	Hemoconcentration as a prognostic factor after hospital discharge in acute heart failure in the RICA registry. <i>Revista Clinica Espanola</i> , 2019 , 219, 1-9	0.7	3
151	Treatment of type 2 diabetes mellitus in elderly patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 218, 74-88	0.5	3
150	Clinical characteristics and one-year mortality according to admission renal function in patients with a first acute heart failure hospitalization. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2018 , 37, 159-165	0	3
149	Heart Failure with Recovered Ejection Fraction in a Cohort of Elderly Patients with Chronic Heart Failure. <i>Cardiology</i> , 2016 , 135, 196-201	1.6	3
148	Management of patients with type 2 diabetes and multiple chronic conditions: A Delphi consensus of the Spanish Society of Internal Medicine. <i>European Journal of Internal Medicine</i> , 2016 , 27, 31-6	3.9	3
147	Factors associated with discontinuing or not starting oral anticoagulant therapy in older hospitalized patients with non-valvular atrial fibrillation. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 1219-1224	2.9	3
146	Acute kidney injury is linked to higher mortality in elderly hospitalized patients with non-valvular atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 455-461	4.8	3
145	Current situation of management of systolic heart failure in Spain: VIDA-IC study results. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 769-70	0.7	3
144	About the RICA registry in patients with heart failure. <i>European Journal of Heart Failure</i> , 2015 , 17, 846	12.3	3
143	Heart failure in elderly patients: it is time to add geriatric assessment. <i>European Journal of Heart Failure</i> , 2013 , 15, 1075	12.3	3
142	Survival after 7 years of follow-up at ninety. The NonaSantfeliu study. <i>European Journal of Internal Medicine</i> , 2011 , 22, e164-5	3.9	3
141	Relaci3n entre la p3rdida sensorial y la capacidad funcional en personas mayores de 89 a3os. Estudio NonaSantfeliu. <i>Revista Espanola De Geriatria Y Gerontologia</i> , 2006 , 41, 258-263	1.7	3
140	Clinical and prognostic implications of delirium in elderly patients with non-ST-segment elevation acute coronary syndromes. <i>Journal of Geriatric Cardiology</i> , 2019 , 16, 121-128	1.7	3
139	Sacubitril-Valsartan, Clinical Benefits and Related Mechanisms of Action in Heart Failure With Reduced Ejection Fraction. A Review. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 754499	5.4	3

138	Short term prognosis of heart failure after first hospital admission. <i>Medicina Clínica</i> , 2020 , 154, 37-44	1	3
137	Diabetes mellitus is not independently associated with mortality in elderly patients with ST-segment elevation myocardial infarction. Insights from the Codi Infart registry. <i>Coronary Artery Disease</i> , 2020 , 31, 1-6	1.4	3
136	Impaired kidney function is associated with lower quality of life among community-dwelling older adults : The screening for CKD among older people across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 340	4.1	3
135	Heart failure and diabetes: The confrontation of two major epidemics of the 21st century. <i>Revista Clinica Espanola</i> , 2020 , 220, 135-138	0.7	3
134	Relation of Interatrial Block to Cognitive Impairment in Patients ≥70 Years of Age (From the CAMBIAD Case-control Study). <i>American Journal of Cardiology</i> , 2020 , 136, 94-99	3	3
133	Clinical Characteristics and Prognosis of Very Elderly Patients With Acute Coronary Syndrome Treated With Ticagrelor: Insights From the LONGEVO-SCA Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019 , 72, 263-266	0.7	3
132	Prognostic factors for discharge to home and residing at home 12 months after hip fracture: an Anoa hip study. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 925-933	4.8	3
131	Diabetes, sarcopenia and chronic kidney disease; the Screening for CKD among Older People across Europe (SCOPE) study.. <i>BMC Geriatrics</i> , 2022 , 22, 254	4.1	3
130	De novo acute heart failure: Clinical features and one-year mortality in the Spanish nationwide Registry of Acute Heart Failure. <i>Medicina Clínica (English Edition)</i> , 2019 , 152, 127-134	0.3	2
129	Spironolactone in patients with heart failure and preserved ejection fraction. <i>Revista Clinica Espanola</i> , 2015 , 215, 301-7	0.7	2
128	Gender-related differences in clinical profile and outcome of patients with heart failure. Results of the RICA Registry. <i>Revista Clínica Espanola</i> , 2015 , 215, 363-370	0.5	2
127	Pain and recurrent falls in the older and oldest-old non-institutionalized population. <i>BMC Geriatrics</i> , 2020 , 20, 15	4.1	2
126	Polypharmacy in elderly people with diabetes admitted to hospital. <i>Acta Diabetologica</i> , 2016 , 53, 857-8	3.9	2
125	Lower admission blood pressure as an independent predictor of 1-year mortality in elderly patients experiencing a first hospitalization for acute heart failure. <i>Hellenic Journal of Cardiology</i> , 2019 , 60, 224-229	2.4	2
124	Diagnosis of heart failure with preserved ejection fraction: still a challenge. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1748-9	15.1	2
123	Prognosis of elderly ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2014 , 168, e3	4.9	2
122	Ambulatory blood pressure monitoring (ABPM) in nonagenarians. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 48, 367-71	4	2
121	Thrombolysis in elderly patients with massive pulmonary embolism. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1964-6	5.6	2

120	Factors predicting 2-year cognitive decline in nonagenarians without cognitive impairment at baseline: the NonaSantfeliu study. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1152-4	5.6	2
119	Differences in end of life care in patients who died with dementia during acute hospital admissions. <i>Age and Ageing</i> , 2006 , 35, 451-2; author reply 452	3	2
118	Evaluaci3n de las ca3das en las personas mayores de 89 a3os institucionalizadas. Estudio NonaSantfeliu. <i>Revista Espanola De Geriatria Y Gerontologia</i> , 2006 , 41, 138-141	1.7	2
117	Vitamin B12 deficiency: an unusual cause of falls in the elderly. <i>Aging Clinical and Experimental Research</i> , 2004 , 16, 255-6	4.8	2
116	Insuficiencia card3aca en el anciano: una causa frecuente de reingreso hospitalario. <i>Medicina Cl3nica</i> , 2004 , 122, 275-275	1	2
115	Is kidney function associated with cognition and mood in late life? : The Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 297	4.1	2
114	Geriatric assessment predicts survival and competing mortality in colorectal cancer elderly patients. Can it help in adjuvant therapy decision?. <i>Annals of Oncology</i> , 2016 , 27, vi180	10.3	2
113	Consensus for improving the comprehensive care of patients with acute heart failure: summarised version. <i>Revista Clinica Espanola</i> , 2016 , 216, 260-70	0.7	2
112	Characteristics of falls producing hip fracture in patients on oral anticoagulants. <i>Acta Clinica Belgica</i> , 2016 , 71, 171-4	1.8	2
111	Perfil cl3nico y pron3stico del paciente muy anciano con s3ndrome coronario agudo tratado con ticagrelor. Datos del registro LONGEVO-SCA. <i>Revista Espanola De Cardiologia</i> , 2019 , 72, 263-266	1.5	2
110	Heart failure and diabetes: The confrontation of two major epidemics of the 21st century. <i>Revista Cl3nica Espanola</i> , 2020 , 220, 135-138	0.5	2
109	Association between diabetes and mortality in elderly patients admitted for a first episode of acute heart failure. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 554-560	2.9	2
108	Mild Anemia and Mortality in Very Old Adults Hospitalized for Acute Heart Failure. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2432-2434	5.6	2
107	Functional and Cognitive Decline Is Associated With Increased Endothelial Cell Inflammation and Platelet Activation: Liquid Biopsy of Microvesicles in Community- Dwelling Octogenarians. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 716435	5.7	2
106	High-Dose Methylprednisolone Pulses for 3 Days vs. Low-Dose Dexamethasone for 10 Days in Severe, Non-Critical COVID-19: A Retrospective Propensity Score Matched Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
105	Mitral Regurgitation and Prognosis After Non-ST-Segment Elevation Myocardial Infarction in Very Old Patients. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1641-1648	5.6	1
104	The use of thiazide and thiazide-like diuretics in heart failure with congestion. <i>European Journal of Heart Failure</i> , 2019 , 21, 948	12.3	1
103	Frailty Should Not Be a Justification for Not Prescribing Anticoagulation in Older Patients With Atrial Fibrillation. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 786-787	5.9	1

102	Why are antithrombotic drugs not prescribed to octogenarian patients with atrial fibrillation at risk of stroke?. <i>Semergen</i> , 2020 , 46, 392-399	1.9	1
101	Atrial fibrillation and cognitive impairment: some answers but many questions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 869-870	0.7	1
100	Prognostic factors of good functionality at 12 months of a hip fracture. Maluc Anoaia study. <i>Revista Espanola De Cirugía Ortopédica Y Traumatología</i> , 2020 , 64, 57-63	0.4	1
99	Paget-Schroetter syndrome. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018 , 111, 269-270	2.7	1
98	Detecting malnutrition and predicting mortality in the Spanish oldest old: Utility of the Controlling Nutritional Status (CONUT) score compared with the Mini Nutritional Assessment (MNA) score. <i>European Geriatric Medicine</i> , 2016 , 7, 566-570	3	1
97	Prognostic Role of Hyperuricemia in Acute Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016 , 69, 699-700	0.7	1
96	Lymphocyte-to-white blood cells ratio in older patients experiencing a first acute heart failure hospitalization. <i>European Geriatric Medicine</i> , 2018 , 9, 365-370	3	1
95	Profiling of patients with non-valvular atrial fibrillation and moderate-to-high risk of stroke not receiving oral anticoagulation in Spain. <i>Semergen</i> , 2019 , 45, 396-405	1.9	1
94	Has beta-blocker use increased in patients with heart failure in internal medicine settings? Prognostic implications: RICA registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 196-202	0.7	1
93	Factors associated with social risk in 85-year-old community residents. <i>Revista Clinica Espanola</i> , 2013 , 213, 145-9	0.7	1
92	Ambulatory blood pressure monitoring in heart failure and serum sodium levels. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017 , 36, 513-520	0	1
91	Ambulatory blood pressure monitoring in heart failure and serum sodium levels. <i>Revista Portuguesa De Cardiologia</i> , 2017 , 36, 513-520	1	1
90	Type 3 diabetes mellitus. The revival of inhaled insulin?. <i>Endocrinología Y Nutrición (English Edition)</i> , 2014 , 61, 173-175		1
89	Dyslipidemia and ischemic cardiopathy associated with duration of diabetes mellitus in the oldest old: the OCTABAIX study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1594-6	5.6	1
88	Vital status after five-year follow-up of nonagenarians with functional and/or cognitive impairment at baseline: the NonaSantfeliu study. <i>Journal of Nutrition, Health and Aging</i> , 2011 , 15, 121-5	5.2	1
87	Characteristics of falls-related hip fracture in institutionalized elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009 , 64, 992-3	6.4	1
86	Ambulatory blood pressure monitoring and 24-month mortality in nonagenarians. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 941-3	5.6	1
85	Predictors of 3-year mortality in institutionalized nonagenarians: the NonaSantfeliu study. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 444-6	5.9	1

84	Re: "Incidence and characteristics of falls leading to hip fracture in Iranian population" by Abolhassani et al. <i>BONE</i> 2006:39;408-13. <i>Bone</i> , 2007 , 40, 242; author reply 243	4.7	1
83	Improving the management of terminal heart failure patients. <i>American Journal of Medicine</i> , 2005 , 118, 1446-7; author reply 1447-8	2.4	1
82	Serum insulin-like growth factor levels do not predict functional recovery after hospitalization in nonagenarian patients. <i>Hormone Research in Paediatrics</i> , 2003 , 59, 249-53	3.3	1
81	Is C-reactive protein useful in differentiating infection from disease exacerbation in systemic lupus erythematosus patients?. <i>Journal of Clinical Rheumatology</i> , 1998 , 4, 177-80	1.1	1
80	Diabetes mellitus, revascularization and outcomes in elderly patients with myocardial infarction-related cardiogenic shock. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 604-611	1.7	1
79	Does admission acetylsalicylic acid uptake in hospitalized COVID-19 patients have a protective role? Data from the Spanish SEMI-COVID-19 Registry. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	1
78	Prevalence and Risk Factors for Non-Vertebral Fractures in Patients Receiving Oral Glucocorticoids. <i>International Journal of Endocrinology and Metabolism</i> , 2012 , 10, 480-485	1.8	1
77	Kidney function and other factors and their association with falls : The screening for CKD among older people across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2020 , 20, 320	4.1	1
76	Comorbidity in patients with type 2 diabetes mellitus and heart failure with preserved ejection fraction. Cluster analysis of the RICA registry. Opportunities for improvement. <i>Revista Clinica Espanola</i> , 2020 , 220, 409-416	0.7	1
75	Baseline CHA DS -VAsC score and prognosis in octogenarians with non-ST segment elevation acute coronary syndrome. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14082	2.9	1
74	Consensus on improving the comprehensive care of patients with acute heart failure. <i>Revista Clinica Espanola</i> , 2021 , 221, 163-168	0.5	1
73	Consensus on basic conduct during the hospital admission of patients with acute heart failure. <i>Revista Clinica Espanola</i> , 2020 ,	0.7	1
72	Geriatric Assessment and In-Hospital Economic Cost of Elderly Patients With Acute Coronary Syndromes. <i>Heart Lung and Circulation</i> , 2021 , 30, 1863-1869	1.8	1
71	Papel pronóstico de la hiperuricemia en insuficiencia cardiaca aguda. <i>Revista Espanola De Cardiologia</i> , 2016 , 69, 699-700	1.5	1
70	Mortality in type 2 diabetes patients admitted because of acute heart failure. <i>Revista Clinica Espanola</i> , 2016 , 216, 341-3	0.7	1
69	Frequency of Renal Dysfunction and Frailty in Patients 80 Years of Age With Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , 2019 , 123, 729-735	3	1
68	Usefulness of systolic blood pressure combined with heart rate measured on admission to identify 1-year all-cause mortality risk in elderly patients firstly hospitalized due to acute heart failure. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 99-106	4.8	1
67	Prevalence of advanced heart failure and use of palliative care in admitted patients: Findings from the EPICTER study. <i>International Journal of Cardiology</i> , 2021 , 327, 125-131	3.2	1

66	Utilidad pronóstica de las cifras ambulatorias de presión arterial en pacientes de edad avanzada con insuficiencia cardíaca. Resultados del estudio DICUMAP. <i>Revista Clínica Española</i> , 2021 , 221, 433-440	0.7	1
65	PDN-21 in premenopausal women with systemic lupus erythematosus treated with glucocorticoids. <i>Journal of Rheumatology</i> , 1995 , 22, 2238-40	4.1	1
64	WHO Ordinal Scale and Inflammation Risk Categories in COVID-19. Comparative Study of the Severity Scales.. <i>Journal of General Internal Medicine</i> , 2022 , 1	4	1
63	Is heart failure with midrange ejection fraction similar to preserved ejection fraction? Against. <i>Revista Clínica Española</i> , 2017 , 217, 299-301	0.7	0
62	Nutritional Risk and Mortality at One Year for Elderly Patients Hospitalized with Nonvalvular Atrial Fibrillation. NONAVASC Registry. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 981-986	5.2	0
61	Comments on Selected Recent Dysphagia Literature. <i>Dysphagia</i> , 2013 , 28, 588-594	3.7	0
60	Lupus eritematoso sistémico en un paciente de 87 años. <i>Revista Española De Geriatria Y Gerontología</i> , 2005 , 40, 53-54	1.7	0
59	Valoración y tratamiento del estreñimiento en el anciano. <i>Revista Española De Geriatria Y Gerontología</i> , 2006 , 41, 232-239	1.7	0
58	Antidepressant drug prescribing among nonagenarians: the NonaSantfeliu study. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 1003-4	3.9	0
57	The impact of sex and physical performance on long-term mortality in older patients with myocardial infarction.. <i>BMC Medicine</i> , 2022 , 20, 15	11.4	0
56	Fibrilación auricular y deterioro cognitivo: algunas respuestas, pero muchas preguntas. <i>Revista Española De Cardiología</i> , 2020 , 73, 869-870	1.5	0
55	Consenso para la mejora de la atención integral de los pacientes con insuficiencia cardíaca aguda. <i>Revista Clínica Española</i> , 2021 , 221, 163-168	0.7	0
54	What do experts think about heart failure guidelines?. <i>Revista Clínica Española</i> , 2016 , 216, 457-459	0.7	0
53	Improving drug prescription in elderly diabetic patients. <i>Revista Española De Geriatria Y Gerontología</i> , 2016 , 51, 127-9	1.7	0
52	Modes of death in heart failure according to age, sex and left ventricular ejection fraction. <i>Internal and Emergency Medicine</i> , 2021 , 16, 643-652	3.7	0
51	Impact of frailty and atrial fibrillation in elderly patients with acute coronary syndromes. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13505	4.6	0
50	Clusters of inflammation in COVID-19: descriptive analysis and prognosis on more than 15,000 patients from the Spanish SEMI-COVID-19 Registry.. <i>Internal and Emergency Medicine</i> , 2022 , 1	3.7	0
49	Insuficiencia cardíaca aguda en el anciano: características clínicas y mortalidad según la fracción de eyección ventricular izquierda. <i>Revista Colombiana De Cardiología</i> , 2017 , 24, 250-254	0.1	0

48	Comprehensive Geriatric Assessment and Transcatheter Aortic Valve Replacement. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 469-470	15.1
47	Antithrombotic treatment and characteristics of elderly patients with non-valvular atrial fibrillation hospitalized at Internal Medicine departments. NONAVASC registry. <i>Medicina Clínica (English Edition)</i> , 2017 , 148, 204-210	0.3
46	Prevalence and outcome of diuretic resistance in heart failure: reply. <i>Internal and Emergency Medicine</i> , 2019 , 14, 633-634	3.7
45	First hospital admission due to heart failure: In-hospital mortality and patient profile. <i>Revista Clínica Espanola</i> , 2019 , 219, 130-140	0.5
44	Spirolactone in patients with heart failure and preserved ejection fraction. <i>Revista Clínica Espanola</i> , 2015 , 215, 301-307	0.5
43	Tratamiento clínico y pronóstico en pacientes con síndrome coronario agudo y anemia. <i>Revista Espanola De Cardiología</i> , 2015 , 68, 355	1.5
42	Clinical treatment and prognosis in patients with acute coronary syndrome and anemia. <i>Revista Espanola De Cardiología (English Ed)</i> , 2015 , 68, 355	0.7
41	Nutritional Risk and Mortality at One Year for Elderly Patients Hospitalized with Nonvalvular Atrial Fibrillation. Nonavasc Registry. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 981-986	5.2
40	Impact of Diabetes Mellitus and Frailty on Long-Term Outcomes in Elderly Patients with Acute Coronary Syndromes. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 723-729	5.2
39	No clear beneficial effects of beta-blockers for heart failure with preserved ejection fraction to improve prognostic outcomes in elderly patients with sinus rhythm. <i>Internal and Emergency Medicine</i> , 2020 , 15, 1351-1352	3.7
38	Pronostic factors of good functionality at 12 months of a hip fracture. Maluc Anoaia study. <i>Revista Espanola De Cirugía Ortopédica Y Traumatología</i> , 2020 , 64, 57-63	0.4
37	Short term prognosis of heart failure after first hospital admission. <i>Medicina Clínica (English Edition)</i> , 2020 , 154, 37-44	0.3
36	Prevalence and clinical significance of interatrial block in very older persons. <i>European Geriatric Medicine</i> , 2018 , 9, 155-159	3
35	Influence of atrial fibrillation on the mortality of patients with heart failure with preserved ejection fraction. <i>Medicina Clínica (English Edition)</i> , 2018 , 150, 376-382	0.3
34	Acute heart failure by senil systemic amyloidosis: Case report. <i>Medicina Clínica</i> , 2018 , 150, 162-163	1
33	Comprehensive therapeutic approach for patients with heart failure and comorbidity. <i>Revista Clínica Espanola</i> , 2016 , 216, 323-330	0.5
32	High serum levels of ferritin at baseline are not associated with an increased risk of mortality in oldest old community-dwelling adults: The OCTABAIX study. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 284-6	2.9
31	Bleeding risk assessment and comorbidities in elderly patients with acute coronary syndromes. <i>Revista Portuguesa De Cardiología</i> , 2016 , 35, 247-8	1

30	Bleeding risk assessment and comorbidities in elderly patients with acute coronary syndromes. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016 , 35, 247-248	0
29	Reply to "Spironolactone in patients with heart failure and preserved ejection fraction". <i>Revista Clinica Espanola</i> , 2016 , 216, 112	0.7
28	Prognostic influence of prior chronic obstructive pulmonary disease in patients admitted for the first time because of acute heart failure: reply. <i>Internal and Emergency Medicine</i> , 2018 , 13, 973-974	3.7
27	Sarcopenia research: Relevance of methodology. <i>Revista Clinica Espanola</i> , 2014 , 214, 485-6	0.7
26	Features and costs of patients admitted for cardiac arrhythmias in Spain. <i>Revista Clinica Espanola</i> , 2013 , 213, 235-239	0.5
25	Factors associated with social risk in 85-year-old community residents. <i>Revista Clinica Espanola</i> , 2013 , 213, 145-149	0.5
24	An unusual and reversible cause of falls: spinal meningioma in an elderly woman. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 166-8	5.6
23	Prevalence of Prediabetes and Associated Factors in the Oldest Old. A Cross Sectional Study in the Octabaix Cohort. <i>International Journal of Gerontology</i> , 2017 , 11, 90-94	
22	Is heart failure with midrange ejection fraction similar to preserved ejection fraction? Against. <i>Revista Clinica Espanola</i> , 2017 , 217, 299-301	0.5
21	Prognostic role of hyponatremia in acute heart failure. <i>Medicina Clinica</i> , 2017 , 148, 41-42	1
20	Antithrombotic treatment in elderly patients with atrial fibrillation. <i>Revista Clinica Espanola</i> , 2015 , 215, 171-181	0.5
19	Dementia and diabetes: Casual or causal relationship?. <i>Medicina Clinica (English Edition)</i> , 2015 , 144, 176-180	
18	Missed opportunities for advance care planning. <i>Journal of General Internal Medicine</i> , 2012 , 27, 892	4
17	Influencia del patr3n circadiano de la presi3n arterial en la mortalidad de una cohorte de nonagenarios. Valoraci3n a los tres a3os de seguimiento. <i>Hipertension Y Riesgo Vascular</i> , 2010 , 27, 93-98	0.5
16	Preferencias de reanimaci3n cardiopulmonar en el paciente hospitalizado con insuficiencia card3aca. <i>Revista Espanola De Cardiologia</i> , 2005 , 58, 106-107	1.5
15	Cardiopulmonary Resuscitation Preferences Among Hospitalized Heart Failure Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2005 , 58, 106-107	0.7
14	Managing Heart Failure in the Elderly: a Primary-Care Perspective. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006 , 59, 290-291	0.7
13	Functional Assessment of Elderly Patients Admitted for Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006 , 59, 740-742	0.7

12	Geriatric assessment in elderly heart failure patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 634	6.4
11	Initiation, maintenance and withdrawal of disease-modifying treatment during an acute heart failure decompensation. <i>Revista Clinica Espanola</i> , 2019 , 219, 464-466	0.7
10	Consensus on basic conduct during the hospital admission of patients with acute heart failure. <i>Revista Clinica Espanola</i> , 2021 , 221, 283-296	0.5
9	Health and economic impact of the correct diagnosis of transthyretin cardiac amyloidosis in Spain. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021 , 21, 1127-1133	2.2
8	Does anemia affect the predictive ability of bleeding risk scores in patients with acute coronary syndromes?. <i>Revista Portuguesa De Cardiologia</i> , 2016 , 35, 637-644	1
7	Does anemia affect the predictive ability of bleeding risk scores in patients with acute coronary syndromes?. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016 , 35, 637-644	0
6	The short-term prognostic value of C-reactive protein in elderly patients with acute heart failure. <i>Revista Clinica Espanola</i> , 2019 , 219, 10-17	0.5
5	Impact of intestinal microbiota in patients with heart failure: A systematic review. <i>Medicina Clinica</i> , 2019 , 153, 402-409	1
4	Impact of intestinal microbiota in patients with heart failure: A systematic review. <i>Medicina Clinica (English Edition)</i> , 2019 , 153, 402-409	0.3
3	The short-term prognostic value of C-reactive protein in elderly patients with acute heart failure. <i>Revista Clinica Espanola</i> , 2019 , 219, 10-17	0.7
2	Medication regimen complexity: A new challenge. <i>Revista Clinica Espanola</i> , 2018 , 218, 356-357	0.5
1	Prognostic value of ambulatory blood pressure values in elderly patients with heart failure. Results of the DICUMAP study. <i>Revista Clinica Espanola</i> , 2021 , 221, 433-440	0.5