Nina Brodin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4114410/publications.pdf

Version: 2024-02-01

933447 752698 23 872 10 20 h-index citations g-index papers 23 23 23 1276 docs citations all docs times ranked citing authors

#	Article	lF	CITATIONS
1	Inflammatory Arthritis and the Effect of Physical Activity on Quality of Life and <scp>Selfâ€Reported</scp> Function: A Systematic Review and <scp>Metaâ€Analysis</scp> . Arthritis Care and Research, 2022, 74, 31-43.	3.4	10
2	Physical activity in patients with rheumatoid arthritis - an agile lifelong behaviour: a qualitative meta-synthesis. RMD Open, 2021, 7, e001635.	3.8	8
3	The effects of exercise on cardiovascular disease risk factors and cardiovascular physiology in rheumatoid arthritis. Rheumatology International, 2020, 40, 347-357.	3.0	34
4	Measures of Participation in Persons With Musculoskeletal Conditions. Arthritis Care and Research, 2020, 72, 486-498.	3.4	2
5	Prevention and adherence in Rheumatic and Musculoskeletal disease. Best Practice and Research in Clinical Rheumatology, 2020, 34, 101525.	3.3	6
6	Improved Hand Function, Selfâ€Rated Health, and Decreased Activity Limitations: Results After a Twoâ€Month Hand Osteoarthritis Group Intervention. Arthritis Care and Research, 2018, 70, 1039-1045.	3.4	9
7	2018 EULAR recommendations for physical activity in people with inflammatory arthritis and osteoarthritis. Annals of the Rheumatic Diseases, 2018, 77, 1251-1260.	0.9	450
8	ICF-linking of health information regarding functioning in sickness certificates. European Journal of Public Health, 2018, 28, .	0.3	0
9	ICF-linking of health information regarding functioning in sickness certificates. European Journal of Public Health, 2018, 28, .	0.3	0
10	The McMaster Toronto Arthritis patient preference questionnaire (MACTAR): a methodological study of reliability and minimal detectable change after a 6Âweek-period of acupuncture treatment in patients with rheumatoid arthritis. BMC Research Notes, 2017, 10, 687.	1.4	1
11	FRIO647-HPRâ€Physical Activity and Aerobic Capacity Assessment - A Survey among Patients with Rheumatic Disease in Sweden, Ireland, and Denmark. Annals of the Rheumatic Diseases, 2016, 75, 1288.1-1288.	0.9	0
12	Effects of aerobic and muscle strengthening exercise in adults with rheumatoid arthritis: a narrative review summarising a chapter in <i>Physical activity in the prevention and treatment of disease</i> (FYSS 2016). British Journal of Sports Medicine, 2016, 50, 362-367.	6.7	22
13	Validity and sensitivity to change of the Patient Specific Functional Scale used during rehabilitation following proximal humeral fracture. Disability and Rehabilitation, 2016, 38, 487-492.	1.8	16
14	Promotion of health-enhancing physical activity in rheumatoid arthritis: a comparative study on healthcare providers in Italy, The Netherlands and Sweden. Rheumatology International, 2015, 35, 1665-1673.	3.0	5
15	Cost-effectiveness of a one-year coaching program for healthy physical activity in early rheumatoid arthritis. Disability and Rehabilitation, 2015, 37, 757-762.	1.8	11
16	Disabilities of importance for patients to improve – using a patient preference tool in rheumatoid arthritis. Disability and Rehabilitation, 2014, 36, 1762-1767.	1.8	6
17	Effects of Glossopharyngeal Insufflation in Ankylosing Spondylitis: A Pilot Study. International Journal of Rheumatology, 2014, 2014, 1-6.	1.6	2
18	Validity and reliability of the Swedish version of the Patient Specific Functional Scale in patients treated surgically for carpometacarpal joint osteoarthritis. Journal of Hand Therapy, 2013, 26, 53-61.	1.5	25

Nina Brodin

#	Article	IF	CITATIONS
19	Physical Activity Coaching of Patients with Rheumatoid Arthritis in Everyday Practice: A Longâ€term Followâ€up. Musculoskeletal Care, 2011, 9, 75-85.	1.4	40
20	Understanding how to determine the intensity of physical activity–An interview study among individuals with rheumatoid arthritis. Disability and Rehabilitation, 2009, 31, 458-465.	1.8	10
21	Coaching patients with early rheumatoid arthritis to healthy physical activity: A multicenter, randomized, controlled study. Arthritis and Rheumatism, 2008, 59, 325-331.	6.7	97
22	Predicting general health perception and exercise habits in ankylosing spondylitis. Advances in Physiotherapy, 2007, 9, 23-30.	0.2	4
23	Predicting physical activity and general health perception among patients with rheumatoid arthritis. Journal of Rheumatology, 2007, 34, 10-5.	2.0	114