

Basudeb Saha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4115192/publications.pdf>

Version: 2024-02-01

74
papers

5,829
citations

87888

38
h-index

82547

72
g-index

79
all docs

79
docs citations

79
times ranked

5820
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Steering the Aspects of MgO-Induced Structure Sensitivity in Cu-Based Catalysts for CO ₂ -Rich Syngas Conversion to Dimethyl Ether: Cu/Zn Ratio and Lattice Parameters. <i>Energy & Fuels</i> , 2022, 36, 2673-2687. | 5.1 | 4 |
| 2 | One-step lignocellulose depolymerization and saccharification to high sugar yield and less condensed isolated lignin. <i>Green Chemistry</i> , 2021, 23, 1200-1211. | 9.0 | 28 |
| 3 | Fast microflow kinetics and acid catalyst deactivation in glucose conversion to 5-hydroxymethylfurfural. <i>Reaction Chemistry and Engineering</i> , 2021, 6, 152-164. | 3.7 | 13 |
| 4 | Synthesis of (hemi)cellulosic lubricant base oils via catalytic coupling and deoxygenation pathways. <i>Green Chemistry</i> , 2021, 23, 4916-4930. | 9.0 | 9 |
| 5 | Liquid-Liquid Microfluidic Flows for Ultrafast 5-Hydroxymethyl Furfural Extraction. <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 3723-3735. | 3.7 | 20 |
| 6 | Experiments and computations of microfluidic liquid-liquid flow patterns. <i>Reaction Chemistry and Engineering</i> , 2020, 5, 39-50. | 3.7 | 31 |
| 7 | Thiol-promoted catalytic synthesis of high-performance furan-containing lubricant base oils from biomass derived 2-alkylfurans and ketones. <i>Green Chemistry</i> , 2020, 22, 7896-7906. | 9.0 | 11 |
| 8 | Advances in catalytic production processes of biomass-derived vinyl monomers. <i>Catalysis Science and Technology</i> , 2020, 10, 5411-5437. | 4.1 | 25 |
| 9 | Growth kinetics of humins studied via X-ray scattering. <i>Green Chemistry</i> , 2020, 22, 2301-2309. | 9.0 | 19 |
| 10 | Molybdenum Oxide-Modified Iridium Catalysts for Selective Production of Renewable Oils for Jet and Diesel Fuels and Lubricants. <i>ACS Catalysis</i> , 2019, 9, 7679-7689. | 11.2 | 39 |
| 11 | Branched Bio-Lubricant Base Oil Production through Aldol Condensation. <i>ChemSusChem</i> , 2019, 12, 4780-4785. | 6.8 | 26 |
| 12 | Branched Bio-Lubricant Base Oil Production through Aldol Condensation. <i>ChemSusChem</i> , 2019, 12, 4723-4723. | 6.8 | 0 |
| 13 | Renewable lubricants with tailored molecular architecture. <i>Science Advances</i> , 2019, 5, eaav5487. | 10.3 | 44 |
| 14 | Ultrafast flow chemistry for the acid-catalyzed conversion of fructose. <i>Energy and Environmental Science</i> , 2019, 12, 2463-2475. | 30.8 | 42 |
| 15 | Catalytic production of renewable lubricant base oils from bio-based 2-alkylfurans and enals. <i>Green Chemistry</i> , 2019, 21, 3606-3614. | 9.0 | 27 |
| 16 | Biomass-based chemical production using techno-economic and life cycle analysis. <i>AIChE Journal</i> , 2019, 65, e16660. | 3.6 | 26 |
| 17 | Synergistic Effect of Zn in a Bimetallic PdZn Catalyst: Elucidating the Role of Undercoordinated Sites in the Hydrodeoxygenation Reactions of Biorenewable Platforms. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 16153-16163. | 3.7 | 22 |
| 18 | Techno-economic and life cycle analysis of different types of hydrolysis process for the production of p-Xylene. <i>Computers and Chemical Engineering</i> , 2019, 121, 685-695. | 3.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Dual acidic titania carbocatalyst for cascade reaction of sugar to etherified fuel additives. <i>Catalysis Communications</i> , 2018, 110, 46-50. | 3.3 | 26 |
| 20 | Structural analysis of humins formed in the Brønsted acid catalyzed dehydration of fructose. <i>Green Chemistry</i> , 2018, 20, 997-1006. | 9.0 | 123 |
| 21 | Aerobic Oxidation of Xylose to Xylaric Acid in Water over Pt Catalysts. <i>ChemSusChem</i> , 2018, 11, 2124-2129. | 6.8 | 16 |
| 22 | Selective Hydrodeoxygenation of Vegetable Oils and Waste Cooking Oils to Green Diesel Using a Silica-Supported Ir-ReO _x Bimetallic Catalyst. <i>ChemSusChem</i> , 2018, 11, 1446-1454. | 6.8 | 66 |
| 23 | Kinetic Studies of Acid Hydrolysis of Food Waste-Derived Saccharides. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 17365-17374. | 3.7 | 13 |
| 24 | Catalytic Hydrotreatment of Humins to Bio-Oil in Methanol over Supported Metal Catalysts. <i>ChemSusChem</i> , 2018, 11, 3545-3545. | 6.8 | 2 |
| 25 | Catalytic Hydrotreatment of Humins to Bio-Oil in Methanol over Supported Metal Catalysts. <i>ChemSusChem</i> , 2018, 11, 3609-3617. | 6.8 | 13 |
| 26 | From Tree to Tape: Direct Synthesis of Pressure Sensitive Adhesives from Depolymerized Raw Lignocellulosic Biomass. <i>ACS Central Science</i> , 2018, 4, 701-708. | 11.3 | 116 |
| 27 | Improved Graphene-Oxide-Derived Carbon Sponge for Effective Hydrocarbon Absorption and C-C Coupling Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 11793-11800. | 6.7 | 5 |
| 28 | Acid functionalized ionic liquid catalyzed transformation of non-food biomass into platform chemical and fuel additive. <i>Industrial Crops and Products</i> , 2018, 123, 629-637. | 5.2 | 49 |
| 29 | Selective C-C Bond Cleavage of Methylene-Linked Lignin Models and Kraft Lignin. <i>ACS Catalysis</i> , 2018, 8, 6507-6512. | 11.2 | 86 |
| 30 | Process Intensification for Cellulosic Biorefineries. <i>ChemSusChem</i> , 2017, 10, 2566-2572. | 6.8 | 32 |
| 31 | Solventless C-C Coupling of Low Carbon Furanics to High Carbon Fuel Precursors Using an Improved Graphene Oxide Carbocatalyst. <i>ACS Catalysis</i> , 2017, 7, 3905-3915. | 11.2 | 72 |
| 32 | Towards high-yield lignin monomer production. <i>Green Chemistry</i> , 2017, 19, 3752-3758. | 9.0 | 121 |
| 33 | Titania nanoparticles embedded in functionalized carbon for the aqueous phase oxidation of 5-hydroxymethylfurfural. <i>Molecular Catalysis</i> , 2017, 435, 182-188. | 2.0 | 17 |
| 34 | A Review of Biorefinery Separations for Bioproduct Production via Thermocatalytic Processing. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2017, 8, 115-137. | 6.8 | 24 |
| 35 | Direct conversion of syngas to DME: synthesis of new Cu-based hybrid catalysts using Fehling's solution, elimination of the calcination step. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2649-2663. | 10.3 | 27 |
| 36 | Selective hydrodeoxygenation of tartaric acid to succinic acid. <i>Catalysis Science and Technology</i> , 2017, 7, 4944-4954. | 4.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Efficient utilization of potash alum as a green catalyst for production of furfural, 5-hydroxymethylfurfural and levulinic acid from mono-sugars. <i>RSC Advances</i> , 2017, 7, 41973-41979. | 3.6 | 31 |
| 38 | One-pot integrated processing of biopolymers to furfurals in molten salt hydrate: understanding synergy in acidity. <i>Green Chemistry</i> , 2017, 19, 3888-3898. | 9.0 | 43 |
| 39 | Catalytic Hydrodeoxygenation of High Carbon Furfuryl Methanes to Renewable Jet-fuel Ranged Alkanes over a Rhenium-Modified Iridium Catalyst. <i>ChemSusChem</i> , 2017, 10, 3225-3234. | 6.8 | 54 |
| 40 | Hydrodeoxygenation of Furfuryl Methane Oxygenates to Jet and Diesel Range Fuels: Probing the Reaction Network with Supported Palladium Catalyst and Hafnium Triflate Promoter. <i>ACS Catalysis</i> , 2017, 7, 5491-5499. | 11.2 | 40 |
| 41 | Carbon nanosphere supported Ru catalyst for the synthesis of renewable herbicide and chemicals. <i>Catalysis Communications</i> , 2017, 100, 206-209. | 3.3 | 12 |
| 42 | Catalytic Hydrodeoxygenation of High Carbon Furfuryl Methanes to Renewable Jet-fuel Ranged Alkanes over a Rhenium-Modified Iridium Catalyst. <i>ChemSusChem</i> , 2017, 10, 3164-3164. | 6.8 | 0 |
| 43 | Pt catalysts for efficient aerobic oxidation of glucose to glucaric acid in water. <i>Green Chemistry</i> , 2016, 18, 3815-3822. | 9.0 | 100 |
| 44 | Critical design of heterogeneous catalysts for biomass valorization: current thrust and emerging prospects. <i>Catalysis Science and Technology</i> , 2016, 6, 7364-7385. | 4.1 | 111 |
| 45 | Efficient dual acidic carbo-catalyst for one-pot conversion of carbohydrates to levulinic acid. <i>RSC Advances</i> , 2016, 6, 100417-100426. | 3.6 | 11 |
| 46 | Development of 6-acyl- γ -pyrone as a potential biomass-derived platform molecule. <i>Green Chemistry</i> , 2016, 18, 6431-6435. | 9.0 | 41 |
| 47 | Direct synthesis of dimethyl ether from syngas over Cu-based catalysts: Enhanced selectivity in the presence of MgO. <i>Journal of Catalysis</i> , 2016, 334, 89-101. | 6.2 | 102 |
| 48 | Catalytic Upgrading of 5-Hydroxymethylfurfural to Drop-in Biofuels by Solid Base and Bifunctional Metal-Acid Catalysts. <i>ChemSusChem</i> , 2015, 8, 4022-4029. | 6.8 | 79 |
| 49 | Upgrading Furfurals to Drop-in Biofuels: An Overview. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 1263-1277. | 6.7 | 259 |
| 50 | Furan-based acetylating agent for the chemical modification of proteins. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 791-796. | 3.0 | 12 |
| 51 | Current Technologies, Economics, and Perspectives for 2,5-Dimethylfuran Production from Biomass-Derived Intermediates. <i>ChemSusChem</i> , 2015, 8, 1133-1142. | 6.8 | 101 |
| 52 | Lignin depolymerization over Ni/C catalyst in methanol, a continuation: effect of substrate and catalyst loading. <i>Catalysis Science and Technology</i> , 2015, 5, 3242-3245. | 4.1 | 129 |
| 53 | A synergistic biorefinery based on catalytic conversion of lignin prior to cellulose starting from lignocellulosic biomass. <i>Green Chemistry</i> , 2015, 17, 1492-1499. | 9.0 | 370 |
| 54 | Hydrodeoxygenation processes: Advances on catalytic transformations of biomass-derived platform chemicals into hydrocarbon fuels. <i>Bioresource Technology</i> , 2015, 178, 108-118. | 9.6 | 285 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | In situ silver nanoparticles synthesis in agarose film supported on filter paper and its application as highly efficient SERS test stripes. <i>Forensic Science International</i> , 2014, 237, e42-e46. | 2.2 | 35 |
| 56 | Efficient Solid Acid Catalyst Containing Lewis and Brønsted Acid Sites for the Production of Furfurals. <i>ChemSusChem</i> , 2014, 7, 2342-2350. | 6.8 | 106 |
| 57 | Advances in 5-hydroxymethylfurfural production from biomass in biphasic solvents. <i>Green Chemistry</i> , 2014, 16, 24-38. | 9.0 | 470 |
| 58 | Zinc-Assisted Hydrodeoxygenation of Biomass-Derived 5-Hydroxymethylfurfural to 2,5-Dimethylfuran. <i>ChemSusChem</i> , 2014, 7, 3095-3101. | 6.8 | 152 |
| 59 | Emerging strategies for breaking the 3D amorphous network of lignin. <i>Catalysis Science and Technology</i> , 2014, 4, 3785-3799. | 4.1 | 96 |
| 60 | Titanium hydrogenphosphate: An efficient dual acidic catalyst for 5-hydroxymethylfurfural (HMF) production. <i>Applied Catalysis A: General</i> , 2014, 486, 42-48. | 4.3 | 64 |
| 61 | Recent Advancements of Replacing Existing Aniline Production Process With Environmentally Friendly One-Pot Process: An Overview. <i>Critical Reviews in Environmental Science and Technology</i> , 2013, 43, 84-120. | 12.8 | 19 |
| 62 | Introducing nanocrystalline CeO ₂ as heterogeneous environmental friendly catalyst for the aerobic oxidation of para-xylene to terephthalic acid in water. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7091. | 10.3 | 46 |
| 63 | Porphyrin-based porous organic polymer-supported iron(III) catalyst for efficient aerobic oxidation of 5-hydroxymethyl-furfural into 2,5-furandicarboxylic acid. <i>Journal of Catalysis</i> , 2013, 299, 316-320. | 6.2 | 179 |
| 64 | Aerobic oxidation of 5-hydroxymethylfurfural with homogeneous and nanoparticulate catalysts. <i>Catalysis Science and Technology</i> , 2012, 2, 79-81. | 4.1 | 136 |
| 65 | Solid-acid and ionic-liquid catalyzed one-pot transformation of biorenewable substrates into a platform chemical and a promising biofuel. <i>RSC Advances</i> , 2012, 2, 6890. | 3.6 | 82 |
| 66 | Advances in conversion of hemicellulosic biomass to furfural and upgrading to biofuels. <i>Catalysis Science and Technology</i> , 2012, 2, 2025. | 4.1 | 372 |
| 67 | Hierarchically porous titanium phosphate nanoparticles: an efficient solid acid catalyst for microwave assisted conversion of biomass and carbohydrates into 5-hydroxymethylfurfural. <i>Journal of Materials Chemistry</i> , 2012, 22, 14094. | 6.7 | 93 |
| 68 | A Brief Summary of the Synthesis of Polyester Building-Block Chemicals and Biofuels from 5-Hydroxymethylfurfural. <i>ChemPlusChem</i> , 2012, 77, 259-272. | 2.8 | 150 |
| 69 | One-Pot Conversions of Lignocellulosic and Algal Biomass into Liquid Fuels. <i>ChemSusChem</i> , 2012, 5, 1826-1833. | 6.8 | 141 |
| 70 | Direct conversion of cellulose and lignocellulosic biomass into chemicals and biofuel with metal chloride catalysts. <i>Journal of Catalysis</i> , 2012, 288, 8-15. | 6.2 | 232 |
| 71 | Microwave assisted conversion of carbohydrates and biopolymers to 5-hydroxymethylfurfural with aluminium chloride catalyst in water. <i>Green Chemistry</i> , 2011, 13, 2859. | 9.0 | 229 |
| 72 | Self-assembly of mesoporous TiO ₂ nanospheres via aspartic acid templating pathway and its catalytic application for 5-hydroxymethyl-furfural synthesis. <i>Journal of Materials Chemistry</i> , 2011, 21, 17505. | 6.7 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Microwave assisted rapid conversion of carbohydrates into 5-hydroxymethylfurfural catalyzed by mesoporous TiO ₂ nanoparticles. Applied Catalysis A: General, 2011, 409-410, 133-139. | 4.3 | 118 |
| 74 | Selective Hydrodeoxygenation of Vegetable Oils and Waste Cooking Oils to Green Diesel Using a Silica-Supported Ir-ReO ₃ Bimetallic Catalyst. ChemSusChem, 0, , . | 6.8 | 0 |