

Hong Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/411788/publications.pdf>

Version: 2024-02-01

17
papers

92
citations

1684188
5
h-index

1474206
9
g-index

17
all docs

17
docs citations

17
times ranked

185
citing authors

#	ARTICLE	IF	CITATIONS
1	Mediastinal Tuberculoma Mimicking Malignant Cardiac Tumor: A Case Report. <i>Cardiovascular Innovations and Applications</i> , 2021, 5, 297-300.	0.3	0
2	Assessment of Myocardial Dysfunction by Three-Dimensional Echocardiography Combined With Myocardial Contrast Echocardiography in Type 2 Diabetes Mellitus. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 677990.	2.4	4
3	Serum Prealbumin and Echocardiography Parameters Predict Mortality in Peritoneal Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 671-685.	2.0	4
4	Left atrial strain associated with alterations in cardiac diastolic function in patients with end-stage renal disease. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1803-1810.	1.5	6
5	Benign pericardial schwannoma with massive pericardial effusion in a Chinese man: A case report. <i>Echocardiography</i> , 2019, 36, 1944-1946.	0.9	1
6	Diabetes attenuated age-related aortic root dilatation in end-stage renal disease patients receiving peritoneal dialysis. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1550-1557.	2.4	2
7	Myocardial contrast echocardiography in the diagnosis of postoperative takotsubo cardiomyopathy: case report and literature review. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 9.	1.7	6
8	Left atrial diameter is associated with target organ damage in patients with type 2 diabetes mellitus. <i>International Journal of Diabetes in Developing Countries</i> , 2019, 39, 355-361.	0.8	0
9	Serum apolipoprotein B is inversely associated with eccentric left ventricular hypertrophy in peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2018, 50, 155-165.	1.4	5
10	High fatigue and its associations with health and work related factors among female medical personnel at 54 hospitals in Zhuhai, China. <i>Psychology, Health and Medicine</i> , 2018, 23, 304-316.	2.4	28
11	Erectile dysfunction is associated with subclinical carotid vascular disease in young men lacking widely-known risk factors. <i>Asian Journal of Andrology</i> , 2018, 20, 400.	1.6	8
12	The association between dietary protein intake and colorectal cancer risk: a meta-analysis. <i>World Journal of Surgical Oncology</i> , 2017, 15, 169.	1.9	19
13	High Serum Phosphorus Level Is Associated with Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016, 11, e0163659.	2.5	8
14	GW24-e2277...Cardiac Diastolic Dysfunction may Hold Promise as Markers of Cardiotoxicity during Daunorubicin Treatment in Acute Nonlymphocytic Leukemia Patients. <i>Heart</i> , 2013, 99, A273.2-A273.	2.9	0
15	GW24-e1282...A noninvasive sizing method to choose fitted atrial septal defect occluder by transthoracic echocardiography in adults with secundum atrial septal defects. <i>Heart</i> , 2013, 99, A227.3-A228.	2.9	0
16	GENDER DIFFERENCES IN VASCULAR ENDOTHELIAL FUNCTION AND CAROTID INTIMA MEDIA THICKNESS BY FRAMINGHAM RISK SCORE. <i>Heart</i> , 2012, 98, E150.1-E150.	2.9	0
17	Subclinical endothelial dysfunction and low-grade inflammation play roles in the development of erectile dysfunction in young man with low risk of coronary heart disease. <i>Heart</i> , 2011, 97, A242-A242.	2.9	1