

Yechiam Ostchega

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4118501/publications.pdf>

Version: 2024-02-01

36
papers

2,534
citations

361045
20
h-index

344852
36
g-index

36
all docs

36
docs citations

36
times ranked

4007
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Differences in Hypertension Prevalence and Hypertension Control by Urbanization Among Adults in the United States, 2013–2018. <i>American Journal of Hypertension</i> , 2022, 35, 31-41. | 1.0 | 13 |
| 2 | Differences in hypertension and stage II hypertension by demographic and risk factors, obtained by two different protocols in US adults: National Health and Nutrition Examination Survey, 2017-2018. <i>American Journal of Hypertension</i> , 2022, , . | 1.0 | 3 |
| 3 | Developing equations to predict waist circumference measurements based on the National Heart, Lung, and Blood Institute method from the World Health Organization method. <i>Annals of Epidemiology</i> , 2021, 53, 21-26.e1. | 0.9 | 4 |
| 4 | Comparison of 3 Devices for 24-Hour Ambulatory Blood Pressure Monitoring in a Nonclinical Environment Through a Randomized Trial. <i>American Journal of Hypertension</i> , 2020, 33, 1021-1029. | 1.0 | 3 |
| 5 | Hypertension Prevalence Among Adults Aged 18 and Over: United States, 2017-2018. <i>NCHS Data Brief</i> , 2020, , 1-8. | 6.8 | 53 |
| 6 | Calibrating Local Population-Based Blood Pressure Data from NYC HANES 2013–2014. <i>Journal of Urban Health</i> , 2019, 96, 720-725. | 1.8 | 3 |
| 7 | Blood Pressure Assessment in Adults—Clinical Practice and Clinic-Based Research. <i>Journal of the American College of Cardiology</i> , 2019, 73, 317-335. | 1.2 | 114 |
| 8 | Factors Associated With Hypertension Control in US Adults Using 2017 ACC/AHA Guidelines: National Health and Nutrition Examination Survey 1999–2016. <i>American Journal of Hypertension</i> , 2018, 31, 886-894. | 1.0 | 40 |
| 9 | Mean mid-arm circumference and blood pressure cuff sizes for US children, adolescents and adults. <i>Blood Pressure Monitoring</i> , 2018, 23, 305-311. | 0.4 | 9 |
| 10 | Factors Associated With Home Blood Pressure Monitoring Among US Adults: National Health and Nutrition Examination Survey, 2011–2014. <i>American Journal of Hypertension</i> , 2017, 30, 1126-1132. | 1.0 | 60 |
| 11 | Development and Validation of a Hypertension Prevalence Estimator Tool For Use in Clinical Settings. <i>Journal of Clinical Hypertension</i> , 2016, 18, 750-761. | 1.0 | 5 |
| 12 | Blood pressure cuff comparability study. <i>Blood Pressure Monitoring</i> , 2016, 21, 345-351. | 0.4 | 3 |
| 13 | Validating prediction equations for mid-arm circumference measurements in adults. <i>Blood Pressure Monitoring</i> , 2015, 20, 157-163. | 0.4 | 3 |
| 14 | Prevalence of and Trends in Dyslipidemia and Blood Pressure Among US Children and Adolescents, 1999-2012. <i>JAMA Pediatrics</i> , 2015, 169, 272. | 3.3 | 296 |
| 15 | Mid-arm circumference and recommended blood pressure cuffs for children and adolescents aged between 3 and 19 years. <i>Blood Pressure Monitoring</i> , 2014, 19, 26-31. | 0.4 | 17 |
| 16 | Home Blood Pressure Monitoring and Hypertension Status Among US Adults: The National Health and Nutrition Examination Survey (NHANES), 2009-2010. <i>American Journal of Hypertension</i> , 2013, 26, 1086-1092. | 1.0 | 33 |
| 17 | Mean mid-arm circumference and blood pressure cuff sizes for US adults. <i>Blood Pressure Monitoring</i> , 2013, 18, 138-143. | 0.4 | 22 |
| 18 | National health and nutrition examination survey: plan and operations, 1999-2010. <i>Vital and Health Statistics Ser 1: Programs and Collection Procedures</i> , 2013, , 1-37. | 1.0 | 310 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Abdominal Obesity, Body Mass Index, and Hypertension in US Adults: NHANES 2007-2010. American Journal of Hypertension, 2012, 25, 1271-8. | 1.0 | 87 |
| 20 | Assessing Blood Pressure Accuracy of an Aneroid Sphygmomanometer in a National Survey Environment. American Journal of Hypertension, 2011, 24, 322-327. | 1.0 | 16 |
| 21 | Assessing the Validity of the Omron HEM907XL Oscillometric Blood Pressure Measurement Device in a National Survey Environment. Journal of Clinical Hypertension, 2010, 12, 22-28. | 1.0 | 73 |
| 22 | Trends of Elevated Blood Pressure Among Children and Adolescents: Data From the National Health and Nutrition Examination Survey 1988-2006. American Journal of Hypertension, 2009, 22, 59-67. | 1.0 | 168 |
| 23 | Are Demographic Characteristics, Health Care Access and Utilization, and Comorbid Conditions Associated With Hypertension Among US Adults?. American Journal of Hypertension, 2008, 21, 159-165. | 1.0 | 84 |
| 24 | Hypertension awareness, treatment, and control-continued disparities in adults: United States, 2005-2006. NCHS Data Brief, 2008, , 1-8. | 6.8 | 98 |
| 25 | US demographic trends in mid-arm circumference and recommended blood pressure cuffs for children and adolescents: data from the National Health and Nutrition Examination Survey 1988-2004. Blood Pressure Monitoring, 2007, 12, 75-80. | 0.4 | 20 |
| 26 | Trends in Hypertension Prevalence, Awareness, Treatment, and Control in Older U.S. Adults: Data from the National Health and Nutrition Examination Survey 1988 to 2004. Journal of the American Geriatrics Society, 2007, 55, 1056-1065. | 1.3 | 305 |
| 27 | Prevalence of Peripheral Arterial Disease and Risk Factors in Persons Aged 60 and Older: Data from the National Health and Nutrition Examination Survey 1999-2004. Journal of the American Geriatrics Society, 2007, 55, 583-589. | 1.3 | 211 |
| 28 | Tables for the selection of correct blood pressure cuff size based on self-reported height and weight and estimating equations for mid-arm circumference: data from the US National Health and Nutrition Examination Survey. Journal of Human Hypertension, 2006, 20, 15-22. | 1.0 | 7 |
| 29 | Study design and participation rates of the New York City Health and Nutrition Examination Survey, 2004. Preventing Chronic Disease, 2006, 3, A94. | 1.7 | 35 |
| 30 | US demographic trends in mid-arm circumference and recommended blood pressure cuffs: 1988-2002. Journal of Human Hypertension, 2005, 19, 885-891. | 1.0 | 17 |
| 31 | Isokinetic Leg Muscle Strength in Older Americans and Its Relationship to a Standardized Walk Test: Data from the National Health and Nutrition Examination Survey 1999-2000. Journal of the American Geriatrics Society, 2004, 52, 977-982. | 1.3 | 73 |
| 32 | Estimating equations and tables for adult mid-arm circumference based on measured height and weight: data from the third National Health and Nutrition Examination Survey (NHANES III) and NHANES 1999-2000. Blood Pressure Monitoring, 2004, 9, 123-131. | 0.4 | 13 |
| 33 | National health and nutrition examination survey 1999-2000: effect of observer training and protocol standardization on reducing blood pressure measurement error. Journal of Clinical Epidemiology, 2003, 56, 768-774. | 2.4 | 93 |
| 34 | The Prevalence of Functional Limitations and Disability in Older Persons in the US: Data from the National Health and Nutrition Examination Survey III. Journal of the American Geriatrics Society, 2000, 48, 1132-1135. | 1.3 | 151 |
| 35 | Reliability and Prevalence of Physical Performance Examination Assessing Mobility and Balance in Older Persons in the US: Data from the Third National Health and Nutrition Examination Survey. Journal of the American Geriatrics Society, 2000, 48, 1136-1141. | 1.3 | 86 |
| 36 | Establishing the level of digitization for wrist and hand radiographs for the third National Health and Nutrition Examination Survey. Journal of Digital Imaging, 1998, 11, 116-120. | 1.6 | 6 |