Maria J Wawer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4120071/publications.pdf

Version: 2024-02-01

201674 95266 4,907 77 27 68 h-index citations g-index papers 78 78 78 4453 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Hypertension and Socioeconomic Status in South Central Uganda: A Population-Based Cohort Study. Global Heart, 2022, 17, 3.	2.3	6
2	HIV combination prevention and declining orphanhood among adolescents, Rakai, Uganda, 2001–18: an observational community cohort study. Lancet HIV,the, 2022, 9, e32-e41.	4.7	4
3	Novel community health worker strategy for HIV service engagement in a hyperendemic community in Rakai, Uganda: A pragmatic, cluster-randomized trial. PLoS Medicine, 2021, 18, e1003475.	8.4	13
4	Short Communication: Validation of the Asante HIV-1 Rapid Recency Assay for Detection of Recent HIV-1 Infections in Uganda. AIDS Research and Human Retroviruses, 2021, 37, 893-896.	1.1	7
5	Assessment, prevalence, and correlates of frailty among middle-aged adults with HIV in rural Uganda. Journal of NeuroVirology, 2021, 27, 487-492.	2.1	2
6	Sex-specific associations between cerebrospinal fluid inflammatory marker levels and cognitive function in antiretroviral treated people living with HIV in rural Uganda. Brain, Behavior, and Immunity, 2021, 93, 111-118.	4.1	9
7	Improvement in depressive symptoms after antiretroviral therapy initiation in people with HIV in Rakai, Uganda. Journal of NeuroVirology, 2021, 27, 519-530.	2.1	1
8	Prevalence of untreated HIV and associated risk behaviors among the sexual partners of recent migrants and long-term residents in Rakai, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, Publish Ahead of Print, 243-251.	2.1	3
9	Alcohol use and alcohol-related consequences are associated with not being virally suppressed among persons living with HIV in the Rakai region of Uganda. Drug and Alcohol Dependence, 2021, 228, 109005.	3.2	8
10	Prevalence and Predictors of Persistent Human Immunodeficiency Virus Viremia and Viral Rebound After Universal Test and Treat: A Population-Based Study. Journal of Infectious Diseases, 2021, 223, 1150-1160.	4.0	16
11	Title is missing!. , 2021, 18, e1003475.		О
12	Title is missing!. , 2021, 18, e1003475.		0
13	Title is missing!. , 2021, 18, e1003475.		O
14	Title is missing!. , 2021, 18, e1003475.		0
15	Title is missing!. , 2021, 18, e1003475.		O
16	Migration, hotspots, and dispersal of HIV infection in Rakai, Uganda. Nature Communications, 2020, 11, 976.	12.8	34
17	Recombination Analysis of Near Full-Length HIV-1 Sequences and the Identification of a Potential New Circulating Recombinant Form from Rakai, Uganda. AIDS Research and Human Retroviruses, 2020, 36, 467-474.	1.1	4
18	Quantifying HIV transmission flow between high-prevalence hotspots and surrounding communities: a population-based study in Rakai, Uganda. Lancet HIV,the, 2020, 7, e173-e183.	4.7	59

#	Article	IF	CITATIONS
19	Neurocognitive Effects of Antiretroviral Initiation Among People Living With HIV in Rural Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 84, 534-542.	2.1	8
20	Prevalence and correlates of men's and women's alcohol use in agrarian, trading and fishing communities in Rakai, Uganda. PLoS ONE, 2020, 15, e0240796.	2.5	12
21	Heterogeneity in neurocognitive change trajectories among people with HIV starting antiretroviral therapy in Rakai, Uganda. Journal of NeuroVirology, 2019, 25, 800-813.	2.1	14
22	Impact of combination HIV interventions on HIV incidence in hyperendemic fishing communities in Uganda: a prospective cohort study. Lancet HIV, the, 2019, 6, e680-e687.	4.7	52
23	Effect of HIV Subtype and Antiretroviral Therapy on HIV-Associated Neurocognitive Disorder Stage in Rakai, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 216-223.	2.1	21
24	Hepatitis E Virus Seroprevalence and Correlates of Anti-HEV IgG Antibodies in the Rakai District, Uganda. Journal of Infectious Diseases, 2018, 217, 785-789.	4.0	20
25	Migration and risk of HIV acquisition in Rakai, Uganda: a population-based cohort study. Lancet HIV,the, 2018, 5, e181-e189.	4.7	71
26	HIV Partner Notification Values and Preferences Among Sex Workers, Fishermen, and Mainland Community Members in Rakai, Uganda: A Qualitative Study. AIDS and Behavior, 2018, 22, 3407-3416.	2.7	11
27	Process evaluation of the SHARE intervention for preventing intimate partner violence and HIV infection in Rakai, Uganda. Evaluation and Program Planning, 2018, 67, 129-137.	1.6	3
28	HIV viral suppression and geospatial patterns of HIV antiretroviral therapy treatment facility use in Rakai, Uganda. Aids, 2018, 32, 819-824.	2.2	13
29	The validity of self-reported antiretroviral use in persons living with HIV. Aids, 2018, 32, 363-369.	2.2	42
30	Penile Immune Activation and Risk of HIV Shedding: A Prospective Cohort Study. Clinical Infectious Diseases, 2017, 64, ciw847.	5.8	1
31	Mobility among youth in Rakai, Uganda: Trends, characteristics, and associations with behavioural risk factors for HIV. Global Public Health, 2017, 12, 1033-1050.	2.0	62
32	Low Rates of Transmitted Drug Resistance Among Newly Identified HIV-1 Seroconverters in Rural Rakai, Uganda. AIDS Research and Human Retroviruses, 2017, 33, 448-451.	1.1	5
33	Design and Implementation of a Community Health Worker HIV Treatment and Prevention Intervention in an HIV Hot Spot Fishing Community in Rakai, Uganda. Journal of the International Association of Providers of AIDS Care, 2017, 16, 499-505.	1.5	10
34	HIV-1 Full-Genome Phylogenetics of Generalized Epidemics in Sub-Saharan Africa: Impact of Missing Nucleotide Characters in Next-Generation Sequences. AIDS Research and Human Retroviruses, 2017, 33, 1083-1098.	1.1	18
35	Cerebrospinal fluid biomarkers and HIV-associated neurocognitive disorders in HIV-infected individuals in Rakai, Uganda. Journal of NeuroVirology, 2017, 23, 369-375.	2.1	46
36	Human immunodeficiency virus care cascade among subâ€populations in Rakai, Uganda: an observational study. Journal of the International AIDS Society, 2017, 20, 21590.	3.0	33

#	Article	lF	Citations
37	Perceptions of Adolescent Pregnancy Among Teenage Girls in Rakai, Uganda. Global Qualitative Nursing Research, 2017, 4, 233339361772055.	1.4	20
38	Multilevel influences on acceptance of medical male circumcision in Rakai District, Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 1049-1055.	1.2	3
39	HIV Prevention Efforts and Incidence of HIV in Uganda. New England Journal of Medicine, 2017, 377, 2154-2166.	27.0	163
40	Peripheral neuropathy in HIV-infected and uninfected patients in Rakai, Uganda. Neurology, 2017, 89, 485-491.	1.1	36
41	Qualitative insights into implementation, processes, and outcomes of a randomized trial on peer support and HIV care engagement in Rakai, Uganda. BMC Infectious Diseases, 2017, 17, 54.	2.9	17
42	Impact of a community health worker HIV treatment and prevention intervention in an HIV hotspot fishing community in Rakai, Uganda (mLAKE): study protocol for a randomized controlled trial. Trials, 2017, 18, 494.	1.6	18
43	Trends and determinants of human papillomavirus concordance among HIV-positive and HIV-negative heterosexual couples in Rakai, Uganda. Journal of Infectious Diseases, 2016, 215, jiw631.	4.0	8
44	Using nearly full-genome HIV sequence data improves phylogeny reconstruction in a simulated epidemic. Scientific Reports, 2016, 6, 39489.	3.3	23
45	Genital Anaerobic Bacterial Overgrowth and the PrePex Male Circumcision Device, Rakai, Uganda. Journal of Infectious Diseases, 2016, 214, 595-598.	4.0	6
46	Heterogeneity of the HIV epidemic in agrarian, trading, and fishing communities in Rakai, Uganda: an observational epidemiological study. Lancet HIV,the, 2016, 3, e388-e396.	4.7	136
47	Intimate partner violence as a predictor of marital disruption in rural Rakai, Uganda: a longitudinal study. International Journal of Public Health, 2016, 61, 961-970.	2.3	13
48	Association of Medical Male Circumcision and Antiretroviral Therapy Scale-up With Community HIV Incidence in Rakai, Uganda. JAMA - Journal of the American Medical Association, 2016, 316, 182.	7.4	32
49	Combined Intimate Partner Violence and HIV/AIDS Prevention in Rural Uganda: Design of the SHARE Intervention Strategy. Health Care for Women International, 2016, 37, 364-387.	1.1	26
50	Chemokine Levels in the Penile Coronal Sulcus Correlate with HIV-1 Acquisition and Are Reduced by Male Circumcision in Rakai, Uganda. PLoS Pathogens, 2016, 12, e1006025.	4.7	34
51	A transmission-virulence evolutionary trade-off explains attenuation of HIV-1 in Uganda. ELife, 2016, 5, .	6.0	46
52	Risk Denial and Socio-Economic Factors Related to High HIV Transmission in a Fishing Community in Rakai, Uganda: A Qualitative Study. PLoS ONE, 2015, 10, e0132740.	2.5	32
53	Barriers to Utilization of HIV Care Services Among Adolescents and Young Adults in Rakai, Uganda: the Role of Economic Strengthening. Global Social Welfare, 2015, 2, 105-110.	1.9	7
54	Use of injectable hormonal contraception and women's risk of herpes simplex virus type 2 acquisition: a prospective study of couples in Rakai, Uganda. The Lancet Global Health, 2015, 3, e478-e486.	6.3	24

#	Article	IF	Citations
55	Factors associated with incident HIV infection versus prevalent infection among youth in Rakai, Uganda. Journal of Epidemiology and Global Health, 2015, 5, 85.	2.9	3
56	HIV Type 1 Disease Progression to AIDS and Death in a Rural Ugandan Cohort Is Primarily Dependent on Viral Load Despite Variable Subtype and T-Cell Immune Activation Levels. Journal of Infectious Diseases, 2015, 211, 1574-1584.	4.0	17
57	Desire for female sterilization among women wishing to limit births in rural Rakai, Uganda. Contraception, 2015, 92, 482-487.	1.5	7
58	HIV Shedding from Male Circumcision Wounds in HIV-Infected Men: A Prospective Cohort Study. PLoS Medicine, 2015, 12, e1001820.	8.4	9
59	Effectiveness of Peer Support on Care Engagement and Preventive Care Intervention Utilization Among Pre-antiretroviral Therapy, HIV-Infected Adults in Rakai, Uganda: A Randomized Trial. AIDS and Behavior, 2015, 19, 1742-1751.	2.7	35
60	Penile Microbiota and Female Partner Bacterial Vaginosis in Rakai, Uganda. MBio, 2015, 6, e00589.	4.1	96
61	Indices to Measure Risk of HIV Acquisition in Rakai, Uganda. PLoS ONE, 2014, 9, e92015.	2.5	27
62	Trichomonas vaginalis Incidence Associated with Hormonal Contraceptive Use and HIV Infection among Women in Rakai, Uganda. Journal of Sexually Transmitted Diseases, 2014, 2014, 1-10.	1.0	8
63	Family structure effects on early sexual debut among adolescent girls in Rakai, Uganda. Vulnerable Children and Youth Studies, 2014, 9, 193-205.	1.1	30
64	The Role of Viral Introductions in Sustaining Community-Based HIV Epidemics in Rural Uganda: Evidence from Spatial Clustering, Phylogenetics, and Egocentric Transmission Models. PLoS Medicine, 2014, 11, e1001610.	8.4	114
65	HIV Infection in Uncircumcised Men Is Associated With Altered CD8 T-cell Function But Normal CD4 T-cell Numbers in the Foreskin. Journal of Infectious Diseases, 2014, 209, 1185-1194.	4.0	8
66	Longitudinal study of correlates of modern contraceptive use and impact of HIV care programmes among HIV concordant and serodiscordant couples in Rakai, Uganda. Journal of Family Planning and Reproductive Health Care, 2014, 40, 208-216.	0.8	11
67	High-risk human papillomavirus viral load and persistence among heterosexual HIV-negative and HIV-positive men. Sexually Transmitted Infections, 2014, 90, 337-343.	1.9	28
68	Male Circumcision Significantly Reduces Prevalence and Load of Genital Anaerobic Bacteria. MBio, 2013, 4, e00076.	4.1	130
69	Impact of asymptomatic Herpes simplex virus-2 infection on T cell phenotype and function in the foreskin. Aids, 2012, 26, 1319-1322.	2.2	24
70	Challenges in assessing associations between hormonal contraceptive use and the risks of HIV-1 acquisition and transmission. Future Microbiology, 2012, 7, 315-318.	2.0	7
71	Effect of circumcision of HIV-negative men on transmission of human papillomavirus to HIV-negative women: a randomised trial in Rakai, Uganda. Lancet, The, 2011, 377, 209-218.	13.7	165
72	Effects of HIV-1 and Herpes Simplex Virus Type 2 Infection on Lymphocyte and Dendritic Cell Density in Adult Foreskins from Rakai, Uganda. Journal of Infectious Diseases, 2011, 203, 602-609.	4.0	56

#	Article	IF	CITATIONS
73	Male Circumcision for the Prevention of HSV-2 and HPV Infections and Syphilis. New England Journal of Medicine, 2009, 360, 1298-1309.	27.0	461
74	Circumcision in HIV-infected men and its effect on HIV transmission to female partners in Rakai, Uganda: a randomised controlled trial. Lancet, The, 2009, 374, 229-237.	13.7	272
75	Incident HIV and herpes simplex virus type 2 infection among men in Rakai, Uganda. Aids, 2009, 23, 1589-1594.	2.2	51
76	Male circumcision for HIV prevention in men in Rakai, Uganda: a randomised trial. Lancet, The, 2007, 369, 657-666.	13.7	1,961
77	Randomised trials of HIV prevention. Lancet, The, 2007, 370, 200-201.	13.7	135