

Hsiao-Hua Yu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4121178/hsiao-hua-yu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

3,595
citations

33
h-index

59
g-index

88
ext. papers

3,986
ext. citations

8.2
avg, IF

5.13
L-index

#	Paper	IF	Citations
79	Coupling Lipid Labeling and Click Chemistry Enables Isolation of Extracellular Vesicles for Noninvasive Detection of Oncogenic Gene Alterations.. <i>Advanced Science</i> , 2022 , e2105853	13.6	3
78	Hybrid "Kill and Release" Antibacterial Cellulose Papers Obtained via Surface-Initiated Atom Transfer Radical Polymerization.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 7893-7902	4.1	3
77	Molecular and nano structures of chiral PEDOT derivatives influence the enantio recognition of biomolecules. analysis of chiral recognition. <i>Analyst, The</i> , 2021 , 146, 7118-7125	5	0
76	Self-Cleaning Cotton Obtained after Grafting Thermoresponsive Poly(-vinylcaprolactam) through Surface-Initiated Atom Transfer Radical Polymerization. <i>Polymers</i> , 2020 , 12,	4.5	2
75	Tunable Protein/Cell Binding and Interaction with Neurite Outgrowth of Low-Impedance Zwitterionic PEDOTs. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 12362-12372	9.5	5
74	Mechanotactic Activation of TGF- β by PEDOT Artificial Microenvironments Triggers Epithelial to Mesenchymal Transition. <i>Advanced Biology</i> , 2020 , 4, e1900165	3.5	1
73	Perfluoro-Functionalized Conducting Polymers Enhance Electrocatalytic Oxygen Reduction. <i>ACS Applied Energy Materials</i> , 2020 , 3, 1171-1180	6.1	2
72	Synthesis of MOF525/PEDOT Composites as Microelectrodes for Electrochemical Sensing of Dopamine. <i>Polymers</i> , 2020 , 12,	4.5	4
71	Layer-by-layer assembly and electrically controlled disassembly of water-soluble Poly(3,4-ethylenedioxythiophene) derivatives for bioelectronic interface. <i>Journal of the Chinese Chemical Society</i> , 2020 , 67, 1602-1610	1.5	
70	Purification of HCC-specific extracellular vesicles on nanosubstrates for early HCC detection by digital scoring. <i>Nature Communications</i> , 2020 , 11, 4489	17.4	50
69	Deprotonation-Induced Conductivity Shift of Polyethylenedioxythiophenes in Aqueous Solutions: The Effects of Side-Chain Length and Polymer Composition. <i>Polymers</i> , 2019 , 11,	4.5	2
68	Organic Electrochemical Transistors/SERS-Active Hybrid Biosensors Featuring Gold Nanoparticles Immobilized on Thiol-Functionalized PEDOT Films. <i>Frontiers in Chemistry</i> , 2019 , 7, 281	5	8
67	Covalent chemistry on nanostructured substrates enables noninvasive quantification of gene rearrangements in circulating tumor cells. <i>Science Advances</i> , 2019 , 5, eaav9186	14.3	25
66	Synthesis of [3 + 3] Eketoenamine-tethered covalent organic frameworks (COFs) for high-performance supercapacitance and CO ₂ storage. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 103, 199-208	5.3	40
65	A Hollow Microtubular Triazine- and Benzobisoxazole-Based Covalent Organic Framework Presenting Sponge-Like Shells That Functions as a High-Performance Supercapacitor. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 1429-1435	4.5	45
64	Ultrastable tetraphenyl-p-phenylenediamine-based covalent organic frameworks as platforms for high-performance electrochemical supercapacitors. <i>Chemical Communications</i> , 2019 , 55, 14890-14893	5.8	52
63	Conducting Polymers@Thylakoid Hybrid Materials for Water Oxidation and Photoelectric Conversion. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800789	6.4	24

62	Electrically Responsive, Nanopatterned Surfaces for Triggered Delivery of Biologically Active Molecules into Cells. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 1201-1208	9.5	6
61	RNA Biomarkers: Glycan Stimulation Enables Purification of Prostate Cancer Circulating Tumor Cells on PEDOT NanoVelcro Chips for RNA Biomarker Detection (Adv. Healthcare Mater. 3/2018). <i>Advanced Healthcare Materials</i> , 2018 , 7, 1870013	10.1	3
60	Dynamic Poly(3,4-ethylenedioxythiophene)s Integrate Low Impedance with Redox-Switchable Biofunction. <i>Advanced Functional Materials</i> , 2018 , 28, 1703890	15.6	21
59	Inexpensive Synthesis of Poly(Ethylenedioxythiophene-Sulfobetaine) Films with High Bio-Antifouling Ability. <i>Journal of the Chinese Chemical Society</i> , 2018 , 65, 149-155	1.5	7
58	In vitro selection of electrochemical peptide probes using bioorthogonal tRNA for influenza virus detection. <i>Chemical Communications</i> , 2018 , 54, 5201-5204	5.8	9
57	NanoVelcro rare-cell assays for detection and characterization of circulating tumor cells. <i>Advanced Drug Delivery Reviews</i> , 2018 , 125, 78-93	18.5	69
56	Glycan Stimulation Enables Purification of Prostate Cancer Circulating Tumor Cells on PEDOT NanoVelcro Chips for RNA Biomarker Detection. <i>Advanced Healthcare Materials</i> , 2018 , 7, 1700701	10.1	29
55	Surface Engineering of Phenylboronic Acid-Functionalized Poly(3,4-ethylenedioxythiophene) for Fast Responsive and Sensitive Glucose Monitoring. <i>ACS Applied Bio Materials</i> , 2018 , 1, 160-167	4.1	17
54	Direct C-H Arylation Polymerization to form Anionic Water-Soluble Poly(3,4-ethylenedioxythiophenes) with Higher Yields and Molecular Weights. <i>Synlett</i> , 2018 , 29, 2660-2668	2.2	8
53	Direct Aqueous Dispersion of Carbon Nanotubes Using Nanoparticle-Formed Fullerenes and Self-Assembled Formation of p/n Heterojunctions with Polythiophene. <i>ACS Omega</i> , 2017 , 2, 1625-1632	3.9	7
52	Cross-Linked Fluorescent Supramolecular Nanoparticles as Finite Tattoo Pigments with Controllable Intradermal Retention Times. <i>ACS Nano</i> , 2017 , 11, 153-162	16.7	9
51	Imprinted NanoVelcro Microchips for Isolation and Characterization of Circulating Fetal Trophoblasts: Toward Noninvasive Prenatal Diagnostics. <i>ACS Nano</i> , 2017 , 11, 8167-8177	16.7	49
50	Ultrathin Cell-Membrane-Mimic Phosphorylcholine Polymer Film Coating Enables Large Improvements for In Vivo Electrochemical Detection. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 11802-11806	16.4	92
49	Ultrathin Cell-Membrane-Mimic Phosphorylcholine Polymer Film Coating Enables Large Improvements for In Vivo Electrochemical Detection. <i>Angewandte Chemie</i> , 2017 , 129, 11964-11968	3.6	23
48	High Density of Aligned Nanowire Treated with Polydopamine for Efficient Gene Silencing by siRNA According to Cell Membrane Perturbation. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 18693-700	9.5	22
47	Palladium-catalyzed direct C-H arylations of dioxythiophenes bearing reactive functional groups: a step-economical approach for functional π -conjugated oligoarenes. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 8505-11	3.9	6
46	Step-Economical Syntheses of Functional BODIPY-EDOT π -Conjugated Materials through Direct C-H Arylation. <i>Organic Letters</i> , 2015 , 17, 3198-201	6.2	29
45	Integrated 3D conducting polymer-based bioelectronics for capture and release of circulating tumor cells. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 5103-5110	7.3	40

44	Programming thermoresponsiveness of NanoVelcro substrates enables effective purification of circulating tumor cells in lung cancer patients. <i>ACS Nano</i> , 2015 , 9, 62-70	16.7	108
43	Low-Molecular-Weight Polyethyleneimine Grafted Polythiophene for Efficient siRNA Delivery. <i>BioMed Research International</i> , 2015 , 2015, 406389	3	6
42	Rapid construction of an effective antifouling layer on a Au surface via electrodeposition. <i>Chemical Communications</i> , 2014 , 50, 6793-6	5.8	18
41	Large enhancement in neurite outgrowth on a cell membrane-mimicking conducting polymer. <i>Nature Communications</i> , 2014 , 5, 4523	17.4	105
40	Nanoscale analysis of a functionalized polythiophene surface by adhesion mapping. <i>Analytical Chemistry</i> , 2014 , 86, 6865-71	7.8	6
39	In vitro selection of peptide aptamers using a ribosome display for a conducting polymer. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 117, 501-3	3.3	5
38	Nanoscale analysis of functionalized polythiophene surfaces: the effects of electropolymerization methods and thermal treatment. <i>RSC Advances</i> , 2014 , 4, 62666-62672	3.7	3
37	3D bioelectronic interface: capturing circulating tumor cells onto conducting polymer-based micro/nanorod arrays with chemical and topographical control. <i>Small</i> , 2014 , 10, 3012-7	11	52
36	Capture and stimulated release of circulating tumor cells on polymer-grafted silicon nanostructures. <i>Advanced Materials</i> , 2013 , 25, 1547-51	24	219
35	Molecular or Nanoscale Structures? The Deciding Factor of Surface Properties on Functionalized Poly(3,4-ethylenedioxythiophene) Nanorod Arrays. <i>Advanced Functional Materials</i> , 2013 , 23, 3212-3219	15.6	57
34	Cell Capture: Capture and Stimulated Release of Circulating Tumor Cells on Polymer-Grafted Silicon Nanostructures (Adv. Mater. 11/2013). <i>Advanced Materials</i> , 2013 , 25, 1514-1514	24	3
33	Controlled protein absorption and cell adhesion on polymer-brush-grafted poly(3,4-ethylenedioxythiophene) films. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 4536-43	9.5	63
32	Polydioxythiophene nanodots, nonowires, nano-networks, and tubular structures: the effect of functional groups and temperature in template-free electropolymerization. <i>ACS Nano</i> , 2012 , 6, 3018-26	16.7	117
31	Tunable, dynamic and electrically stimulated lectin-carbohydrate recognition on a glycan-grafted conjugated polymer. <i>Chemical Communications</i> , 2012 , 48, 6942-4	5.8	20
30	Electropolymerized conjugated polyelectrolytes with tunable work function and hydrophobicity as an anode buffer in organic optoelectronics. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 3396-404	9.5	14
29	Oligoethylene-glycol-functionalized polyoxythiophenes for cell engineering: syntheses, characterizations, and cell compatibilities. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 680-6	9.5	48
28	Controlled hydrogenation of aromatic compounds by platinum nanowire catalysts. <i>RSC Advances</i> , 2012 , 2, 3477	3.7	23
27	Facile Syntheses of Dioxythiophene-Based Conjugated Polymers by Direct C-H Arylation. <i>Macromolecules</i> , 2012 , 45, 7783-7790	5.5	69

26	Electropolymerization of intercalator-grafted conducting polymer for direct and amplified DNA detection. <i>Chemical Communications</i> , 2011 , 47, 1533-5	5.8	18
25	Electropolymerization and characterization of COOH-functionalized poly(3,4-ethylenedioxythiophene): Ionic exchanges. <i>Electrochimica Acta</i> , 2011 , 56, 10238-10245	6.7	12
24	Functionalized Conducting Polymer Nano-Networks from Controlled Oxidation Polymerization toward Cell Engineering. <i>Advanced Engineering Materials</i> , 2011 , 13, B423-B427	3.5	7
23	Functionalized conducting polymer nanodots for enhanced cell capturing: the synergistic effect of capture agents and nanostructures. <i>Advanced Materials</i> , 2011 , 23, 4788-92	24	153
22	Efficient synthesis of 3,4-ethylenedioxythiophene (EDOT)-based functional conjugated molecules through direct C-H bond arylations. <i>Organic Letters</i> , 2011 , 13, 4068-71	6.2	55
21	DNA detection using functionalized conducting polymers. <i>Methods in Molecular Biology</i> , 2011 , 751, 437-524		3
20	Perfluoro-functionalized PEDOT films with controlled morphology as superhydrophobic coatings and biointerfaces with enhanced cell adhesion. <i>Chemical Communications</i> , 2010 , 46, 4731-3	5.8	73
19	Electric-field-assisted growth of functionalized poly(3,4-ethylenedioxythiophene) nanowires for label-free protein detection. <i>Small</i> , 2009 , 5, 2611-7	11	61
18	Trinity DNA detection platform by ultrasmooth and functionalized PEDOT biointerfaces. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 1414-9	9.5	44
17	Magnetic PEDOT hollow capsules with single holes. <i>Chemical Communications</i> , 2009 , 2664-6	5.8	30
16	Poly(3,4-ethylenedioxythiophene) (PEDOT) nanobiointerfaces: thin, ultrasmooth, and functionalized PEDOT films with in vitro and in vivo biocompatibility. <i>Langmuir</i> , 2008 , 24, 8071-7	4	256
15	Photostable and luminescent ZnO films: synthesis and application as fluorescence resonance energy transfer donors. <i>Chemical Communications</i> , 2008 , 4912-4	5.8	8
14	High-frequency dynamic nuclear polarization using biradicals: a multifrequency EPR lineshape analysis. <i>Journal of Chemical Physics</i> , 2008 , 128, 052302	3.9	153
13	A general synthesis for PEDOT-coated nonconductive materials and PEDOT hollow particles by aqueous chemical polymerization. <i>Small</i> , 2008 , 4, 2051-8	11	36
12	Work function engineering of electrodes via electropolymerization of ethylenedioxythiophenes and its derivatives. <i>Organic Electronics</i> , 2008 , 9, 859-863	3.5	27
11	Controlled photostability of luminescent nanocrystalline ZnO solution for selective detection of aldehydes. <i>Chemical Communications</i> , 2007 , 1406-8	5.8	73
10	Conductivity Shift of Polyethylenedioxythiophenes in Aqueous Solutions from Side-Chain Charge Perturbation. <i>Macromolecules</i> , 2007 , 40, 6025-6027	5.5	35
9	Ultrasensitive Pb ²⁺ detection by glutathione-capped quantum dots. <i>Analytical Chemistry</i> , 2007 , 79, 9452-8	7.8	226

- 8 Charge-specific interactions in segmented conducting polymers: an approach to selective ionoresistive responses. *Angewandte Chemie - International Edition*, **2004**, 43, 3700-3 16.4 78
- 7 Charge-Specific Interactions in Segmented Conducting Polymers: An Approach to Selective Ionoresistive Responses. *Angewandte Chemie*, **2004**, 116, 3786-3789 3.6 9
- 6 Dynamic nuclear polarization with biradicals. *Journal of the American Chemical Society*, **2004**, 126, 10844-10848 16.4 254
- 5 Molecular actuators - designing actuating materials at the molecular level. *IEEE Journal of Oceanic Engineering*, **2004**, 29, 692-695 3.3 26
- 4 A proton-doped calix[4]arene-based conducting polymer. *Journal of the American Chemical Society*, **2003**, 125, 1142-3 16.4 97
- 3 Carboxyfullerene prevents iron-induced oxidative stress in rat brain. *Journal of Neurochemistry*, **1999**, 72, 1634-40 6 110
- 2 Synthesis of 1,2,3,4-Bisiminofullerene and 1,2,3,4-Bis(triazolino)fullerene on the Mechanism of the Addition Reactions of Organic Azides to [60]Fullerene. *Chemistry - A European Journal*, **1997**, 3, 744-748 4.8 33
- 1 S,S-Dimethyl Dithiocarbonate: A Convenient Reagent for the Synthesis of Symmetrical and Unsymmetrical Ureas. *Journal of Organic Chemistry*, **1996**, 61, 4175-4179 4.2 62