Christian Mardin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4122054/publications.pdf

Version: 2024-02-01

759233 642732 21 587 12 23 citations h-index g-index papers 38 38 38 942 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Maternal SARS-CoV-2 infection during pregnancy: possible impact on the infant. European Journal of Pediatrics, 2022, 181, 413-418.	2.7	14
2	Association of Rare <i>CYP39A1</i> Variants With Exfoliation Syndrome Involving the Anterior Chamber of the Eye. JAMA - Journal of the American Medical Association, 2021, 325, 753.	7.4	16
3	OCT-angiography: Regional reduced macula microcirculation in ocular hypertensive and pre-perimetric glaucoma patients. PLoS ONE, 2021, 16, e0246469.	2.5	16
4	Agonistic \hat{l}^2 2-Adrenergic Receptor Autoantibodies Characterize the Aqueous Humor of Patients With Primary and Secondary Open-Angle Glaucoma. Frontiers in Immunology, 2021, 12, 550236.	4.8	5
5	Agonistic autoantibodies against ß2-adrenergic receptor influence retinal microcirculation in glaucoma suspects and patients. PLoS ONE, 2021, 16, e0249202.	2.5	8
6	Erlanger Glaucoma Registry: Effect of a Long-Term Therapy with Statins and Acetyl Salicylic Acid on Glaucoma Conversion and Progression. Biology, 2021, 10, 538.	2.8	6
7	Extended Ganglion Cell Layer Thickness Deviation Maps With OCT in Glaucoma Diagnosis. Frontiers in Medicine, 2021, 8, 684676.	2.6	1
8	Retinal Microcirculation as a Correlate of a Systemic Capillary Impairment After Severe Acute Respiratory Syndrome Coronavirus 2 Infection. Frontiers in Medicine, 2021, 8, 676554.	2.6	24
9	Inhibitory and Agonistic Autoantibodies Directed Against the \hat{I}^2 2-Adrenergic Receptor in Pseudoexfoliation Syndrome and Glaucoma. Frontiers in Neuroscience, 2021, 15, 676579.	2.8	5
10	Glaucoma classification in 3×3 mm en face macular scans using deep learning in different plexus. Biomedical Optics Express, 2021, 12, 7434.	2.9	9
11	Case Report: Neutralization of Autoantibodies Targeting G-Protein-Coupled Receptors Improves Capillary Impairment and Fatigue Symptoms After COVID-19 Infection. Frontiers in Medicine, 2021, 8, 754667.	2.6	38
12	OCT Angiography: Measurement of Retinal Macular Microvasculature with Spectralis II OCT Angiography – Reliability and Reproducibility. Ophthalmologica, 2020, 243, 75-84.	1.9	39
13	Mutant RAMP2 causes primary open-angle glaucoma via the CRLR-cAMP axis. Genetics in Medicine, 2019, 21, 2345-2354.	2.4	16
14	OCT-Angiography: Mydriatic phenylephrine and tropicamide do not influence retinal microvasculature in macula and peripapillary region. PLoS ONE, 2019, 14, e0221395.	2.5	15
15	Genetic association study of exfoliation syndrome identifies a protective rare variant at LOXL1 and five new susceptibility loci. Nature Genetics, 2017, 49, 993-1004.	21.4	114
16	A common variant mapping to CACNA1A is associated with susceptibility to exfoliation syndrome. Nature Genetics, 2015, 47, 387-392.	21.4	97
17	Targeting glaucoma beyond intraocular pressure. Expert Review of Ophthalmology, 2010, 5, 217-224.	0.6	0
18	Novel CYP1B1 and Known PAX6 Mutations in Anterior Segment Dysgenesis (ASD). Journal of Glaucoma, 2006, 15, 499-504.	1.6	36

#	Article	IF	CITATIONS
19	Primary congenital glaucoma and Rieger's anomaly: extended haplotypes reveal founder effects for eight distinct CYP1B1 mutations. Molecular Vision, 2006, 12, 523-31.	1.1	37
20	Novel mutations in the MYOC/GLC1A gene in a large group of glaucoma patients. Human Mutation, 2002, 20, 479-480.	2.5	28
21	Quadrant pattern ERG with SLO stimulation in normals and glaucoma patients. Graefe's Archive for Clinical and Experimental Ophthalmology, 1996, 234, S174-S179.	1.9	7