Markus Theurl

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4124193/markus-theurl-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 25 | 613 | 12 | 24 |
|-------------------|--------------------|-------------|-----------------|
| papers | citations | h-index | g-index |
| 25 ext. papers | 856 ext. citations | 6.4 avg, IF | 3.16 L-index |

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 25 | Cardiopulmonary recovery after COVID-19: an observational prospective multicentre trial. <i>European Respiratory Journal</i> , 2021 , 57, | 13.6 | 130 |
| 24 | The Role of Innate Immunity and Bioactive Lipid Mediators in COVID-19 and Influenza. <i>Frontiers in Physiology</i> , 2021 , 12, 688946 | 4.6 | 5 |
| 23 | High baseline fetuin-A levels are associated with lower atherosclerotic plaque progression as measured by 3D ultrasound. <i>Atherosclerosis Plus</i> , 2021 , 45, 10-10 | | 1 |
| 22 | Safety and efficacy of direct Cardiac Shockwave Therapy in patients with ischemic cardiomyopathy undergoing coronary artery bypass grafting (the CAST-HF trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2020 , 21, 447 | 2.8 | 1 |
| 21 | Early onset of menopause is associated with increased peripheral atherosclerotic plaque volume and progression. <i>Atherosclerosis</i> , 2020 , 297, 25-31 | 3.1 | 5 |
| 20 | Clinical implications of partial anomalous pulmonary venous connection: a rare cause of severe pulmonary arterial hypertension. <i>Pulmonary Circulation</i> , 2020 , 10, 2045894019885352 | 2.7 | 3 |
| 19 | Association of Food and Alcohol Consumption with Peripheral Atherosclerotic Plaque Volume as Measured by 3D-Ultrasound. <i>Nutrients</i> , 2020 , 12, | 6.7 | 2 |
| 18 | Persisting alterations of iron homeostasis in COVID-19 are associated with non-resolving lung pathologies and poor patients Uperformance: a prospective observational cohort study. <i>Respiratory Research</i> , 2020 , 21, 276 | 7.3 | 62 |
| 17 | NGAL Correlates with Femoral and Carotid Plaque Volume Assessed by Sonographic 3D Plaque Volumetry. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 1 |
| 16 | A Large Bifurcation Angle Is Strongly Associated With Increased Plaque Volume and Plaque Progression. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 2087-2088 | 8.4 | 2 |
| 15 | ACEF score adapted to ST-elevation myocardial infarction patients: The ACEF-STEMI score. <i>International Journal of Cardiology</i> , 2018 , 264, 18-24 | 3.2 | 13 |
| 14 | Gene therapy with the angiogenic neuropeptide secretoneurin ameliorates experimental diabetic neuropathy. <i>FASEB Journal</i> , 2018 , 32, 4815-4823 | 0.9 | 4 |
| 13 | Influence of Traditional Cardiovascular Risk Factors on Carotid and Femoral Atherosclerotic Plaque Volume as Measured by Three-Dimensional Ultrasound. <i>Journal of Clinical Medicine</i> , 2018 , 8, | 5.1 | 8 |
| 12 | Fibroblast growth factor 23 as novel biomarker for early risk stratification after ST-elevation myocardial infarction. <i>Heart</i> , 2017 , 103, 856-862 | 5.1 | 31 |
| 11 | Granin-derived peptides. <i>Progress in Neurobiology</i> , 2017 , 154, 37-61 | 10.9 | 45 |
| 10 | Relation of Low-Density Lipoprotein Cholesterol With Microvascular Injury and Clinical Outcome in Revascularized ST-Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 22 |
| 9 | Ponatinib Exerts Multiple Effects on Vascular Endothelial Cells: Possible Mechanisms and Explanations for the Adverse Vascular Events Seen in CML Patients Treated with Ponatinib. <i>Blood</i> , 2016 , 128, 1883-1883 | 2.2 | 5 |

LIST OF PUBLICATIONS

| 8 | Involvement of Peripheral Nerves in the Transgenic PLP-Esyn Model of Multiple System Atrophy: Extending the Phenotype. <i>PLoS ONE</i> , 2015 , 10, e0136575 | 3.7 | 13 |
|---|--|------|----|
| 7 | Secretoneurin gene therapy improves hind limb and cardiac ischaemia in Apo E?/? mice without influencing systemic atherosclerosis. <i>Cardiovascular Research</i> , 2015 , 105, 96-106 | 9.9 | 11 |
| 6 | Fibrates ameliorate the course of bacterial sepsis by promoting neutrophil recruitment via CXCR2. <i>EMBO Molecular Medicine</i> , 2014 , 6, 810-20 | 12 | 22 |
| 5 | The arachidonic acid metabolome serves as a conserved regulator of cholesterol metabolism. <i>Cell Metabolism</i> , 2014 , 20, 787-798 | 24.6 | 72 |
| 4 | Further Evaluation of Pro-Atherogenic and Anti-Angiogenic Effects of Nilotinib in Mice and in Patients with Ph-Chromosome+ CML. <i>Blood</i> , 2014 , 124, 1800-1800 | 2.2 | 4 |
| 3 | Low energy shock wave therapy induces angiogenesis in acute hind-limb ischemia via VEGF receptor 2 phosphorylation. <i>PLoS ONE</i> , 2014 , 9, e103982 | 3.7 | 41 |
| 2 | Nilotinib Exerts Direct Pro-Atherogenic and Anti-Angiogenic Effects On Vascular Endothelial Cells: A Potential Explanation For Drug-Induced Vasculopathy In CML. <i>Blood</i> , 2013 , 122, 257-257 | 2.2 | 30 |
| 1 | The neuropeptide catestatin acts as a novel angiogenic cytokine via a basic fibroblast growth factor-dependent mechanism. <i>Circulation Research</i> , 2010 , 107, 1326-35 | 15.7 | 8o |