
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4124341/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Chronic Δ9-Tetrahydrocannabinol During Adolescence Provokes Sex-Dependent Changes in the Emotional Profile in Adult Rats: Behavioral and Biochemical Correlates. Neuropsychopharmacology, 2008, 33, 2760-2771. | 5.4 | 304 |
| 2 | Selective DNA Methylation of BDNF Promoter in Bipolar Disorder: Differences Among Patients with BDI and BDII. Neuropsychopharmacology, 2012, 37, 1647-1655. | 5.4 | 166 |
| 3 | Blockade of Nociceptin/Orphanin FQ Transmission Attenuates Symptoms and Neurodegeneration Associated with Parkinson's Disease. Journal of Neuroscience, 2005, 25, 9591-9601. | 3.6 | 116 |
| 4 | Substance P Is Diminished and Vasoactive Intestinal Peptide Is Augmented in Psoriatic Lesions and These Peptides Exert Disparate Effects on the Proliferation of Cultured Human Keratinocytes. Journal of Investigative Dermatology, 1992, 98, 421-427. | 0.7 | 110 |
| 5 | The effects of nonsteroidal anti-inflammatory drugs on clinical outcomes, synovial fluid cytokine concentration and signal transduction pathways in knee osteoarthritis. A randomized open label trial. Osteoarthritis and Cartilage, 2013, 21, 1400-1408. | 1.3 | 100 |
| 6 | The challenge of perioperative pain management in opioid-tolerant patients. Therapeutics and Clinical Risk Management, 2017, Volume 13, 1163-1173. | 2.0 | 97 |
| 7 | DYNORPHIN AND EPILEPSY. Progress in Neurobiology, 1996, 50, 557-583. | 5.7 | 79 |
| 8 | Ethanol Induces Epigenetic Modulation of Prodynorphin and Pronociceptin Gene Expression in the Rat Amygdala Complex. Journal of Molecular Neuroscience, 2013, 49, 312-319. | 2.3 | 71 |
| 9 | Different alcohol exposures induce selective alterations on the expression of dynorphin and nociceptin systems related genes in rat brain. Addiction Biology, 2013, 18, 425-433. | 2.6 | 66 |
| 10 | Chronic opiate agonists down-regulate prodynorphin gene expression in rat brain. Brain Research, 1991, 563, 132-136. | 2.2 | 56 |
| 11 | Distinguishable effects of intrathecal dynorphins, somatostatin, neurotensin and s-calcitonin on nociception and motor function in the rat. Pain, 1988, 35, 95-104. | 4.2 | 53 |
| 12 | Modification of anxietyâ€like behaviors by nociceptin/orphanin <scp>FQ</scp> (<scp>N</scp> / <scp>OFQ</scp>) and timeâ€dependent changes in <scp>N</scp> / <scp>OFQâ€NOP</scp> gene expression following ethanol withdrawal. Addiction Biology, 2013, 18, 467-479. | 2.6 | 43 |
| 13 | Mystic Acetaldehyde: The Never-Ending Story on Alcoholism. Frontiers in Behavioral Neuroscience, 2017, 11, 81. | 2.0 | 41 |
| 14 | <p>Tapentadol for neuropathic pain: a review of clinical studies</p> . Journal of Pain Research, 2019, Volume 12, 1537-1551. | 2.0 | 38 |
| 15 | Brain Interstitial Nociceptin/Orphanin FQ Levels are Elevated in Parkinson's Disease. Movement Disorders, 2010, 25, 1723-1732. | 3.9 | 37 |
| 16 | Involvement of the Neuropeptide Nociceptin/Orphanin FQ in Kainate Seizures. Journal of Neuroscience, 2002, 22, 10030-10038. | 3.6 | 36 |
| 17 | Substance P levels are decreased in lesional skin of atopic dermatitis. Experimental Dermatology, 1992, 1, 126-128. | 2.9 | 35 |
| 18 | Ethanol and acetaldehyde exposure induces specific epigenetic modifications in the prodynorphin gene promoter in a human neuroblastoma cell line. FASEB Journal, 2011, 25, 1069-1075. | 0.5 | 35 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Antinociceptive activity of salmon calcitonin injected intrathecally in the rat. Neuroscience Letters, 1984, 45, 135-139. | 2.1 | 34 |
| 20 | Dynorphin/KOP and nociceptin/NOP gene expression and epigenetic changes by cocaine in rat striatum and nucleus accumbens. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 49, 36-46. | 4.8 | 34 |
| 21 | Studies on the antinociceptive effect of intrathecal salmon calcitonin. Peptides, 1985, 6, 273-276. | 2.4 | 33 |
| 22 | Pin1 Contribution to Alzheimer's Disease: Transcriptional and Epigenetic Mechanisms in Patients with Late-Onset Alzheimer's Disease. Neurodegenerative Diseases, 2012, 10, 207-211. | 1.4 | 33 |
| 23 | Peripheral leukocyte expression of the potential biomarker proteins Bdnf, Sirt1, and Psen1 is not regulated by promoter methylation in Alzheimer's disease patients. Neuroscience Letters, 2015, 605, 44-48. | 2.1 | 32 |
| 24 | What to Do, and What Not to Do, When Diagnosing and Treating Breakthrough Cancer Pain (BTcP): Expert Opinion. Drugs, 2016, 76, 315-330. | 10.9 | 32 |
| 25 | Treatment with the neurotoxic Aβ (25–35) peptide modulates the expression of neuroprotective factors Pin1, Sirtuin 1, and brain-derived neurotrophic factor in SH-SY5Y human neuroblastoma cells. Experimental and Toxicologic Pathology, 2016, 68, 271-276. | 2.1 | 31 |
| 26 | Skin levels of vasoactive intestinal polypeptide in atopic dermatitis. Archives of Dermatological Research, 1991, 283, 230-232. | 1.9 | 29 |
| 27 | Chronic intracerebroventricular cocaine differentially affects prodynorphin gene expression in rat hypothalamus and caudate-putamen. Molecular Brain Research, 1996, 40, 153-156. | 2.3 | 28 |
| 28 | Cocaine and ethanol target 26S proteasome activity and gene expression in neuroblastoma cells. Drug and Alcohol Dependence, 2016, 161, 265-275. | 3.2 | 28 |
| 29 | Pharmacological rationale for tapentadol therapy: a review of new evidence. Journal of Pain Research, 2019, Volume 12, 1513-1520. | 2.0 | 28 |
| 30 | From acute to chronic pain: tapentadol in the progressive stages of this disease entity. European Review for Medical and Pharmacological Sciences, 2017, 21, 1672-1683. | 0.7 | 28 |
| 31 | Kainate seizures increase nociceptin/orphanin FQ release in the rat hippocampus and thalamus: a microdialysis study. Journal of Neurochemistry, 2004, 91, 30-37. | 3.9 | 27 |
| 32 | Transcriptional and epigenetic phenomena in peripheral blood cells of monozygotic twins discordant for alzheimer's disease, a case report. Journal of the Neurological Sciences, 2017, 372, 211-216. | 0.6 | 27 |
| 33 | Human apolipoprotein E4 modulates the expression of Pin1, Sirtuin 1, and Presenilin 1 in brain regions of targeted replacement apoE mice. Neuroscience, 2014, 256, 360-369. | 2.3 | 26 |
| 34 | Combined exposure to agriculture pesticides, paraquat and maneb, induces alterations in the N/OFQ—NOPr and PDYN/KOPr systems in rats: Relevance to sporadic Parkinson's disease. Environmental Toxicology, 2015, 30, 656-663. | 4.0 | 26 |
| 35 | Activation of PPARÎ ³ Attenuates the Expression of Physical and Affective Nicotine Withdrawal Symptoms through Mechanisms Involving Amygdala and Hippocampus Neurotransmission. Journal of Neuroscience, 2019, 39, 9864-9875. | 3.6 | 26 |
| 36 | The effect of Paracetamol on nociception and dynorphin A levels in the rat brain. Neuropeptides, 2001, 35, 110-116. | 2.2 | 25 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Nociceptin Levels in the Cerebrospinal Fluid of Chronic Pain Patients With or Without Intrathecal Administration of Morphine. Journal of Pain and Symptom Management, 2006, 32, 372-377. | 1.2 | 25 |
| 38 | Dynorphinergic system alterations in the corticostriatal circuitry of neuropathic mice support its role in the negative affective component of pain. Genes, Brain and Behavior, 2019, 18, e12467. | 2.2 | 25 |
| 39 | NOP receptor antagonism reduces alcohol drinking in male and female rats through mechanisms involving the central amygdala and ventral tegmental area. British Journal of Pharmacology, 2020, 177, 1525-1537. | 5.4 | 25 |
| 40 | Alterations of N/OFQ and NOP receptor gene expression in the substantia nigra and caudate putamen of MPP+ and 6-OHDA lesioned rats. Neuropharmacology, 2009, 56, 761-767. | 4.1 | 24 |
| 41 | Proteasome subunit and opioid receptor gene expression down-regulation induced by paraquat and maneb in human neuroblastoma SH-SY5Y cells. Environmental Toxicology and Pharmacology, 2015, 40, 895-900. | 4.0 | 24 |
| 42 | Early Changes in Prodynorphin mRNA and ir-Dynorphin A Levels after Kindled Seizures in the Rat. European Journal of Neuroscience, 1995, 7, 1850-1856. | 2.6 | 23 |
| 43 | Supraspinal and spinal effects of [Phe1Î (CH2-NH)Gly2]-nociceptin(1–13)-NH2 on nociception in the rat. Life Sciences, 1999, 66, 257-264. | 4.3 | 22 |
| 44 | <p>Safe Use of Opioids in Chronic Kidney Disease and Hemodialysis Patients: Tips and Tricks for Non-Pain Specialists</p> . Therapeutics and Clinical Risk Management, 2020, Volume 16, 821-837. | 2.0 | 22 |
| 45 | Long-term exposure to opioid antagonists up-regulates prodynorphin gene expression in rat brain. Brain Research, 1995, 672, 42-47. | 2.2 | 21 |
| 46 | Assessment and treatment of breakthrough cancer pain: from theory to clinical practice. Journal of Pain Research, 2017, Volume 10, 2147-2155. | 2.0 | 21 |
| 47 | Protection by Opioids against Gastric Lesions Caused by Necrotizing Agents. Pharmacology, 1988, 36, 140-144. | 2.2 | 20 |
| 48 | Acute and chronic cannabinoid extracts administration affects motor function in a CREAE model of multiple sclerosis. Journal of Ethnopharmacology, 2011, 133, 1033-1038. | 4.1 | 20 |
| 49 | A new potent analgesic agent with reduced liability to produce morphine tolerance. Brain Research Bulletin, 2015, 117, 32-38. | 3.0 | 20 |
| 50 | Opioid gene expression changes and post-translational histone modifications at promoter regions in the rat nucleus accumbens after acute and repeated 3,4-methylenedioxy-methamphetamine (MDMA) exposure. Pharmacological Research, 2016, 114, 209-218. | 7.1 | 19 |
| 51 | Possible mediation of catecholaminergic pathways in the antinociceptive effect of an extract of Cannabis sativa L Psychopharmacology, 1986, 89, 244-247. | 3.1 | 18 |
| 52 | Alterations in vasoactive intestinal polypeptide-related peptides after pentylenetetrazole-induced seizures in rat brain. European Journal of Pharmacology, 1992, 229, 149-153. | 3.5 | 18 |
| 53 | Chronic and acute effects of 3,4-methylenedioxy-N-methylamphetamine (â€~ecstasy') administration on the dynorphinergic system in the rat brain. Neuroscience, 2006, 137, 187-196. | 2.3 | 18 |
| 54 | Regional distribution of immunoreactive dynorphin A in the human gastrointestinal tract. Neuropeptides, 1988, 11, 101-105. | 2.2 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Chronic GBR 12909 administration differentially alters prodynorphin gene expression compared to cocaine. European Journal of Pharmacology, 2001, 413, 207-212. | 3.5 | 17 |
| 56 | Effects of Prolonged Treatment With the Opiate Tramadol on Prodynorphin Gene Expression in Rat CNS. Journal of Molecular Neuroscience, 2006, 30, 341-348. | 2.3 | 17 |
| 57 | Kindled Seizure-induced c-fosand Prodynorphin mRNA Expressions are Unrelated in the Rat Brain. European Journal of Neuroscience, 1996, 8, 2064-2067. | 2.6 | 16 |
| 58 | The effect of a paracetamol and morphine combination on dynorphin A levels in the rat brain44Abbreviations: NSAIDs, non-steroidal anti-inflammatory drugs; DYN, dynorphin; PARA, paracetamol; and ir-DYN, immunoreactive dynorphin Biochemical Pharmacology, 2001, 61, 1409-1416. | 4.4 | 16 |
| 59 | Involvement of the Neuropeptide Orphanin FQ/Nociceptin in Kainate and Kindling Seizures and Epileptogenesis. Epilepsia, 2002, 43, 18-19. | 5.1 | 16 |
| 60 | Morphine and Fentanyl Differently Affect MOP and NOP Gene Expression in Human Neuroblastoma SH-SY5Y Cells. Journal of Molecular Neuroscience, 2013, 51, 532-538. | 2.3 | 16 |
| 61 | Increased expression of CRF and CRF-receptors in dorsal striatum, hippocampus, and prefrontal cortex after the development of nicotine sensitization in rats. Drug and Alcohol Dependence, 2018, 189, 12-20. | 3.2 | 16 |
| 62 | Nociceptive responses in melatonin MT ₂ receptor knockout mice compared to MT ₁ and double MT ₁ /MT ₂ receptor knockout mice. Journal of Pineal Research, 2020, 69, e12671. | 7.4 | 16 |
| 63 | On the Role of Peripheral Sensory and Gut Mu Opioid Receptors: Peripheral Analgesia and Tolerance. Molecules, 2020, 25, 2473. | 3.8 | 16 |
| 64 | Limbic seizures increase pronociceptin mRNA levels in the thalamic reticular nucleus. NeuroReport, 1999, 10, 541-546. | 1.2 | 15 |
| 65 | Alterations in prodynorphin gene expression and dynorphin levels in different brain regions after chronic administration of 14-methoxymetopon and oxycodone-6-oxime. Brain Research Bulletin, 2006, 70, 233-239. | 3.0 | 15 |
| 66 | Role of Serotonin on Cocaine-Mediated Effects on Prodynorphin Gene Expression in the Rat Brain. Journal of Molecular Neuroscience, 2004, 22, 213-222. | 2.3 | 14 |
| 67 | Effects of the selective neurotensin antagonist SR 142948A on 3,4-methylenedioxymethamphetamine-induced behaviours in mice. Neuropharmacology, 2008, 54, 1107-1111. | 4.1 | 14 |
| 68 | The standardized Withania somnifera Dunal root extract alters basal and morphine-induced opioid receptor gene expression changes in neuroblastoma cells. BMC Complementary and Alternative Medicine, 2018, 18, 9. | 3.7 | 14 |
| 69 | Regulation of dynorphin gene expression by κ-opioid agonist treatment. NeuroReport, 2002, 13, 107-109. | 1.2 | 13 |
| 70 | Role of serotonin in the regulation of the dynorphinergic system by a \hat{I}^2 -opioid agonist and cocaine treatment in rat CNS. Neuroscience, 2007, 144, 157-164. | 2.3 | 13 |
| 71 | Interplay between the Endogenous Opioid System and Proteasome Complex: Beyond Signaling. International Journal of Molecular Sciences, 2019, 20, 1441. | 4.1 | 13 |
| 72 | An Exploratory Pilot Study of Changes in Global DNA Methylation in Patients Undergoing Major Breast Surgery Under Opioid-Based General Anesthesia. Frontiers in Pharmacology, 2021, 12, 733577. | 3.5 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Modulation of proorphaninFQ/N gene expression by morphine in the rat mesocorticolimbic system. NeuroReport, 2002, 13, 645-648. | 1.2 | 12 |
| 74 | Nociceptin/orphanin FQ prevents the antinociceptive action of paracetamol on the rat hot plate test. European Journal of Pharmacology, 2005, 507, 43-48. | 3.5 | 12 |
| 75 | N/ <scp>OFQ</scp> system in brain areas of nerveâ€injured mice: its role in different aspects of neuropathic pain. Genes, Brain and Behavior, 2017, 16, 537-545. | 2.2 | 12 |
| 76 | Chronic cocaine produces decreases in N/OFQ peptide levels in select rat brain regions. Journal of Molecular Neuroscience, 2007, 31, 159-164. | 2.3 | 12 |
| 77 | Binding profile of benextramine at neuropeptide Y receptor subtypes in rat brain areas. European Journal of Pharmacology, 1994, 265, 93-98. | 3.5 | 11 |
| 78 | Effects of acute ethanol exposure on class I HDACs family enzymes in wild-type and BDNF+/â^' mice. Drug and Alcohol Dependence, 2015, 155, 68-75. | 3.2 | 11 |
| 79 | Dysregulation of Nociceptin/Orphanin FQ and Dynorphin Systems in the Extended Amygdala of Alcohol Preferring Marchigian Sardinian (msP) Rats. International Journal of Molecular Sciences, 2021, 22, 2448. | 4.1 | 11 |
| 80 | Region-Specific Changes in Prodynorphin mRNA and ir-Dynorphin A Levels After Kindled Seizures. Journal of Molecular Neuroscience, 1999, 13, 69-76. | 2.3 | 10 |
| 81 | Effects of the selective norepinephrine uptake inhibitor nisoxetine on prodynorphin gene expression in rat CNS. Molecular Brain Research, 2004, 127, 115-120. | 2.3 | 10 |
| 82 | Regulation of opioid gene expression in the rat brainstem by 3,4-methylenedioxymethamphetamine (MDMA): role of serotonin and involvement of CREB and ERK cascade. Naunyn-Schmiedeberg's Archives of Pharmacology, 2011, 383, 169-178. | 3.0 | 10 |
| 83 | Opioid Receptor Gene Expression in Human Neuroblastoma SH-SY5Y Cells Following Tapentadol Exposure. Journal of Molecular Neuroscience, 2014, 53, 669-676. | 2.3 | 10 |
| 84 | Evidence of a PPARÎ ³ -mediated mechanism in the ability of Withania somnifera to attenuate tolerance to the antinociceptive effects of morphine. Pharmacological Research, 2019, 139, 422-430. | 7.1 | 10 |
| 85 | The active second-generation proteasome inhibitor oprozomib reverts the oxaliplatin-induced neuropathy symptoms. Biochemical Pharmacology, 2020, 182, 114255. | 4.4 | 10 |
| 86 | Methamphetamine alters prodynorphin gene expression and dynorphin A levels in rat hypothalamus European Journal of Pharmacology, 1999, 365, 183-186. | 3.5 | 9 |
| 87 | â^†9-Tetrahydrocannabinol Decreases NOP Receptor Density and mRNA Levels in Human SH-SY5Y Cells. Journal of Molecular Neuroscience, 2012, 46, 285-292. | 2.3 | 9 |
| 88 | Novel insights on the management of pain: highlights from the â€~Science of Relief' meeting. Pain Management, 2019, 9, 521-533. | 1.5 | 9 |
| 89 | Alterations of CREB and DARPP-32 phosphorylation following cocaine and monoaminergic uptake inhibitors. Brain Research, 2007, 1128, 33-39. | 2.2 | 8 |
| 90 | Repeated nicotine exposure modulates prodynorphin and pronociceptin levels in the reward pathway. Drug and Alcohol Dependence, 2016, 166, 150-158. | 3.2 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Modulation of the Negative Affective Dimension of Pain: Focus on Selected Neuropeptidergic System Contributions. International Journal of Molecular Sciences, 2019, 20, 4010. | 4.1 | 8 |
| 92 | Short-term withdrawal from repeated exposure to cocaine during adolescence modulates dynorphin mRNA levels and BDNF signaling in the rat nucleus accumbens. Drug and Alcohol Dependence, 2019, 197, 127-133. | 3.2 | 8 |
| 93 | Targeting the JAK/STAT Pathway: A Combined Ligand- and Target-Based Approach. Journal of Chemical Information and Modeling, 2021, 61, 3091-3108. | 5.4 | 8 |
| 94 | Tapentadol: an analgesic that differs from classic opioids due to its noradrenergic mechanism of action. Minerva Medica, 2019, 110, 62-78. | 0.9 | 8 |
| 95 | Current and Future Therapeutic OptionsÂin Pain Management: Multi-mechanistic Opioids Involving Both MOR and NOP Receptor Activation. CNS Drugs, 2022, 36, 617-632. | 5.9 | 8 |
| 96 | Effects of hypothalamic lesions on the content of dynorphin immunoreactivity in pituitary. Life Sciences, 1983, 33, 503-506. | 4.3 | 7 |
| 97 | The κ-opioid receptor agonist U-69593 prevents cocaine-induced phosphorylation of DARPP-32 at Thr34 in the rat brain. Brain Research Bulletin, 2007, 73, 34-39. | 3.0 | 7 |
| 98 | Interplay between Prokineticins and Histone Demethylase KDM6A in a Murine Model of Bortezomib-Induced Neuropathy. International Journal of Molecular Sciences, 2021, 22, 11913. | 4.1 | 7 |
| 99 | Possible involvement of dynorphinergic system in nociceptive transmission at spinal level. Neuropeptides, 1985, 5, 425-428. | 2.2 | 6 |
| 100 | Vasoactive intestinal polypeptide carboxy-terminal fragment, VIP(22–28), and other fragments of VIP, in the central nervous system of the rat. Peptides, 1989, 10, 621-626. | 2.4 | 6 |
| 101 | Distribution and characterization of VIP-related peptides in the rat spinal cord. Neuropeptides, 1990, 16, 219-225. | 2.2 | 6 |
| 102 | Differential Time Course of Effects of κ-Opioid Agonist Treatment on Dynorphin A Levels and κ-Opioid Receptor Density. Journal of Molecular Neuroscience, 2004, 24, 307-314. | 2.3 | 6 |
| 103 | Kainic Acid Down-regulates NOP Receptor Density and Gene Expression in Human Neuroblastoma SH-SY5Y Cells. Journal of Molecular Neuroscience, 2008, 35, 171-177. | 2.3 | 6 |
| 104 | The Therapeutic Potential of Novel Kappa Opioid Receptor-based Treatments. Current Medicinal Chemistry, 2020, 27, 2012-2020. | 2.4 | 6 |
| 105 | Modulation of sensitization processes in the management of pain and the importance of descending pathways: a role for tapentadol?. Current Medical Research and Opinion, 2020, 36, 1015-1024. | 1.9 | 5 |
| 106 | Activation of Antioxidant and Proteolytic Pathways in the Nigrostriatal Dopaminergic System After 3,4-Methylenedioxymethamphetamine Administration: Sex-Related Differences. Frontiers in Pharmacology, 2021, 12, 713486. | 3.5 | 5 |
| 107 | Morphine affects prodynorphin gene expression in some areas of rat brain. Annali Dell'Istituto Superiore Di Sanita, 1990, 26, 43-6. | 0.4 | 5 |
| 108 | Early-life nicotine or cotinine exposure produces long-lasting sleep alterations and downregulation of hippocampal corticosteroid receptors in adult mice. Scientific Reports, 2021, 11, 23897. | 3.3 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Brain-derived neurotrophic factor protects serotonergic neurons against 3,4-methylenedioxymethamphetamine ("Ecstasyâ€) induced cytoskeletal damage. Journal of Neural Transmission, 2022, 129, 703-711. | 2.8 | 5 |
| 110 | An opiate chronic treatment affects prodynorphingene expression. Pharmacological Research, 1989, 21, 477-478. | 7.1 | 4 |
| 111 | Regulation of the Genes Encoding the ppN/OFQ and NOP Receptor. Handbook of Experimental Pharmacology, 2018, 254, 141-162. | 1.8 | 4 |
| 112 | Prescribing opioids to patients with chronic pain: translation of the Opioid Risk Tool into Italian. Minerva Anestesiologica, 2020, 86, 693-695. | 1.0 | 4 |
| 113 | The prevention of analgesic opioids abuse: expert opinion. European Review for Medical and Pharmacological Sciences, 2015, 19, 4203-6. | 0.7 | 4 |
| 114 | Reply—Letter to the Editor: What to Do, and What Not to Do, When Diagnosing and Treating Breakthrough Cancer Pain (BTcP): Expert Opinion. Drugs, 2016, 76, 1063-1065. | 10.9 | 3 |
| 115 | Nociceptive behavior and central neuropeptidergic dysregulations in male and female mice of a Fabry disease animal model. Brain Research Bulletin, 2021, 175, 158-167. | 3.0 | 3 |
| 116 | Opioid antagonists up-regulate prodynorphin gene expression in rat brain. Regulatory Peptides, 1994, 53, S145-S146. | 1.9 | 2 |
| 117 | Some new 1,2,3,4-tetrahydroquinoline derivatives. Il Farmaco, 2000, 55, 47-50. | 0.9 | 2 |
| 118 | Selection of nutraceutical compounds as COX inhibitors by molecular topology. Medicinal Chemistry Research, 2013, 22, 3466-3477. | 2.4 | 2 |
| 119 | Modulation of sensitization processes in the management of pain and the importance of descending pathways: a role for tapentadol?. Current Medical Research and Opinion, 2020, 36, (I)-(XVII). | 1.9 | 2 |
| 120 | Alghedon Fentanyl Transdermal System. Minerva Medica, 2017, 108, 169-175. | 0.9 | 2 |
| 121 | Interplay between VIP and serotonergic system in rat CNS. Pharmacological Research Communications, 1988, 20, 329. | 0.2 | 1 |
| 122 | Evidence for the presence of VIP 22–28 heptapeptide in rat brain cortex. Pharmacological Research Communications, 1988, 20, 35-36. | 0.2 | 1 |
| 123 | Regulation of opioid gene expression by μ, κ and δ opiate agonists. Pharmacological Research, 1992, 25, 264-265. | 7.1 | 1 |
| 124 | Epigenetic Approaches in Neuroblastoma Disease Pathogenesis. , 2017, , . | | 1 |
| 125 | Fentanyl citrate sublingual formulation (Vellofent®) for quick BTcP hindering. Minerva Medica, 2016, 107, 114-22. | 0.9 | 1 |
| 126 | Prodynorphin gene expression in rat brain by "in situ―hybridization. Pharmacological Research Communications, 1988, 20, 330. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The opioid antagonist naloxone influences prodynorphin gene expression. Pharmacological Research, 1990, 22, 111-112. | 7.1 | 0 |
| 128 | Differential changes in rat brain levels of ir-VIP after pentylenetetrazole-induced seizures. European Journal of Pharmacology, 1990, 183, 487-488. | 3.5 | 0 |
| 129 | Chronic exposure to opioid agonists and antagonists affects prodynorphin gene expression. Acta Physiologica Hungarica, 1990, 75 Suppl, 247-8. | 0.9 | 0 |