

Chunwen Sun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4124662/chunwen-sun-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

10,061
citations

48
h-index

99
g-index

139
ext. papers

11,941
ext. citations

8.5
avg, IF

6.91
L-index

#	Paper	IF	Citations
129	Layered double (Ni, Fe) hydroxide grown on nickel foam and modified by nickel carbonyl powder and carbon black as an efficient electrode for water splitting. <i>International Journal of Hydrogen Energy</i> , 2021 ,	6.7	3
128	Composite Lithium Protective Layer Formed In Situ for Stable Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 12099-12105	9.5	9
127	NiCoFeP Nanofibers as an Efficient Electrocatalyst for Oxygen Evolution Reaction and Zinc-Air Batteries. <i>Advanced Energy and Sustainability Research</i> , 2021 , 2, 2000104	1.6	3
126	Recent Advances in Perovskite-Type Oxides for Energy Conversion and Storage Applications. <i>Advanced Energy Materials</i> , 2021 , 11, 2000459	21.8	105
125	3D N-doped ordered mesoporous carbon supported single-atom Fe-N-C catalysts with superior performance for oxygen reduction reaction and zinc-air battery. <i>Applied Catalysis B: Environmental</i> , 2021 , 280, 119411	21.8	127
124	Detection of driving actions on steering wheel using triboelectric nanogenerator via machine learning. <i>Nano Energy</i> , 2021 , 79, 105455	17.1	13
123	Vanadium hexacyanoferrate with two redox active sites as cathode material for aqueous Zn-ion batteries. <i>Journal of Power Sources</i> , 2021 , 484, 229263	8.9	15
122	A flexible three-dimensional composite nanofiber enhanced quasi-solid electrolyte for high-performance lithium metal batteries. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 361-367	6.8	20
121	Chlorine-doped Li _{1.3} Al _{0.3} Ti _{1.7} (PO ₄) ₃ as an electrolyte for solid lithium metal batteries. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5336-5343	7.8	8
120	A Monolithic Solid-State Sodium-Sulfur Battery with Al-Doped NaZr(SiPO) Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 42927-42934	9.5	4
119	FeCo Nanoparticles Encapsulated in N-Doped Carbon Nanotubes Coupled with Layered Double (Co, Fe) Hydroxide as an Efficient Bifunctional Catalyst for Rechargeable Zinc-Air Batteries. <i>Small</i> , 2021 , 17, e2103737	11	12
118	Triboelectric nanogenerator based self-powered sensor with a turnable sector structure for monitoring driving behavior. <i>Nano Energy</i> , 2021 , 89, 106352	17.1	12
117	High-Performance Sodium Metal Batteries with Sodium-Bismuth Alloy Anode. <i>ACS Applied Energy Materials</i> , 2020 , 3, 12607-12612	6.1	4
116	Data-Driven Detection Methods on Driver-Pedal Action Intensity Using Triboelectric Nano-Generators. <i>Sustainability</i> , 2020 , 12, 8926	3.6	3
115	Effects of Pulse Charging by Triboelectric Nanogenerators on the Performance of Solid-State Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 28345-28350	9.5	14
114	Triboelectric nanogenerators powered electrodepositing tri-functional electrocatalysts for water splitting and rechargeable zinc-air battery: A case of Pt nanoclusters on NiFe-LDH nanosheets. <i>Nano Energy</i> , 2020 , 72, 104669	17.1	57
113	Anodes for Solid Oxide Fuel Cell 2020 , 113-144		

112	Electrolyte-Free SOFCs 2020 , 173-211		1
111	Solid-State Electrolytes for SOFC 2020 , 35-78		1
110	Cathodes for Solid Oxide Fuel Cell 2020 , 79-112		0
109	Ceria Fluorite Electrolytes from Ionic to Mixed Electronic and Ionic Membranes 2020 , 213-238		
108	High Entropy Intermetallic Oxide Core-Shell Nanostructure as Superb Oxygen Evolution Reaction Catalyst. <i>Advanced Sustainable Systems</i> , 2020 , 4, 1900105	5.9	61
107	Flexible Quasi-Solid-State Composite Electrolyte Membrane Derived from a Metal-Organic Framework for Lithium-Metal Batteries. <i>ChemElectroChem</i> , 2020 , 7, 707-715	4.3	38
106	An ion-conductive Li ₇ La ₃ Zr ₂ O ₁₂ -based composite membrane for dendrite-free lithium metal batteries. <i>Journal of Power Sources</i> , 2020 , 450, 227710	8.9	17
105	Recent Advances in Single-Atom Electrocatalysts for Oxygen Reduction Reaction. <i>Research</i> , 2020 , 2020, 9512763	7.8	20
104	A quasi-solid composite electrolyte with dual salts for dendrite-free lithium metal batteries. <i>New Journal of Chemistry</i> , 2020 , 44, 1817-1824	3.6	27
103	Stretchable, transparent triboelectric nanogenerator as a highly sensitive self-powered sensor for driver fatigue and distraction monitoring. <i>Nano Energy</i> , 2020 , 78, 105359	17.1	31
102	Flexible Quasi-Solid-State Sodium Battery for Storing Pulse Electricity Harvested from Triboelectric Nanogenerators. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39342-39351	9.5	9
101	Piezotronic-enhanced oxygen evolution reaction enabled by a Au/MoS ₂ nanosheet catalyst. <i>Catalysis Science and Technology</i> , 2020 , 10, 6180-6187	5.5	7
100	Manganese-Doped Hollow Layered Double (Ni, Co) Hydroxide Microcuboids as an Efficient Electrocatalyst for the Oxygen Evolution Reaction. <i>ChemElectroChem</i> , 2020 , 7, 3852-3858	4.3	3
99	Single-Atom Fe-N _x -C as an Efficient Electrocatalyst for Zinc-Air Batteries. <i>Advanced Functional Materials</i> , 2019 , 29, 1808872	15.6	221
98	A High-Performance Monolithic Solid-State Sodium Battery with Ca ²⁺ Doped Na ₃ Zr ₂ Si ₂ PO ₁₂ Electrolyte. <i>Advanced Energy Materials</i> , 2019 , 9, 1901205	21.8	83
97	Oxygen Deficient LaMnCoO Nanofibers as an Efficient Electrocatalyst for Oxygen Evolution Reaction and Zinc-Air Batteries. <i>Inorganic Chemistry</i> , 2019 , 58, 8208-8214	5.1	52
96	Carbon Formation Mechanism of CH in Ni-Based Catalysts Revealed by in Situ Electron Microscopy and Molecular Dynamics Simulations. <i>ACS Omega</i> , 2019 , 4, 8413-8420	3.9	8
95	Na ₂ Ti ₃ O ₇ Nanotubes as Anode Materials for Sodium-ion Batteries and Self-powered Systems. <i>ChemElectroChem</i> , 2019 , 6, 3085-3090	4.3	13

94	Nitrogen-Doped NiCo ₂ O ₄ Microsphere as an Efficient Catalyst for Flexible Rechargeable Zinc-Air Batteries and Self-Charging Power System. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2296-2304	6.1	34
93	Functional Applications of Metallic Glasses in Electrocatalysis. <i>ChemCatChem</i> , 2019 , 11, 2401-2414	5.2	32
92	Fe-Doped Layered Double (Ni, Fe) Hydroxides as Efficient Electrocatalysts for Water Splitting and Self-Powered Electrochemical Systems. <i>Small</i> , 2019 , 15, e1902551	11	60
91	Effects of CuO on the microstructure and electrochemical properties of garnet-type Li _{6.3} La ₃ Zr _{1.65} W _{0.35} O ₁₂ solid electrolyte. <i>Journal of Physics and Chemistry of Solids</i> , 2019 , 135, 109080	3.9	26
90	Fluorinated Ether Based Electrolyte Enabling Sodium-Metal Batteries with Exceptional Cycling Stability. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 46965-46972	9.5	15
89	Mg Doped Perovskite LaNiO ₃ Nanofibers as an Efficient Bifunctional Catalyst for Rechargeable Zinc-Air Batteries. <i>ACS Applied Energy Materials</i> , 2019 , 2, 923-931	6.1	57
88	Effects of Fluorine Doping on Structural and Electrochemical Properties of LiGaLaZrO as Electrolytes for Solid-State Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 2042-2049	8.5	49
87	Effects of pulse charging on the performances of lithium-ion batteries. <i>Nano Energy</i> , 2019 , 56, 555-562	17.1	23
86	Performance and stability of SrCo _{0.9} Nb _{0.1} O ₃ -(La _{0.60} Sr _{0.40}) _{0.95} (Co _{0.20} Fe _{0.80})O ₃ -bilayer cathode for intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2019 , 414, 24-30	8.9	4
85	A High-Performance and Durable Poly(ethylene oxide)-Based Composite Solid Electrolyte for All Solid-State Lithium Battery. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 9852-9858	3.8	133
84	Inverse Spinel Cobalt-Iron Oxide and N-Doped Graphene Composite as an Efficient and Durable Bifunctional Catalyst for LiD ₂ Batteries. <i>ACS Catalysis</i> , 2018 , 8, 4082-4090	13.1	74
83	Insight into the structure and functional application of Mg-doped Na _{0.5} Bi _{0.5} TiO ₃ electrolyte for solid oxide fuel cells. <i>Journal of Alloys and Compounds</i> , 2018 , 752, 213-219	5.7	12
82	A durable and safe solid-state lithium battery with a hybrid electrolyte membrane. <i>Nano Energy</i> , 2018 , 45, 413-419	17.1	322
81	A Superior Oxygen Reduction Reaction Electrocatalyst Based on Reduced Graphene Oxide and Iron(II) Phthalocyanine-Supported Sub-2 nm Platinum Nanoparticles. <i>ACS Applied Nano Materials</i> , 2018 , 1, 711-721	5.6	17
80	Visualization of the Diffusion Pathway of Protons in (NH) ₄ SiTiPO as an Electrolyte for Intermediate-Temperature Fuel Cells. <i>Inorganic Chemistry</i> , 2018 , 57, 676-680	5.1	4
79	Green Synthesis of Three-Dimensional MnO/Graphene Hydrogel Composites as a High-Performance Electrode Material for Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 16474-16481	9.5	104
78	Triboelectric nanogenerator as a highly sensitive self-powered sensor for driver behavior monitoring. <i>Nano Energy</i> , 2018 , 51, 721-727	17.1	66
77	All-Solid-State Supercapacitors Based on Flexible Co ₃ O ₄ Nanoflowers/rGO Nanocomposites. <i>Journal of Electronic Materials</i> , 2018 , 47, 5987-5992	1.9	10

76	Porous Urchin-like Co ₃ O ₄ Microspheres as an Efficient Bifunctional Catalyst for Nonaqueous and Solid-State LiD ₂ Batteries. <i>ChemElectroChem</i> , 2018 , 5, 2181-2185	4.3	13
75	Structural and electrochemical properties of LiMn _{0.6} Fe _{0.4} PO ₄ as a cathode material for flexible lithium-ion batteries and self-charging power pack. <i>Nano Energy</i> , 2018 , 52, 510-516	17.1	52
74	Multi-scale impedance model for supercapacitor porous electrodes: Theoretical prediction and experimental validation. <i>Journal of Power Sources</i> , 2018 , 400, 69-86	8.9	14
73	A flexible lithium-ion battery with quasi-solid gel electrolyte for storing pulsed energy generated by triboelectric nanogenerator. <i>Energy Storage Materials</i> , 2018 , 12, 17-22	19.4	50
72	Effects of F-Doping on the Electrochemical Performance of NaTi _{1-x} Al _x PO ₄ as an Anode for Sodium-Ion Batteries. <i>Materials</i> , 2018 , 11,	3.5	12
71	Imaging the diffusion pathway of Al ³⁺ ion in NASICON-type (Al _{0.2} Zr _{0.8}) ₂₀ /19 Nb(PO ₄) ₃ as electrolyte for rechargeable solid-state Al batteries. <i>Chinese Physics B</i> , 2018 , 27, 128201	1.2	28
70	Pt Nanoparticles Loaded on WO Nanocables-rGO Nanocomposite as a Highly Active and Durable Catalyst for Methanol Electro-Oxidation. <i>ACS Omega</i> , 2018 , 3, 16850-16857	3.9	7
69	Durable Sodium Battery with a Flexible NaZrSiPO-PVDF-HFP Composite Electrolyte and Sodium/Carbon Cloth Anode. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35039-35046	9.5	29
68	Perovskite Sr _{0.9} Y _{0.1} CoO ₃ Nanorods Modified with CoO Nanoparticles as a Bifunctional Catalyst for Rechargeable LiD ₂ Batteries. <i>ACS Applied Energy Materials</i> , 2018 ,	6.1	5
67	Recent advances in all-solid-state rechargeable lithium batteries. <i>Nano Energy</i> , 2017 , 33, 363-386	17.1	962
66	VO Nanowire Composite Paper as a High-Performance Lithium-Ion Battery Cathode. <i>ACS Omega</i> , 2017 , 2, 793-799	3.9	40
65	Perovskite La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O ₃ Nanofibers Decorated with RuO ₂ Nanoparticles as an Efficient Bifunctional Cathode for Rechargeable LiD ₂ Batteries. <i>ChemNanoMat</i> , 2017 , 3, 485-490	3.5	17
64	Elucidating the diffusion pathway of protons in ammonium polyphosphate: a potential electrolyte for intermediate temperature fuel cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7839-7844	13	5
63	High performance lithium-sulfur batteries for storing pulsed energy generated by triboelectric nanogenerators. <i>Scientific Reports</i> , 2017 , 7, 425	4.9	8
62	Efficient Storing Energy Harvested by Triboelectric Nanogenerators Using a Safe and Durable All-Solid-State Sodium-Ion Battery. <i>Advanced Science</i> , 2017 , 4, 1700072	13.6	120
61	Porous Perovskite La _{0.6} Sr _{0.4} Co _{0.8} Mn _{0.2} O ₃ Nanofibers Loaded with RuO ₂ Nanosheets as an Efficient and Durable Bifunctional Catalyst for Rechargeable LiD ₂ Batteries. <i>ACS Catalysis</i> , 2017 , 7, 7737-7747	13.1	79
60	Ni doped La _{0.6} Sr _{0.4} FeO _{3-δ} Symmetrical electrode for solid oxide fuel cells. <i>Chinese Journal of Catalysis</i> , 2016 , 37, 1347-1353	11.3	16
59	Wearable Power-Textiles by Integrating Fabric Triboelectric Nanogenerators and Fiber-Shaped Dye-Sensitized Solar Cells. <i>Advanced Energy Materials</i> , 2016 , 6, 1601048	21.8	221

58	Enhanced coking tolerance of a MgO-modified Ni cermet anode for hydrocarbon fueled solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18031-18036	13	35
57	Growth of Hollow Transition Metal (Fe, Co, Ni) Oxide Nanoparticles on Graphene Sheets through Kirkendall Effect as Anodes for High-Performance Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016 , 22, 1638-45	4.8	44
56	Recent Progress on the Key Materials and Components for Proton Exchange Membrane Fuel Cells in Vehicle Applications. <i>Energies</i> , 2016 , 9, 603	3.1	44
55	Direct operation of methane fueled solid oxide fuel cells with Ni cermet anode via Sn modification. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 11391-11398	6.7	21
54	A Safe High-Performance All-Solid-State Lithium-Vanadium Battery with a Freestanding VO Nanowire Composite Paper Cathode. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 34309-34316	9.5	68
53	Novel Photoanode for Dye-Sensitized Solar Cells with Enhanced Light-Harvesting and Electron-Collection Efficiency. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 13418-25	9.5	34
52	An efficient ultra-thin chain-structured copper cobalt oxide/sulfide composite catalyst for electrochemical hydrogen generation. <i>RSC Advances</i> , 2016 , 6, 43185-43190	3.7	10
51	Dynamic Octahedral Breathing in Oxygen-Deficient Ba _{0.9} Co _{0.7} Fe _{0.2} Nb _{0.1} O _{3-δ} Perovskite Performing as a Cathode in Intermediate-Temperature SOFC. <i>Inorganic Chemistry</i> , 2016 , 55, 3091-7	5.1	14
50	A Highly Efficient and Self-Stabilizing Metallic-Glass Catalyst for Electrochemical Hydrogen Generation. <i>Advanced Materials</i> , 2016 , 28, 10293-10297	24	131
49	Nanopillar Arrayed Triboelectric Nanogenerator as a Self-Powered Sensitive Sensor for a Sleep Monitoring System. <i>ACS Nano</i> , 2016 , 10, 8097-103	16.7	99
48	P2-Type Na _{0.67} Ni _{0.23} Mg _{0.1} Mn _{0.67} O ₂ as a High-Performance Cathode for a Sodium-Ion Battery. <i>Inorganic Chemistry</i> , 2016 , 55, 9033-7	5.1	77
47	Insight into the structure and functional application of the Sr _{0.95} Ce _{0.05} CoO _{3-δ} Cathode for solid oxide fuel cells. <i>Inorganic Chemistry</i> , 2015 , 54, 3477-84	5.1	19
46	Li/Na Modified Ni-SDC Anode for Methane-Fueled Solid Oxide Fuel Cells. <i>ECS Transactions</i> , 2015 , 68, 1403-1409	1	3
45	A highly active, stable and synergistic Pt nanoparticles/Mo ₂ C nanotube catalyst for methanol electro-oxidation. <i>NPG Asia Materials</i> , 2015 , 7, e153-e153	10.3	71
44	Flowerlike CeO ₂ microspheres coated with Sr ₂ Fe _{1.5} Mo _{0.5} O _x nanoparticles for an advanced fuel cell. <i>Scientific Reports</i> , 2015 , 5, 11946	4.9	21
43	A new oxyfluorinated titanium phosphate anode for a high-energy lithium-ion battery. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 1270-4	9.5	7
42	Experimental visualization of the diffusion pathway of sodium ions in the Na ₃ [Ti ₂ P ₂ O ₁₀ F] anode for sodium-ion battery. <i>Scientific Reports</i> , 2014 , 4, 7231	4.9	39
41	Graphene/Co ₃ O ₄ nanocomposite as an efficient bifunctional catalyst for lithium-air batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 7188-7196	13	173

40	Li-Water Battery with Oxygen Dissolved in Water as a Cathode. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A285-A289	3.9	20
39	High Activity of Nanoporous-Sm _{0.2} Ce _{0.8} O _{2-δ} /430L Composites for Hydrogen Electro-Oxidation in Solid Oxide Fuel Cells. <i>Advanced Energy Materials</i> , 2014 , 4, 1400883	21.8	13
38	MoO ₃ nanorods/Fe ₂ (MoO ₄) ₃ nanoparticles composite anode for solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 14411-14415	6.7	16
37	Enhanced activity, durability and anti-poisoning property of Pt/W ₁₈ O ₄₉ for methanol oxidation with a sub-stoichiometric tungsten oxide W ₁₈ O ₄₉ support. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20154-20163	13	33
36	Effect of Ni doping on the catalytic properties of nanostructured peony-like CeO ₂ . <i>Chinese Journal of Catalysis</i> , 2013 , 34, 305-312	11.3	14
35	Electrospinning La _{0.8} Sr _{0.2} Co _{0.2} Fe _{0.8} O _{3-δ} tubes impregnated with Ce _{0.8} Gd _{0.2} O _{1.9} nanoparticles for an intermediate temperature solid oxide fuel cell cathode. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 6821-6829	6.7	53
34	Core-Shell Structured Sr _{0.88} Y _{0.08} TiO ₃ -Ce _{0.8} Sm _{0.2} O _{1.9} Composite as an Anode for Solid Oxide Fuel Cells Operating with CH ₄ . <i>ECS Transactions</i> , 2013 , 57, 1313-1319	1	3
33	In situ Raman spectroscopy of LiFePO ₄ : size and morphology dependence during charge and self-discharge. <i>Nanotechnology</i> , 2013 , 24, 424009	3.4	50
32	Graphene/MoO ₂ hierarchical nanoarchitectures: in situ reduction synthesis and high rate cycling performance as lithium-ion battery anodes. <i>RSC Advances</i> , 2013 , 3, 17659	3.7	29
31	Flowerlike Co ₃ O ₄ microspheres loaded with copper nanoparticle as an efficient bifunctional catalyst for lithium-air batteries. <i>Electrochemistry Communications</i> , 2013 , 28, 13-16	5.1	100
30	Three-dimensional hierarchical architectures constructed by graphene/MoS ₂ nanoflake arrays and their rapid charging/discharging properties as lithium-ion battery anodes. <i>Chemistry - A European Journal</i> , 2013 , 19, 5818-23	4.8	133
29	Perovskite Sr _{1-x} Ce _x CoO _{3-δ} (0.05 ≤ x ≤ 0.15) as superior cathodes for intermediate temperature solid oxide fuel cells. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 1143-8	9.5	76
28	Feasibility and mechanism of lithium oxide as sintering aid for Ce _{0.8} Sm _{0.2} O _{1.9} electrolyte. <i>Journal of Power Sources</i> , 2012 , 205, 57-62	8.9	27
27	Graphene/porous cobalt nanocomposite and its noticeable electrochemical hydrogen storage ability at room temperature. <i>Journal of Materials Chemistry</i> , 2012 , 22, 5924		75
26	Nanostructured ceria-based materials: synthesis, properties, and applications. <i>Energy and Environmental Science</i> , 2012 , 5, 8475	35.4	851
25	Graphene/polyaniline nanorod arrays: synthesis and excellent electromagnetic absorption properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 21679		411
24	One dimensional La _{0.8} Sr _{0.2} Co _{0.2} Fe _{0.8} O _{3-δ} /Ce _{0.8} Gd _{0.2} O _{1.9} nanocomposite cathodes for intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2012 , 219, 133-139	8.9	58
23	In situ diffusion growth of Fe ₂ (MoO ₄) ₃ nanocrystals on the surface of β-MoO ₃ nanorods with significantly enhanced ethanol sensing properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12900		44

22	Perovskite Sr _{0.95} Ce _{0.05} CoO ₃ loaded with copper nanoparticles as a bifunctional catalyst for lithium-air batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 18902		127
21	Hydrothermal synthesis and electrochemical properties of LiVPO ₄ C-based composites for lithium-ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 3772-6	9.5	122
20	Electrochemical Lithium Intercalation in Monoclinic Nb ₁₂ O ₂₉ . <i>Chemistry of Materials</i> , 2011 , 23, 2292-2294	4.6	40
19	Monodisperse porous LiFePO ₄ microspheres for a high power Li-ion battery cathode. <i>Journal of the American Chemical Society</i> , 2011 , 133, 2132-5	16.4	567
18	Facile synthesis of monodisperse porous Co ₃ O ₄ microspheres with superior ethanol sensing properties. <i>Chemical Communications</i> , 2011 , 47, 12852-4	5.8	103
17	Deposition, characterization and performance evaluation of ceramic coatings on metallic substrates for supercritical water-cooled reactors. <i>Surface and Coatings Technology</i> , 2011 , 205, 3512-3514	4.4	33
16	Cathode materials for solid oxide fuel cells: a review. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 1125-1144	2.6	839
15	Effects of processing parameters on microstructures of TiO ₂ coatings formed on titanium by plasma electrolytic oxidation. <i>Journal of Materials Science</i> , 2010 , 45, 6235-6241	4.3	21
14	H ₂ production from stable ethanol steam reforming over catalyst of NiO based on flowerlike CeO ₂ microspheres. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 3087-3091	6.7	22
13	Ba _{1-x} Pr _x Co _{1-y} FeyO ₃ δs cathode materials for low temperature solid oxide fuel cells. <i>Electrochimica Acta</i> , 2010 , 55, 4772-4775	6.7	20
12	Electrochemical Properties of Low-Temperature Solid Oxide Fuel Cells Under Chromium Poisoning Conditions. <i>International Journal of Green Energy</i> , 2009 , 6, 627-637	3	4
11	Controllable Synthesis of Shuttle-Shaped Ceria and Its Catalytic Properties for CO Oxidation. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 3883-3887	2.3	35
10	Progress in corrosion resistant materials for supercritical water reactors. <i>Corrosion Science</i> , 2009 , 51, 2508-2523	6.8	150
9	Synthesis and characterization of NH ₄ PO ₃ based composite with superior proton conductivity for intermediate temperature fuel cells. <i>Electrochimica Acta</i> , 2008 , 53, 6417-6422	6.7	22
8	Mesoscale Organization of Flower-Like La ₂ O ₂ CO ₃ and La ₂ O ₃ Microspheres. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 2576-2581	3.8	26
7	Study of flowerlike CeO ₂ microspheres used as catalyst supports for CO oxidation reaction. <i>Journal of Physics and Chemistry of Solids</i> , 2007 , 68, 1785-1790	3.9	95
6	Recent anode advances in solid oxide fuel cells. <i>Journal of Power Sources</i> , 2007 , 171, 247-260	8.9	467
5	Mesoscale organization of nearly monodisperse flowerlike ceria microspheres. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 13445-52	3.4	223

- 4 Investigations of mesoporous CeO₂ as a reforming catalyst layer for solid oxide fuel cells. *Electrochemistry Communications*, **2006**, 8, 833-838 5.1 97
- 3 Controlled synthesis of CeO₂ nanorods by a solvothermal method. *Nanotechnology*, **2005**, 16, 1454-1463 3.4 287
- 2 Synthesis and Characterization of Polycrystalline CeO₂ Nanowires. *Chemistry Letters*, **2004**, 33, 662-663 1.7 108
- 1 A High-performance lithium metal battery with a multilayer hybrid electrolyte. *Energy and Environmental Materials*, 13 8