

Jose Gadea-Vacas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4125545/publications.pdf>

Version: 2024-02-01

46
papers

1,723
citations

304368

22
h-index

301761

39
g-index

48
all docs

48
docs citations

48
times ranked

2387
citing authors

#	ARTICLE	IF	CITATIONS
1	INTRODUCTION TO ADVANCED SEQUENCING TECHNOLOGIES FOR UNDERGRADUATE STUDENTS IN GENETICS: MINION REAL-TIME SEQUENCING. INTED Proceedings, 2022, , .	0.0	0
2	Comparative analysis of wild-type accessions reveals novel determinants of Arabidopsis seed longevity. Plant, Cell and Environment, 2022, 45, 2708-2728.	2.8	9
3	Apoplasmic lipid barriers regulated by conserved homeobox transcription factors extend seed longevity in multiple plant species. New Phytologist, 2021, 231, 679-694.	3.5	16
4	Specific Plasma MicroRNA Signatures in Predicting and Confirming Crohn's Disease Recurrence: Role and Pathogenic Implications. Clinical and Translational Gastroenterology, 2021, 12, e00416.	1.3	7
5	<i>PRX2</i> and <i>PRX25</i> , peroxidases regulated by COG1, are involved in seed longevity in Arabidopsis. Plant, Cell and Environment, 2020, 43, 315-326.	2.8	33
6	Identification of novel seed longevity genes related to oxidative stress and seed coat by genome-wide association studies and reverse genetics. Plant, Cell and Environment, 2020, 43, 2523-2539.	2.8	45
7	Proteomic analysis of the <i>ila2</i> mutant of Arabidopsis links translational regulation with photosynthesis, protein folding and ribosomal proteins. Acta Physiologiae Plantarum, 2020, 42, 1.	1.0	0
8	PthA4 ^{AT} , a 7.5â€repeats transcription activatorâ€like (TAL) effector from <i>Xanthomonas citri</i> ssp. <i>citri</i> , triggers citrus canker resistance. Molecular Plant Pathology, 2019, 20, 1394-1407.	2.0	13
9	Involvement of the eIF2 [±] Kinase GCN2 in UV-B Responses. Frontiers in Plant Science, 2019, 10, 1492.	1.7	13
10	Plant responses underlying nonhost resistance of <i>Citrus limon</i> against <i>Xanthomonas campestris</i> pv. <i>campestris</i> . Molecular Plant Pathology, 2019, 20, 254-269.	2.0	9
11	Arabidopsis ILTHYIA protein is necessary for proper chloroplast biogenesis and root development independent of eIF2 [±] phosphorylation. Journal of Plant Physiology, 2018, 224-225, 173-182.	1.6	22
12	Resistance to citrus canker induced by a variant of <i>Xanthomonas citri</i> ssp. <i>citri</i> is associated with a hypersensitive cell death response involving autophagy-associated vacuolar processes. Molecular Plant Pathology, 2017, 18, 1267-1281.	2.0	16
13	Partial Activation of SA- and JA-Defensive Pathways in Strawberry upon Colletotrichum acutatum Interaction. Frontiers in Plant Science, 2016, 7, 1036.	1.7	55
14	TERPENE DOWN-REGULATION TRIGGERS INNATE IMMUNITY AND RESISTANCE TO FUNGAL PATHOGENS IN ORANGE FRUITS. Acta Horticulturae, 2015, , 687-693.	0.1	0
15	eIF2 kinases mediate ¹² -lapachone toxicity in yeast and human cancer cells. Cell Cycle, 2015, 14, 630-640.	1.3	5
16	Protein kinase GCN2 mediates responses to glyphosate in Arabidopsis. BMC Plant Biology, 2015, 15, 14.	1.6	54
17	Surface Barriers of Mandarin "Okitsu" Leaves Make a Major Contribution to Canker Disease Resistance. Phytopathology, 2014, 104, 970-976.	1.1	21
18	Terpene Down-Regulation Triggers Defense Responses in Transgenic Orange Leading to Resistance against Fungal Pathogens. Plant Physiology, 2014, 164, 321-339.	2.3	60

#	ARTICLE	IF	CITATIONS
19	Identification of transcription factors potentially involved in the juvenile to adult phase transition in Citrus. <i>Annals of Botany</i> , 2013, 112, 1371-1381.	1.4	11
20	Characterization of a Variant of <i>Xanthomonas citri</i> subsp. <i>citri</i> that Triggers a Host-Specific Defense Response. <i>Phytopathology</i> , 2013, 103, 555-564.	1.1	19
21	The position of the major QTL for Citrus tristeza virus resistance is conserved among Citrus grandis, C. aurantium and Poncirus trifoliata. <i>Molecular Breeding</i> , 2012, 29, 575-587.	1.0	22
22	A Plant Virus Movement Protein Regulates the Gcn2p Kinase in Budding Yeast. <i>PLoS ONE</i> , 2011, 6, e27409.	1.1	6
23	Transcriptomic profiling of citrus fruit peel tissues reveals fundamental effects of phenylpropanoids and ethylene on induced resistance. <i>Molecular Plant Pathology</i> , 2011, 12, 879-897.	2.0	56
24	The monoterpene limonene in orange peels attracts pests and microorganisms. <i>Plant Signaling and Behavior</i> , 2011, 6, 1820-1823.	1.2	32
25	Terpene Down-Regulation in Orange Reveals the Role of Fruit Aromas in Mediating Interactions with Insect Herbivores and Pathogens. <i>Plant Physiology</i> , 2011, 156, 793-802.	2.3	99
26	TRANSCRIPTOMIC CHANGES ASSOCIATED WITH POSTHARVEST SUSCEPTIBILITY OF AN ABA-DEFICIENT MUTANT OF ORANGES TO NON-CHILLING PEEL PITTING. <i>Acta Horticulturae</i> , 2010, , 1079-1084.	0.1	0
27	TRANSCRIPTOMIC ANALYSIS OF ETHYLENE-INDUCED TOLERANCE TO NON-CHILLING PEEL PITTING IN CITRUS FRUIT. <i>Acta Horticulturae</i> , 2009, , 555-560.	0.1	6
28	The Short-Rooted Phenotype of the <i>brevis radix</i> Mutant Partly Reflects Root Abscisic Acid Hypersensitivity. <i>Plant Physiology</i> , 2009, 149, 1917-1928.	2.3	63
29	Shared and novel molecular responses of mandarin to drought. <i>Plant Molecular Biology</i> , 2009, 70, 403-420.	2.0	57
30	Global Regulation of Genes in Citrus Fruit in Response to the Postharvest Pathogen <i>Penicillium digitatum</i> . , 2009, , 57-67.		0
31	Gene expression analysis in citrus reveals the role of gibberellins on photosynthesis and stress. <i>Plant, Cell and Environment</i> , 2008, 31, 1620-1633.	2.8	41
32	The first zygotic division in <i>Arabidopsis</i> requires <i>de novo</i> transcription of thymidylate kinase. <i>Plant Journal</i> , 2008, 53, 776-789.	2.8	40
33	A genome-wide 20 K citrus microarray for gene expression analysis. <i>BMC Genomics</i> , 2008, 9, 318.	1.2	49
34	The alpha-N-acetyl-glucosaminidase gene is transcriptionally activated in male and female gametes prior to fertilization and is essential for seed development in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2008, 59, 3649-3659.	2.4	12
35	Class prediction of closely related plant varieties using gene expression profiling. <i>Journal of Experimental Botany</i> , 2007, 58, 1927-1933.	2.4	40
36	Gcn2p Regulates a G1/S Cell Cycle Checkpoint in Response to DNA Damage. <i>Cell Cycle</i> , 2007, 6, 2302-2305.	1.3	23

#	ARTICLE	IF	CITATIONS
37	Transcriptional response of Citrus aurantifolia to infection by Citrus tristeza virus. <i>Virology</i> , 2007, 367, 298-306.	1.1	65
38	Global Analysis of Gene Expression During Development and Ripening of Citrus Fruit Flesh. A Proposed Mechanism for Citric Acid Utilization. <i>Plant Molecular Biology</i> , 2006, 62, 513-527.	2.0	162
39	Genetic analysis of two Arabidopsis DNA polymerase epsilon subunits during early embryogenesis. <i>Plant Journal</i> , 2005, 44, 223-236.	2.8	63
40	Development of a citrus genome-wide EST collection and cDNA microarray as resources for genomic studies. <i>Plant Molecular Biology</i> , 2005, 57, 375-391.	2.0	104
41	A Conserved Domain of the Arabidopsis GNOM Protein Mediates Subunit Interaction and Cyclophilin 5 Binding. <i>Plant Cell</i> , 2000, 12, 343-356.	3.1	128
42	Developmental regulation of a cytosolic ascorbate peroxidase gene from tomato plants. <i>Molecular Genetics and Genomics</i> , 1999, 262, 212-219.	2.4	47
43	Two PR-1 Genes from Tomato Are Differentially Regulated and Reveal a Novel Mode of Expression for a Pathogenesis-Related Gene During the Hypersensitive Response and Development. <i>Molecular Plant-Microbe Interactions</i> , 1997, 10, 624-634.	1.4	133
44	Characterization of Defense-Related Genes Ectopically Expressed in Viroid-Infected Tomato Plants. <i>Molecular Plant-Microbe Interactions</i> , 1996, 9, 409.	1.4	59
45	The ABCF3 Gene of Arabidopsis Is Functionally Linked with GCN1 but Not with GCN2 During Stress and Development. <i>Plant Molecular Biology Reporter</i> , 0, , 1.	1.0	3
46	Transcription Factor DOF4.1 Regulates Seed Longevity in Arabidopsis via Seed Permeability and Modulation of Seed Storage Protein Accumulation. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	5