

Cyril Hschi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4125645/cyril-hoschl-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

4,644
citations

35
h-index

66
g-index

126
ext. papers

5,664
ext. citations

4.7
avg, IF

5.1
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 115 | Suicide prevention strategies revisited: 10-year systematic review. <i>Lancet Psychiatry</i> , 2016 , 3, 646-59 | 23.3 | 773 |
| 114 | Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654 | 7.9 | 325 |
| 113 | Mechanism of action of atypical antipsychotic drugs and the neurobiology of schizophrenia. <i>CNS Drugs</i> , 2006 , 20, 389-409 | 6.7 | 315 |
| 112 | Models of schizophrenia in humans and animals based on inhibition of NMDA receptors. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 1014-23 | 9 | 242 |
| 111 | Brain structural signature of familial predisposition for bipolar disorder: replicable evidence for involvement of the right inferior frontal gyrus. <i>Biological Psychiatry</i> , 2013 , 73, 144-52 | 7.9 | 105 |
| 110 | Early reduction in prefrontal theta QEEG cordance value predicts response to venlafaxine treatment in patients with resistant depressive disorder. <i>European Psychiatry</i> , 2008 , 23, 350-5 | 6 | 101 |
| 109 | Smaller hippocampal volumes in patients with bipolar disorder are masked by exposure to lithium: a meta-analysis. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 333-43 | 4.5 | 99 |
| 108 | ITAREPS: information technology aided relapse prevention programme in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 98, 312-7 | 3.6 | 98 |
| 107 | Amygdala volumes in mood disorders--meta-analysis of magnetic resonance volumetry studies. <i>Journal of Affective Disorders</i> , 2009 , 115, 395-410 | 6.6 | 91 |
| 106 | Changes in QEEG prefrontal cordance as a predictor of response to antidepressants in patients with treatment resistant depressive disorder: a pilot study. <i>Journal of Psychiatric Research</i> , 2007 , 41, 319-25 | 5.2 | 88 |
| 105 | Hippocampal volumes in bipolar disorders: opposing effects of illness burden and lithium treatment. <i>Bipolar Disorders</i> , 2012 , 14, 261-70 | 3.8 | 83 |
| 104 | Reduced subgenual cingulate volumes in mood disorders: a meta-analysis. <i>Journal of Psychiatry and Neuroscience</i> , 2008 , 33, 91-9 | 4.5 | 80 |
| 103 | Hippocampal damage mediated by corticosteroids--a neuropsychiatric research challenge. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251 Suppl 2, I181-8 | 5.1 | 79 |
| 102 | Effect of low-frequency rTMS on electromagnetic tomography (LORETA) and regional brain metabolism (PET) in schizophrenia patients with auditory hallucinations. <i>Neuropsychobiology</i> , 2007 , 55, 132-42 | 4 | 78 |
| 101 | Reduced hippocampal volumes in healthy carriers of brain-derived neurotrophic factor Val66Met polymorphism: meta-analysis. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 178-87 | 3.8 | 76 |
| 100 | Verapamil in affective disorders: a controlled, double-blind study. <i>Biological Psychiatry</i> , 1989 , 25, 128-40 | 7.9 | 75 |
| 99 | A blind spot on the global mental health map: a scoping review of 25 years development of mental health care for people with severe mental illnesses in central and eastern Europe. <i>Lancet Psychiatry</i> , 2017 , 4, 634-642 | 23.3 | 74 |

| | | | |
|----|--|------|----|
| 98 | The change of prefrontal QEEG theta cordance as a predictor of response to bupropion treatment in patients who had failed to respond to previous antidepressant treatments. <i>European Neuropsychopharmacology</i> , 2010 , 20, 459-66 | 1.2 | 67 |
| 97 | The relationship between central serotonergic activity and insulin sensitivity in healthy volunteers. <i>Psychoneuroendocrinology</i> , 1999 , 24, 785-97 | 5 | 65 |
| 96 | Relationship of suicide rates to economic variables in Europe: 2000-2011. <i>British Journal of Psychiatry</i> , 2014 , 205, 486-96 | 5.4 | 64 |
| 95 | Electroencephalographic spectral and coherence analysis of ketamine in rats: correlation with behavioral effects and pharmacokinetics. <i>Neuropsychobiology</i> , 2011 , 63, 202-18 | 4 | 60 |
| 94 | Latent toxoplasmosis reduces gray matter density in schizophrenia but not in controls: voxel-based-morphometry (VBM) study. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 501-9 | 3.8 | 58 |
| 93 | Effectiveness of the information technology-aided program of relapse prevention in schizophrenia (ITAREPS): a randomized, controlled, double-blind study. <i>Journal of Psychiatric Practice</i> , 2012 , 18, 269-80 ^{1,3} | 1.3 | 50 |
| 92 | Medial frontal and dorsal cortical morphometric abnormalities are related to obsessive-compulsive disorder. <i>Neuroscience Letters</i> , 2009 , 464, 62-6 | 3.3 | 48 |
| 91 | EEG source analysis in obsessive-compulsive disorder. <i>Clinical Neurophysiology</i> , 2011 , 122, 1735-43 | 4.3 | 46 |
| 90 | Agomelatine in generalized anxiety disorder: an active comparator and placebo-controlled study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 362-8 | 4.6 | 45 |
| 89 | Recognition of Images Degraded by Gaussian Blur. <i>IEEE Transactions on Image Processing</i> , 2016 , 25, 790-806 | 8.6 | 44 |
| 88 | White matter changes in first episode psychosis and their relation to the size of sample studied: a DTI study. <i>Schizophrenia Research</i> , 2015 , 162, 22-8 | 3.6 | 43 |
| 87 | The Information Technology Aided Relapse Prevention Programme in Schizophrenia: an extension of a mirror-design follow-up. <i>International Journal of Clinical Practice</i> , 2008 , 62, 1943-6 | 2.9 | 43 |
| 86 | Deinstitutionalised patients, homelessness and imprisonment: systematic review. <i>British Journal of Psychiatry</i> , 2016 , 208, 421-8 | 5.4 | 43 |
| 85 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63 | 14.5 | 43 |
| 84 | Differences in onset of disease and severity of psychopathology between toxoplasmosis-related and toxoplasmosis-unrelated schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 227-38 | 6.5 | 42 |
| 83 | Low frequency (1-Hz), right prefrontal repetitive transcranial magnetic stimulation (rTMS) compared with venlafaxine ER in the treatment of resistant depression: a double-blind, single-centre, randomized study. <i>Journal of Affective Disorders</i> , 2009 , 118, 94-100 | 6.6 | 40 |
| 82 | Expression of the hippocampal NMDA receptor GluN1 subunit and its splicing isoforms in schizophrenia: postmortem study. <i>Neurochemical Research</i> , 2010 , 35, 994-1002 | 4.6 | 40 |
| 81 | Relationship of suicide rates with climate and economic variables in Europe during 2000-2012. <i>Annals of General Psychiatry</i> , 2016 , 15, 19 | 3.4 | 38 |

| | | | |
|----|--|------|----|
| 80 | Escitalopram for the treatment of major depression and anxiety disorders. <i>Expert Review of Neurotherapeutics</i> , 2008 , 8, 537-52 | 4.3 | 35 |
| 79 | Subanesthetic dose of ketamine decreases prefrontal theta cordance in healthy volunteers: implications for antidepressant effect. <i>Psychological Medicine</i> , 2010 , 40, 1443-51 | 6.9 | 33 |
| 78 | Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956 | 7.9 | 32 |
| 77 | Using structural MRI to identify individuals at genetic risk for bipolar disorders: a 2-cohort, machine learning study. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 316-24 | 4.5 | 32 |
| 76 | Behavioral, neurochemical and pharmaco-EEG profiles of the psychedelic drug 4-bromo-2,5-dimethoxyphenethylamine (2C-B) in rats. <i>Psychopharmacology</i> , 2013 , 225, 75-93 | 4.7 | 31 |
| 75 | Do calcium antagonists have a place in the treatment of mood disorders?. <i>Drugs</i> , 1991 , 42, 721-9 | 12.1 | 30 |
| 74 | Individualized rTMS neuronavigated according to regional brain metabolism ((18)FDG PET) has better treatment effects on auditory hallucinations than standard positioning of rTMS: a double-blind, sham-controlled study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 475-84 | 5.1 | 28 |
| 73 | Genetic variation in FOXP2 alters grey matter concentrations in schizophrenia patients. <i>Neuroscience Letters</i> , 2011 , 493, 131-5 | 3.3 | 28 |
| 72 | Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. <i>European Neuropsychopharmacology</i> , 2017 , 27, 418-421 | 1.2 | 27 |
| 71 | Position statement of the European Psychiatric Association (EPA) on the value of antidepressants in the treatment of unipolar depression. <i>European Psychiatry</i> , 2012 , 27, 114-28 | 6 | 27 |
| 70 | QEEG Theta Cordance in the Prediction of Treatment Outcome to Prefrontal Repetitive Transcranial Magnetic Stimulation or Venlafaxine ER in Patients With Major Depressive Disorder. <i>Clinical EEG and Neuroscience</i> , 2015 , 46, 73-80 | 2.3 | 26 |
| 69 | The state of psychiatry in the Czech Republic. <i>International Review of Psychiatry</i> , 2012 , 24, 278-85 | 3.6 | 25 |
| 68 | Clozapine-induced concordant agranulocytosis in monozygotic twins. <i>International Journal of Psychiatry in Clinical Practice</i> , 2001 , 5, 71-3 | 2.4 | 24 |
| 67 | Language lateralization in monozygotic twins discordant and concordant for schizophrenia. A functional MRI pilot study. <i>European Psychiatry</i> , 2007 , 22, 319-22 | 6 | 23 |
| 66 | Suicides following inpatient psychiatric hospitalization: A nationwide case control study. <i>Journal of Affective Disorders</i> , 2015 , 184, 164-9 | 6.6 | 22 |
| 65 | White matter hyperintensities in affected and unaffected late teenage and early adulthood offspring of bipolar parents: a two-center high-risk study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 76-82 ⁵⁻² | | 22 |
| 64 | Subgenual cingulate volumes in offspring of bipolar parents and in sporadic bipolar patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 297-304 | 5.1 | 22 |
| 63 | Predicting academic performance of medical students: the first three years. <i>American Journal of Psychiatry</i> , 1997 , 154, 87-92 | 11.9 | 22 |

| | | | |
|----|---|------|----|
| 62 | The effectiveness of prefrontal theta cordance and early reduction of depressive symptoms in the prediction of antidepressant treatment outcome in patients with resistant depression: analysis of naturalistic data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 73-82 | 5.1 | 21 |
| 61 | The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020 , 177, 537-547 | 11.9 | 21 |
| 60 | Behavioral, hyperthermic and pharmacokinetic profile of para-methoxymethamphetamine (PMMA) in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 98, 130-9 | 3.9 | 21 |
| 59 | Higher prevalence of antibodies to <i>Borrelia burgdorferi</i> in psychiatric patients than in healthy subjects. <i>American Journal of Psychiatry</i> , 2002 , 159, 297-301 | 11.9 | 21 |
| 58 | The change of QEEG prefrontal cordance as a response predictor to antidepressive intervention in bipolar depression. A pilot study. <i>Journal of Psychiatric Research</i> , 2012 , 46, 219-25 | 5.2 | 20 |
| 57 | Altered Neural Correlate of the Self-Agency Experience in First-Episode Schizophrenia-Spectrum Patients: An fMRI Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 916-25 | 1.3 | 19 |
| 56 | Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 681-697 | 5.8 | 18 |
| 55 | EPA guidance on the role and responsibilities of psychiatrists. <i>European Psychiatry</i> , 2015 , 30, 417-22 | 6 | 18 |
| 54 | Prospective study of hippocampal volume and function in human subjects treated with corticosteroids. <i>European Psychiatry</i> , 2006 , 21, 123-8 | 6 | 18 |
| 53 | Decomposition of binary images: A survey and comparison. <i>Pattern Recognition</i> , 2012 , 45, 4279-4291 | 7.7 | 17 |
| 52 | Robust histogram-based image retrieval. <i>Pattern Recognition Letters</i> , 2016 , 69, 72-81 | 4.7 | 16 |
| 51 | Relapse in schizophrenia: Definitely not a bolt from the blue. <i>Neuroscience Letters</i> , 2018 , 669, 68-74 | 3.3 | 15 |
| 50 | 12-week double-blind randomized multicenter study of efficacy and safety of agomelatine (25-50 mg/day) versus escitalopram (10-20 mg/day) in out-patients with severe generalized anxiety disorder. <i>European Neuropsychopharmacology</i> , 2018 , 28, 970-979 | 1.2 | 14 |
| 49 | Psychiatrist adherence: a new factor in relapse prevention of schizophrenia. A randomized controlled study on relapse control through telemedicine system. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2015 , 22, 811-20 | 2.4 | 14 |
| 48 | Are there any differences in the efficacy among second generation antipsychotics in the treatment of schizophrenia and related disorders?. <i>Annals of Clinical Psychiatry</i> , 2007 , 19, 133-43 | 1.4 | 13 |
| 47 | Sad mood induction has an opposite effect on amygdala response to emotional stimuli in euthymic patients with bipolar disorder and healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 134-42 | 4.5 | 12 |
| 46 | Cytosolic calcium alterations in platelets of patients with early stages of Alzheimer disease. <i>Neurobiology of Aging</i> , 2000 , 21, 729-34 | 5.6 | 12 |
| 45 | A contribution to the study of dispersive properties of one-dimensional Lagrangian and Hermitian elements. <i>Computers and Structures</i> , 1993 , 49, 779-795 | 4.5 | 12 |

| | | | |
|----|--|-----|----|
| 44 | Long-term hospitalizations for schizophrenia in the Czech Republic 1998-2012. <i>Schizophrenia Research</i> , 2016 , 175, 180-185 | 3.6 | 12 |
| 43 | The early improvement of depressive symptoms as a potential predictor of response to antidepressants in depressive patients who failed to respond to previous antidepressant treatments. Analysis of naturalistic data. <i>European Psychiatry</i> , 2012 , 27, 522-7 | 6 | 11 |
| 42 | The Comparison of Effectiveness of Various Potential Predictors of Response to Treatment With SSRIs in Patients With Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 618-626 | 1.8 | 9 |
| 41 | Clinical and demographic characteristics of psychiatric patients seropositive for <i>Borrelia burgdorferi</i> . <i>European Psychiatry</i> , 2006 , 21, 118-22 | 6 | 9 |
| 40 | European Psychiatric Association guidance on the conflicts of interest. <i>European Psychiatry</i> , 2012 , 27, 142-6 | 6 | 8 |
| 39 | Relapse prevention in schizophrenia: does group family psychoeducation matter? One-year prospective follow-up field study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006 , 10, 38-44 | 2.4 | 8 |
| 38 | The effect of tryptophan depletion on the action of haloperidol in MK-801-treated rats. <i>European Journal of Pharmacology</i> , 2004 , 502, 109-16 | 5.3 | 8 |
| 37 | Brain-derived neurotrophic factor (BDNF) promotes molecular polarization and differentiation of immature neuroblastoma cells into definitive neurons. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020 , 1867, 118737 | 4.9 | 7 |
| 36 | Antidepressant monotherapy compared with combinations of antidepressants in the treatment of resistant depressive patients: a randomized, open-label study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013 , 17, 35-43 | 2.4 | 7 |
| 35 | Why negative meta-analyses may be false?. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1307-9 | 1.2 | 6 |
| 34 | Recognition of Images Degraded by Gaussian Blur. <i>Lecture Notes in Computer Science</i> , 2015 , 88-99 | 0.9 | 6 |
| 33 | Teaching critical appraisal of articles on psychopharmacology. <i>Academic Psychiatry</i> , 2012 , 36, 114-7 | 1.1 | 6 |
| 32 | Magnetic resonance relaxometry in monozygotic twins discordant and concordant for schizophrenia. <i>European Psychiatry</i> , 2005 , 20, 41-4 | 6 | 6 |
| 31 | Phosphoinositide signalling system in platelets of schizophrenic patients and the effect of neuroleptic therapy. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1999 , 61, 125-9 | 2.8 | 6 |
| 30 | An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020 , 50, 2034-2045 | 6.9 | 6 |
| 29 | Methamphetamine and sleep impairments: neurobehavioral correlates and molecular mechanisms. <i>Sleep</i> , 2021 , 44, | 1.1 | 6 |
| 28 | Recruitment of Psychiatrists: The Key Role of Education5-18 | | 5 |
| 27 | Unpacking Pandora From Its Box: Deciphering the Molecular Basis of the SARS-CoV-2 Coronavirus. <i>International Journal of Molecular Sciences</i> , 2020 , 22, | 6.3 | 4 |

| | | | |
|----|---|-----|---|
| 26 | Tuberous Sclerosis (tsc2+/-) Model Eker Rats Reveals Extensive Neuronal Loss with Microglial Invasion and Vascular Remodeling Related to Brain Neoplasia. <i>Neurotherapeutics</i> , 2020 , 17, 329-339 | 6.4 | 4 |
| 25 | Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39 | 7.9 | 4 |
| 24 | Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021 , 26, 290-298 | 1.8 | 4 |
| 23 | Antidepressant monotherapy and combination of antidepressants in the treatment of resistant depression in current clinical practice: A retrospective study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010 , 14, 303-8 | 2.4 | 3 |
| 22 | European mental health policy: opportunities for science and innovation, challenges for implementation. <i>European Journal of Public Health</i> , 2011 , 21, 550-1 | 2.1 | 3 |
| 21 | Predicting Therapeutic Results with Levoprotiline and Maprotiline in Major Depression: The Role of the Outcome Criteria. <i>British Journal of Psychiatry</i> , 1993 , 163, 35-38 | 5.4 | 3 |
| 20 | Rectangular Decomposition of Binary Images. <i>Lecture Notes in Computer Science</i> , 2012 , 213-224 | 0.9 | 3 |
| 19 | Effects of the adipokinetic hormone/red pigment-concentrating hormone (AKH/RPCH) family of peptides on MK-801-induced schizophrenia models. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 589-602 | 3.1 | 2 |
| 18 | European psychiatry: needs, challenges and structures. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259 Suppl 2, S119-22 | 5.1 | 2 |
| 17 | Development of quality indicators for mental healthcare in the Danube region. <i>Psychiatria Danubina</i> , 2018 , 30, 197-206 | 1.8 | 2 |
| 16 | Integrated phylogeny of the human brain and pathobiology of Alzheimer's disease: A unifying hypothesis. <i>Neuroscience Letters</i> , 2021 , 755, 135895 | 3.3 | 2 |
| 15 | Noise-Resistant Image Retrieval 2014 , | | 1 |
| 14 | Prediction: Nonsense or Hope?. <i>British Journal of Psychiatry</i> , 1993 , 163, 46-54 | 5.4 | 1 |
| 13 | DST in Czechoslovakia. <i>Biological Psychiatry</i> , 1986 , 21, 1103-4 | 7.9 | 1 |
| 12 | The Ups and Downs of BACE1: Walking a Fine Line between Neurocognitive and Other Psychiatric Symptoms of Alzheimer's Disease. <i>Neuroscientist</i> , 2021 , 27, 222-234 | 7.6 | 1 |
| 11 | Revisiting Brain Tuberous Sclerosis Complex in Rat and Human: Shared Molecular and Cellular Pathology Leads to Distinct Neurophysiological and Behavioral Phenotypes. <i>Neurotherapeutics</i> , 2021 , 18, 845-858 | 6.4 | 1 |
| 10 | Mainstream psychiatry reinstates therapeutic ventures of the remote past. <i>Drug Discovery Today</i> , 2021 , 26, 845-851 | 8.8 | 1 |
| 9 | Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2021 , 1-8 | 1.8 | 1 |

- 8 Effects of adipokinetic hormone/red pigment-concentrating hormone family of peptides in olfactory bulbectomy model and posttraumatic stress disorder model of rats. *Peptides*, **2020**, 134, 170408^{3.8} ○
- 7 Quality indicators for mental healthcare in the Danube region: results from a pilot feasibility study. *European Archives of Psychiatry and Clinical Neuroscience*, **2021**, 271, 1017-1025 5.1 ○
- 6 Response to Shen J, Kobak K, Zhao Y, et al. Use of remote centralized raters via live 2-way video in a multicenter clinical trial for schizophrenia. (*J Clin Psychopharmacol*. 2008;28:691-693). *Journal of Clinical Psychopharmacology*, **2009**, 29, 409; author reply 409-10 1.7
- 5 Predictors of Medical Students Academic Performance. *European Psychiatry*, **1997**, 12, 160s-160s 6
- 4 Research training in the Czech Republic. *Academic Psychiatry*, **2002**, 26, 125-7 1.1
- 3 Estudio prospectivo del volumen y la función del hipocampo en sujetos humanos tratados con corticoesteroides. *European Psychiatry (Ed Española)*, **2006**, 13, 295-300
- 2 Developing a Medical Student Curriculum in Psychiatry 27-46
- 1 Introduction: An overview of NIMH (Klečany, CZ) scientific activities. *Neuroscience Letters*, **2021**, 749, 135790 3.3