

Johanna Hstbacka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4125972/johanna-hstbacka-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

755
citations

17
h-index

27
g-index

52
ext. papers

1,151
ext. citations

5.4
avg, IF

3.77
L-index

#	Paper	IF	Citations
46	Premorbid functional status as an outcome predictor in intensive care patients aged over 85 years.. <i>BMC Geriatrics</i> , 2022 , 22, 38	4.1	1
45	New-onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIB-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 846-851	1.9	1
44	New-onset type 1 diabetes in Finnish children during the COVID-19 pandemic. <i>Archives of Disease in Childhood</i> , 2021 ,	2.2	18
43	Male predominance in disease severity and mortality in a low Covid-19 epidemic and low case-fatality area - a population-based registry study. <i>Infectious Diseases</i> , 2021 , 53, 789-799	3.1	7
42	Prevalence and impact of hazardous alcohol use in intensive care cohort: A multicenter, register-based study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1073-1078	1.9	
41	Severe or critical hypotension during post cardiac arrest care is associated with factors available on admission - a post hoc analysis of the TTH48 trial. <i>Journal of Critical Care</i> , 2021 , 61, 186-190	4	1
40	Neurofilament light as an outcome predictor after cardiac arrest: a post hoc analysis of the COMACARE trial. <i>Intensive Care Medicine</i> , 2021 , 47, 39-48	14.5	38
39	Overlooking the Obvious during the COVID-19 Pandemic: Dyspnoea with Asymmetric Breath Sounds in a Toddler. <i>Case Reports in Pediatrics</i> , 2021 , 2021, 8855962	0.7	
38	Serum fibroblast growth factor 21 levels after out of hospital cardiac arrest are associated with neurological outcome. <i>Scientific Reports</i> , 2021 , 11, 690	4.9	2
37	Factors Associated With Rebound Hyperthermia After Targeted Temperature Management in Out-of-Hospital Cardiac Arrest Patients: An Explorative Substudy of the Time-Differentiated Therapeutic Hypothermia in Out-of-Hospital Cardiac Arrest Survivors Trial 2021 , 3, e0458		1
36	Early recovery of frontal EEG slow wave activity during propofol sedation predicts outcome after cardiac arrest. <i>Resuscitation</i> , 2021 , 165, 170-176	4	2
35	A descriptive study of the surge response and outcomes of ICU patients with COVID-19 during first wave in Nordic countries. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 ,	1.9	2
34	Association of deranged cerebrovascular reactivity with brain injury following cardiac arrest: a post-hoc analysis of the COMACARE trial. <i>Critical Care</i> , 2021 , 25, 350	10.8	0
33	High Oxygen Does Not Increase Reperfusion Injury Assessed with Lipid Peroxidation Biomarkers after Cardiac Arrest: A Post Hoc Analysis of the COMACARE Trial. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
32	APOE ε associates with increased risk of severe COVID-19, cerebral microhaemorrhages and post-COVID mental fatigue: a Finnish biobank, autopsy and clinical study.. <i>Acta Neuropathologica Communications</i> , 2021 , 9, 199	7.3	10
31	Evaluating a novel formula for noninvasive estimation of arterial carbon dioxide during post-resuscitation care. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1287-1294	1.9	
30	The Agents Intervening against Delirium in the Intensive Care Unit Trial (AID-ICU trial): A detailed statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1357-1364	1.9	2

29	Renin and Survival in Patients Given Angiotensin II for Catecholamine-Resistant Vasodilatory Shock. A Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 1253-1261	10.2	34
28	The influence of prolonged temperature management on acute kidney injury after out-of-hospital cardiac arrest: A post hoc analysis of the TTH48 trial. <i>Resuscitation</i> , 2020 , 151, 10-17	4	4
27	Cold fluids for induction of targeted temperature management: A sub-study of the TTH48 trial. <i>Resuscitation</i> , 2020 , 148, 90-97	4	1
26	Noninterventional follow-up vs fluid bolus in RESPONSE to oliguria-The RESPONSE trial protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1210-1217	1.9	2
25	Prevalence of risk-drinking in critically ill patients, screened with carbohydrate-deficient transferrin and AUDIT-C score: A retrospective study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 216-223	1.9	2
24	Optimum Blood Pressure in Patients With Shock After Acute Myocardial Infarction and Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 812-824	15.1	17
23	Mortality and HRQoL in ICU patients with delirium: Protocol for 1-year follow-up of AID-ICU trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 1519-1525	1.9	
22	Near-infrared spectroscopy after out-of-hospital cardiac arrest. <i>Critical Care</i> , 2019 , 23, 171	10.8	22
21	NSE concentrations and haemolysis after cardiac arrest. <i>Intensive Care Medicine</i> , 2019 , 45, 741-742	14.5	0
20	Agents intervening against delirium in the intensive care unit (AID-ICU) - Protocol for a randomised placebo-controlled trial of haloperidol in patients with delirium in the ICU. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1426-1433	1.9	4
19	The time-course of the inflammatory response to major burn injury and its relation to organ failure and outcome. <i>Burns</i> , 2019 , 45, 354-363	2.3	27
18	Premorbid functional status as a predictor of 1-year mortality and functional status in intensive care patients aged 80 years or older. <i>Intensive Care Medicine</i> , 2018 , 44, 1221-1229	14.5	24
17	Targeting low-normal or high-normal mean arterial pressure after cardiac arrest and resuscitation: a randomised pilot trial. <i>Intensive Care Medicine</i> , 2018 , 44, 2091-2101	14.5	74
16	Targeting two different levels of both arterial carbon dioxide and arterial oxygen after cardiac arrest and resuscitation: a randomised pilot trial. <i>Intensive Care Medicine</i> , 2018 , 44, 2112-2121	14.5	72
15	Estimation of Arterial Carbon Dioxide Based on End-Tidal Gas Pressure and Oxygen Saturation. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	4
14	Prevalence and risk factors related to haloperidol use for delirium in adult intensive care patients: the multinational AID-ICU inception cohort study. <i>Intensive Care Medicine</i> , 2018 , 44, 1081-1089	14.5	38
13	Surviving out-of-hospital cardiac arrest: The neurological and functional outcome and health-related quality of life one year later. <i>Resuscitation</i> , 2018 , 129, 19-23	4	18
12	Stress-Dose Corticosteroid Versus Placebo in Neonatal Cardiac Operations: A Randomized Controlled Trial. <i>Annals of Thoracic Surgery</i> , 2017 , 104, 1378-1385	2.7	15

11	Targeting low- or high-normal Carbon dioxide, Oxygen, and Mean arterial pressure After Cardiac Arrest and REsuscitation: study protocol for a randomized pilot trial. <i>Trials</i> , 2017 , 18, 507	2.8	17
10	Targeted Temperature Management for 48 vs 24 Hours and Neurologic Outcome After Out-of-Hospital Cardiac Arrest: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 341-350	27.4	161
9	Interleukin 8 and hepatocyte growth factor in predicting development of severe acute pancreatitis. <i>Cogent Medicine</i> , 2017 , 4, 1396634	1.4	3
8	Association of Matrix Metalloproteinases -7, -8 and -9 and TIMP -1 with Disease Severity in Acute Pancreatitis. A Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0161480	3.7	12
7	Targeted tissue perfusion versus macrocirculation-guided standard care in patients with septic shock (TARTARE-2S): study protocol and statistical analysis plan for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 384	2.8	8
6	Targeted high-throughput sequencing for genetic diagnostics of hemophagocytic lymphohistiocytosis. <i>Genome Medicine</i> , 2015 , 7, 130	14.4	28
5	Matrix metalloproteinases -8 and -9 and tissue inhibitor of metalloproteinase-1 in burn patients. A prospective observational study. <i>PLoS ONE</i> , 2015 , 10, e0125918	3.7	19
4	Serum MMP-8 and TIMP-1 in critically ill patients with acute respiratory failure: TIMP-1 is associated with increased 90-day mortality. <i>Anesthesia and Analgesia</i> , 2014 , 118, 790-8	3.9	23
3	Serum matrix metalloproteinases in patients resuscitated from cardiac arrest. The association with therapeutic hypothermia. <i>Resuscitation</i> , 2012 , 83, 197-201	4	14
2	Collagenase 2/matrix metalloproteinase 8 in critically ill patients with secondary peritonitis. <i>Shock</i> , 2007 , 27, 145-50	3.4	17
1	Purulent pneumococcal pericarditis: a rarity in the antibiotic era. <i>Journal of Critical Care</i> , 2002 , 17, 251-4	4	8