
SÃ;ndor Somodi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4126679/publications.pdf Version: 2024-02-01



SÃ:NDOR SOMODI

#	Article	IF	CITATIONS
1	Afamin Levels and Their Correlation with Oxidative and Lipid Parameters in Non-diabetic, Obese Patients. Biomolecules, 2022, 12, 116.	4.0	11
2	Effects of adult growth hormone deficiency and replacement therapy on the cardiometabolic risk profile. Pituitary, 2022, 25, 211-228.	2.9	12
3	Metabolomic Analysis of Serum and Tear Samples from Patients with Obesity and Type 2 Diabetes Mellitus. International Journal of Molecular Sciences, 2022, 23, 4534.	4.1	10
4	Age, BMI and diabetes as independent predictors of brain hypoperfusion. Nuclear Medicine Review, 2021, 24, 11-15.	0.5	8
5	Low Levels of Serum Fetuin-A and Retinol-Binding Protein 4 Correlate with Lipoprotein Subfractions in Morbid Obese and Lean Non-Diabetic Subjects. Life, 2021, 11, 881.	2.4	5
6	lmaging with [^{99m} Tc]HMPAO – a novel perspective: investigation of [^{99m} Tc]HMPAO leg muscle uptake in metabolic diseases. Acta Radiologica, 2021, , 028418512110636.	1.1	0
7	Follow-up Study of Microflora Changes in Crevicular Gingival Fluid in Obese Subjects After Bariatric Surgery. Obesity Surgery, 2020, 30, 5157-5161.	2.1	4
8	Serum obestatin level strongly correlates with lipoprotein subfractions in non-diabetic obese patients. Lipids in Health and Disease, 2018, 17, 39.	3.0	5
9	The Impact of Obesity on the Cardiovascular System. Journal of Diabetes Research, 2018, 2018, 1-12.	2.3	274
10	Plasminogen Activator Inhibitor-1 Level Correlates with Lipoprotein Subfractions in Obese Nondiabetic Subjects. International Journal of Endocrinology, 2018, 2018, 1-9.	1.5	21
11	Insulin-Sensitizer Effects of Fenugreek Seeds in Parallel with Changes in Plasma MCH Levels in Healthy Volunteers. International Journal of Molecular Sciences, 2018, 19, 771.	4.1	10
12	The C-terminal HRET sequence of Kv1.3 regulates gating rather than targeting of Kv1.3 to the plasma membrane. Scientific Reports, 2018, 8, 5937.	3.3	4
13	Mannose-Binding Lectin Levels and Carotid Intima-Media Thickness in Type 2 Diabetic Patients. Journal of Diabetes Research, 2016, 2016, 1-8.	2.3	10
14	7DHC-induced changes of Kv1.3 operation contributes to modified T cell function in Smith-Lemli-Opitz syndrome. Pflugers Archiv European Journal of Physiology, 2016, 468, 1403-1418.	2.8	15
15	The anti-proliferative effect of cation channel blockers in T lymphocytes depends on the strength of mitogenic stimulation. Immunology Letters, 2016, 171, 60-69.	2.5	9
16	Altered lipid subfraction profile and impaired antioxidant defense of high-density lipoprotein in Smith-Lemli-Opitz syndrome. Pediatric Research, 2015, 77, 703-709.	2.3	1
17	Association of chemerin with oxidative stress, inflammation and classical adipokines in nonâ€diabetic obese patients. Journal of Cellular and Molecular Medicine, 2014, 18, 1313-1320.	3.6	51
18	Strong correlations between circulating chemerin levels and lipoprotein subfractions in nondiabetic obese and nonobese subjects. Clinical Endocrinology, 2014, 81, 370-377.	2.4	28

SÃindor Somodi

#	Article	IF	CITATIONS
19	Margatoxin is a non-selective inhibitor of human Kv1.3 K+ channels. Toxicon, 2014, 87, 6-16.	1.6	61
20	Analysis of the K+ current in human CD4+ T lymphocytes in hypercholesterolemic state. Cellular Immunology, 2013, 281, 20-26.	3.0	8
21	Effects of changes in extracellular pH and potassium concentration on Kv1.3 inactivation. European Biophysics Journal, 2008, 37, 1145-1156.	2.2	7
22	Anuroctoxin, a New Scorpion Toxin of the α-KTx 6 Subfamily, Is Highly Selective for Kv1.3 over IKCa1 Ion Channels of Human T Lymphocytes. Molecular Pharmacology, 2005, 67, 1034-1044.	2.3	58
23	pH-dependent modulation of Kv1.3 inactivation: role of His399. American Journal of Physiology - Cell Physiology, 2004, 287, C1067-C1076.	4.6	33