
## Tohru Ikeda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4126824/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Expression Profiles of Receptor Activator of Nuclear Factor κB Ligand, Receptor Activator of Nuclear<br>Factor κB, and Osteoprotegerin Messenger RNA in Aged and Ovariectomized Rat Bones. Journal of Bone<br>and Mineral Research, 2001, 16, 1416-1425.       | 2.8 | 96        |
| 2  | Expression of the cancer stem cell markers CD44v6 and ABCG2 in tongue cancer: Effect of neoadjuvant chemotherapy on local recurrence. International Journal of Oncology, 2014, 44, 1153-1162.  | 3.3 | 50        |
| 3  | Genetic basis of calcifying cystic odontogenic tumors. PLoS ONE, 2017, 12, e0180224.   | 2.5 | 50        |
| 4  | Prediction of outcome of patients with oral squamous cell carcinoma using vascular invasion and the strongly positive expression of vascular endothelial growth factors. Oral Oncology, 2011, 47, 588-593.   | 1.5 | 46        |
| 5  | Multimerization of the Receptor Activator of Nuclear Factor- $\hat{I}^{\circ}$ B Ligand (RANKL) Isoforms and Regulation of Osteoclastogenesis. Journal of Biological Chemistry, 2003, 278, 47217-47222.  | 3.4 | 45        |
| 6  | CD163-Positive Macrophages Within the Tumor Stroma Are Associated With Lymphangiogenesis and<br>Lymph Node Metastasis in Oral Squamous Cell Carcinoma. Journal of Oral and Maxillofacial Surgery,<br>2017, 75, 2144-2153.                                      | 1.2 | 44        |
| 7  | Determination of Three Isoforms of the Receptor Activator of Nuclear Factor-ÂB Ligand and Their<br>Differential Expression in Bone and Thymus. Endocrinology, 2001, 142, 1419-1426.  | 2.8 | 39        |
| 8  | Hepatocellular carcinoma with osteoclast-like giant cells: Possibility of osteoclastogenesis by hepatocyte-derived cells. Pathology International, 2003, 53, 450-456.  | 1.3 | 35        |
| 9  | Histopathological and immunohistochemical study in keratocystic odontogenic tumors: Predictive factors of recurrence. Oncology Letters, 2017, 13, 3487-3493.   | 1.8 | 28        |
| 10 | A distinctive subgroup of oral EBV+ B-cell neoplasm with polymorphous features is potentially identical to EBV+ mucocutaneous ulcer. Human Pathology, 2017, 69, 129-139.   | 2.0 | 26        |
| 11 | DKK3 Overexpression Increases the Malignant Properties of Head and Neck Squamous Cell Carcinoma<br>Cells. Oncology Research, 2018, 26, 45-58.  | 1.5 | 23        |
| 12 | Loss of Notch1 predisposes oro-esophageal epithelium to tumorigenesis. Experimental Cell Research, 2018, 372, 129-140.   | 2.6 | 20        |
| 13 | Spindle cell variant of ameloblastic carcinoma: a case report and literature review. Oral Surgery,<br>Oral Medicine, Oral Pathology and Oral Radiology, 2016, 121, e54-e61.  | 0.4 | 18        |
| 14 | Prognostic Prediction of Oral Squamous Cell Carcinoma by E-Cadherin and N-Cadherin Expression in<br>Overall Cells in Tumor Nests or Tumor Cells at the Invasive Front. Cancer Microenvironment, 2017, 10,<br>87-94.  | 3.1 | 18        |
| 15 | Inflammasome Activation Induced by Perfringolysin O of Clostridium perfringens and Its Involvement in the Progression of Gas Gangrene. Frontiers in Microbiology, 2019, 10, 2406.  | 3.5 | 18        |
| 16 | DNAJA1 promotes cancer metastasis through interaction with mutant p53. Oncogene, 2021, 40, 5013-5025.  | 5.9 | 18        |
| 17 | Immunohistochemical study of vascular endothelial growth factor-C/vascular endothelial growth factor receptor-3 expression in oral tongue squamous cell carcinoma: Correlation with the induction of lymphangiogenesis. Oncology Letters, 2015, 10, 2027-2034. | 1.8 | 16        |
| 18 | The CCL2-CCR2 Axis in Lymph Node Metastasis From Oral Squamous Cell Carcinoma: An<br>Immunohistochemical Study. Journal of Oral and Maxillofacial Surgery, 2017, 75, 742-749.  | 1.2 | 16        |

Tohru Ikeda

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Leukemia inhibitory factor produced by fibroblasts within tumor stroma participates in invasion of oral squamous cell carcinoma. PLoS ONE, 2018, 13, e0191865.   | 2.5 | 16        |
| 20 | Prognostic Value of Podoplanin Expression in Oral Squamous Cell Carcinoma―A Regression Model<br>Auxiliary to UICC Classification. Pathology and Oncology Research, 2014, 20, 521-528.  | 1.9 | 15        |
| 21 | Clinicopathological Study of Primary Intraosseous Squamous Cell Carcinoma of the Jaw and a Review of the Literature. Journal of Oral and Maxillofacial Surgery, 2016, 74, 2420-2427.   | 1.2 | 15        |
| 22 | A lesion categorized between ghost cell odontogenic carcinoma and dentinogenic ghost cell tumor with CTNNB1 mutation. Pathology International, 2018, 68, 307-312.  | 1.3 | 10        |
| 23 | A Novel, Tumor-Induced Osteoclastogenesis Pathway Insensitive to Denosumab but Interfered by<br>Cannabidiol. International Journal of Molecular Sciences, 2019, 20, 6211.  | 4.1 | 9         |
| 24 | Primordial odontogenic tumor occurred in the maxilla with unique calcifications and its crucial points for differential diagnosis. Pathology International, 2021, 71, 80-87.   | 1.3 | 9         |
| 25 | MRI before biopsy correlates with depth of invasion corrected for shrinkage rate of the histopathological specimen in tongue carcinoma. Scientific Reports, 2021, 11, 20992.   | 3.3 | 9         |
| 26 | Epithelial-Myoepithelial Carcinoma of the Minor Salivary Glands: Case Series with Comprehensive<br>Review. Diagnostics, 2021, 11, 2124.  | 2.6 | 8         |
| 27 | Diagnosis and treatment of oral focal mucinosis: a case series. Journal of Medical Case Reports, 2019, 13, 108.  | 0.8 | 7         |
| 28 | Renal cell carcinoma metastasis to the maxillary bone successfully treated with surgery after vascular embolization: a case report. Journal of Medical Case Reports, 2020, 14, 193.  | 0.8 | 7         |
| 29 | Metastatic tumors in the oral region: a retrospective chart review of clinical characteristics and prognosis. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2021, 132, 648-652.  | 0.4 | 7         |
| 30 | <i>Alpha‣â€fucosidaseâ€l </i> is a diagnostic marker that distinguishes mucoepidermoid carcinoma from squamous cell carcinoma. Pathology International, 2019, 69, 76-85.   | 1.3 | 6         |
| 31 | Quantitation and distribution of metallic elements in sequestra of medication-related osteonecrosis of jaw (MRONJ) using inductively coupled plasma atomic emission spectroscopy and synchrotron radiation X-ray fluorescence analysis. Journal of Bone and Mineral Metabolism, 2019, 37, 676-684. | 2.7 | 6         |
| 32 | Homeobox transcription factor engrailed homeobox 1 is a possible diagnostic marker for adenoid cystic carcinoma and polymorphous adenocarcinoma. Pathology International, 2021, 71, 113-123.   | 1.3 | 6         |
| 33 | Detection of novel fusion genes by next-generation sequencing-based targeted RNA sequencing<br>analysis in adenoid cystic carcinoma of head and neck. Oral Surgery, Oral Medicine, Oral Pathology<br>and Oral Radiology, 2021, 132, 426-433.   | 0.4 | 6         |
| 34 | Deep-learning application for identifying histological features of epithelial dysplasia of tongue.<br>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology, 2022, 34, 514-522.   | 0.3 | 6         |
| 35 | Low-risk population among patients with tumor-node-metastasis stage III/IV oral squamous cell carcinoma. Oncology Letters, 2017, 14, 3711-3716.  | 1.8 | 5         |
| 36 | A new osteoclastogenesis pathway induced by cancer cells targeting osteoclast precursor cells.<br>Biochemical and Biophysical Research Communications, 2019, 509, 108-113.   | 2.1 | 5         |

Tohru Ikeda

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Coâ€expression of EGFR and MET has a synergistic effect on the prognosis of patients with oral squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2020, 49, 235-242.   | 2.7 | 5         |
| 38 | Intraosseous Schwannoma of the Mandibular Symphysis: Report of a Case. Oral Science International, 2010, 7, 76-79.   | 0.7 | 4         |
| 39 | Case Report: Hidden Oral Squamous Cell Carcinoma in Oral Somatic Symptom Disorder. Frontiers in<br>Psychiatry, 2021, 12, 651871.   | 2.6 | 4         |
| 40 | Granulocyte colony-stimulating factor-producing squamous cell carcinoma of the tongue exhibiting<br>characteristic fluorine-18 deoxyglucose accumulation on positron emission tomography–computed<br>tomography: A case report. World Journal of Clinical Cases, 2020, 8, 1666-1673. | 0.8 | 4         |
| 41 | Soft masses occurring simultaneously in the upper and lower lips. Oral Surgery, Oral Medicine, Oral<br>Pathology and Oral Radiology, 2014, 117, 147-152.   | 0.4 | 3         |
| 42 | Metastasis of lower gingival squamous cell carcinoma to buccinator lymph node: case report and review of the literature. World Journal of Surgical Oncology, 2019, 17, 13.   | 1.9 | 3         |
| 43 | Genetic and histopathological analysis of a case of primary intraosseous carcinoma, NOS with<br>features of both ameloblastic carcinoma and squamous cell carcinoma. World Journal of Surgical<br>Oncology, 2020, 18, 45.  | 1.9 | 3         |
| 44 | Left supraclavicular (Virchow's) node metastasis detected before primary infradiaphragmatic tumor: a<br>case series. Journal of Medical Case Reports, 2022, 16, 33.  | 0.8 | 3         |
| 45 | Chemical Diagnosis of Calcium Pyrophosphate Deposition Disease of the Temporomandibular Joint: A<br>Case Report. Diagnostics, 2022, 12, 651.   | 2.6 | 3         |
| 46 | Comparison of Clinicopathological Characteristics Between the Anterior and Posterior Type of<br>Squamous Cell Carcinoma of the Floor of the Mouth: The Anterior Type Is a Risk Factor for Multiple<br>Primary Cancer. Frontiers in Oncology, 2021, 11, 682428.                       | 2.8 | 2         |
| 47 | Depth of invasionï¼^DOl) introduced in UICC 8th T classification in tongue carcinoma. Japanese Journal of<br>Head and Neck Cancer, 2019, 45, 1-7.  | 0.1 | 2         |
| 48 | Perforated Hydrogels Consisting of Cholesterol-Bearing Pullulan (CHP) Nanogels: A Newly Designed<br>Scaffold for Bone Regeneration Induced by RANKL-Binding Peptides and BMP-2. International Journal of<br>Molecular Sciences, 2022, 23, 7768.                                      | 4.1 | 2         |
| 49 | Epithelioid cell granuloma with caseating necrosis possibly caused by periapical periodontitis: a case report. Journal of Medical Case Reports, 2018, 12, 365.   | 0.8 | 1         |
| 50 | Multicenter retrospective analysis of clinicopathological features and prognosis of oral tongue<br>squamous cell carcinoma in adolescent and young adult patients. Medicine (United States), 2021, 100,<br>e27560.   | 1.0 | 1         |
| 51 | Nodular lymphocyteâ€predominant Hodgkin lymphoma involving the hard palate. Pathology<br>International, 2021, 71, 213-215.   | 1.3 | 0         |
| 52 | A case of non-neural granular cell tumor of the lower lip. Nihon Koku Geka Gakkai Zasshi, 2022, 68,<br>42-47.  | 0.0 | 0         |
| 53 | A clinicopathological study on the recurrence of ameloblastoma. Nihon Koku Geka Gakkai Zasshi,<br>2022, 68, 184-192.   | 0.0 | 0         |