

Katarzyna Wroblewska-Seniuk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4127372/publications.pdf>

Version: 2024-02-01

57
papers

1,221
citations

394286

19
h-index

395590

33
g-index

59
all docs

59
docs citations

59
times ranked

1679
citing authors

#	ARTICLE	IF	CITATIONS
1	Hearing Impairment in Infants with Hypoxic Ischemic Encephalopathy Treated with Hypothermia. Therapeutic Hypothermia and Temperature Management, 2022, 12, 8-15.	0.3	3
2	Catheter-related venous thrombosis in NICU: A case-control retrospective study. Journal of Vascular Access, 2022, 23, 88-93.	0.5	4
3	Markers of Maternal Insulin Resistance and Lipid Ratios Measured in Early Pregnancy Are Related to Adverse Fetomaternal Outcomes in Women Treated for Hyperglycemia Detected in Early Pregnancy—Data from a Retrospective Cohort Study. Journal of Clinical Medicine, 2022, 11, 1777.	1.0	4
4	Diagnostic Challenges in Neonatal Respiratory Distress—Congenital Surfactant Metabolism Dysfunction Caused by ABCA3 Mutation. Diagnostics, 2022, 12, 1084.	1.3	1
5	The importance of maternal insulin resistance throughout pregnancy on neonatal adiposity. Paediatric and Perinatal Epidemiology, 2021, 35, 83-91.	0.8	11
6	Less sedentary time is associated with a more favourable glucose-insulin axis in obese pregnant women—a secondary analysis of the DALI study. International Journal of Obesity, 2021, 45, 296-307.	1.6	12
7	Gynecological Problems in Newborns and Infants. Journal of Clinical Medicine, 2021, 10, 1071.	1.0	2
8	Clinical Characteristics of Newborns Born to Mothers with COVID-19. Journal of Clinical Medicine, 2021, 10, 4383.	1.0	9
9	A 646C>â€%G (rs41423247) polymorphism of the glucocorticoid receptor as a risk factor for hyperglycaemia diagnosed in pregnancy—data from an observational study. Acta Diabetologica, 2021, , 1.	1.2	2
10	The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. Clinical Nutrition, 2020, 39, 976-984.	2.3	42
11	Genetic and Environmental Risk Factors for Isolated Hemangiomas in Infants. Children, 2020, 7, 150.	0.6	6
12	Performance of early pregnancy HbA1c for predicting gestational diabetes mellitus and adverse pregnancy outcomes in obese European women. Diabetes Research and Clinical Practice, 2020, 168, 108378.	1.1	14
13	Pregnancy Outcomes in Women with Long-Duration Type 1 Diabetes—25 Years of Experience. Journal of Clinical Medicine, 2020, 9, 3223.	1.0	8
14	Early Screening for Gestational Diabetes Using IADPSG Criteria May Be a Useful Predictor for Congenital Anomalies: Preliminary Data from a High-Risk Population. Journal of Clinical Medicine, 2020, 9, 3553.	1.0	11
15	Congenital Laryngeal Stenosis and Concomitant Birth Defects in a Term Newborn: A Case Report. Biomedicine Hub, 2020, 5, 1-7.	0.4	0
16	Temporal relationships between maternal metabolic parameters with neonatal adiposity in women with obesity differ by neonatal sex: Secondary analysis of the DALI study. Pediatric Obesity, 2020, 15, e12628.	1.4	11
17	Application of medical simulation in the education of medical students in the area of gynecology and obstetrics. Ginekologia Polska, 2020, 91, 281-286.	0.3	2
18	Mid-trimester ultrasound parameters for predicting birth weight in low risk pregnancies vs high-risk pregnancies complicated with pre-gestational diabetes mellitus. Ginekologia Polska, 2020, 91, 216-222.	0.3	1

#	ARTICLE	IF	CITATIONS
19	Nutritional Lifestyle Intervention in Obese Pregnant Women, Including Lower Carbohydrate Intake, Is Associated With Increased Maternal Free Fatty Acids, 3-Î²-Hydroxybutyrate, and Fasting Glucose Concentrations: A Secondary Factorial Analysis of the European Multicenter, Randomized Controlled DALI Lifestyle Intervention Trial. <i>Diabetes Care</i> , 2019, 42, 1380-1389.	4.3	21
20	A reduction in sedentary behaviour in obese women during pregnancy reduces neonatal adiposity: the DALI randomised controlled trial. <i>Diabetologia</i> , 2019, 62, 915-925.	2.9	50
21	Mediators of Lifestyle Behaviour Changes in Obese Pregnant Women. Secondary Analyses from the DALI Lifestyle Randomised Controlled Trial. <i>Nutrients</i> , 2019, 11, 311.	1.7	6
22	Role of gestational weight gain, gestational diabetes, breastfeeding, and hypertension in mother-to-child obesity transmission. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 267-275.	0.3	23
23	Continuous subcutaneous insulin infusion reduces neonatal risk in pregnant women with type 1 diabetes mellitus. <i>Ginekologia Polska</i> , 2019, 90, 154-160.	0.3	5
24	Maternal factors, ultrasound and placental function parameters in early pregnancy as predictors of birth weight in low-risk populations and among patients with pre-gestational diabetes. <i>Ginekologia Polska</i> , 2019, 90, 388-395.	0.3	2
25	Maternal risk factors for neonatal acidosis in women with type 1 diabetes. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 316-320.	0.3	0
26	Sensorineural and conductive hearing loss in infants diagnosed in the program of universal newborn hearing screening. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 105, 181-186.	0.4	27
27	Cost-effectiveness of healthy eating and/or physical activity promotion in pregnant women at increased risk of gestational diabetes mellitus: economic evaluation alongside the DALI study, a European multicenter randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 23.	2.0	34
28	Association between Gestational Weight Gain, Gestational Diabetes Risk, and Obstetric Outcomes: A Randomized Controlled Trial Post Hoc Analysis. <i>Nutrients</i> , 2018, 10, 1568.	1.7	22
29	Risk factors for hyperglycemia in pregnancy in the DALI study differ by period of pregnancy and OGTT time point. <i>European Journal of Endocrinology</i> , 2018, 179, 39-49.	1.9	20
30	Re: Vitamin D and gestational diabetes mellitus: a systematic review based on data free of Hawthorne effect. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1338-1339.	1.1	5
31	Standards of Polish Society of Gynecologists and Obstetricians in management of women with diabetes. <i>Ginekologia Polska</i> , 2018, 89, 341-350.	0.3	28
32	An observational study of the risk of neonatal macrosomia, and early gestational diabetes associated with selected candidate genes for type 2 diabetes mellitus polymorphisms in women with gestational diabetes mellitus. <i>Ginekologia Polska</i> , 2018, 89, 705-710.	0.3	5
33	Effect of physical activity and/or healthy eating on GDM risk: The DALI Lifestyle Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-3455.	1.8	140
34	The results of newborn hearing screening by means of transient otoacoustic emissions “ has anything changed over 10 years?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2017, 96, 4-10.	0.4	14
35	Determinants of preeclampsia in women with type 1 diabetes. <i>Acta Diabetologica</i> , 2017, 54, 1115-1121.	1.2	23
36	Epidemiology of gestational diabetes mellitus according to IADPSG/WHO 2013 criteria among obese pregnant women in Europe. <i>Diabetologia</i> , 2017, 60, 1913-1921.	2.9	117

#	ARTICLE	IF	CITATIONS
37	Hearing impairment in premature newborns—Analysis based on the national hearing screening database in Poland. <i>PLoS ONE</i> , 2017, 12, e0184359.	1.1	54
38	Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 293.	0.9	6
39	Correlates of poor mental health in early pregnancy in obese European women. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 404.	0.9	11
40	Chorionic thickness and PlGF concentrations as early predictors of small-for-gestational age birth weight in a low risk population. <i>Ginekologia Polska</i> , 2017, 88, 87-95.	0.3	1
41	Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. <i>Journal of Pregnancy</i> , 2016, 2016, 1-11.	1.1	31
42	IADPSG and WHO 2013 Gestational Diabetes Mellitus Criteria Identify Obese Women With Marked Insulin Resistance in Early Pregnancy. <i>Diabetes Care</i> , 2016, 39, e90-e92.	4.3	79
43	Chronic and gestational metabolic disorders have a different impact on late-pregnancy endothelial function in pregnant women.. <i>Ginekologia Polska</i> , 2016, 87, 283-287.	0.3	0
44	Results From a European Multicenter Randomized Trial of Physical Activity and/or Healthy Eating to Reduce the Risk of Gestational Diabetes Mellitus: The DALI Lifestyle Pilot. <i>Diabetes Care</i> , 2015, 38, 1650-1656.	4.3	93
45	Concentrations of eNOS, VEGF, ACE and PlGF in maternal blood as predictors of impaired fetal growth in pregnancy complicated by gestational hypertension/preeclampsia. <i>Hypertension in Pregnancy</i> , 2015, 34, 17-23.	0.5	8
46	Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 158.	0.9	36
47	Association between preconceptional treatment with insulin pumps and improved metabolic status in early pregnancy in women with type 1 diabetes. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 329-336.	0.3	8
48	Self-directed learning in high-quality antenatal screening. <i>Ginekologia Polska</i> , 2015, 86, 514-519.	0.3	0
49	DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial “ study protocol. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 142.	0.9	85
50	Treatment intensification in type 2 diabetes mellitus and obesity. <i>British Journal of General Practice</i> , 2013, 63, 182.1-182.	0.7	4
51	Multiple Daily Injections of Insulin Versus Continuous Subcutaneous Insulin Infusion for Pregnant Women With Type 1 Diabetes. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 675-677.	0.2	1
52	Multiple daily injections of insulin versus continuous subcutaneous insulin infusion for pregnant women with type 1 diabetes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 130-135.	0.4	20
53	Maternal/fetal mortality and fetal growth restriction: role of nitric oxide and virulence factors in intrauterine infection in rats. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 83.e1-83.e7.	0.7	6
54	Microvascular complications are associated with low levels of maternal sE-selectin and sVCAM-1 in pregnancy complicated with pregestational diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 164-170.	1.1	5

#	ARTICLE	IF	CITATIONS
55	Long-term effects of diabetes during pregnancy on the offspring. <i>Pediatric Diabetes</i> , 2009, 10, 432-440.	1.2	43
56	Congenital cystic adenomatoid malformation of the lung diagnosed prenatally in the 33rd week of gestation in woman with gestational diabetes mellitus--a case study. <i>Ginekologia Polska</i> , 2009, 80, 624-8.	0.3	0
57	The results of newborn hearing screening by means of transient evoked otoacoustic emissions. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2005, 69, 1351-1357.	0.4	38