

Isabelle Carriere

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4127565/isabelle-carriere-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

2,528
citations

29
h-index

49
g-index

81
ext. papers

3,174
ext. citations

5.1
avg. IF

4.64
L-index

#	Paper	IF	Citations
75	Exposure to ambient air pollution and cognitive decline: Results of the prospective Three-City cohort study.. <i>Environment International</i> , 2022 , 161, 107118	12.9	0
74	Long-term exposure to ambient air pollution and risk of dementia: Results of the prospective Three-City Study. <i>Environment International</i> , 2021 , 148, 106376	12.9	15
73	Proximity to dementia onset and multi-modal neuroimaging changes: The prevent-dementia study. <i>NeuroImage</i> , 2021 , 229, 117749	7.9	1
72	Associations between physical activity types and multi-domain cognitive decline in older adults from the Three-city cohort. <i>PLoS ONE</i> , 2021 , 16, e0252500	3.7	3
71	Structural brain alterations in older adults exposed to early-life adversity. <i>Psychoneuroendocrinology</i> , 2021 , 129, 105272	5	3
70	A dimensional approach to understanding the relationship between self-reported hearing loss and depression over 12 years: the Three-City study. <i>Aging and Mental Health</i> , 2021 , 25, 954-961	3.5	4
69	Cataract extraction and intraocular pressure-lowering agents delivery: A nationwide French study between 2005 and 2017. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211044328	1.9	
68	Dynamic reciprocal relationships between cognitive and functional declines along the Alzheimer's disease continuum in the prospective COGICARE study. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 148 ⁹		0
67	Are existing dementia risk prediction models reliable?. <i>Alzheimer's and Dementia</i> , 2020 , 16, e040814	1.2	
66	Does an advanced statistical technique perform better than a simple technique for dementia prediction?. <i>Alzheimer's and Dementia</i> , 2020 , 16, e040837	1.2	
65	Multi-faceted brain changes associated with proximity to dementia onset: The PREVENT-Dementia study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041865	1.2	
64	Multifaceted pattern of longitudinal imaging changes in cognitively normal midlife adults: The PREVENT-Dementia study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e042942	1.2	
63	Hippocampal Subfield Volumes in Middle-Aged Adults at Risk of Dementia. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 1211-1218	4.3	5
62	Structural brain changes with lifetime trauma and re-experiencing symptoms is genotype-dependent. <i>Hgre Utbildning</i> , 2020 , 11, 1733247	5	1
61	Comparison of Cox proportional hazards regression and generalized Cox regression models applied in dementia risk prediction. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12041	6	6
60	Physical activity types and risk of dementia in community-dwelling older people: the Three-City cohort. <i>BMC Geriatrics</i> , 2020 , 20, 132	4.1	9
59	Retinal vascular fractal dimension and cerebral blood flow, a pilot study. <i>Acta Ophthalmologica</i> , 2020 , 98, e63-e71	3.7	6

58	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104112	4	0
57	Individual and neighbourhood socioeconomic inequalities in cognitive impairment: cross-sectional findings from the French CONSTANCES cohort. <i>BMJ Open</i> , 2020 , 10, e033751	3	4
56	A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1544-1552	1.2	3
55	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 167	9	15
54	Domestic Activities Associated With a Decreased Risk of Cognitive Disorders: Results of the "FrLe" Cohort. <i>Frontiers in Public Health</i> , 2020 , 8, 602238	6	1
53	Trauma and depressive symptomatology in middle-aged persons at high risk of dementia: the PREVENT Dementia Study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 ,	5.5	4
52	Lifetime major depression and grey-matter volume. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 45-53	4.5	37
51	Influence of activity space on the association between neighborhood characteristics and dementia risk: results from the 3-City study cohort. <i>BMC Geriatrics</i> , 2019 , 19, 4	4.1	8
50	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002853	11.6	42
49	Sex-specific depressive symptoms as markers of pre-Alzheimer dementia: findings from the Three-City cohort study. <i>Translational Psychiatry</i> , 2019 , 9, 291	8.6	8
48	Statistical methods for dementia risk prediction and recommendations for future work: A systematic review. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019 , 5, 563-569	6	14
47	Vision loss and 12-year risk of dementia in older adults: the 3C cohort study. <i>European Journal of Epidemiology</i> , 2019 , 34, 141-152	12.1	40
46	Near Visual Impairment Incidence in Relation to Diabetes in Older People: The Three-Cities Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 699-705	5.6	3
45	The Decreasing Prevalence of Nonrefractive Visual Impairment in Older Europeans: A Meta-analysis of Published and Unpublished Data. <i>Ophthalmology</i> , 2018 , 125, 1149-1159	7.3	9
44	Allocentric and Egocentric Spatial Processing in Middle-Aged Adults at High Risk of Late-Onset Alzheimer's Disease: The PREVENT Dementia Study. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 885-896	4.3	20
43	Acceptance and Commitment Therapy for the Management of Suicidal Patients: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 211-222	9.4	27
42	Sex-specific association between neighborhood characteristics and dementia: The Three-City cohort. <i>Alzheimer's and Dementia</i> , 2018 , 14, 473-482	1.2	24
41	The relationship between hearing loss in older adults and depression over 12 years: Findings from the Three-City prospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1654-1661	3.9	17

40	Association of Anticholinergic Drug Use With Risk for Late Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2018 , 136, 770-778	3.9	2
39	Visual Loss and Subsequent Activity Limitations in the Elderly: The French Three-City Cohort. <i>American Journal of Public Health</i> , 2017 , 107, 564-569	5.1	30
38	French Medical-Administrative Database for Epidemiology and Safety in Ophthalmology (EPISAFE): The EPISAFE Collaboration Program in Cataract Surgery. <i>Ophthalmic Research</i> , 2017 , 58, 67-73	2.9	17
37	Preliminary evidence for a role of the adrenergic nervous system in generalized anxiety disorder. <i>Scientific Reports</i> , 2017 , 7, 42676	4.9	10
36	Antidepressant use and cognitive decline in community-dwelling elderly people - The Three-City Cohort. <i>BMC Medicine</i> , 2017 , 15, 81	11.4	10
35	Modifiable Risk Factors for Prevention of Dementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. <i>Journal of Alzheimer's Disease</i> , 2017 , 58, 537-547	4.3	59
34	The midlife cognitive profiles of adults at high risk of late-onset Alzheimer's disease: The PREVENT study. <i>Alzheimer's and Dementia</i> , 2017 , 13, 1089-1097	1.2	35
33	Visual Impairment, Undercorrected Refractive Errors, and Activity Limitations in Older Adults: Findings From the Three-City Alienor Study 2017 , 58, 2359-2365		14
32	GWAS-identified risk variants for major depressive disorder: Preliminary support for an association with late-life depressive symptoms and brain structural alterations. <i>European Neuropsychopharmacology</i> , 2016 , 26, 113-125	1.2	34
31	The clinical picture of Alzheimer's disease in the decade before diagnosis: clinical and biomarker trajectories. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e305-11	4.6	36
30	Patterns of selective serotonin reuptake inhibitor use and risk of falls and fractures in community-dwelling elderly people: the Three-City cohort. <i>Osteoporosis International</i> , 2016 , 27, 3187-3195	5.3	13
29	Effectiveness and Safety of an Intracameral Injection of Cefuroxime for the Prevention of Endophthalmitis After Cataract Surgery With or Without Perioperative Capsular Rupture. <i>JAMA Ophthalmology</i> , 2016 , 134, 810-6	3.9	50
28	Elderly benzodiazepine users at increased risk of activity limitations: influence of chronicity, indications, and duration of action—the three-city cohort. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 840-51	6.5	15
27	Incidence, Risk Factors, and Impact of Age on Retinal Detachment after Cataract Surgery in France: A National Population Study. <i>Ophthalmology</i> , 2015 , 122, 2179-85	7.3	63
26	Generalized anxiety in community-dwelling elderly: Prevalence and clinical characteristics. <i>Journal of Affective Disorders</i> , 2015 , 172, 24-9	6.6	43
25	Involvement of GPR50 polymorphisms in depression: independent replication in a prospective elderly cohort. <i>Brain and Behavior</i> , 2015 , 5, e00313	3.4	12
24	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	157
23	Incidence and Characteristics of Cataract Surgery in France from 2009 to 2012: A National Population Study. <i>Ophthalmology</i> , 2015 , 122, 1633-8	7.3	41

22	Brain volumes in late life: gender, hormone treatment, and estrogen receptor variants. <i>Neurobiology of Aging</i> , 2014 , 35, 645-54	5.6	15
21	AuthorsVreply. <i>British Journal of Psychiatry</i> , 2014 , 204, 79-80	5.4	
20	Metabolic syndrome and disability: findings from the prospective three-city study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 79-86	6.4	41
19	Lifetime exposure to ambient ultraviolet radiation and the risk for cataract extraction and age-related macular degeneration: the Alienor Study 2014 , 55, 7619-27		55
18	Visual acuity thresholds associated with activity limitations in the elderly. The Pathologies Oculaires LiEs □\Age study. <i>Acta Ophthalmologica</i> , 2014 , 92, e500-6	3.7	28
17	COSMIC (Cohort Studies of Memory in an International Consortium): an international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. <i>BMC Neurology</i> , 2013 , 13, 165	3.1	41
16	A prospective study of the bi-directional association between vision loss and depression in the elderly. <i>Journal of Affective Disorders</i> , 2013 , 151, 164-70	6.6	57
15	Late-onset agoraphobia: general population incidence and evidence for a clinical subtype. <i>American Journal of Psychiatry</i> , 2013 , 170, 790-8	11.9	13
14	Anxiety and mortality risk in community-dwelling elderly people. <i>British Journal of Psychiatry</i> , 2013 , 203, 303-9	5.4	31
13	Sex differences in the associations between lipid levels and incident dementia. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 519-28	4.3	47
12	Anxiety symptoms and disorder predict activity limitations in the elderly. <i>Journal of Affective Disorders</i> , 2012 , 141, 276-85	6.6	30
11	Is frailty a prodromal stage of vascular dementia? Results from the Three-City Study. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 1708-12	5.6	78
10	Visual impairment, optical correction, and their impact on activity limitations in elderly persons: the POLA study. <i>Archives of Internal Medicine</i> , 2011 , 171, 1206-7		12
9	Late life depression and incident activity limitations: influence of gender and symptom severity. <i>Journal of Affective Disorders</i> , 2011 , 133, 42-50	6.6	25
8	Gender and genotype modulation of the association between lipid levels and depressive symptomatology in community-dwelling elderly (the ESPRIT study). <i>Biological Psychiatry</i> , 2010 , 68, 125-32 ⁹		60
7	Drugs with anticholinergic properties, cognitive decline, and dementia in an elderly general population: the 3-city study. <i>Archives of Internal Medicine</i> , 2009 , 169, 1317-24		257
6	Persistence of abnormal cortisol levels in elderly persons after recovery from major depression. <i>Journal of Psychiatric Research</i> , 2009 , 43, 777-83	5.2	39
5	Onset and relapse of psychiatric disorders following early breast cancer: a case-control study. <i>Psycho-Oncology</i> , 2009 , 18, 1029-37	3.9	40

4	Cognitive impairment improves the predictive validity of the phenotype of frailty for adverse health outcomes: the three-city study. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 453-61	5.6	354
3	Late-life depression and mortality: influence of gender and antidepressant use. <i>British Journal of Psychiatry</i> , 2008 , 192, 12-8	5.4	73
2	Frailty among community-dwelling elderly people in France: the three-city study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 1089-96	6.4	224
1	Choosing marginal or random-effects models for longitudinal binary responses: application to self-reported disability among older persons. <i>BMC Medical Research Methodology</i> , 2002 , 2, 15	4.7	38