Rohit M Oemrawsingh

List of Publications by Citations

Source: https://exaly.com/author-pdf/4127713/rohit-m-oemrawsingh-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24 493 12 22 g-index

25 623 4 2.95 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
24	PCSK9 in relation to coronary plaque inflammation: Results of the ATHEROREMO-IVUS study. <i>Atherosclerosis</i> , 2016 , 248, 117-22	3.1	96
23	Plasma concentrations of molecular lipid species in relation to coronary plaque characteristics and cardiovascular outcome: Results of the ATHEROREMO-IVUS study. <i>Atherosclerosis</i> , 2015 , 243, 560-6	3.1	86
22	Near-infrared spectroscopy-derived lipid core burden index predicts adverse cardiovascular outcome in patients with coronary artery disease during long-term follow-up. <i>European Heart Journal</i> , 2018 , 39, 295-302	9.5	60
21	Relation of C-reactive protein to coronary plaque characteristics on grayscale, radiofrequency intravascular ultrasound, and cardiovascular outcome in patients with acute coronary syndrome or stable angina pectoris (from the ATHEROREMO-IVUS study). <i>American Journal of Cardiology</i> , 2014 ,	3	38
20	114, 1497-503 Circulating cytokines in relation to the extent and composition of coronary atherosclerosis: results from the ATHEROREMO-IVUS study. <i>Atherosclerosis</i> , 2014 , 236, 18-24	3.1	30
19	Prognostic Value of Intravascular Ultrasound in Patients With Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2003-2011	15.1	23
18	Integrated Biomarker and Imaging Study 3 (IBIS-3) to assess the ability of rosuvastatin to decrease necrotic core in coronary arteries. <i>EuroIntervention</i> , 2016 , 12, 734-9	3.1	21
17	High-Frequency Biomarker Measurements of Troponin, NT-proBNP, and C-Reactive Protein for Prediction of New Coronary Events After Acute Coronary Syndrome. <i>Circulation</i> , 2019 , 139, 134-136	16.7	19
16	IgM anti-malondialdehyde low density lipoprotein antibody levels indicate coronary heart disease and necrotic core characteristics in the Nordic Diltiazem (NORDIL) study and the Integrated Imaging and Biomarker Study 3 (IBIS-3). <i>EBioMedicine</i> , 2018 , 36, 63-72	8.8	15
15	High-sensitivity C-reactive protein predicts 10-year cardiovascular outcome after percutaneous coronary intervention. <i>EuroIntervention</i> , 2016 , 12, 345-51	3.1	14
14	Cohort profile of BIOMArCS: the BIOMarker study to identify the Acute risk of a Coronary Syndrome-a prospective multicentre biomarker study conducted in the Netherlands. <i>BMJ Open</i> , 2016 , 6, e012929	3	14
13	Circulating acute phase proteins in relation to extent and composition of coronary atherosclerosis and cardiovascular outcome: results from the ATHEROREMO-IVUS study. <i>International Journal of Cardiology</i> , 2014 , 177, 847-53	3.2	13
12	Smoking in Relation to Coronary Atherosclerotic Plaque Burden, Volume and Composition on Intravascular Ultrasound. <i>PLoS ONE</i> , 2015 , 10, e0141093	3.7	12
11	Individualized Angiotensin-Converting Enzyme (ACE)-Inhibitor Therapy in Stable Coronary Artery Disease Based on Clinical and Pharmacogenetic Determinants: The PERindopril GENEtic (PERGENE) Risk Model. <i>Journal of the American Heart Association</i> , 2016 , 5, e002688	6	10
10	Prediction of absolute risk reduction of cardiovascular events with perindopril for individual patients with stable coronary artery disease - results from EUROPA. <i>International Journal of Cardiology</i> , 2015 , 182, 194-9	3.2	9
9	Plasma cystatin C and neutrophil gelatinase-associated lipocalin in relation to coronary atherosclerosis on intravascular ultrasound and cardiovascular outcome: Impact of kidney function (ATHEROREMO-IVUS study). <i>Atherosclerosis</i> , 2016 , 254, 20-27	3.1	8
8	Temporal Pattern of Growth Differentiation Factor-15 Protein After Acute Coronary Syndrome (From the BIOMArCS Study). <i>American Journal of Cardiology</i> , 2019 , 124, 8-13	3	6

LIST OF PUBLICATIONS

7	Details on high frequency blood collection, data analysis, available material and patient characteristics in BIOMArCS. <i>Data in Brief</i> , 2019 , 27, 104750	1.2	6	
6	The temporal pattern of immune and inflammatory proteins prior to a recurrent coronary event in post-acute coronary syndrome patients. <i>Biomarkers</i> , 2019 , 24, 199-205	2.6	5	
5	SYNTAX score II predicts long-term mortality in patients with one- or two-vessel disease. <i>PLoS ONE</i> , 2018 , 13, e0200076	3.7	4	
4	Temporal evolution of myeloperoxidase and galectin 3 during 1 year after acute coronary syndrome admission. <i>American Heart Journal</i> , 2019 , 216, 143-146	4.9	2	
3	Haptoglobin polymorphism in relation to coronary plaque characteristics on radiofrequency intravascular ultrasound and near-infrared spectroscopy in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2016 , 221, 682-7	3.2	1	•
2	Temporal Evolution of Serum Concentrations of High-Sensitivity Cardiac Troponin During 1 Year After Acute Coronary Syndrome Admission. <i>Journal of the American Heart Association</i> , 2021 , 10, e0173	936	1	
1	Identification of anatomic risk factors for acute coronary events by optical coherence tomography in patients with myocardial infarction and residual nonflow limiting lesions: rationale and design of the PECTUS-obs study. <i>BMJ Open.</i> 2021 . 11, e048994	3	О	