
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/412816/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Efficacy of the mRNA-1273 SARS-CoV-2 Vaccine at Completion of Blinded Phase. New England Journal of Medicine, 2021, 385, 1774-1785. | 27.0 | 402 |
| 2 | Increasing Use of a Healthy Food Incentive: A Waiting Room Intervention Among Low-Income Patients. American Journal of Preventive Medicine, 2017, 52, 154-162. | 3.0 | 86 |
| 3 | Leveraging social capital: multilevel stigma, associated HIV vulnerabilities, and social resilience strategies among transgender women in Lima, Peru. Journal of the International AIDS Society, 2017, 20, 21462. | 3.0 | 68 |
| 4 | Social isolation and connectedness as determinants of well-being: Global evidence mapping focused on LGBTQ youth. Global Public Health, 2020, 15, 497-519. | 2.0 | 65 |
| 5 | Moderno Love: Sexual Role-Based Identities and HIV/STI Prevention Among Men Who Have Sex with Men in Lima, Peru. AIDS and Behavior, 2013, 17, 1313-1328. | 2.7 | 64 |
| 6 | Sampling Methodologies for Epidemiologic Surveillance of Men Who Have Sex with Men and Transgender Women in Latin America: An Empiric Comparison of Convenience Sampling, Time Space Sampling, and Respondent Driven Sampling. AIDS and Behavior, 2014, 18, 2338-2348. | 2.7 | 52 |
| 7 | Transgender Women Living with HIV Frequently Take Antiretroviral Therapy and/or Feminizing Hormone Therapy Differently Than Prescribed Due to Drug–Drug Interaction Concerns. LGBT Health, 2017, 4, 371-375. | 3.4 | 47 |
| 8 | Problem drinking is associated with increased prevalence of sexual risk behaviors among men who have sex with men (MSM) in Lima, Peru. Drug and Alcohol Dependence, 2013, 132, 134-139. | 3.2 | 43 |
| 9 | A cross-sectional study of low HIV testing frequency and high-risk behaviour among men who have sex with men and transgender women in Lima, Peru. BMC Public Health, 2015, 15, 408. | 2.9 | 42 |
| 10 | Partner Notification for Sexually Transmitted Diseases in Peru: Knowledge, Attitudes, and Practices in a High-Risk Community. Sexually Transmitted Diseases, 2007, 34, 309-313. | 1.7 | 39 |
| 11 | Risk factors for the spread of HIV and other sexually transmitted infections among men who have sex with men infected with HIV in Lima, Peru. Sexually Transmitted Infections, 2008, 84, 449-454. | 1.9 | 38 |
| 12 | Prevalence of HIV, STIs, and Risk Behaviors in a Cross-Sectional Community- and Clinic-Based Sample of Men Who Have Sex with Men (MSM) in Lima, Peru. PLoS ONE, 2013, 8, e59072. | 2.5 | 38 |
| 13 | Perceived Barriers and Facilitators to Integrating HIV Prevention and Treatment with Cross-Sex Hormone Therapy for Transgender Women in Lima, Peru. AIDS and Behavior, 2017, 21, 3299-3311. | 2.7 | 38 |
| 14 | Bringing testing to the people – benefits of mobile unit HIV/syphilis testing in Lima, Peru, 2007–2009. International Journal of STD and AIDS, 2014, 25, 325-331. | 1.1 | 37 |
| 15 | Towards â€~reflexive epidemiology': Conflation of cisgender male and transgender women sex workers and implications for global understandings of HIV prevalence. Global Public Health, 2016, 11, 849-865. | 2.0 | 37 |
| 16 | Syndromic Management and STI Control in Urban Peru. PLoS ONE, 2009, 4, e7201. | 2.5 | 31 |
| 17 | A cross-sectional study of knowledge of sex partner serostatus among high-risk Peruvian men who have sex with men and transgender women: implications for HIV prevention. BMC Public Health, 2013, 13, 181. | 2.9 | 29 |
| 18 | Prevalence of HIV, Herpes Simplex Virus-2, and Syphilis in male sex partners of pregnant women in Peru. BMC Public Health, 2008, 8, 65. | 2.9 | 26 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Risk of Stable Partnerships: Associations between Partnership Characteristics and Unprotected Anal Intercourse among Men Who Have Sex with Men and Transgender Women Recently Diagnosed with HIV and/or STI in Lima, Peru. PLoS ONE, 2014, 9, e102894. | 2.5 | 25 |
| 20 | Prevalence of Same-Sex Sexual Behavior and Associated Characteristics among Low-Income Urban Males in Peru. PLoS ONE, 2007, 2, e778. | 2.5 | 24 |
| 21 | "Manejar la Situacion― Partner Notification, Partner Management, and Conceptual Frameworks for HIV/STI Control Among MSM in Peru. AIDS and Behavior, 2015, 19, 2245-2254. | 2.7 | 21 |
| 22 | Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. BMC Infectious Diseases, 2016, 16, 376. | 2.9 | 19 |
| 23 | Event-level analysis of alcohol consumption and condom use in partnership contexts among men who have sex with men and transgender women in Lima, Peru. Drug and Alcohol Dependence, 2017, 170, 17-24. | 3.2 | 19 |
| 24 | Expedited Partner Therapy (EPT) increases the frequency of partner notification among MSM in Lima, Peru: a pilot randomized controlled trial. BMC Medicine, 2017, 15, 94. | 5.5 | 19 |
| 25 | Social Network Organization, Structure, and Patterns of Influence Within a Community of Transgender Women in Lima, Peru: Implications for Biomedical HIV Prevention. AIDS and Behavior, 2020, 24, 233-245. | 2.7 | 19 |
| 26 | Men Who Have Sex With Men in Peru: Acceptability of Medication-Assisted Therapy for Treating Alcohol Use Disorders. American Journal of Men's Health, 2017, 11, 1269-1278. | 1.6 | 18 |
| 27 | Frequency, patterns, and preferences of lubricant use during anal intercourse within male sexual partnerships in Lima, Peru: Implications for a rectal microbicide HIV prevention intervention. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 579-585. | 1.2 | 17 |
| 28 | Improved virologic outcomes over time for HIV-infected patients on antiretroviral therapy in a cohort from Rio de Janeiro, 1997–2011. BMC Infectious Diseases, 2014, 14, 322. | 2.9 | 17 |
| 29 | Socialization Patterns and Their Associations with Unprotected Anal Intercourse, HIV, and Syphilis Among High-Risk Men Who Have Sex with Men and Transgender Women in Peru. AIDS and Behavior, 2014, 18, 2030-2039. | 2.7 | 17 |
| 30 | "Doubling Up―on Produce at Detroit Farmers Markets: Patterns and Correlates of Use of a Healthy Food Incentive. American Journal of Preventive Medicine, 2018, 54, 181-189. | 3.0 | 17 |
| 31 | Facilitators and Barriers to Supplemental Nutrition Assistance Program Incentive Use: Findings From a Clinic Intervention for Low-Income Patients. American Journal of Preventive Medicine, 2019, 56, 571-579. | 3.0 | 17 |
| 32 | Optimizing HIV prevention and care for transgender adults. Aids, 2019, 33, 363-375. | 2.2 | 16 |
| 33 | Contextualizing condoms: a cross-sectional study mapping intersections of locations of sexual contact, partner type, and substance use as contexts for sexual risk behavior among MSM in Peru. BMC Infectious Diseases, 2019, 19, 958. | 2.9 | 16 |
| 34 | Sexual Orientation, Gender Identity and Perceived Source of Infection Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) Recently Diagnosed with HIV and/or STI in Lima, Peru. AIDS and Behavior, 2016, 20, 2178-2185. | 2.7 | 15 |
| 35 | Syphilis in the Americas: a protocol for a systematic review of syphilis prevalence and incidence in four high-risk groups, 1980–2016. Systematic Reviews, 2017, 6, 195. | 5.3 | 15 |
| 36 | Body Parts Matter: Social, Behavioral, and Biological Considerations for Urethral, Pharyngeal, and Rectal Gonorrhea and Chlamydia Screening Among MSM in Lima, Peru. Sexually Transmitted Diseases, 2018, 45, 607-614. | 1.7 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | TransPrEP: Results from the Pilot Study of a Social Network-Based Intervention to Support PrEP Adherence Among Transgender Women in Lima, Peru. AIDS and Behavior, 2021, 25, 1873-1883. | 2.7 | 15 |
| 38 | The syphilis care cascade: tracking the course of care after screening positive among men and transgender women who have sex with men in Lima, Peru. BMJ Open, 2015, 5, e008552. | 1.9 | 13 |
| 39 | Partner-Level Factors Associated with Insertive and Receptive Condomless Anal Intercourse Among Transgender Women in Lima, Peru. AIDS and Behavior, 2017, 21, 2439-2451. | 2.7 | 13 |
| 40 | Intimate Partner Violence Against Transgender Women: Prevalence and Correlates in Lima, Peru (2016–2018). AIDS and Behavior, 2020, 24, 1743-1751. | 2.7 | 13 |
| 41 | A Qualitative Assessment of Alcohol Consumption and Sexual Risk Behaviors Among Men Who Have Sex With Men and Transgender Women in Peru. Substance Use and Misuse, 2017, 52, 831-839. | 1.4 | 12 |
| 42 | Traditional and Web-Based Technologies to Improve Partner Notification Following Syphilis Diagnosis Among Men Who Have Sex With Men in Lima, Peru: Pilot Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e232. | 4.3 | 12 |
| 43 | Potential Impact and Acceptability of Internet Partner Notification for Men Who Have Sex With Men and Transgender Women Recently Diagnosed as Having Sexually Transmitted Disease in Lima, Peru. Sexually Transmitted Diseases, 2014, 41, 43-45. | 1.7 | 11 |
| 44 | Anticipated Notification of Sexual Partners following STD Diagnosis among Men Who Have Sex with Men and Transgender Women in Lima, Peru: A Mixed Methods Analysis. PLoS ONE, 2016, 11, e0163905. | 2.5 | 11 |
| 45 | Anonymous partnerships among MSM and transgender women (TW) recently diagnosed with HIV and other STIs in Lima, Peru: an individual-level and dyad-level analysis: TableÂ1. Sexually Transmitted Infections, 2016, 92, 554-557. | 1.9 | 11 |
| 46 | Poor retention in early care increases risk of mortality in a Brazilian HIV-infected clinical cohort. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 263-267. | 1.2 | 11 |
| 47 | Homophobia and heteronormativity as dimensions of stigma that influence sexual risk behaviors among men who have sex with men (MSM) and women (MSMW) in Lima, Peru: a mixed-methods analysis. BMC Public Health, 2019, 19, 617. | 2.9 | 11 |
| 48 | Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000–2013. AlDS and Behavior, 2016, 20, 1039-1048. | 2.7 | 10 |
| 49 | "And Then Break the Clichéâ€: Understanding and Addressing HIV Vulnerability Through Development of an HIV Prevention Telenovela with Men Who Have Sex with Men and Transwomen in Lima, Peru. Archives of Sexual Behavior, 2018, 47, 1995-2005. | 1.9 | 10 |
| 50 | Risk Factors Associated with Incident Syphilis in a Cohort of High-Risk Men in Peru. PLoS ONE, 2016, 11, e0162156. | 2.5 | 10 |
| 51 | The wisdom of mistrust: qualitative insights from transgender women who participated in PrEP research in Lima, Peru. Journal of the International AIDS Society, 2021, 24, e25769. | 3.0 | 9 |
| 52 | Predictors of Virologic Success in Patients Completing a Structured Antiretroviral Adherence Program. Journal of the Association of Nurses in AIDS Care, 2004, 15, 60-67. | 1.0 | 8 |
| 53 | Routine laboratory screening for acute and recent HIV infection in Lima, Peru. Sexually Transmitted Infections, 2010, 86, 545-547. | 1.9 | 8 |
| 54 | Self-rated health and substance use among individuals in HIV care in Rio de Janeiro, Brazil: a cross-sectional study. International Journal of STD and AIDS, 2017, 28, 1175-1183. | 1.1 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Obesity Following Antiretroviral Therapy (ART) Initiation is Common and Influenced by Both Traditional and HIV-/ART-Specific Risk Factors. Open Forum Infectious Diseases, 2017, 4, S37-S38. | 0.9 | 8 |
| 56 | Let's Talk About Sex: The Impact of Partnership Contexts on Communication About HIV Serostatus and Condom Use Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) in Lima, Peru. AIDS and Behavior, 2021, 25, 2139-2153. | 2.7 | 8 |
| 57 | PrEP Awareness, Use, Intention to Use, and Information Source Among Geosocial Networking Application Users in Mexico in 2018–2019. AIDS and Behavior, 2021, 25, 2743-2754. | 2.7 | 8 |
| 58 | Integration of Gender-Affirming Primary Care and Peer Navigation With HIV Prevention and Treatment Services to Improve the Health of Transgender Women: Protocol for a Prospective Longitudinal Cohort Study. JMIR Research Protocols, 2019, 8, e14091. | 1.0 | 8 |
| 59 | Sexual network characteristics of men who have sex with men with syphilis and/or gonorrhoea/chlamydia in Lima, Peru: network patterns as roadmaps for STI prevention interventions. Sexually Transmitted Infections, 2019, 95, 336-341. | 1.9 | 7 |
| 60 | Different Positive Predictive Values of Commercially Available Human Immunodeficiency Virus Enzyme-Linked Immunosorbent Assays. Vaccine Journal, 2006, 13, 302-303. | 3.1 | 6 |
| 61 | Relationship Between Alcohol Consumption Prior to Sex, Unprotected Sex and Prevalence of STI/HIV Among Socially Marginalized Men in Three Coastal Cities of Peru. AIDS and Behavior, 2013, 17, 1724-1733. | 2.7 | 6 |
| 62 | Pharmacy refill data can be used to predict virologic failure for patients on antiretroviral therapy in Brazil. Journal of the International AIDS Society, 2017, 20, 21405. | 3.0 | 6 |
| 63 | Individual and partnership factors associated with anticipated versus actual partner notification following STI diagnosis among men who have sex with men and/or with transgender women in Lima, Peru. Sexually Transmitted Infections, 2018, 94, 607-610. | 1.9 | 6 |
| 64 | Assessing Sexually Transmitted Infections and HIV Risk Among Transgender Women in Lima, Peru: Beyond Behavior. LGBT Health, 2019, 6, 370-376. | 3.4 | 5 |
| 65 | Speed kills: Associations between methamphetamine use, HIV infection, tobacco use, and accelerated mortality among gay and bisexual men in Los Angeles, CA 20years after methamphetamine dependence treatment. Drug and Alcohol Dependence, 2019, 195, 164-169. | 3.2 | 5 |
| 66 | Absence of lymphogranuloma venereum infection among high-risk men who have sex with men in Lima, Peru. International Journal of STD and AIDS, 2008, 19, 427-428. | 1.1 | 4 |
| 67 | High-Risk, but Hidden: Binge Drinking among Men Who Have Sex with Men and Transgender Women in Lima, Peru, 2012-2014. Substance Use and Misuse, 2020, 55, 399-404. | 1.4 | 4 |
| 68 | Personalized Cognitive Counseling Reduces Drinking Expectancy Among Men Who Have Sex with Men and Transgender Women in Lima, Peru: A Pilot Randomized Controlled Trial. AIDS and Behavior, 2020, 24, 3205-3214. | 2.7 | 4 |
| 69 | Sexual Partnership-Level Correlates of Intimate Partner Violence Among Men Who Have Sex with Men and Transgender Women in Lima, Peru. Archives of Sexual Behavior, 2020, 49, 2703-2713. | 1.9 | 4 |
| 70 | Substance use among HIV-infected patients in Rio de Janeiro, Brazil: Agreement between medical records and the ASSIST questionnaire. Drug and Alcohol Dependence, 2017, 178, 115-118. | 3.2 | 3 |
| 71 | Impact of pre-diagnosis awareness of HIV-related stigma and dispositional coping on linkage to HIV care among newly diagnosed HIV+ Peruvian patients. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 848-856. | 1.2 | 3 |
| 72 | Brief Report: HIV-1 Seroconversion Is Not Associated With Prolonged Rectal Mucosal Inflammation. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, e134-e138. | 2.1 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Pre-exposure prophylaxis awareness, use, and intention to use in a regional sample of Latin American geosocial networking application users in 2018–2019. International Journal of STD and AIDS, 2021, 32, 1261-1267. | 1.1 | 3 |
| 74 | Decision-Making at the Intersection of Risk and Pleasure: A Qualitative Inquiry with Trans Women Engaged in Sex Work in Lima, Peru. AIDS and Behavior, 2021, , 1. | 2.7 | 3 |
| 75 | Sexual health norms and communication patterns within the close social networks of men who have sex with men and transgender women in Lima, Peru: a 2017 cross-sectional study. BMC Public Health, 2021, 21, 1090. | 2.9 | 2 |
| 76 | Social networks and condomless intercourse with female partners among male sex workers in the Dominican Republic. International Journal of STD and AIDS, 2021, 32, 176-183. | 1.1 | 1 |
| 77 | Screening With Anal Cytology in Colombia: Initial Experience and Need for High-Resolution Anoscopy. Journal of Surgical Research, 2021, 267, 374-383. | 1.6 | 1 |
| 78 | Exploring Contextual Differences for Sexual Role Strain Among Transgender Women and Men Who Have Sex with Men in Lima, Peru. Archives of Sexual Behavior, 2022, 51, 1977-1991. | 1.9 | 1 |
| 79 | P3.417â€Association of Situational Drinking with Unprotected Anal Intercourse (UAI) Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) in Urban Lima, Peru (2008). Sexually Transmitted Infections, 2013, 89, A279.1-A279. | 1.9 | 0 |
| 80 | 007.1â€New and traditional notification tools improve partner notification outcomes among msm with syphilis infection in lima, peru. Sexually Transmitted Infections, 2015, 91, A39.3-A40. | 1.9 | 0 |
| 81 | O11.1â€Patient-delivered partner therapy (pdpt) increases the frequency of partner notification among msm in lima, peru: a randomised clinical trial. Sexually Transmitted Infections, 2015, 91, A48.2-A49. | 1.9 | 0 |
| 82 | Anal cytology screening in men who have sex with men with HIV at a university hospital in BogotÃ;, Colombia. International Journal of STD and AIDS, 2022, , 095646242210977. | 1.1 | 0 |