

Jesse L. Clark

List of Publications by Citations

Source: <https://exaly.com/author-pdf/412816/jesse-l-clark-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

1,146
citations

20
h-index

30
g-index

84
ext. papers

1,502
ext. citations

4.2
avg. IF

4.23
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 81 | Efficacy of the mRNA-1273 SARS-CoV-2 Vaccine at Completion of Blinded Phase. <i>New England Journal of Medicine</i> , 2021 , 385, 1774-1785 | 59.2 | 105 |
| 80 | Increasing Use of a Healthy Food Incentive: A Waiting Room Intervention Among Low-Income Patients. <i>American Journal of Preventive Medicine</i> , 2017 , 52, 154-162 | 6.1 | 70 |
| 79 | Moderno love: sexual role-based identities and HIV/STI prevention among men who have sex with men in Lima, Peru. <i>AIDS and Behavior</i> , 2013 , 17, 1313-28 | 4.3 | 59 |
| 78 | Sampling methodologies for epidemiologic surveillance of men who have sex with men and transgender women in Latin America: an empiric comparison of convenience sampling, time space sampling, and respondent driven sampling. <i>AIDS and Behavior</i> , 2014 , 18, 2338-48 | 4.3 | 45 |
| 77 | Leveraging social capital: multilevel stigma, associated HIV vulnerabilities, and social resilience strategies among transgender women in Lima, Peru. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21462 | 5.4 | 44 |
| 76 | Problem drinking is associated with increased prevalence of sexual risk behaviors among men who have sex with men (MSM) in Lima, Peru. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 134-9 | 4.9 | 39 |
| 75 | Prevalence of HIV, STIs, and risk behaviors in a cross-sectional community- and clinic-based sample of men who have sex with men (MSM) in Lima, Peru. <i>PLoS ONE</i> , 2013 , 8, e59072 | 3.7 | 34 |
| 74 | Risk factors for the spread of HIV and other sexually transmitted infections among men who have sex with men infected with HIV in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2008 , 84, 449-54 | 2.8 | 32 |
| 73 | Partner notification for sexually transmitted diseases in Peru: knowledge, attitudes, and practices in a high-risk community. <i>Sexually Transmitted Diseases</i> , 2007 , 34, 309-13 | 2.4 | 32 |
| 72 | A cross-sectional study of low HIV testing frequency and high-risk behaviour among men who have sex with men and transgender women in Lima, Peru. <i>BMC Public Health</i> , 2015 , 15, 408 | 4.1 | 31 |
| 71 | Bringing testing to the people - benefits of mobile unit HIV/syphilis testing in Lima, Peru, 2007-2009. <i>International Journal of STD and AIDS</i> , 2014 , 25, 325-31 | 1.4 | 31 |
| 70 | Transgender Women Living with HIV Frequently Take Antiretroviral Therapy and/or Feminizing Hormone Therapy Differently Than Prescribed Due to Drug-Drug Interaction Concerns. <i>LGBT Health</i> , 2017 , 4, 371-375 | 4.9 | 30 |
| 69 | A cross-sectional study of knowledge of sex partner serostatus among high-risk Peruvian men who have sex with men and transgender women: implications for HIV prevention. <i>BMC Public Health</i> , 2013 , 13, 181 | 4.1 | 28 |
| 68 | Perceived Barriers and Facilitators to Integrating HIV Prevention and Treatment with Cross-Sex Hormone Therapy for Transgender Women in Lima, Peru. <i>AIDS and Behavior</i> , 2017 , 21, 3299-3311 | 4.3 | 26 |
| 67 | Social isolation and connectedness as determinants of well-being: Global evidence mapping focused on LGBTQ youth. <i>Global Public Health</i> , 2020 , 15, 497-519 | 3.5 | 26 |
| 66 | Syndromic management and STI control in urban Peru. <i>PLoS ONE</i> , 2009 , 4, e7201 | 3.7 | 23 |
| 65 | The risk of stable partnerships: associations between partnership characteristics and unprotected anal intercourse among men who have sex with men and transgender women recently diagnosed with HIV and/or STI in Lima, Peru. <i>PLoS ONE</i> , 2014 , 9, e102894 | 3.7 | 23 |

| | | | |
|----|---|------|----|
| 64 | Towards Reflexive epidemiology: Conflation of cisgender male and transgender women sex workers and implications for global understandings of HIV prevalence. <i>Global Public Health</i> , 2016 , 11, 849-65 | 3.5 | 23 |
| 63 | Prevalence of HIV, herpes simplex virus-2, and syphilis in male sex partners of pregnant women in Peru. <i>BMC Public Health</i> , 2008 , 8, 65 | 4.1 | 22 |
| 62 | Prevalence of same-sex sexual behavior and associated characteristics among low-income urban males in Peru. <i>PLoS ONE</i> , 2007 , 2, e778 | 3.7 | 22 |
| 61 | Event-level analysis of alcohol consumption and condom use in partnership contexts among men who have sex with men and transgender women in Lima, Peru. <i>Drug and Alcohol Dependence</i> , 2017 , 170, 17-24 | 4.9 | 17 |
| 60 | "Manejar la Situación": Partner Notification, Partner Management, and Conceptual Frameworks for HIV/STI Control Among MSM in Peru. <i>AIDS and Behavior</i> , 2015 , 19, 2245-54 | 4.3 | 17 |
| 59 | Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 376 | 4 | 17 |
| 58 | Socialization patterns and their associations with unprotected anal intercourse, HIV, and syphilis among high-risk men who have sex with men and transgender women in Peru. <i>AIDS and Behavior</i> , 2014 , 18, 2030-9 | 4.3 | 17 |
| 57 | Frequency, patterns, and preferences of lubricant use during anal intercourse within male sexual partnerships in Lima, Peru: implications for a rectal microbicide HIV prevention intervention. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 579-85 | 2.2 | 17 |
| 56 | "Doubling Up" on Produce at Detroit Farmers Markets: Patterns and Correlates of Use of a Healthy Food Incentive. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 181-189 | 6.1 | 16 |
| 55 | Men Who Have Sex With Men in Peru: Acceptability of Medication-Assisted Therapy for Treating Alcohol Use Disorders. <i>American Journal of Men's Health</i> , 2017 , 11, 1269-1278 | 2.2 | 15 |
| 54 | Improved virologic outcomes over time for HIV-infected patients on antiretroviral therapy in a cohort from Rio de Janeiro, 1997-2011. <i>BMC Infectious Diseases</i> , 2014 , 14, 322 | 4 | 15 |
| 53 | Body Parts Matter: Social, Behavioral, and Biological Considerations for Urethral, Pharyngeal, and Rectal Gonorrhea and Chlamydia Screening Among MSM in Lima, Peru. <i>Sexually Transmitted Diseases</i> , 2018 , 45, 607-614 | 2.4 | 13 |
| 52 | Expedited Partner Therapy (EPT) increases the frequency of partner notification among MSM in Lima, Peru: a pilot randomized controlled trial. <i>BMC Medicine</i> , 2017 , 15, 94 | 11.4 | 13 |
| 51 | Sexual Orientation, Gender Identity and Perceived Source of Infection Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) Recently Diagnosed with HIV and/or STI in Lima, Peru. <i>AIDS and Behavior</i> , 2016 , 20, 2178-2185 | 4.3 | 13 |
| 50 | Social Network Organization, Structure, and Patterns of Influence Within a Community of Transgender Women in Lima, Peru: Implications for Biomedical HIV Prevention. <i>AIDS and Behavior</i> , 2020 , 24, 233-245 | 4.3 | 11 |
| 49 | A Qualitative Assessment of Alcohol Consumption and Sexual Risk Behaviors Among Men Who Have Sex With Men and Transgender Women in Peru. <i>Substance Use and Misuse</i> , 2017 , 52, 831-839 | 2.2 | 10 |
| 48 | Potential impact and acceptability of Internet partner notification for men who have sex with men and transgender women recently diagnosed as having sexually transmitted disease in Lima, Peru. <i>Sexually Transmitted Diseases</i> , 2014 , 41, 43-5 | 2.4 | 10 |
| 47 | Poor retention in early care increases risk of mortality in a Brazilian HIV-infected clinical cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 263-267 | 2.2 | 9 |

| | | | |
|----|--|-----|---|
| 46 | Anticipated Notification of Sexual Partners following STD Diagnosis among Men Who Have Sex with Men and Transgender Women in Lima, Peru: A Mixed Methods Analysis. <i>PLoS ONE</i> , 2016 , 11, e0163905 | 3.7 | 9 |
| 45 | Contextualizing condoms: a cross-sectional study mapping intersections of locations of sexual contact, partner type, and substance use as contexts for sexual risk behavior among MSM in Peru. <i>BMC Infectious Diseases</i> , 2019 , 19, 958 | 4 | 9 |
| 44 | Facilitators and Barriers to Supplemental Nutrition Assistance Program Incentive Use: Findings From a Clinic Intervention for Low-Income Patients. <i>American Journal of Preventive Medicine</i> , 2019 , 56, 571-579 | 6.1 | 8 |
| 43 | The syphilis care cascade: tracking the course of care after screening positive among men and transgender women who have sex with men in Lima, Peru. <i>BMJ Open</i> , 2015 , 5, e008552 | 3 | 8 |
| 42 | Syphilis in the Americas: a protocol for a systematic review of syphilis prevalence and incidence in four high-risk groups, 1980-2016. <i>Systematic Reviews</i> , 2017 , 6, 195 | 3 | 8 |
| 41 | Anonymous partnerships among MSM and transgender women (TW) recently diagnosed with HIV and other STIs in Lima, Peru: an individual-level and dyad-level analysis. <i>Sexually Transmitted Infections</i> , 2016 , 92, 554-557 | 2.8 | 8 |
| 40 | Partner-Level Factors Associated with Insertive and Receptive Condomless Anal Intercourse Among Transgender Women in Lima, Peru. <i>AIDS and Behavior</i> , 2017 , 21, 2439-2451 | 4.3 | 8 |
| 39 | Risk Factors Associated with Incident Syphilis in a Cohort of High-Risk Men in Peru. <i>PLoS ONE</i> , 2016 , 11, e0162156 | 3.7 | 8 |
| 38 | "And Then Break the Click": Understanding and Addressing HIV Vulnerability Through Development of an HIV Prevention Telenovela with Men Who Have Sex with Men and Transwomen in Lima, Peru. <i>Archives of Sexual Behavior</i> , 2018 , 47, 1995-2005 | 3.5 | 7 |
| 37 | Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000-2013. <i>AIDS and Behavior</i> , 2016 , 20, 1039-48 | 4.3 | 7 |
| 36 | Routine laboratory screening for acute and recent HIV infection in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2010 , 86, 545-7 | 2.8 | 7 |
| 35 | Predictors of virologic success in patients completing a structured antiretroviral adherence program. <i>Journal of the Association of Nurses in AIDS Care</i> , 2004 , 15, 60-7 | 1.6 | 7 |
| 34 | Self-rated health and substance use among individuals in HIV care in Rio de Janeiro, Brazil: a cross-sectional study. <i>International Journal of STD and AIDS</i> , 2017 , 28, 1175-1183 | 1.4 | 6 |
| 33 | Obesity Following Antiretroviral Therapy (ART) Initiation is Common and Influenced by Both Traditional and HIV-/ART-Specific Risk Factors. <i>Open Forum Infectious Diseases</i> , 2017 , 4, S37-S38 | 1 | 6 |
| 32 | Relationship between alcohol consumption prior to sex, unprotected sex and prevalence of STI/HIV among socially marginalized men in three coastal cities of Peru. <i>AIDS and Behavior</i> , 2013 , 17, 1724-33 | 4.3 | 6 |
| 31 | Different positive predictive values of commercially available human immunodeficiency virus enzyme-linked immunosorbent assays. <i>Vaccine Journal</i> , 2006 , 13, 302-3 | | 6 |
| 30 | TransPrEP: Results from the Pilot Study of a Social Network-Based Intervention to Support PrEP Adherence Among Transgender Women in Lima, Peru. <i>AIDS and Behavior</i> , 2021 , 25, 1873-1883 | 4.3 | 6 |
| 29 | Pharmacy refill data can be used to predict virologic failure for patients on antiretroviral therapy in Brazil. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21405 | 5.4 | 5 |

| | | | |
|----|--|-----|---|
| 28 | Homophobia and heteronormativity as dimensions of stigma that influence sexual risk behaviors among men who have sex with men (MSM) and women (MSMW) in Lima, Peru: a mixed-methods analysis. <i>BMC Public Health</i> , 2019 , 19, 617 | 4.1 | 5 |
| 27 | Integration of Gender-Affirming Primary Care and Peer Navigation With HIV Prevention and Treatment Services to Improve the Health of Transgender Women: Protocol for a Prospective Longitudinal Cohort Study. <i>JMIR Research Protocols</i> , 2019 , 8, e14091 | 2 | 5 |
| 26 | Individual and partnership factors associated with anticipated versus actual partner notification following STI diagnosis among men who have sex with men and/or with transgender women in Lima, Peru. <i>Sexually Transmitted Infections</i> , 2018 , 94, 607-610 | 2.8 | 4 |
| 25 | Traditional and Web-Based Technologies to Improve Partner Notification Following Syphilis Diagnosis Among Men Who Have Sex With Men in Lima, Peru: Pilot Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e232 | 7.6 | 4 |
| 24 | Intimate Partner Violence Against Transgender Women: Prevalence and Correlates in Lima, Peru (2016-2018). <i>AIDS and Behavior</i> , 2020 , 24, 1743-1751 | 4.3 | 4 |
| 23 | The wisdom of mistrust: qualitative insights from transgender women who participated in PrEP research in Lima, Peru. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25769 | 5.4 | 4 |
| 22 | Personalized Cognitive Counseling Reduces Drinking Expectancy Among Men Who Have Sex with Men and Transgender Women in Lima, Peru: A Pilot Randomized Controlled Trial. <i>AIDS and Behavior</i> , 2020 , 24, 3205-3214 | 4.3 | 3 |
| 21 | High-Risk, but Hidden: Binge Drinking among Men Who Have Sex with Men and Transgender Women in Lima, Peru, 2012-2014. <i>Substance Use and Misuse</i> , 2020 , 55, 399-404 | 2.2 | 3 |
| 20 | Speed kills: Associations between methamphetamine use, HIV infection, tobacco use, and accelerated mortality among gay and bisexual men in Los Angeles, CA 20years after methamphetamine dependence treatment. <i>Drug and Alcohol Dependence</i> , 2019 , 195, 164-169 | 4.9 | 3 |
| 19 | PrEP Awareness, Use, Intention to Use, and Information Source Among Geosocial Networking Application Users in Mexico in 2018-2019. <i>AIDS and Behavior</i> , 2021 , 25, 2743-2754 | 4.3 | 3 |
| 18 | Assessing Sexually Transmitted Infections and HIV Risk Among Transgender Women in Lima, Peru: Beyond Behavior. <i>LGBT Health</i> , 2019 , 6, 370-376 | 4.9 | 2 |
| 17 | Absence of lymphogranuloma venereum infection among high-risk men who have sex with men in Lima, Peru. <i>International Journal of STD and AIDS</i> , 2008 , 19, 427-8 | 1.4 | 2 |
| 16 | Impact of pre-diagnosis awareness of HIV-related stigma and dispositional coping on linkage to HIV care among newly diagnosed HIV+ Peruvian patients. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 848-856 | 2.2 | 2 |
| 15 | Let's Talk About Sex: The Impact of Partnership Contexts on Communication About HIV Serostatus and Condom Use Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) in Lima, Peru. <i>AIDS and Behavior</i> , 2021 , 25, 2139-2153 | 4.3 | 2 |
| 14 | Pre-exposure prophylaxis awareness, use, and intention to use in a regional sample of Latin American geosocial networking application users in 2018-2019. <i>International Journal of STD and AIDS</i> , 2021 , 32, 1261-1267 | 1.4 | 2 |
| 13 | Substance use among HIV-infected patients in Rio de Janeiro, Brazil: Agreement between medical records and the ASSIST questionnaire. <i>Drug and Alcohol Dependence</i> , 2017 , 178, 115-118 | 4.9 | 1 |
| 12 | Sexual network characteristics of men who have sex with men with syphilis and/or gonorrhoea/chlamydia in Lima, Peru: network patterns as roadmaps for STI prevention interventions. <i>Sexually Transmitted Infections</i> , 2019 , 95, 336-341 | 2.8 | 1 |
| 11 | Screening With Anal Cytology in Colombia: Initial Experience and Need for High-Resolution Anoscopy. <i>Journal of Surgical Research</i> , 2021 , 267, 374-383 | 2.5 | 1 |

| | | | |
|----|--|-----|---|
| 10 | Brief Report: HIV-1 Seroconversion Is Not Associated With Prolonged Rectal Mucosal Inflammation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, e134-e138 | 3.1 | o |
| 9 | Sexual health norms and communication patterns within the close social networks of men who have sex with men and transgender women in Lima, Peru: a 2017 cross-sectional study. <i>BMC Public Health</i> , 2021 , 21, 1090 | 4.1 | o |
| 8 | 007.1 New and traditional notification tools improve partner notification outcomes among msm with syphilis infection in lima, peru. <i>Sexually Transmitted Infections</i> , 2015 , 91, A39.3-A40 | 2.8 | |
| 7 | O11.1 Patient-delivered partner therapy (pdpt) increases the frequency of partner notification among msm in lima, peru: a randomised clinical trial. <i>Sexually Transmitted Infections</i> , 2015 , 91, A48.2-A49 ^{2.8} | | |
| 6 | P3.417 Association of Situational Drinking with Unprotected Anal Intercourse (UAI) Among Men Who Have Sex with Men (MSM) and Transgender Women (TW) in Urban Lima, Peru (2008). <i>Sexually Transmitted Infections</i> , 2013 , 89, A279.1-A279 | 2.8 | |
| 5 | Sexual Partnership-Level Correlates of Intimate Partner Violence Among Men Who Have Sex with Men and Transgender Women in Lima, Peru. <i>Archives of Sexual Behavior</i> , 2020 , 49, 2703-2713 | 3.5 | |
| 4 | Social networks and condomless intercourse with female partners among male sex workers in the Dominican Republic. <i>International Journal of STD and AIDS</i> , 2021 , 32, 176-183 | 1.4 | |
| 3 | Decision-Making at the Intersection of Risk and Pleasure: A Qualitative Inquiry with Trans Women Engaged in Sex Work in Lima, Peru. <i>AIDS and Behavior</i> , 2021 , 1 | 4.3 | |
| 2 | Exploring Contextual Differences for Sexual Role Strain Among Transgender Women and Men Who Have Sex with Men in Lima, Peru.. <i>Archives of Sexual Behavior</i> , 2022 , 1 | 3.5 | |
| 1 | Anal cytology screening in men who have sex with men with HIV at a university hospital in Bogotá Colombia.. <i>International Journal of STD and AIDS</i> , 2022 , 9564624221097742 | 1.4 | |