

Sangmi Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4128557/publications.pdf>

Version: 2024-02-01

26
papers

279
citations

1039406

9
h-index

940134

16
g-index

27
all docs

27
docs citations

27
times ranked

397
citing authors

#	ARTICLE	IF	CITATIONS
1	Body weight fluctuation is associated with rapid kidney function decline. <i>Obesity</i> , 2022, 30, 257-267.	1.5	3
2	Machine Learning–Aided Chronic Kidney Disease Diagnosis Based on Ultrasound Imaging Integrated with Computer-Extracted Measurable Features. <i>Journal of Digital Imaging</i> , 2022, 35, 1091-1100.	1.6	5
3	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 92-98.	1.4	38
4	Dietary zinc intake and incident chronic kidney disease. <i>Clinical Nutrition</i> , 2021, 40, 1039-1045.	2.3	28
5	Systolic blood pressure and chronic kidney disease progression in patients with primary glomerular disease. <i>Journal of Nephrology</i> , 2021, 34, 1057-1067.	0.9	12
6	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Mayo Clinic Proceedings</i> , 2020, 95, 293-305.	1.4	34
7	Predictive value of mesangial C3 and C4d deposition in IgA nephropathy. <i>Clinical Immunology</i> , 2020, 211, 108331.	1.4	31
8	Association of Reproductive Lifespan Duration and Chronic Kidney Disease in Postmenopausal Women. <i>Mayo Clinic Proceedings</i> , 2020, 95, 2621-2632.	1.4	11
9	Association of smoking with incident CKD risk in the general population: A community-based cohort study. <i>PLoS ONE</i> , 2020, 15, e0238111.	1.1	16
10	Septicemia, necrotizing fasciitis, and peritonitis due to <i>Vibrio vulnificus</i> treated with early use of polymyxin B hemoperfusion in a patient undergoing CAPD: a case report. <i>BMC Nephrology</i> , 2020, 21, 127.	0.8	1
11	Framingham risk score and risk of incident chronic kidney disease: A community-based prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 49-59.	0.9	22
12	SP227PREOPERATIVE URINE pH IS ASSOCIATED WITH ACUTE KIDNEY INJURY AFTER CARDIOVASCULAR SURGERY. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
13	SP045HIGH RENIN-ALDOSTERONE RATIO AND LATERALIZATION INDEX ARE ASSOCIATED WITH ADVERSE RENAL OUTCOMES IN PRIMARY ALDOSTERONISM PATIENTS WHO UNDERWENT ADRENALECTOMY. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
14	SP302LOW DIETARY ZINC INTAKE IS ASSOCIATED WITH AN INCREASED RISK OF INCIDENT CHRONIC KIDNEY DISEASE DEVELOPMENT. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
15	FP381ASSOCIATION BETWEEN UNINTENDED WEIGHT LOSS AND INCIDENT CHRONIC KIDNEY DISEASE IN PEOPLE WITH METABOLIC SYNDROME: A COMMUNITY-BASED COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
16	FP400SMOKING, SMOKING CESSATION, AND PROGRESSION OF CHRONIC KIDNEY DISEASE: From the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease (KNOW-CKD). <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
17	FP430SNORING IS ASSOCIATED WITH INCIDENT CHRONIC KIDNEY DISEASE DEVELOPMENT: A COMMUNITY-BASED PROSPECTIVE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
18	Carbohydrate-Rich Diet Is Associated with Increased Risk of Incident Chronic Kidney Disease in Non-Diabetic Subjects. <i>Journal of Clinical Medicine</i> , 2019, 8, 793.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Association Between Serum High-Density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Journal of the American Heart Association</i> , 2019, 8, e011162.	1.6	32
20	Snoring and incident chronic kidney disease: a community-based prospective cohort study. <i>BMJ Open</i> , 2019, 9, e030671.	0.8	5
21	Incidence of Acute Kidney Injury after Adrenalectomy in Patients with Primary Aldosteronism. <i>Electrolyte and Blood Pressure</i> , 2019, 17, 45.	0.6	3
22	FP040PATIENTS WITH POLYCYSTIC KIDNEY DISEASE ARE MORE RESISTANT TO HYPERKALEMIA THAN THOSE WITH OTHER CAUSES OF KIDNEY DISEASES: THE ROLE OF INTRARENAL RENIN-ANGIOTENSIN ACTIVITY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i61-i61.	0.4	0
23	SP290SEVERE VITAMIN D DEFICIENCY IS A RISK FACTOR FOR RENAL HYPERFILTRATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i441-i441.	0.4	0
24	SP332CIRCULATING FIBROBLAST GROWTH FACTOR-23 LEVELS ARE ASSOCIATED WITH AN INCREASED RISK OF ANEMIA DEVELOPMENT IN PATIENTS WITH NON-DIALYSIS CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i456-i456.	0.4	0
25	FP323MICROSCOPIC HEMATURIA IS A RISK FACTOR OF INCIDENT CHRONIC KIDNEY DISEASE IN THE GENERAL POPULATION: A COMMUNITY-BASED PROSPECTIVE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i139-i140.	0.4	0
26	Changes in obese metabolic phenotypes over time and risk of incident chronic kidney disease. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2778-2791.	2.2	28