
## Jens Jakob Thune

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4129614/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-Term Follow-Up of DANISH (The Danish Study to Assess the Efficacy of ICDs in Patients With) Tj ETQq1 1	0.784314	rgBT /Overloc
2	NT-proBNP and ICD in Nonischemic Systolic HeartÂFailure. JACC: Heart Failure, 2022, 10, 161-171.	1.9	4
3	Periodic Repolarization Dynamics Identifies ICD Responders in Nonischemic Cardiomyopathy: A DANISH Substudy. Circulation, 2022, 145, 754-764.	1.6	5
4	Atrial fibrillation is a marker of increased mortality risk in nonischemic heart failure—Results from the DANISH trial. American Heart Journal, 2021, 232, 61-70.	1.2	2
5	Prevalence and prognostic association of ventricular arrhythmia in non-ischaemic heart failure patients: results from the DANISH trial. Europace, 2021, 23, 587-595.	0.7	10
6	Rubidium-82 positron emission tomography for detection of acute doxorubicin-induced cardiac effects in lymphoma patients. Journal of Nuclear Cardiology, 2020, 27, 1698-1707.	1.4	15
7	123I-MIBG for detection of subacute doxorubicin-induced cardiotoxicity in patients with malignant lymphoma. Journal of Nuclear Cardiology, 2020, 27, 931-939.	1.4	5
8	Myocardial fibrosis and the effect of primary prophylactic defibrillator implantation in patients with non-ischemic systolic heart failure—DANISH-MRI. American Heart Journal, 2020, 221, 165-176.	1.2	35
9	Myocardial perfusion during atrial fibrillation in patients with non-ischaemic systolic heart failure: a cross-sectional study using Rubidium-82 positron emission tomography/computed tomography. European Heart Journal Cardiovascular Imaging, 2019, 20, 233-240.	0.5	6
10	Risk Models for Prediction of Implantable Cardioverter-Defibrillator Benefit. JACC: Heart Failure, 2019, 7, 717-724.	1.9	29
11	Duration of Heart Failure and Effect of Defibrillator Implantation in Patients With Nonischemic Systolic Heart Failure. Circulation: Heart Failure, 2019, 12, e006022.	1.6	2
12	The effect of implantable cardioverter-defibrillator in patients with diabetes and non-ischaemic systolic heart failure. Europace, 2019, 21, 1203-1210.	0.7	9
13	Impaired myocardial perfusion is associated with increasing end-systolic- and end-diastolic volumes in patients with non-ischemic systolic heart failure: a cross-sectional study using Rubidium-82 PET/CT. BMC Cardiovascular Disorders, 2019, 19, 68.	0.7	2
14	Myocardial perfusion in patients with non-ischaemic systolic heart failure and type 2 diabetes: a cross-sectional study using Rubidium-82 PET/CT. International Journal of Cardiovascular Imaging, 2018, 34, 993-1001.	0.7	1
15	<sup>123</sup> lâ€ <scp>MIBG</scp> imaging for detection of anthracyclineâ€induced cardiomyopathy. Clinical Physiology and Functional Imaging, 2018, 38, 176-185.	0.5	12
16	Response by Elming et al to Letter Regarding Article, "Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure― Circulation, 2018, 137, 2190-2190.	1.6	0
17	Cardiac magnetic resonance imaging provides more than a diagnosis. Europace, 2017, 19, euw253.	0.7	0
18	Defibrillators work: now it is time to find out who needs them. European Heart Journal, 2017, 38, 1747-1748.	1.0	3

Jens Jakob Thune

#	Article	IF	CITATIONS
19	Late potentials and their correlation with ventricular structure in patients with ventricular arrhythmias. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1466-1471.	0.5	4
20	Age and Outcomes of Primary Prevention Implantable Cardioverter-Defibrillators in Patients With Nonischemic Systolic Heart Failure. Circulation, 2017, 136, 1772-1780.	1.6	134
21	Early Gadolinium Enhancement for Determination of Area at Risk. JACC: Cardiovascular Imaging, 2017, 10, 130-139.	2.3	17
22	Rationale, design, and baseline characteristics of the DANish randomized, controlled, multicenter study to assess the efficacy of Implantable cardioverter defibrillators in patients with non-ischemic Systolic Heart failure on mortality (DANISH). American Heart Journal, 2016, 179, 136-141.	1.2	29
23	Cardiac magnetic resonance imaging after ventricular tachyarrhythmias increases diagnostic precision and reduces the need for family screening for inherited cardiac disease. Europace, 2016, 18, euv446.	0.7	6
24	Regional cardiac dysfunction and outcome in patients with left ventricular dysfunction, heart failure, or both after myocardial infarction. European Heart Journal, 2016, 37, 466-472.	1.0	40
25	Progression of cardiac involvement in patients with limb-girdle type 2 and Becker muscular dystrophies: A 9-year follow-up study. International Journal of Cardiology, 2015, 182, 403-411.	0.8	36
26	Mechanisms for overestimating acute myocardial infarct size with gadolinium-enhanced cardiovascular magnetic resonance imaging in humans: a quantitative and kinetic study. European Heart Journal Cardiovascular Imaging, 2015, 17, jev123.	0.5	30
27	Distinction of salvaged and infarcted myocardium within the ischaemic area-at-risk with T2 mapping. European Heart Journal Cardiovascular Imaging, 2014, 15, 1048-1053.	0.5	35
28	Different prognostic impact of systolic function in patients with heart failure and/or acute myocardial infarction. European Journal of Heart Failure, 2005, 7, 852-858.	2.9	6
29	Simple Risk Stratification at Admission to Identify Patients With Reduced Mortality From Primary Angioplasty. Circulation, 2005, 112, 2017-2021.	1.6	118