
Frank Baan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4132165/publications.pdf Version: 2024-02-01



FDANK RAAN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Three-dimensional analysis of condylar remodeling and skeletal relapse following LeFort-I osteotomy: A one-year follow-up bicenter study. Journal of Cranio-Maxillo-Facial Surgery, 2022, 50, 40-45. | 0.7 | 6 |
| 2 | Surgical accuracy in 3D planned bimaxillary osteotomies: intraoral scans and plaster casts as digital dentition models. International Journal of Oral and Maxillofacial Surgery, 2022, 51, 922-928. | 0.7 | 3 |
| 3 | Operator Performance of the Digital Setup Fabrication for Orthodontic–Orthognathic Treatment: An Explorative Study. Journal of Clinical Medicine, 2022, 11, 145. | 1.0 | 1 |
| 4 | Reproducibility of Manual Transfer of the Clinical Natural Head Position: Influence on the Soft Tissue and Hard Tissue Position of 3-Dimensional Virtual Surgical Planning. Journal of Oral and Maxillofacial Surgery, 2022, 80, 1505-1510. | 0.5 | 2 |
| 5 | Efficacy of Miniscrew-Assisted Rapid Palatal Expansion (MARPE) in late adolescents and adults with the Dutch Maxillary Expansion Device: a prospective clinical cohort study. Clinical Oral Investigations, 2022, 26, 6253-6263. | 1.4 | 8 |
| 6 | Fusion of intra-oral scans in cone-beam computed tomography scans. Clinical Oral Investigations, 2021, 25, 77-85. | 1.4 | 23 |
| 7 | Symmetry of palatal shape during the first year of life in healthy infants. Clinical Oral Investigations, 2021, 25, 1069-1076. | 1.4 | 4 |
| 8 | Digital surface scanning in flap perfusion. International Journal of Oral and Maxillofacial Surgery, 2021, 50, 38-42. | 0.7 | 1 |
| 9 | Combined orthodontic and surgical treatment for a patient with Hallermann-Streiff-Francois syndrome, severe obstructive sleep apnea, and history of antiresorptive medication. American Journal of Orthodontics and Dentofacial Orthopedics, 2021, 159, 97-107. | 0.8 | 1 |
| 10 | Highly variable rate of orthodontic tooth movement measured by a novel 3D method correlates with gingival inflammation. Clinical Oral Investigations, 2021, 25, 1945-1952. | 1.4 | 4 |
| 11 | Validation of the OrthoGnathicAnalyser 2.0—3D accuracy assessment tool for bimaxillary surgery and genioplasty. PLoS ONE, 2021, 16, e0246196. | 1.1 | 17 |
| 12 | Soft tissue-based registration of intraoral scan with cone beam computed tomography scan. International Journal of Oral and Maxillofacial Surgery, 2021, , . | 0.7 | 4 |
| 13 | Virtual occlusion in orthognathic surgery. International Journal of Oral and Maxillofacial Surgery, 2021, 50, 1219-1225. | 0.7 | 14 |
| 14 | Registration-free workflow for electromagnetic and optical navigation in orbital and craniofacial surgery. Scientific Reports, 2021, 11, 18080. | 1.6 | 1 |
| 15 | Three-dimensional virtual planning in mandibular advancement surgery: Soft tissue prediction based on deep learning. Journal of Cranio-Maxillo-Facial Surgery, 2021, 49, 775-782. | 0.7 | 27 |
| 16 | Splintless surgery using patient-specific osteosynthesis in Le Fort I osteotomies: a randomized controlled multi-centre trial. International Journal of Oral and Maxillofacial Surgery, 2020, 49, 454-460. | 0.7 | 17 |
| 17 | Splintless orthognathic surgery in edentulous patients—a pilot study. International Journal of Oral and Maxillofacial Surgery, 2020, 49, 587-594. | 0.7 | 15 |
| 18 | Virtual setup in orthodontics: planning and evaluation. Clinical Oral Investigations, 2020, 24, 2385-2393. | 1.4 | 23 |

Frank Baan

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Landmark-Based Versus Voxel-Based 3-Dimensional Quantitative Analysis of Bimaxillary Osteotomies: A Comparative Study. Journal of Oral and Maxillofacial Surgery, 2020, 78, 468.e1-468.e10. | 0.5 | 15 |
| 20 | Three-dimensional characterization of mandibular asymmetry in craniofacial microsomia. Clinical Oral Investigations, 2020, 24, 4363-4372. | 1.4 | 9 |
| 21 | The effect of lip closure on palatal growth in patients with unilateral clefts. PeerJ, 2020, 8, e9631. | 0.9 | 6 |
| 22 | Does Mandible-First Sequencing Increase Maxillary Surgical Accuracy in Bimaxillary Procedures?. Journal of Oral and Maxillofacial Surgery, 2019, 77, 1882-1893. | 0.5 | 19 |
| 23 | One-year postoperative skeletal stability of 3D planned bimaxillary osteotomies: maxilla-first versus mandible-first surgery. Scientific Reports, 2019, 9, 3000. | 1.6 | 15 |
| 24 | A new segmentation algorithm for measuring CBCT images of nasal airway: a pilot study. PeerJ, 2019, 7, e6246. | 0.9 | 9 |
| 25 | Three dimensional maxillary growth modeling in newborns. Clinical Oral Investigations, 2019, 23, 3705-3712. | 1.4 | 7 |
| 26 | Validation of 3D documentation of palatal soft tissue shape, color, and irregularity with intraoral scanning. Clinical Oral Investigations, 2018, 22, 1303-1309. | 1.4 | 38 |
| 27 | Three-dimensional analysis of condylar remodeling and skeletal relapse following bimaxillary surgery: A 2-year follow-up study. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 1311-1318. | 0.7 | 24 |
| 28 | Achievability of 3D planned bimaxillary osteotomies: maxilla-first versus mandible-first surgery. Scientific Reports, 2017, 7, 9314. | 1.6 | 24 |
| 29 | A New 3D Tool for Assessing the Accuracy of Bimaxillary Surgery: The OrthoGnathicAnalyser. PLoS ONE, 2016, 11, e0149625. | 1.1 | 94 |
| 30 | A novel method for fusion of intra-oral scans and cone-beam computed tomography scans for orthognathic surgery planning. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 160-166. | 0.7 | 39 |
| 31 | A semi-automatic three-dimensional technique using a regionalized facial template enables facial growth assessment in healthy children from 1.5 to 5.0 years of age. PeerJ, 0, 10, e13281. | 0.9 | 1 |