

Luisa Zanolla

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4132319/publications.pdf>

Version: 2024-02-01

97
papers

4,235
citations

100601

38
h-index

129628

63
g-index

104
all docs

104
docs citations

104
times ranked

5494
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic impact of antiplatelet therapy in Takotsubo syndrome: a systematic review and meta-analysis of the literature. <i>Heart Failure Reviews</i> , 2022, 27, 857-868.	1.7	10
2	A Preliminary Case-Control Study: Peritoneal Approach in Congestive Heart Failure Treatment. <i>Blood Purification</i> , 2021, , 1-7.	0.9	0
3	Occurrence, outcomes and predictors of portal hypertension in cystic fibrosis: A longitudinal prospective birth cohort study. <i>Journal of Cystic Fibrosis</i> , 2020, 19, 455-459.	0.3	12
4	Sacubitril/valsartan eligibility and outcomes in the ESCâ€œORPâ€œHFA Heart Failure Longâ€œTerm Registry: bridging between European Medicines Agency/Food and Drug Administration label, the PARADIGMâ€œHF trial, ESC guidelines, and real world. <i>European Journal of Heart Failure</i> , 2019, 21, 1383-1397.	2.9	35
5	Acute heart failure congestion and perfusion statusâ€œÂ“â€œImpact of the clinical classification on inâ€œhospital and longâ€œterm outcomes; insights from the ESCâ€œORPâ€œHFA Heart Failure Longâ€œTerm Registry. <i>European Journal of Heart Failure</i> , 2019, 21, 1338-1352.	2.9	170
6	Role of Speckle Tracking Echocardiography in the Evaluation of Breast Cancer Patients Undergoing Chemotherapy: Review and Meta-analysis of the Literature. <i>Cardiovascular Toxicology</i> , 2019, 19, 485-492.	1.1	18
7	Exercise Training on Locomotion in Patients with Alzheimerâ€™s Disease: A Feasibility Study. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1599-1609.	1.2	21
8	Association between Beta₁-Adrenergic Receptor Polymorphism and Risk of ICD Shock in Heart Failure Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 557-564.	0.5	2
9	Resistance exercise in chronic heart failure: hemodynamic and metabolic adjustments. <i>Sport Sciences for Health</i> , 2016, 12, 415-422.	0.4	1
10	Cardiac resynchronization therapy: Twelve-month effects of echocardiographic atrio-ventricular and inter-ventricular delay optimization. Rationale and design of the CARTEDO trial. <i>International Journal of Cardiology</i> , 2016, 202, 185-187.	0.8	3
11	Dynamic changes of repolarization abnormalities in takotsubo cardiomyopathy. <i>Acta Cardiologica</i> , 2015, 70, 225-232.	0.3	16
12	Long-term clinical follow-up of the multicentre, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: Cortisone plus BMS or DES versus BMS alone to Eliminate Restenosis (CEREA-DES). <i>European Heart Journal</i> , 2013, 34, 1740-1748.	1.0	21
13	Identification of Highâ€œRisk Chronic Heart Failure Patients in Clinical Practice: Role of Changes in Left Ventricular Function. <i>Clinical Cardiology</i> , 2012, 35, 580-584.	0.7	5
14	Immunosuppressive Therapy with Oral Prednisone to Prevent Restenosis after PCI. A Multicenter Randomized Trial. <i>American Journal of Medicine</i> , 2011, 124, 434-443.	0.6	29
15	An Interactive Computer Program Can Effectively Educate Potential Users of Cystic Fibrosis Carrier Tests. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 406-407.	0.2	0
16	Cardiovascular and noncardiovascular comorbidities in patients with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 76-84.	0.6	56
17	Physiopathologic Correlates of Intrathoracic Impedance in Chronic Heart Failure Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 407-413.	0.5	6
18	Injury risk factors in young soccer players detected by a multivariate survival model. <i>Journal of Science and Medicine in Sport</i> , 2011, 14, 293-298.	0.6	39

#	ARTICLE	IF	CITATIONS
19	An interactive computer program can effectively educate potential users of cystic fibrosis carrier tests. , 2011, 155, 778-785.		18
20	Coronary stenting for ST-elevation myocardial infarction vs. other indications in patients on oral anticoagulation: any difference in in-hospital management and outcome?. <i>Minerva Cardioangiologica</i> , 2011, 59, 499-506.	1.2	0
21	Sleep Disordered Breathing is Associated with Appropriate Implantable Cardioverter Defibrillator Therapy in Congestive Heart Failure Patients. <i>Clinical Cardiology</i> , 2010, 33, E27-30.	0.7	21
22	Exercise intensity of head-out water-based activities (water fitness). <i>European Journal of Applied Physiology</i> , 2010, 109, 829-838.	1.2	45
23	Inconclusive Cystic Fibrosis neonatal screening results: long-term psychosocial effects on parents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 1927-1934.	0.7	21
24	Periprocedural Management and In-Hospital Outcome of Patients with Indication for Oral Anticoagulation Undergoing Coronary Artery Stenting. <i>Journal of Interventional Cardiology</i> , 2009, 22, 390-397.	0.5	53
25	Usefulness of ultrasonographic markers of carotid atherosclerosis (intima-media thickness,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 artery disease. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 906-912.	0.6	14
26	Is Intra-thoracic impedance correlated with NT-proBNP plasma concentrations, echo Doppler trans-mitral flow and clinical status in heart failure patients?. <i>European Journal of Heart Failure, Supplement</i> , 2008, 7, 167-167.	0.2	0
27	Nurse Educational Activity on Non-Prescription Therapies in Patients with Chronic Heart Failure. <i>European Journal of Cardiovascular Nursing</i> , 2007, 6, 314-320.	0.4	13
28	Left atrial volume provides independent and incremental information compared with exercise tolerance parameters in patients with heart failure and left ventricular systolic dysfunction. <i>Heart</i> , 2007, 93, 1420-1425.	1.2	52
29	Reducing diabetes incidence through the inhibition of the renin-angiotensin system: a strategy for reducing cardiovascular mortality and morbidity?. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 473-482.	0.6	3
30	Total laparoscopic hysterectomy in cases of very large uteri: A retrospective comparative study. <i>Journal of Minimally Invasive Gynecology</i> , 2007, 14, 559-563.	0.3	39
31	Comparison of Midregional Pro-Atrial Natriuretic Peptide With N-Terminal Pro-B-Type Natriuretic Peptide in Predicting Survival in Patients With Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1973-1980.	1.2	139
32	A survey of newborn screening for cystic fibrosis in Europe. <i>Journal of Cystic Fibrosis</i> , 2007, 6, 57-65.	0.3	204
33	Aortic stiffness correlates with an increased extracellular matrix turnover in patients with dilated cardiomyopathy. <i>American Heart Journal</i> , 2006, 152, 93.e1-93.e6.	1.2	23
34	Right ventricular function predicts transplant-free survival in idiopathic dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 706-710.	0.6	24
35	Laparoscopic nerve-sparing complete excision of deep endometriosis: is it feasible?. <i>Human Reproduction</i> , 2006, 21, 774-781.	0.4	133
36	Left ventricular stroke work reserve as prognostic marker in severe heart failure. <i>Minerva Cardioangiologica</i> , 2006, 54, 249-55.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Chest physiotherapy with positive airway pressure: a pilot study of short-term effects on sputum clearance in patients with cystic fibrosis and severe airway obstruction. <i>Respiratory Care</i> , 2006, 51, 1145-53.	0.8	43
38	Original and reviewed nuclear grading according to the Fuhrman system. <i>Cancer</i> , 2005, 103, 68-75.	2.0	136
39	Proposal for revision of the TNM classification system for renal cell carcinoma. <i>Cancer</i> , 2005, 104, 2116-2123.	2.0	72
40	Cystic fibrosis carriers have higher neonatal immunoreactive trypsinogen values than non-carriers. <i>American Journal of Medical Genetics, Part A</i> , 2005, 135A, 142-144.	0.7	38
41	Ischemic etiology of heart failure identifies patients with more severely impaired exercise capacity. <i>International Journal of Cardiology</i> , 2005, 104, 292-297.	0.8	25
42	Amino-terminal propeptide of type III procollagen is associated with restrictive mitral filling pattern in patients with dilated cardiomyopathy: a possible link between diastolic dysfunction and prognosis. <i>British Heart Journal</i> , 2004, 90, 650-654.	2.2	51
43	The Role of Angiotensin-Converting Enzyme Polymorphism in Congestive Heart Failure. <i>Congestive Heart Failure</i> , 2004, 10, 87-95.	2.0	9
44	Effect of specific immunotherapy added to pharmacologic treatment and allergen avoidance in asthmatic patients allergic to house dust mite. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 113, 643-649.	1.5	85
45	Prediction of mortality in chronic heart failure from peak oxygen consumption adjusted for either body weight or lean tissue. <i>Journal of Cardiac Failure</i> , 2004, 10, 421-426.	0.7	44
46	Independent and additional prognostic value of aminoterminal propeptide of type III procollagen circulating levels in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 2004, 10, 403-411.	0.7	91
47	Tumor-size breakpoint for prognostic stratification of localized renal cell carcinoma. <i>Urology</i> , 2004, 63, 235-239.	0.5	42
48	Effects of ACE gene insertion/deletion polymorphism on response to spironolactone in patients with chronic heart failure. <i>American Journal of Medicine</i> , 2004, 116, 657-661.	0.6	43
49	Letter to the editor. <i>European Journal of Heart Failure</i> , 2004, 6, 509-509.	2.9	3
50	Association of aortic valve sclerosis and coronary artery disease in patients with severe nonischemic mitral regurgitation. <i>Clinical Cardiology</i> , 2003, 26, 579-582.	0.7	9
51	Skeletal Muscle Abnormalities in Chronic Heart Failure Patients: Relation to Exercise Capacity and Therapeutic Implications. <i>Congestive Heart Failure</i> , 2003, 9, 148-154.	2.0	23
52	Aortic Distensibility Independently Affects Exercise Tolerance in Patients With Dilated Cardiomyopathy. <i>Circulation</i> , 2003, 107, 1603-1608.	1.6	74
53	Selection of endpoints for heart failure clinical trials. <i>European Journal of Heart Failure</i> , 2003, 5, 717-723.	2.9	37
54	Relationship between exhaled air temperature and exhaled nitric oxide in childhood asthma. <i>European Respiratory Journal</i> , 2002, 20, 108-111.	3.1	56

#	ARTICLE	IF	CITATIONS
55	Predictors of right ventricular dysfunction in patients with coronary artery disease and reduced left ventricular ejection fraction. <i>Coronary Artery Disease</i> , 2002, 13, 319-322.	0.3	5
56	Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2002, 40, 304-310.	1.2	160
57	Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1425-1430.	1.2	318
58	Elevated serum uric acid levels are associated with diastolic dysfunction in patients with dilated cardiomyopathy. <i>American Heart Journal</i> , 2002, 143, 1107-1111.	1.2	86
59	Relation of aldosterone "escape" despite angiotensin-converting enzyme inhibitor administration to impaired exercise capacity in chronic congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2002, 89, 403-407.	0.7	72
60	Prognostic Factors in Patients with Renal Cell Carcinoma: Retrospective Analysis of 675 Cases. <i>European Urology</i> , 2002, 41, 190-198.	0.9	96
61	Failure of aldosterone suppression despite angiotensin-converting enzyme (ACE) inhibitor administration in chronic heart failure is associated with ACE DD genotype. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1808-1812.	1.2	122
62	Skeletal muscle mass independently predicts peak oxygen consumption and ventilatory response during exercise in noncachectic patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2001, 37, 2080-2085.	1.2	139
63	Neonatal Screening for Cystic Fibrosis: Long-Term Clinical Balance. <i>Pancreatology</i> , 2001, 1, 531-537.	0.5	50
64	Reduced right ventricular ejection fraction as a marker for idiopathic dilated cardiomyopathy compared with ischemic left ventricular dysfunction. <i>American Heart Journal</i> , 2001, 142, 181-189.	1.2	93
65	Frequency, prognosis and predictors of improvement of systolic left ventricular function in patients with "classical" clinical diagnosis of idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2001, 3, 323-330.	2.9	53
66	Low domestic exposure to house dust mite allergens (Der p 1) is associated with a reduced non-specific bronchial hyper-responsiveness in mite-sensitized asthmatic subjects under optimal drug treatment. <i>Clinical and Experimental Allergy</i> , 2001, 31, 715-721.	1.4	17
67	Additional Value of Pulmonary Vein Parameters in Defining Pseudonormalization of Mitral Inflow Pattern. <i>Echocardiography</i> , 2001, 18, 673-679.	0.3	17
68	Prevalence of urinary incontinence in women with cystic fibrosis. <i>BJU International</i> , 2001, 88, 44-48.	1.3	46
69	Preoperative autologous blood donation by elderly patients undergoing orthopaedic surgery. <i>Vox Sanguinis</i> , 2001, 80, 95-100.	0.7	18
70	Cardiac troponin I as diagnostic and prognostic marker in severe heart failure. <i>Journal of Heart and Lung Transplantation</i> , 2000, 19, 644-652.	0.3	172
71	Reliability of sweat "testing by the Macroduct® collection method combined with conductivity analysis in comparison with the classic Gibson and Cooke technique. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2000, 89, 933-937.	0.7	4
72	Allergen avoidance is associated with a fall in exhaled nitric oxide in asthmatic children. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 104, 1323-1324.	1.5	69

#	ARTICLE	IF	CITATIONS
73	The extent of regional wall motion abnormalities identifies patients at risk of extensive left ventricular remodeling: implications for the design of post myocardial infarction trials. <i>Giornale Italiano Di Cardiologia</i> , 1999, 29, 20-6.	0.2	2
74	Prognostic value of detection of myocardial viability using low-dose dobutamine echocardiography in infarcted patients. <i>American Journal of Cardiology</i> , 1998, 81, 21G-28G.	0.7	48
75	Influence of Environmental Concentrations of NO on the Exhaled NO Test. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1299-1301.	2.5	34
76	Plasma apolipoproteins A-I and B in survivors of myocardial infarction and in a control group. <i>Clinical Chemistry</i> , 1998, 44, 134-40.	1.5	16
77	Nifedipine GITS versus diltiazem in chronic stable angina: a randomised multicentre study. <i>British Journal of Clinical Practice Supplement</i> , 1997, 88, 27-35.	0.1	1
78	High- Versus Low-Lipase Acid-Resistant Enzyme Preparations in Cystic Fibrosis: A Crossover Randomized Clinical Trial. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1996, 22, 73-78.	0.9	9
79	Maximal myocardial perfusion by videodensitometry in the assessment of the early and late results of coronary angioplasty: Relationship with coronary artery measurements and left ventricular function at rest. <i>Catheterization and Cardiovascular Diagnosis</i> , 1995, 34, 301-310.	0.7	4
80	Short-term effects of three chest physiotherapy regimens in patients hospitalized for pulmonary exacerbations of cystic fibrosis: A cross-over randomized study. <i>Pediatric Pulmonology</i> , 1995, 19, 16-22.	1.0	83
81	Determinants of maximal transdiaphragmatic pressure in adults with cystic fibrosis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994, 150, 167-173.	2.5	29
82	Changes in nasal specific IgE to mites after periods of allergen exposure-avoidance: a comparison with serum levels. <i>Clinical and Experimental Allergy</i> , 1994, 24, 377-382.	1.4	51
83	Coronary vasoconstriction in response to acetylcholine after balloon angioplasty. <i>Coronary Artery Disease</i> , 1994, 5, 979-986.	0.3	18
84	Distribution of CII and CIII peptides in lipoprotein classes: methods and clinical significance. <i>Clinical Chemistry</i> , 1994, 40, 240-4.	1.5	0
85	Portal Hypertension and Esophageal Varices in Cystic Fibrosis: Unreliability of Echo-Doppler Flowmetry. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 1042-1046.	0.6	13
86	Modification of some markers of inflammation during treatment for acute respiratory exacerbation in cystic fibrosis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1992, 81, 227-230.	0.7	29
87	Gallopamil in Chronic Stable Angina: Antianginal Effect and Mechanism of Action. <i>Cardiology</i> , 1992, 80, 324-331.	0.6	2
88	Echocardiographic contrast imaging of the human right heart: A multicenter study of the efficacy, safety, and reproducibility of intravenous SHU-454. <i>Journal of Clinical Ultrasound</i> , 1991, 19, 523-530.	0.4	11
89	Acute anterior myocardial infarction: Streptokinase prevents ventricular thrombosis independently of its effect on infarct size. <i>Clinical Cardiology</i> , 1990, 13, 789-793.	0.7	1
90	A more objective approach to the evaluation of antimicrobial therapy in cystic fibrosis. <i>Acta Universitatis Carolinae Medica</i> , 1990, 36, 44-5.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Effect of streptokinase on left ventricular modeling and function after myocardial infarction: The GISSI (Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico) trial. <i>Journal of the American College of Cardiology</i> , 1989, 14, 1149-1158.	1.2	171
92	Cardiac valve orifice equation independent of valvular flow intervals: application to mitral valve area computation in mitral stenosis and comparison with the Gorlin formula and direct anatomical measurements. <i>Cardiovascular Research</i> , 1984, 18, 669-674.	1.8	2
93	Long-Term Persistence of Antianginal Effect of Oral Verapamil in Chronic Stable Angina. <i>Journal of Cardiovascular Pharmacology</i> , 1984, 6, 423-428.	0.8	5
94	Interpretative reproducibility of two-dimensional echocardiographic images. Analysis of intraobserver, interobserver and beat to beat reproducibility of the mitral valve orifice. <i>European Heart Journal</i> , 1983, 4, 733-737.	1.0	6
95	Two-dimensional Echocardiographic Evaluation of Mitral Valve Calcification. <i>Chest</i> , 1982, 82, 154-157.	0.4	13
96	Critical assessment of two-dimensional echocardiographic estimation of the mitral valve area in rheumatic mitral valve disease: calcific deposits in the valve as a major determinant of the accuracy of the method. <i>European Heart Journal</i> , 1981, 2, 197-203.	1.0	14
97	M-mode echocardiographic evaluation of rheumatic mitral valve disease using diastolic separation of mitral leaflets. Comparison between this index and direct measurement of the two-dimensional image in predicting mitral valve orifice area. <i>European Heart Journal</i> , 1981, 2, 205-210.	1.0	0