

Per Venge

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/413339/per-venge-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

287
papers

20,844
citations

68
h-index

137
g-index

290
ext. papers

22,639
ext. citations

5.6
avg, IF

6.29
L-index

#	Paper	IF	Citations
287	Estimation of numbers of mature and immature neutrophils in blood by a novel, rapid and simple technology. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 307-311	2	1
286	Gender specific airway gene expression in COPD sub-phenotypes supports a role of mitochondria and of different types of leukocytes. <i>Scientific Reports</i> , 2021 , 11, 12848	4.9	0
285	A cross-sectional cohort study of the activity and turnover of neutrophil granulocytes in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2021 , 19, 102	3.5	1
284	Blood biomarker algorithms for the diagnosis of mycoplasma pneumoniae respiratory infections. <i>Journal of Immunological Methods</i> , 2021 , 489, 112908	2.5	3
283	AroCell TK 210 ELISA for determination of TK1 protein: age-related reference ranges and comparison with other TK1 assays. <i>BioTechniques</i> , 2020 , 68, 334-341	2.5	4
282	Mortality and pathophysiology of acute kidney injury according to time of occurrence in acute heart failure. <i>ESC Heart Failure</i> , 2020 , 7, 3219-3224	3.7	1
281	Calprotectin, a new biomarker for diagnosis of acute respiratory infections. <i>Scientific Reports</i> , 2020 , 10, 4208	4.9	25
280	Concurrence of elevated FeNO and airway hyperresponsiveness in nonasthmatic adolescents. <i>Pediatric Pulmonology</i> , 2020 , 55, 571-579	3.5	1
279	Blood eosinophil count and airway epithelial transcriptome relationships in COPD versus asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 370-380	9.3	16
278	HNL (Human Neutrophil Lipocalin) and a multimarker approach to the distinction between bacterial and viral infections. <i>Journal of Immunological Methods</i> , 2019 , 474, 112627	2.5	2
277	Diagnosis and Monitoring of Acute Infections with Emphasis on the Novel Biomarker Human Neutrophil Lipocalin. <i>journal of applied laboratory medicine, The</i> , 2019 , 3, 664-674	2	5
276	Performance of plasma measurement of neutrophil gelatinase-associated lipocalin as a biomarker of bacterial infections in the intensive care unit. <i>Journal of Critical Care</i> , 2019 , 53, 264-270	4	6
275	Fixed airflow obstruction relates to eosinophil activation in asthmatics. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 155-162	4.1	17
274	Predictors of 10-year changes in levels of N-terminal pro B-type natriuretic peptide and cardiac troponin I in the elderly. <i>International Journal of Cardiology</i> , 2018 , 257, 300-305	3.2	7
273	Human neutrophil lipocalin (HNL) as a biomarker of acute infections. <i>Uppsala Journal of Medical Sciences</i> , 2018 , 123, 1-8	2.8	8
272	Prolyl carboxypeptidase activity in the circulation and its correlation with body weight and adipose tissue in lean and obese subjects. <i>PLoS ONE</i> , 2018 , 13, e0197603	3.7	3
271	The genetically determined production of the alarmin eosinophil-derived neurotoxin is reduced in visceral leishmaniasis. <i>Apmis</i> , 2018 , 126, 85-91	3.4	2

270	Human Neutrophil Lipocalin in Activated Whole Blood Is a Specific and Rapid Diagnostic Biomarker of Bacterial Infections in the Respiratory Tract. <i>Vaccine Journal</i> , 2017 , 24,		8
269	Equal clinical performance of a novel point-of-care cardiac troponin I (cTnI) assay with a commonly used high-sensitivity cTnI assay. <i>Clinica Chimica Acta</i> , 2017 , 469, 119-125	6.2	16
268	Early invasive versus non-invasive treatment in patients with non-ST-elevation acute coronary syndrome (FRISC-II): 15 year follow-up of a prospective, randomised, multicentre study. <i>Lancet, The</i> , 2016 , 388, 1903-1911	4.0	49
267	NT-proBNP is a powerful predictor for incident atrial fibrillation - Validation of a multimarker approach. <i>International Journal of Cardiology</i> , 2016 , 223, 74-81	3.2	33
266	Evaluation of Temporal Changes in Cardiovascular Biomarker Concentrations Improves Risk Prediction in an Elderly Population from the Community. <i>Clinical Chemistry</i> , 2016 , 62, 485-93	5.5	13
265	High-Sensitivity Cardiac Troponin I Is a Strong Predictor of Cardiovascular Events and Mortality in the AGES-Reykjavik Community-Based Cohort of Older Individuals. <i>Clinical Chemistry</i> , 2016 , 62, 623-30	5.5	31
264	Distinction between bacterial and viral infections by serum measurement of human neutrophil lipocalin (HNL) and the impact of antibody selection. <i>Journal of Immunological Methods</i> , 2016 , 432, 82-6	2.5	17
263	Elevation of cardiac troponins measured after recreational resistance training. <i>Clinical Biochemistry</i> , 2015 , 48, 803-6	3.5	12
262	Recurrent pyoderma gangrenosum and cystic acne associated with leucocyte adhesion deficiency due to novel mutations in ITGB2: successful treatment with infliximab and adalimumab. <i>Acta Dermato-Venereologica</i> , 2015 , 95, 349-51	2.2	11
261	High-sensitive cardiac troponin, NT-proBNP, hFABP and copeptin levels in relation to glomerular filtration rates and a medical record of cardiovascular disease. <i>Clinical Biochemistry</i> , 2015 , 48, 302-7	3.5	54
260	Cardiac troponin I levels in an elderly population from the community--The implications of sex. <i>Clinical Biochemistry</i> , 2015 , 48, 751-6	3.5	22
259	Human neutrophil lipocalin in fMLP-activated whole blood as a diagnostic means to distinguish between acute bacterial and viral infections. <i>Journal of Immunological Methods</i> , 2015 , 424, 85-90	2.5	11
258	Assessment of cell-cycle arrest biomarkers to predict early and delayed acute kidney injury. <i>Disease Markers</i> , 2015 , 2015, 158658	3.2	50
257	Human Neutrophil Lipocalin as a Superior Diagnostic Means To Distinguish between Acute Bacterial and Viral Infections. <i>Vaccine Journal</i> , 2015 , 22, 1025-32		24
256	Relation between cardiovascular disease risk markers and brain infarcts detected by magnetic resonance imaging in an elderly population. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 312-8	2.8	6
255	The production of the eosinophil proteins ECP and EPX/EDN are regulated in a reciprocal manner. <i>Apmis</i> , 2014 , 122, 283-91	3.4	2
254	Cardiac troponin I levels in patients with non-ST-elevation acute coronary syndrome-the importance of gender. <i>American Heart Journal</i> , 2014 , 168, 317-324.e1	4.9	36
253	Protein post-translational modification in host defense: the antimicrobial mechanism of action of human eosinophil cationic protein native forms. <i>FEBS Journal</i> , 2014 , 281, 5432-46	5.7	16

252	Is it time to do away with the 99th percentile for cardiac troponin in the diagnosis of acute coronary syndrome and the assessment of cardiac risk?. <i>Clinical Chemistry</i> , 2014 , 60, 734-6	5.5	17
251	Cardiac troponin I associated with the development of unrecognized myocardial infarctions detected with MRI. <i>Clinical Chemistry</i> , 2014 , 60, 1327-35	5.5	8
250	Excellence in acute cardiac care: an overview of the seminar proceedings. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 1-16	4.3	1
249	Asparagine-linked glycans determine the cytotoxic capacity of eosinophil cationic protein (ECP). <i>Molecular Immunology</i> , 2013 , 55, 372-80	4.3	7
248	Urinary neutrophil gelatinase-associated lipocalin (NGAL) is associated with mortality in a community-based cohort of older Swedish men. <i>Atherosclerosis</i> , 2013 , 227, 408-13	3.1	24
247	Association of plasma neutrophil gelatinase-associated lipocalin (NGAL) with sepsis and acute kidney dysfunction. <i>Biomarkers</i> , 2013 , 18, 349-56	2.6	35
246	Prognostic implications of changes in cardiac troponin I levels in patients with non-ST elevation acute coronary syndrome. <i>Biomarkers</i> , 2013 , 18, 668-72	2.6	3
245	Clinical and prognostic implications of circulating pentraxin 3 levels in non ST-elevation acute coronary syndrome. <i>Clinical Biochemistry</i> , 2013 , 46, 1655-9	3.5	23
244	Associations of mid-regional pro-adrenomedullin levels to cardiovascular and metabolic abnormalities, and mortality in an elderly population from the community. <i>International Journal of Cardiology</i> , 2013 , 168, 3537-42	3.2	20
243	Cardiac troponin I levels measured with a high-sensitive assay increase over time and are strong predictors of mortality in an elderly population. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1906-13	15.1	89
242	Measurement of natriuretic peptides at the point of care in the emergency and ambulatory setting: current status and future perspectives. <i>American Heart Journal</i> , 2013 , 166, 614-621.e1	4.9	8
241	Short- and long-term individual variation in NT-proBNP levels in patients with stable coronary artery disease. <i>Clinica Chimica Acta</i> , 2013 , 422, 15-20	6.2	9
240	Mid-regional pro-atrial natriuretic peptide levels in the elderly: clinical and prognostic implications, and comparison to B-type natriuretic peptides. <i>Clinica Chimica Acta</i> , 2013 , 419, 62-6	6.2	13
239	Prognostic usefulness of the change in N-terminal pro B-type natriuretic peptide levels to predict mortality in a single community cohort aged ≥ 70 years. <i>American Journal of Cardiology</i> , 2013 , 111, 131-6	3	20
238	An extragranular compartment of blood eosinophils contains eosinophil protein X/eosinophil-derived neurotoxin (EPX/EDN). <i>Inflammation</i> , 2013 , 36, 320-9	5.1	3
237	Factors influencing the 99th percentile of cardiac troponin I evaluated in community-dwelling individuals at 70 and 75 years of age. <i>Clinical Chemistry</i> , 2013 , 59, 1068-73	5.5	43
236	The nature and discriminatory value of urinary neutrophil gelatinase-associated lipocalin in critically ill patients at risk of acute kidney injury. <i>Intensive Care Medicine</i> , 2013 , 39, 1714-24	14.5	47
235	Cardiac troponin assay classification by both clinical and analytical performance characteristics: a study on outcome prediction. <i>Clinical Chemistry</i> , 2013 , 59, 976-81	5.5	19

234	Short- and long-term individual variation in cardiac troponin in patients with stable coronary artery disease. <i>Clinical Chemistry</i> , 2013 , 59, 401-9	5.5	62
233	Evaluation of four sensitive troponin assays for risk assessment in acute coronary syndromes using a new clinically oriented approach for comparison of assays. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1859-64	5.9	14
232	Serum lysozyme - a surrogate marker of pulmonary microvascular injury in smokers?. <i>Clinical Physiology and Functional Imaging</i> , 2013 , 33, 307-12	2.4	5
231	Increase in net activity of serine proteinases but not gelatinases after local endotoxin exposure in the peripheral airways of healthy subjects. <i>PLoS ONE</i> , 2013 , 8, e75032	3.7	5
230	Relationship between sleep-disordered breathing and markers of systemic inflammation in women from the general population. <i>Journal of Sleep Research</i> , 2012 , 21, 147-54	5.8	43
229	Blood eosinophils to direct corticosteroid treatment of exacerbations of chronic obstructive pulmonary disease: a randomized placebo-controlled trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 48-55	10.2	400
228	Troponin-specific autoantibody interference in different cardiac troponin I assay configurations. <i>Clinical Chemistry</i> , 2012 , 58, 1040-8	5.5	30
227	Cardiac troponin: a critical review of the case for point-of-care testing in the ED. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 1639-49	2.9	66
226	Recommendations for the use of natriuretic peptides in acute cardiac care: a position statement from the Study Group on Biomarkers in Cardiology of the ESC Working Group on Acute Cardiac Care. <i>European Heart Journal</i> , 2012 , 33, 2001-6	9.5	176
225	High-sensitive cardiac troponin T outperforms novel diagnostic biomarkers in patients with acute chest pain. <i>Clinica Chimica Acta</i> , 2012 , 413, 1135-40	6.2	42
224	Immunoassays distinguishing between HNL/NGAL released in urine from kidney epithelial cells and neutrophils. <i>Clinica Chimica Acta</i> , 2012 , 413, 1661-7	6.2	69
223	How to use high-sensitivity cardiac troponins in acute cardiac care. <i>European Heart Journal</i> , 2012 , 33, 2252-7	9.5	531
222	The EvA study: aims and strategy. <i>European Respiratory Journal</i> , 2012 , 40, 823-9	13.6	22
221	Plasma prolylcarboxypeptidase (angiotensinase C) is increased in obesity and diabetes mellitus and related to cardiovascular dysfunction. <i>Clinical Chemistry</i> , 2012 , 58, 1110-5	5.5	25
220	Utility of B-type natriuretic peptides and cardiac troponins for population screening regarding cardiac abnormalities. <i>Pathology</i> , 2012 , 44, 129-38	1.6	4
219	Eosinophil associated genes in the inflammatory bowel disease 4 region: correlation to inflammatory bowel disease revealed. <i>World Journal of Gastroenterology</i> , 2012 , 18, 6409-19; discussion p. 6417-8	5.6	12
218	The outcome of neutrophil gelatinase-associated lipocalin-positive subclinical acute kidney injury: a multicenter pooled analysis of prospective studies. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1752-61	15.1	485
217	Acute exacerbations of chronic obstructive pulmonary disease: identification of biologic clusters and their biomarkers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 662-71	10.2	662

216	Clinical implications of the change of cardiac troponin I levels in patients with acute chest pain - an evaluation with respect to the Universal Definition of Myocardial Infarction. <i>Clinica Chimica Acta</i> , 2011 , 412, 91-7	6.2	35
215	Clinical performance of a new point-of-care cardiac troponin I assay compared to three laboratory troponin assays. <i>Clinica Chimica Acta</i> , 2011 , 412, 370-5	6.2	16
214	High-sensitive troponin T and I are related to invasive hemodynamic data and mortality in patients with left-ventricular dysfunction and precapillary pulmonary hypertension. <i>Clinica Chimica Acta</i> , 2011 , 412, 1582-8	6.2	19
213	Unrecognized myocardial scars detected by delayed-enhanced MRI are associated with increased levels of NT-proBNP. <i>Coronary Artery Disease</i> , 2011 , 22, 158-64	1.4	5
212	C3b-induced eosinophil degranulation involves PI3-kinases and is inhibited by protein kinase C activity. <i>Apmis</i> , 2011 , 119, 119-26	3.4	3
211	Predictors of histology, tissue eosinophilia and mast cell infiltration in Hodgkin lymphoma--a population-based study. <i>European Journal of Haematology</i> , 2011 , 87, 208-16	3.8	21
210	Activity and turnover of eosinophil and neutrophil granulocytes are altered in visceral leishmaniasis. <i>International Journal for Parasitology</i> , 2011 , 41, 463-9	4.3	17
209	Effect of eosinophil cationic protein (ECP) on Hodgkin lymphoma cell lines. <i>Experimental Hematology</i> , 2011 , 39, 850-8	3.1	14
208	The eosinophil and airway remodelling in asthma. <i>Clinical Respiratory Journal</i> , 2010 , 4 Suppl 1, 15-9	1.7	48
207	Adiponectin and cardiac geometry and function in elderly: results from two community-based cohort studies. <i>European Journal of Endocrinology</i> , 2010 , 162, 543-50	6.5	14
206	Growth-differentiation factor-15 for long-term risk prediction in patients stabilized after an episode of non-ST-segment-elevation acute coronary syndrome. <i>Circulation: Cardiovascular Genetics</i> , 2010 , 3, 88-96		68
205	The origin of multiple molecular forms in urine of HNL/NGAL. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 2229-35	6.9	188
204	Autoantibodies to cardiac troponin in acute coronary syndromes. <i>Clinica Chimica Acta</i> , 2010 , 411, 1793-86.2		19
203	ST2 and mortality in non-ST-segment elevation acute coronary syndrome. <i>American Heart Journal</i> , 2010 , 159, 788-94	4.9	61
202	Improving long-term risk prediction in patients with acute chest pain: the Global Registry of Acute Coronary Events (GRACE) risk score is enhanced by selected nonnecrosis biomarkers. <i>American Heart Journal</i> , 2010 , 160, 88-94	4.9	48
201	The new high-sensitivity cardiac troponin T assay improves risk assessment in acute coronary syndromes. <i>American Heart Journal</i> , 2010 , 160, 224-9	4.9	84
200	Early and late outcome prediction of death in the emergency room setting by point-of-care and laboratory assays of cardiac troponin I. <i>American Heart Journal</i> , 2010 , 160, 835-41	4.9	39
199	Recommendations for the use of cardiac troponin measurement in acute cardiac care. <i>European Heart Journal</i> , 2010 , 31, 2197-204	9.5	455

198	Neutrophil gelatinase-associated lipocalin in adult septic patients with and without acute kidney injury. <i>Intensive Care Medicine</i> , 2010 , 36, 1333-40	14.5	681
197	Tissue localization and the establishment of a sensitive immunoassay of the newly discovered human phospholipase B-precursor (PLB-P). <i>Journal of Immunological Methods</i> , 2010 , 353, 71-7	2.5	3
196	Myeloperoxidase is not useful for the early assessment of patients with chest pain. <i>Clinical Biochemistry</i> , 2010 , 43, 240-5	3.5	33
195	Associations of ECP (eosinophil cationic protein)-gene polymorphisms to allergy, asthma, smoke habits and lung function in two Estonian and Swedish sub cohorts of the ECRHS II study. <i>BMC Pulmonary Medicine</i> , 2010 , 10, 36	3.5	10
194	Value of cardiac troponin I cutoff concentrations below the 99th percentile for clinical decision-making. <i>Clinical Chemistry</i> , 2009 , 55, 85-92	5.5	114
193	Clinical performance of two highly sensitive cardiac troponin I assays. <i>Clinical Chemistry</i> , 2009 , 55, 109-16	5.5	57
192	The coding ECP 434(G>C) gene polymorphism determines the cytotoxicity of ECP but has minor effects on fibroblast-mediated gel contraction and no effect on RNase activity. <i>Journal of Immunology</i> , 2009 , 183, 445-51	5.3	25
191	Growth-differentiation factor-15 is an independent marker of cardiovascular dysfunction and disease in the elderly: results from the Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS) Study. <i>European Heart Journal</i> , 2009 , 30, 2346-53	9.5	163
190	Gluten sensitivity in patients with IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2476-81	4.3	44
189	Seemingly healthy 71-year-old men with minor elevations of cardiac troponin I and at risk of premature death in CVD have elevated levels of NT-proBNP: report from the ULSAM study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009 , 69, 418-24	2	1
188	Eosinophil cationic protein (ECP) is processed during secretion. <i>Journal of Immunology</i> , 2009 , 183, 3949-54	5.4	43
187	Will the universal definition of myocardial infarction criteria result in an overdiagnosis of myocardial infarction?. <i>American Journal of Cardiology</i> , 2009 , 103, 588-91	3	45
186	B-type natriuretic peptides and their relation to cardiovascular structure and function in a population-based sample of subjects aged 70 years. <i>American Journal of Cardiology</i> , 2009 , 103, 1032-8	3	16
185	The identification of a phospholipase B precursor in human neutrophils. <i>FEBS Journal</i> , 2009 , 276, 175-86	5.7	29
184	The human eosinophil proteome. Changes induced by birch pollen allergy. <i>Journal of Proteome Research</i> , 2009 , 8, 2720-32	5.6	7
183	Assays of urine levels of HNL/NGAL in patients undergoing cardiac surgery and the impact of antibody configuration on their clinical performances. <i>Clinica Chimica Acta</i> , 2009 , 403, 121-5	6.2	50
182	Prognostic value of biomarkers during and after non-ST-segment elevation acute coronary syndrome. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 357-64	15.1	68
181	Normal plasma levels of cardiac troponin I measured by the high-sensitivity cardiac troponin I access prototype assay and the impact on the diagnosis of myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1165-72	15.1	136

180	Cardiac troponin-I and risk of heart failure: a community-based cohort study. <i>European Heart Journal</i> , 2009 , 30, 773-81	9.5	48
179	Use of multiple biomarkers to improve the prediction of death from cardiovascular causes. <i>New England Journal of Medicine</i> , 2008 , 358, 2107-16	59.2	670
178	Risk prediction in chest pain patients by biochemical markers including estimates of renal function. <i>International Journal of Cardiology</i> , 2008 , 128, 207-13	3.2	10
177	Pathophysiologic mechanisms of persistent cardiac troponin I elevation in stabilized patients after an episode of acute coronary syndrome. <i>American Heart Journal</i> , 2008 , 156, 588-94	4.9	14
176	Prevalence and pathophysiological mechanisms of elevated cardiac troponin I levels in a population-based sample of elderly subjects. <i>European Heart Journal</i> , 2008 , 29, 2252-8	9.5	129
175	Neutrophil and monocyte receptor expression in uncomplicated and complicated influenza A infection with pneumonia. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 326-37		15
174	Monocytes, but not macrophages, produce the eosinophil cationic protein. <i>Apmis</i> , 2008 , 109, 507-516	3.4	
173	Neutrophil CD64 (FcγRI) expression is a specific marker of bacterial infection: a study on the kinetics and the impact of major surgery. <i>Scandinavian Journal of Infectious Diseases</i> , 2007 , 39, 525-35		51
172	Proteomic analysis of human cervical-vaginal fluids. <i>Journal of Proteome Research</i> , 2007 , 6, 2874-83	5.6	68
171	Airway hyperresponsiveness, peak flow variability and inflammatory markers in non-asthmatic subjects with respiratory infections. <i>Clinical Respiratory Journal</i> , 2007 , 1, 42-50	1.7	
170	The 434(G>C) polymorphism within the coding sequence of Eosinophil Cationic Protein (ECP) correlates with the natural course of <i>Schistosoma mansoni</i> infection. <i>International Journal for Parasitology</i> , 2007 , 37, 1359-66	4.3	43
169	Eosinophil cationic protein stimulates TGF-beta1 release by human lung fibroblasts in vitro. <i>Inflammation</i> , 2007 , 30, 153-60	5.1	42
168	Lateral flow immunoassay using Europium (III) chelate microparticles and time-resolved fluorescence for eosinophils and neutrophils in whole blood. <i>Clinical Chemistry</i> , 2007 , 53, 342-8	5.5	42
167	Persistent cardiac troponin I elevation in stabilized patients after an episode of acute coronary syndrome predicts long-term mortality. <i>Circulation</i> , 2007 , 116, 1907-14	16.7	117
166	Growth differentiation factor 15 for risk stratification and selection of an invasive treatment strategy in non ST-elevation acute coronary syndrome. <i>Circulation</i> , 2007 , 116, 1540-8	16.7	165
165	A SELDI-TOF MS study of the genetic and post-translational molecular heterogeneity of eosinophil cationic protein. <i>Journal of Leukocyte Biology</i> , 2007 , 82, 1491-500	6.5	23
164	Haptoglobin comprises about 10% of granule protein extracted from bovine granulocytes isolated from healthy cattle. <i>Veterinary Immunology and Immunopathology</i> , 2007 , 119, 310-5	2	21
163	Troponin I as a predictor of coronary heart disease and mortality in 70-year-old men: a community-based cohort study. <i>Circulation</i> , 2006 , 113, 1071-8	16.7	220

162	A (G->C) transversion in the 3'UTR of the human ECP (eosinophil cationic protein) gene correlates to the cellular content of ECP. <i>Journal of Leukocyte Biology</i> , 2006 , 79, 846-51	6.5	17
161	Albumin stimulation of eosinophil migration involves PI3-kinases and is associated with diminished eosinophil CD49d and CD49f expression. <i>International Archives of Allergy and Immunology</i> , 2006 , 140, 113-20	3.7	4
160	The antibody configurations of cardiac troponin I assays may determine their clinical performance. <i>Clinical Chemistry</i> , 2006 , 52, 832-7	5.5	59
159	Troponin-T and N-terminal pro-B-type natriuretic peptide predict mortality benefit from coronary revascularization in acute coronary syndromes: a GUSTO-IV substudy. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 1146-54	15.1	89
158	Selective priming of peripheral blood eosinophils in patients with idiopathic hypereosinophilic syndrome. <i>Apmis</i> , 2006 , 114, 757-63	3.4	2
157	Cystatin C as a marker of immune complex-associated renal impairment in a Sudanese population with visceral leishmaniasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006 , 75, 864-8	3.2	5
156	Human neutrophil lipocalin (HNL) as a diagnostic tool in children with acute infections: a study of the kinetics. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 661-6	3.1	43
155	Kinetics of mucosal granulocyte activation after gluten challenge in coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 662-9	2.4	16
154	Uncoordinated production of Laminin-5 chains in airways epithelium of allergic asthmatics. <i>Respiratory Research</i> , 2005 , 6, 110	7.3	24
153	NT-ProBNP in non-ST-elevation acute coronary syndrome. <i>Journal of Cardiac Failure</i> , 2005 , 11, S54-8	3.3	5
152	Serial analyses of N-terminal pro-B-type natriuretic peptide in patients with non-ST-segment elevation acute coronary syndromes: a Fragmin and fast Revascularisation during In Stability in Coronary artery disease (FRISC)-II substudy. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 533-41	15.1	96
151	CC chemokine receptors CCR1 and CCR4 are expressed on airway mast cells in allergic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 116, 1383-6	11.5	23
150	Acute effects of a fungal volatile compound. <i>Environmental Health Perspectives</i> , 2005 , 113, 1775-8	8.4	46
149	Cell surface expression of FcγRI (CD64) on neutrophils and monocytes in patients with influenza A, with and without complications. <i>Scandinavian Journal of Infectious Diseases</i> , 2005 , 37, 882-9		21
148	Human neutrophil lipocalin (HNL) as a diagnostic tool in children with acute infections: A study of the kinetics. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 661-666	3.1	44
147	Natriuretic peptides in unstable coronary artery disease. <i>European Heart Journal</i> , 2004 , 25, 1486-93	9.5	44
146	Admission Troponin T and measurement of ST-segment resolution at 60 min improve early risk stratification in ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2004 , 25, 113-20	9.5	20
145	NT-proBNP in unstable coronary artery disease--experiences from the FAST, GUSTO IV and FRISC II trials. <i>European Journal of Heart Failure</i> , 2004 , 6, 319-25	12.3	38

144	Subcellular localization and mobilization of carcinoembryonic antigen-related cell adhesion molecule 8 in human neutrophils. <i>British Journal of Haematology</i> , 2004 , 125, 666-73	4.5	10
143	An enzyme-linked immunosorbent assay for human carcinoembryonic antigen-related cell adhesion molecule 8, a biological marker of granulocyte activities in vivo. <i>Journal of Immunological Methods</i> , 2004 , 293, 207-14	2.5	50
142	Biochemical indicators of cardiac and renal function in a healthy elderly population. <i>Clinical Biochemistry</i> , 2004 , 37, 210-6	3.5	77
141	Eosinophil cationic protein alters pulmonary surfactant structure and function in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2004 , 113, 496-502	11.5	40
140	A rapid troponin I assay is not optimal for determination of troponin status and prediction of subsequent cardiac events at suspicion of unstable coronary syndromes. <i>International Journal of Cardiology</i> , 2004 , 93, 113-20	3.2	40
139	Clinical and analytical performance of the liaison cardiac troponin I assay in unstable coronary artery disease, and the impact of age on the definition of reference limits. A FRISC-II substudy. <i>Clinical Chemistry</i> , 2003 , 49, 880-6	5.5	50
138	Priming of eosinophil migration across lung epithelial cell monolayers and upregulation of CD11b/CD18 are elicited by extracellular Ca ²⁺ . <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003 , 28, 713-21	5.7	17
137	Troponin and C-reactive protein have different relations to subsequent mortality and myocardial infarction after acute coronary syndrome: a GUSTO-IV substudy. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 916-24	15.1	187
136	Quantitative analysis of the admission electrocardiogram identifies patients with unstable coronary artery disease who benefit the most from early invasive treatment. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 905-15	15.1	75
135	Human neutrophil lipocalin: a specific marker for neutrophil activation in severe Plasmodium falciparum malaria. <i>Acta Tropica</i> , 2003 , 87, 279-85	3.2	21
134	Troponin T levels and risk of 30-day outcomes in patients with the acute coronary syndrome: prospective verification in the GUSTO-IV trial. <i>American Journal of Medicine</i> , 2003 , 115, 178-84	2.4	125
133	N-terminal pro-brain natriuretic peptide in relation to inflammation, myocardial necrosis, and the effect of an invasive strategy in unstable coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1909-16	15.1	124
132	Mechanisms of basal and cytokine-induced uptake of glucose in normal human eosinophils: relation to apoptosis. <i>Respiratory Medicine</i> , 2003 , 97, 1109-19	4.6	15
131	Evaluation of laboratory markers for the detection of infections in open-heart surgery patients. <i>Scandinavian Journal of Infectious Diseases</i> , 2003 , 35, 121-6		2
130	N-terminal pro-brain natriuretic peptide and other risk markers for the separate prediction of mortality and subsequent myocardial infarction in patients with unstable coronary artery disease: a Global Utilization of Strategies To Open occluded arteries (GUSTO)-IV substudy. <i>Circulation</i> , 2003 , 108, 275-81	16.7	470
129	Clinical performance of three cardiac troponin assays in patients with unstable coronary artery disease (a FRISC II substudy). <i>American Journal of Cardiology</i> , 2002 , 89, 1035-41	3	136
128	Purification and characterization of a 95-kDa protein--carcinoembryonic antigen-related cell adhesion molecule 8--from normal human granulocytes. <i>Journal of Immunological Methods</i> , 2002 , 270, 27-35	2.5	6
127	Eosinophil peroxidase produces hypobromous acid in the airways of stable asthmatics. <i>Free Radical Biology and Medicine</i> , 2002 , 33, 847-56	7.8	86

126	N-terminal pro brain natriuretic peptide on admission for early risk stratification of patients with chest pain and no ST-segment elevation. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 437-45	15.1	282
125	The prognostic and therapeutic implications of increased troponin T levels and ST depression in unstable coronary artery disease: the FRISC II invasive troponin T electrocardiogram substudy. <i>American Heart Journal</i> , 2002 , 143, 760-7	4.9	102
124	Multicenter evaluation of an automated assay for troponin I. <i>Clinical Chemistry</i> , 2002 , 48, 869-76	5.5	8
123	(99m)Tc-HMPAO (Cereteq) is stored in and released from the granules of eosinophil granulocytes. <i>British Journal of Haematology</i> , 2001 , 114, 185-90	4.5	9
122	Mast cells express functional CD30 ligand and are the predominant CD30L-positive cells in Hodgkin's disease. <i>British Journal of Haematology</i> , 2001 , 114, 616-23	4.5	98
121	IL-5 and TNF-alpha participate in recruitment of eosinophils to intestinal mucosa in ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 2004-9	4	59
120	Inflammatory cell and epithelial characteristics of perennial allergic and nonallergic rhinitis with a symptom history of 1 to 3 years duration. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 107, 249-57	11.5	73
119	A double-blinded, comparative study of the effects of short pre-season specific immunotherapy and topical steroids in patients with allergic rhinoconjunctivitis and asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 921-8	11.5	58
118	Mechanisms behind the prognostic value of troponin T in unstable coronary artery disease: a FRISC II substudy. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 979-86	15.1	210
117	The serum levels of eosinophil cationic protein (ECP) are related to the infiltration of eosinophils in the tumours of patients with Hodgkin's disease. <i>Leukemia and Lymphoma</i> , 2001 , 42, 457-65	1.9	14
116	Nasal lavage biomarkers: effects of water damage and microbial growth in an office building. <i>Archives of Environmental Health</i> , 2001 , 56, 30-6		60
115	Possible reasons for the prognostic value of troponin-T on admission in patients with ST-elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2001 , 12, 227-37	1.4	9
114	Granulocyte colony-stimulating factor (G-CSF) induces the production of cytokines in vivo. <i>British Journal of Haematology</i> , 2000 , 108, 848-53	4.5	33
113	A method to study apoptosis in eosinophils by flow cytometry. <i>Journal of Immunological Methods</i> , 2000 , 240, 55-68	2.5	22
112	Markers of myocardial damage and inflammation in relation to long-term mortality in unstable coronary artery disease. FRISC Study Group. Fragmin during Instability in Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2000 , 343, 1139-47	59.2	963
111	Piecemeal degranulation of peripheral blood eosinophils: a study of allergic subjects during and out of the pollen season. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2000 , 23, 521-9	5.7	53
110	Inflammation and structural changes in the airways of patients with atopic and nonatopic asthma. BHR Group. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 162, 2295-301	10.2	248
109	No benefit of reduced heparinization in thoracic aortic operation with heparin-coated bypass circuits. <i>Annals of Thoracic Surgery</i> , 2000 , 69, 743-9	2.7	14

108	Lipocalins as biochemical markers of disease. <i>BBA - Proteins and Proteomics</i> , 2000 , 1482, 298-307		206
107	Neutrophil granule proteins in bronchoalveolar lavage fluid from subjects with subclinical emphysema. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 159, 1985-91	10.2	194
106	Increased intraluminal release of eosinophil granule proteins EPO, ECP, EPX, and cytokines in ulcerative colitis and proctitis in segmental perfusion. <i>American Journal of Gastroenterology</i> , 1999 , 94, 1876-83	0.7	78
105	Evidence of mast cell activity in the middle ears of children with otitis media with effusion. <i>Laryngoscope</i> , 1999 , 109, 471-7	3.6	40
104	Low molecular weight heparin (dalteparin) as adjuvant treatment of thrombolysis in acute myocardial infarction--a pilot study: biochemical markers in acute coronary syndromes (BIOMACS II). <i>Journal of the American College of Cardiology</i> , 1999 , 33, 627-33	15.1	85
103	Neutrophils from term and preterm newborn infants express the high affinity Fcγ-receptor I (CD64) during bacterial infections. <i>Pediatric Research</i> , 1999 , 45, 871-6	3.2	70
102	EOSINOPHILS AND SERUM EOSINOPHILIC CATIONIC PROTEINS IN INTERLEUKIN-2-BASED IMMUNOTHERAPY FOR CANCER. <i>British Journal of Haematology</i> , 1998 , 100, 608-609	4.5	
101	Attenuation of changes in leukocyte surface markers and complement activation with heparin-coated cardiopulmonary bypass. <i>Annals of Thoracic Surgery</i> , 1997 , 63, 105-11	2.7	106
100	Troponin T identifies patients with unstable coronary artery disease who benefit from long-term antithrombotic protection. Fragmin in Unstable Coronary Artery Disease (FRISC) Study Group. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 43-8	15.1	344
99	Influence of two blood conservation techniques (cardiotomy reservoir versus cell-saver) on biocompatibility of the heparin coated cardiopulmonary bypass circuit during coronary revascularization surgery. <i>Journal of Cardiac Surgery</i> , 1997 , 12, 190-7	1.3	13
98	Noninvasive risk stratification in unstable coronary artery disease: exercise test and biochemical markers. FRISC Study Group. <i>American Journal of Cardiology</i> , 1997 , 80, 40E-44E	3	25
97	Human neutrophil lipocalin (HNL) is a specific granule constituent of the neutrophil granulocyte. Studies in bronchial and lung parenchymal tissue and peripheral blood cells. <i>Histochemistry and Cell Biology</i> , 1997 , 107, 423-32	2.4	35
96	Identification of IL-5 and RANTES as the major eosinophil chemoattractants in the asthmatic lung. <i>Journal of Allergy and Clinical Immunology</i> , 1996 , 97, 1110-5	11.5	99
95	Effects of heparin coating of cardiopulmonary bypass circuits on in vitro oxygen free radical production during coronary bypass surgery. <i>Artificial Organs</i> , 1996 , 20, 1008-16	2.6	14
94	Centrifugal pump and heparin coating improves cardiopulmonary bypass biocompatibility. <i>Annals of Thoracic Surgery</i> , 1996 , 62, 1134-40	2.7	75
93	The effect of granulocyte colony-stimulating factor (G-CSF) on the degranulation of secondary granule proteins from human neutrophils in vivo may be indirect. <i>British Journal of Haematology</i> , 1996 , 93, 558-68	4.5	39
92	Relation between troponin T and the risk of subsequent cardiac events in unstable coronary artery disease. The FRISC study group. <i>Circulation</i> , 1996 , 93, 1651-7	16.7	382
91	Role of eosinophils in childhood asthma inflammation. <i>Pediatric Pulmonology</i> , 1995 , 11, 34-5	3.5	3

90	Circulating cytokines and granulocyte-derived enzymes during complex heart surgery. A clinical study with special reference to heparin-coating of cardiopulmonary bypass circuits. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1995 , 29, 167-74		15
89	Early diagnosis and exclusion of acute myocardial infarction using biochemical monitoring. The BIOMACS Study Group. Biochemicals Markers of Acute Coronary Syndromes. <i>Coronary Artery Disease</i> , 1995 , 6, 321-8	1.4	57
88	Eosinophil granule proteins in cardiopulmonary bypass with and without heparin coating. <i>Annals of Thoracic Surgery</i> , 1995 , 59, 713-6	2.7	13
87	Disparity in blood activation by two different heparin-coated cardiopulmonary bypass systems. <i>Annals of Thoracic Surgery</i> , 1995 , 60, 1317-23	2.7	37
86	Kinetic retrieval of eosinophil cationic protein, hyaluronan, secretory IgA, albumin, and urea during BAL in healthy subjects. <i>Chest</i> , 1995 , 108, 62-7	5.3	13
85	Complement and granulocyte activation in two different types of heparinized extracorporeal circuits. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1995 , 110, 1623-32	1.5	64
84	Regional generation of free oxygen radicals during cardiopulmonary bypass in children. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1995 , 110, 768-73	1.5	18
83	Biocompatibility of heparin-coated circuits used in cardiopulmonary bypass. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 28, 5-11		19
82	The monitoring of inflammation by specific cellular markers. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1994 , 219, 47-54	2	19
81	Roller and centrifugal pumps compared in vitro with regard to haemolysis, granulocyte and complement activation. <i>Perfusion (United Kingdom)</i> , 1994 , 9, 109-17	1.9	40
80	Role of eosinophilic granulocytes in women with infertility and pelvic adhesions. <i>Inflammation</i> , 1994 , 18, 361-71	5.1	7
79	Hyaluronan and myeloperoxidase in human peritoneal fluid during genital inflammation. <i>Inflammation</i> , 1994 , 18, 141-9	5.1	3
78	Patients with renal cancer have a larger proportion of high-density blood monocytes with increased lucigenin-enhanced chemiluminescence. <i>Inflammation</i> , 1994 , 18, 99-105	5.1	7
77	Releasability of human hypereosinophilic eosinophils is related to the density of the cells. <i>British Journal of Haematology</i> , 1994 , 86, 41-7	4.5	17
76	Serum levels of granulocyte-colony stimulating factor (G-CSF) in bacterial and viral infections, and in atypical pneumonia. <i>British Journal of Haematology</i> , 1994 , 88, 256-60	4.5	57
75	Priming of eosinophil and neutrophil migratory responses by interleukin 3 and interleukin 5. <i>Apmis</i> , 1994 , 102, 308-16	3.4	24
74	Reduced complement and granulocyte activation with heparin-coated cardiopulmonary bypass. <i>Annals of Thoracic Surgery</i> , 1994 , 58, 472-7	2.7	144
73	Eosinophil activity in bronchial asthma. <i>Allergy and Asthma Proceedings</i> , 1994 , 15, 139-41	2.6	18

72	Airway inflammation in smokers with nonobstructive and obstructive chronic bronchitis. <i>The American Review of Respiratory Disease</i> , 1993 , 148, 1226-32		157
71	Ultrastructural characterization of platelet-activating factor-stimulated human eosinophils from patients with asthma. <i>Clinical Science</i> , 1993 , 84, 391-9	6.5	10
70	Increased in vivo activation of neutrophils and complement in sickle cell disease. <i>American Journal of Tropical Medicine and Hygiene</i> , 1993 , 49, 799-803	3.2	13
69	Periodontitis in the primary dentition associated with <i>Actinobacillus actinomycetemcomitans</i> infection and leukocyte dysfunction. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1992 , 17, 264-267	2.2	
68	Reduced granulocyte activation with a heparin-coated device in an in vitro model of cardiopulmonary bypass. <i>Artificial Organs</i> , 1991 , 15, 90-5	2.6	56
67	Allergen-induced changes in nasal secretory responsiveness and eosinophil granulocytes. <i>Acta Oto-Laryngologica</i> , 1991 , 111, 776-84	1.6	28
66	Muscle ATP and lactate and the release of myoglobin and carbanhydrase III in acute lower-limb ischaemia. <i>European Journal of Vascular Surgery</i> , 1991 , 5, 407-14		8
65	Eosinophils in exercise-induced asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1991 , 88, 699-704	11.5	65
64	The effect of immunotherapy on eosinophil accumulation and production of eosinophil chemotactic activity in the lung of subjects with asthma during natural pollen exposure. <i>Journal of Allergy and Clinical Immunology</i> , 1991 , 88, 878-88	11.5	111
63	Inhibition of neutrophil and eosinophil chemotactic responses to PAF by the PAF-antagonists WEB-2086, L-652,731, and SRI-63441. <i>Journal of Leukocyte Biology</i> , 1990 , 47, 449-56	6.5	8
62	Inflammatory cells and eosinophilic activity in asthmatics investigated by bronchoalveolar lavage. The effects of antiasthmatic treatment with budesonide or terbutaline. <i>The American Review of Respiratory Disease</i> , 1990 , 142, 91-9		275
61	Periodontitis in the primary dentition associated with <i>Actinobacillus actinomycetemcomitans</i> infection and leukocyte dysfunction. A 3 1/2 year follow-up. <i>Journal of Clinical Periodontology</i> , 1990 , 17, 264-7	7.7	20
60	Eosinophilic inflammation in asthma. <i>New England Journal of Medicine</i> , 1990 , 323, 1033-9	59.2	2174
59	Inflammatory system activation during cardiopulmonary bypass as an indicator of biocompatibility: a randomized comparison of bubble and membrane oxygenators. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1990 , 24, 53-8		29
58	Bubble and membrane oxygenators--comparison of postoperative organ dysfunction with special reference to inflammatory activity. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1990 , 24, 59-64		24
57	Albumin, bradykinins, and eosinophil cationic protein on the nasal mucosal surface in patients with hay fever during natural allergen exposure. <i>Journal of Allergy and Clinical Immunology</i> , 1990 , 85, 828-33	11.5	104
56	Allergen-induced increase of eosinophil cationic protein in nasal lavage fluid: effect of the glucocorticoid budesonide. <i>Journal of Allergy and Clinical Immunology</i> , 1990 , 85, 891-5	11.5	74
55	Exercise-induced asthma and the generation of neutrophil chemotactic activity. <i>Journal of Allergy and Clinical Immunology</i> , 1990 , 85, 498-504	11.5	27

54	Migratory responses of eosinophil and neutrophil granulocytes from patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1990 , 85, 743-50	11.5	35
53	Chemiluminescence of polymorphonuclear leukocytes and whole blood during acute bacterial infection. <i>Scandinavian Journal of Infectious Diseases</i> , 1989 , 21, 277-84		13
52	The eosinophil component of the alveolitis in idiopathic pulmonary fibrosis. Signs of eosinophil activation in the lung are related to impaired lung function. <i>The American Review of Respiratory Disease</i> , 1989 , 139, 373-7		106
51	Lucigenin-enhanced chemiluminescence in blood is increased in cancer. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 441-5	1.9	20
50	Glutathione in bronchoalveolar lavage fluid from smokers is related to humoral markers of inflammatory cell activity. <i>Inflammation</i> , 1989 , 13, 651-8	5.1	47
49	Metal content of neutrophil granules is altered in chronic inflammation. <i>Inflammation</i> , 1989 , 13, 383-92	5.1	7
48	Neutrophil and eosinophil involvement of the small bowel in patients with celiac disease and Crohn's disease: studies on the secretion rate and immunohistochemical localization of granulocyte granule constituents. <i>American Journal of Medicine</i> , 1989 , 86, 56-64	2.4	109
47	Purification and characterization of eosinophil cationic protein from normal human eosinophils. <i>European Journal of Haematology</i> , 1988 , 40, 415-23	3.8	61
46	The effect of immunotherapy on bronchial hyperresponsiveness and eosinophil cationic protein in pollen-allergic patients. <i>Journal of Allergy and Clinical Immunology</i> , 1988 , 82, 470-80	11.5	229
45	Activation of inflammatory systems during cardiopulmonary bypass. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1988 , 22, 51-3		34
44	Epithelial injury by human eosinophils. <i>The American Review of Respiratory Disease</i> , 1988 , 138, S54-7		117
43	Eosinophil granule proteins in serum after allergen challenge of asthmatic patients and the effects of anti-asthmatic medication. <i>International Archives of Allergy and Immunology</i> , 1988 , 87, 306-12	3.7	68
42	Specific binding of B-CLL cell-derived chemokinetic inhibitory factor (CIF) to human polymorphonuclear leukocytes. <i>European Journal of Haematology</i> , 1987 , 39, 172-9	3.8	4
41	Eosinophil activation in allergic disease. <i>International Archives of Allergy and Immunology</i> , 1987 , 82, 333-7	3.7	72
40	Eosinophil chemotactic activity in allergic patients during the birch pollen season: the effect of immunotherapy. <i>International Archives of Allergy and Immunology</i> , 1987 , 82, 349-50	3.7	13
39	New method for the measurement of eosinophil migration. <i>Journal of Leukocyte Biology</i> , 1987 , 42, 689-96	3.5	32
38	Heat-labile neutrophil chemotactic activity in subjects with asthma after allergen inhalation: relation to the late asthmatic reaction and effects of asthma medication. <i>Journal of Allergy and Clinical Immunology</i> , 1987 , 80, 679-88	11.5	23
37	Ethanol reduces myoglobin release during isokinetic muscle exercise. <i>Acta Medica Scandinavica</i> , 1986 , 219, 415-9		5

36	Mechanism of membrane damage mediated by human eosinophil cationic protein. <i>Nature</i> , 1986 , 321, 613-6	50.4	358
35	Production of chemokinetic inhibitory factor (CIF) by normal blood and spleen B lymphocytes. <i>Leukemia Research</i> , 1986 , 10, 179-86	2.7	4
34	Myocardial and skeletal muscle function in habitual alcoholics and its relation to serum myoglobin. <i>American Journal of Cardiology</i> , 1986 , 58, 795-9	3	5
33	Patient reactions and granulocyte degranulation during hemodialysis with cuprophane and polycarbonate membranes. A double-blind study. <i>Blood Purification</i> , 1986 , 4, 147-50	3.1	6
32	The chemokinetic inhibitory factor (CIF) in serum of CLL patients: correlation with infection propensity and disease activity. <i>Scandinavian Journal of Haematology</i> , 1985 , 35, 80-7		9
31	The chemotactic response of granulocytes to the low molecular weight chemoattractants f-MLP, C5f, and LTB4 is dependent on chemokinetic factors. <i>Journal of Leukocyte Biology</i> , 1985 , 38, 521-30	6.5	16
30	Eosinophils and cellular injury: the Gordon phenomenon as a model. <i>Allergy and Asthma Proceedings</i> , 1985 , 6, 346-51	2.6	11
29	Serum myoglobin concentrations are decreased by beta-adrenergic stimulation. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1985 , 54, 54-7		3
28	Elastase in the different primary granules of the human neutrophil. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 132, 1130-6	3.4	16
27	Schistosoma mansoni: further studies of the interaction between schistosomula and granulocyte-derived cationic proteins in vitro. <i>Parasitology</i> , 1984 , 88 (Pt 3), 491-503	2.7	63
26	Variations in serum myoglobin after a 2-min isokinetic exercise test and the effects of training. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1984 , 53, 43-7		13
25	Monoclonal antibodies distinguish between storage and secreted forms of eosinophil cationic protein. <i>Nature</i> , 1984 , 309, 182-4	50.4	279
24	Serum-levels of lactoferrin, lysozyme and myeloperoxidase in normal, infection-prone and leukemic children. <i>Clinica Chimica Acta</i> , 1984 , 136, 121-30	6.2	45
23	Signs of neutrophil and eosinophil activation in adult respiratory distress syndrome. <i>Critical Care Medicine</i> , 1984 , 12, 14-8	1.4	62
22	Cellular origin of the chemokinetic inhibitor of polymorphonuclear leucocytes found in sera from patients with chronic lymphocytic leukaemia. <i>Scandinavian Journal of Haematology</i> , 1983 , 31, 184-92		6
21	Granulocyte proteases in human maxillary sinus secretions. <i>Scandinavian Journal of Infectious Diseases</i> , 1983 , 15, 119-23		21
20	The diagnostic and prognostic value of serum-myoglobin determinations in acute myocardial infarction. <i>Uppsala Journal of Medical Sciences</i> , 1983 , 88, 205-11	2.8	5
19	Effects of drainage in the treatment of acute maxillary sinusitis. <i>Acta Oto-Laryngologica</i> , 1983 , 95, 153-9	1.6	24

18	Identification of a chemokinetic inhibitor in serum from patients with chronic lymphocytic leukaemia. <i>Scandinavian Journal of Haematology</i> , 1982 , 28, 122-31		12
17	The Gordon phenomenon induced by the eosinophil cationic protein and eosinophil protein X. <i>Journal of Allergy and Clinical Immunology</i> , 1982 , 70, 361-6	11.5	146
16	Generation of heat-labile chemotactic activity in blood after inhalation challenge and its relationship to neutrophil and monocyte/macrophage turnover and activity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1982 , 37, 55-62	9.3	19
15	Locomotion of neutrophil granulocytes from patients with thermal injury. Identification of serum-derived inhibitors. <i>Burns</i> , 1981 , 8, 6-18	2.3	13
14	The eosinophil cationic protein and the eosinophil in inflammatory reactions. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1980 , 74, 7-10	2	1
13	The role of the human neutrophil in the inflammatory reaction. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1980 , 35, 1-13	9.3	58
12	A fast and sensitive radioimmunoassay of human myoglobin for use in the early diagnosis of heart infarction. <i>Clinica Chimica Acta</i> , 1980 , 107, 129-34	6.2	24
11	Serum ferritin during inflammation. A study on myocardial infarction. <i>Acta Medica Scandinavica</i> , 1979 , 206, 361-6		15
10	Effects of serum and cations on the selective release of granular proteins from human neutrophils during phagocytosis. <i>Scandinavian Journal of Haematology</i> , 1979 , 22, 317-26		56
9	The role of the eosinophil granulocyte in the inflammatory reaction. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1979 , 34, 353-67	9.3	35
8	Enhancement of urokinase-induced plasminogen activation by the cationic protein of human eosinophil granulocytes. <i>Thrombosis Research</i> , 1979 , 14, 599-608	8.2	39
7	Enhancement of factor XII dependent reactions by eosinophil cationic protein. <i>Thrombosis Research</i> , 1979 , 14, 641-9	8.2	102
6	Radioimmunoassays of human myoglobin in serum and urine. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1979 , 39, 37-46	2	37
5	Serum ferritin during infection. A longitudinal study. <i>Scandinavian Journal of Haematology</i> , 1978 , 21, 333-40		96
4	The content of eosinophil cationic protein in eosinophil leucocytes. Study on normal controls and patients with bronchial asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1978 , 33, 152-4	9.3	7
3	Serum myeloperoxidase and lactoferrin in neutropenia. <i>Scandinavian Journal of Haematology</i> , 1977 , 18, 73-80		105
2	Myeloperoxidase and lactoferrin of blood neutrophils and plasma in chronic granulocytic leukaemia. <i>Scandinavian Journal of Haematology</i> , 1977 , 18, 113-20		50
1	Radioimmunoassay of human eosinophil cationic protein. <i>British Journal of Haematology</i> , 1977 , 37, 331-54.5		171

