

Kimie Fujita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4133429/publications.pdf>

Version: 2024-02-01

27
papers

369
citations

840119

11
h-index

839053

18
g-index

27
all docs

27
docs citations

27
times ranked

399
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailored notification encouraging examinees with abnormal glucose levels in health checkups to seek medical care. <i>Diabetology International</i> , 2022, 13, 262-271.	0.7	0
2	Development and evaluation of the sedentary behavior and light-intensity physical activity questionnaire. <i>Journal of Physical Therapy Science</i> , 2021, 33, 125-131.	0.2	4
3	Components of Empowerment Among Family Caregivers of Community-Dwelling People With Dementia in Japan: A Qualitative Research Study. <i>The Journal of Nursing Research: JNR</i> , 2021, 29, e155.	0.7	8
4	The effect of real-time monitoring of physical activity intensity in diabetic patients. <i>Japan Journal of Nursing Science</i> , 2021, , e12445.	0.5	0
5	Three-Year Follow-Up Study of Physical Activity, Physical Function, and Health-Related Quality of Life After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2020, 35, 198-203.	1.5	19
6	Cross-cultural adaptation, reliability and validity of the Japanese version of the Hospital for Special Surgery Hip Replacement Expectations Survey. <i>Journal of Orthopaedic Science</i> , 2020, 25, 599-605.	0.5	2
7	Development of the empowerment scale for family caregivers of community-dwelling people with dementia in Japan. <i>Japan Journal of Nursing Science</i> , 2020, 17, e12311.	0.5	5
8	Prospective study of objective physical activity and quality of life in living donor liver transplant recipients. <i>Japan Journal of Nursing Science</i> , 2020, 17, e12362.	0.5	5
9	Changes in actual daily physical activity and patient-reported outcomes up to 2 years after total knee arthroplasty with arthritis. <i>Geriatric Nursing</i> , 2020, 41, 949-955.	0.9	7
10	Relationships of accelerometer-determined physical activity with obesity, hypertension, diabetes, dyslipidemia, and health-related quality of life in patients after liver transplantation. <i>Clinical Transplantation</i> , 2020, 34, e14117.	0.8	3
11	Review and synthesis of the experience of patients following total hip or knee arthroplasty in the era of rapidly decreasing hospital length of stay. <i>Japan Journal of Nursing Science</i> , 2020, 17, e12361.	0.5	7
12	The effect of preventive oral care on postoperative infections after head and neck cancer surgery. <i>Auris Nasus Larynx</i> , 2020, 47, 643-649.	0.5	7
13	Expectations and depression in patients who have undergone total hip arthroplasty in Japan: A prospective cohort study. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2019, 35, 100708.	0.4	4
14	Improved levels of physical activity in patients over 75 years following total knee arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901987336.	0.4	6
15	Experience of patients following lower limb joint replacement. <i>JB I Database of Systematic Reviews and Implementation Reports</i> , 2018, 16, 2248-2252.	1.7	1
16	Moderate-to-vigorous physical activity and the risk of stroke recurrence in patients with a history of minor ischemic stroke in Japan: a retrospective analysis. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 591-598.	1.0	15
17	Quality of life, effects on Asian Lifestyle, and perceived satisfaction after total hip arthroplasty in Japan and Korea. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2018, 31, 20-25.	0.4	8
18	Validation of the Chinese (Mandarin) Version of the Oxford Knee Score in Patients with Knee Osteoarthritis. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2992-3004.	0.7	20

#	ARTICLE	IF	CITATIONS
19	Empowerment of family caregivers of adults and elderly persons: A concept analysis. <i>International Journal of Nursing Practice</i> , 2017, 23, e12573.	0.8	35
20	Three-year follow-up study of health related QOL and lifestyle indicators for Japanese patients after total hip arthroplasty. <i>Journal of Orthopaedic Science</i> , 2016, 21, 191-198.	0.5	17
21	Changes in sleep-wake rhythms, subjective sleep quality and pain among patients undergoing total hip arthroplasty. <i>International Journal of Nursing Practice</i> , 2015, 21, 764-770.	0.8	15
22	Lifestyle and health-related quality of life in Asian patients with total hip arthroplasties. <i>Australian Journal of Cancer Nursing</i> , 2014, 16, 365-372.	0.8	11
23	Impact of Japanese Lifestyle on Quality of Life for Patients with Total Hip Arthroplasty. <i>Journal of Physical Therapy and Health Promotion</i> , 2014, 2, 51-56.	0.2	3
24	Prospective study of physical activity and quality of life in Japanese women undergoing total hip arthroplasty. <i>Journal of Orthopaedic Science</i> , 2013, 18, 45-53.	0.5	29
25	Changes in the WOMAC, EuroQol and Japanese lifestyle measurements among patients undergoing total hip arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 848-855.	0.6	27
26	Validity and responsiveness of the Oxford hip score in a prospective study with Japanese total hip arthroplasty patients. <i>Journal of Orthopaedic Science</i> , 2009, 14, 35-39.	0.5	64
27	Qualitative study of osteoarthritis patients' experience before and after total hip arthroplasty in Japan. <i>Australian Journal of Cancer Nursing</i> , 2006, 8, 81-87.	0.8	47