

# Sang Hoon Ahn

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4133489/sang-hoon-ahn-publications-by-citations.pdf>

**Version:** 2023-06-01

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

439  
papers

12,052  
citations

55  
h-index

88  
g-index

483  
ext. papers

14,574  
ext. citations

5.2  
avg, IF

6.14  
L-index

#	Paper	IF	Citations
439	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 202-209	3.1	742
438	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , <b>2011</b> , 53, 885-94	10.9	285
437	Genome replication, virion secretion, and e antigen expression of naturally occurring hepatitis B virus core promoter mutants. <i>Journal of Virology</i> , <b>2003</b> , 77, 6601-12	6.3	215
436	Combination of Tenofovir Disoproxil Fumarate and Peginterferon $\alpha$ 2a Increases Loss of Hepatitis B Surface Antigen in Patients With Chronic Hepatitis B. <i>Gastroenterology</i> , <b>2016</b> , 150, 134-144.e10	7.8	219
435	Performance of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B: a meta-analysis. <i>PLoS ONE</i> , <b>2012</b> , 7, e44930	3.6	203
434	96 weeks treatment of tenofovir alafenamide vs. tenofovir disoproxil fumarate for hepatitis B virus infection. <i>Journal of Hepatology</i> , <b>2018</b> , 68, 672-681	3.1	174
433	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , <b>2016</b> , 63, 776-86	10.9	175
432	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , <b>2010</b> , 30, 546-53	7.6	165
431	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. <i>American Journal of Gastroenterology</i> , <b>2010</b> , 105, 1382-90	0.6	160
430	Long-term clinical and histological outcomes in patients with spontaneous hepatitis B surface antigen seroclearance. <i>Journal of Hepatology</i> , <b>2005</b> , 42, 188-94	3.1	150
429	Pilot clinical trial of localized concurrent chemoradiation therapy for locally advanced hepatocellular carcinoma with portal vein thrombosis. <i>Cancer</i> , <b>2008</b> , 113, 995-1003	6.2	129
428	HBV genotypes: relevance to natural history, pathogenesis and treatment of chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2011</b> , 16, 1169-86	1.6	123
427	MRP2 haplotypes confer differential susceptibility to toxic liver injury. <i>Pharmacogenetics and Genomics</i> , <b>2007</b> , 17, 403-15	1.9	114
426	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean. <i>PLoS ONE</i> , <b>2012</b> , 7, e39175	3.6	118
425	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2009</b> , 54, 1758-63	3.8	115
424	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , <b>2014</b> , 34, 102-9	7.6	114
423	Quantitative hepatitis B surface antigen and hepatitis B e antigen titers in prediction of treatment response to entecavir. <i>Hepatology</i> , <b>2011</b> , 53, 1486-93	10.9	110

422	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 1304-10	3.1	109
421	MDM2 and p53 polymorphisms are associated with the development of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Carcinogenesis</i> , <b>2008</b> , 29, 1192-6	4.4	108
420	Pre-existing liver disease is associated with poor outcome in patients with SARS CoV2 infection; The APCOLIS Study (APASL COVID-19 Liver Injury Spectrum Study). <i>Hepatology International</i> , <b>2020</b> , 14, 690-700	8.5	105
419	Prediction of microvascular invasion of hepatocellular carcinoma: usefulness of peritumoral hypointensity seen on gadoxetate disodium-enhanced hepatobiliary phase images. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 35, 629-34	5.4	105
418	Association between hepatitis B virus infection and HLA-DR type in Korea. <i>Hepatology</i> , <b>2000</b> , 31, 1371-3	10.9	101
417	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , <b>2015</b> , 61, 1851-9	10.9	101
416	Safety, efficacy and pharmacodynamics of vesatolimod (GS-9620) in virally suppressed patients with chronic hepatitis B. <i>Journal of Hepatology</i> , <b>2018</b> , 68, 431-440	3.1	97
415	Prediction of microvascular invasion before curative resection of hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 97, 246-52	2.7	93
414	Comparison of rifaximin and lactulose for the treatment of hepatic encephalopathy: a prospective randomized study. <i>Yonsei Medical Journal</i> , <b>2005</b> , 46, 399-407	2.9	91
413	Lamivudine maintenance beyond one year after HBeAg seroconversion is a major factor for sustained virologic response in HBeAg-positive chronic hepatitis B. <i>Hepatology</i> , <b>2010</b> , 51, 415-21	10.9	91
412	Persistent hepatitis B viral replication affects recurrence of hepatocellular carcinoma after curative resection. <i>Liver International</i> , <b>2008</b> , 28, 393-401	7.6	92
411	A multicenter study of entecavir vs. tenofovir on prognosis of treatment-naïve chronic hepatitis B in South Korea. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 456-464	3.1	95
410	How can we enhance the performance of liver stiffness measurement using FibroScan in diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , <b>2010</b> , 44, 66-71	2.9	86
409	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. <i>American Journal of Gastroenterology</i> , <b>2014</b> , 109, 1241-9	0.6	88
408	Role of 18F-fluorodeoxyglucose positron emission tomography in detecting extrahepatic metastasis in pretreatment staging of hepatocellular carcinoma. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 104-10	3.5	87
407	Repetitive short-course hepatic arterial infusion chemotherapy with high-dose 5-fluorouracil and cisplatin in patients with advanced hepatocellular carcinoma. <i>Cancer</i> , <b>2007</b> , 110, 129-37	6.2	88
406	Applicability of BCLC stage for prognostic stratification in comparison with other staging systems: single centre experience from long-term clinical outcomes of 1717 treatment-naïve patients with hepatocellular carcinoma. <i>Liver International</i> , <b>2012</b> , 32, 1120-7	7.6	82
405	Noninvasive models to predict liver cirrhosis in patients with chronic hepatitis B. <i>Liver International</i> , <b>2007</b> , 27, 969-76	7.6	81

404	Prediction of liver-related events using fibroscan in chronic hepatitis B patients showing advanced liver fibrosis. <i>PLoS ONE</i> , <b>2012</b> , 7, e36676	3.6	75
403	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , <b>2015</b> , 62, 1757-66	10.9	77
402	Liver stiffness measurement using acoustic radiation force impulse (ARFI) elastography and effect of necroinflammation. <i>Digestive Diseases and Sciences</i> , <b>2012</b> , 57, 1682-91	3.8	73
401	PIVKA-II is a useful tumor marker for recurrent hepatocellular carcinoma after surgical resection. <i>Oncology</i> , <b>2007</b> , 72 Suppl 1, 52-7	3.5	73
400	Autologous bone marrow infusion activates the progenitor cell compartment in patients with advanced liver cirrhosis. <i>Cell Transplantation</i> , <b>2010</b> , 19, 1237-46	3.8	69
399	Long-term clinical outcome of phase IIb clinical trial of percutaneous injection with holmium-166/chitosan complex (Milican) for the treatment of small hepatocellular carcinoma. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 543-8	12.3	70
398	Prediction of postoperative hepatic insufficiency by liver stiffness measurement (FibroScan((R))) before curative resection of hepatocellular carcinoma: a pilot study. <i>Hepatology International</i> , <b>2008</b> , 2, 471-7	8.5	68
397	Long-term outcome of chronic hepatitis B based on histological grade and stage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2007</b> , 22, 383-8	3.8	67
396	Prospective comparison of prognostic values of modified Response Evaluation Criteria in Solid Tumours with European Association for the Study of the Liver criteria in hepatocellular carcinoma following chemoembolisation. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 826-34	4.4	65
395	High Sustained Virologic Response to Daclatasvir Plus Asunaprevir in Elderly and Cirrhotic Patients with Hepatitis C Virus Genotype 1b Without Baseline NS5A Polymorphisms. <i>Advances in Therapy</i> , <b>2015</b> , 32, 637-49	4	60
394	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , <b>2009</b> , 43, 267-71	2.9	63
393	Sequence variation upstream of precore translation initiation codon reduces hepatitis B virus e antigen production. <i>Gastroenterology</i> , <b>2003</b> , 125, 1370-8	7.8	64
392	What are the true normal liver stiffness values using FibroScan?: a prospective study in healthy living liver and kidney donors in South Korea. <i>Liver International</i> , <b>2010</b> , 30, 268-74	7.6	62
391	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , <b>2016</b> , 51, 830-9	6.6	62
390	Long-term adefovir dipivoxil monotherapy for up to 5 years in lamivudine-resistant chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2010</b> , 15, 235-41	1.6	59
389	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , <b>2012</b> , 7, e41964	3.6	59
388	Hepatocellular carcinoma presenting with bone metastasis: clinical characteristics and prognostic factors. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2008</b> , 134, 1377-84	4.7	57
387	Peginterferon lambda for the treatment of HBeAg-positive chronic hepatitis B: A randomized phase 2b study (LIRA-B). <i>Journal of Hepatology</i> , <b>2016</b> , 64, 1011-1019	3.1	57

386	Phase IIb multicentred randomised trial of besifovir (LB80380) versus entecavir in Asian patients with chronic hepatitis B. <i>Gut</i> , <b>2014</b> , 63, 996-1004	18.6	55
385	Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 4278-86	3	53
384	Evaluation of Methods for Monitoring Drug Resistance in Chronic Hepatitis B Patients during Lamivudine Therapy Based on Mass Spectrometry and Reverse Hybridization. <i>Antiviral Therapy</i> , <b>2005</b> , 10, 441-449	1.6	53
383	Growth rate of early-stage hepatocellular carcinoma in patients with chronic liver disease. <i>Clinical and Molecular Hepatology</i> , <b>2015</b> , 21, 279-86	6.4	55
382	Combined GS-4774 and Tenofovir Therapy Can Improve HBV-Specific T-Cell Responses in Patients With Chronic Hepatitis. <i>Gastroenterology</i> , <b>2019</b> , 157, 227-241.e7	7.8	54
381	Early $\alpha$ -fetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Liver International</i> , <b>2011</b> , 31, 369-76	7.6	47
380	Prognostic value of 18F-FDG PET for hepatocellular carcinoma patients treated with sorafenib. <i>Liver International</i> , <b>2011</b> , 31, 1144-9	7.6	50
379	Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 2568-75	4.4	49
378	Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. <i>Liver International</i> , <b>2016</b> , 36, 100-7	7.6	51
377	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 344-53 <sup>3</sup>	3.3	49
376	Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. <i>American Journal of Gastroenterology</i> , <b>2011</b> , 106, 1654-62, 1730	0.6	49
375	The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , <b>2012</b> , 46, 518-25	2.9	48
374	Demonstration of safety and enhanced seroprotection against hepatitis B with investigational HBsAg-1018 ISS vaccine compared to a licensed hepatitis B vaccine. <i>Vaccine</i> , <b>2012</b> , 30, 2689-96	3.9	48
373	Safety, pharmacokinetics, and antiviral effects of ABI-H0731, a hepatitis B virus core inhibitor: a randomised, placebo-controlled phase 1 trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2020</b> , 5, 152-166	18.1	49
372	Management of patients with liver derangement during the COVID-19 pandemic: an Asia-Pacific position statement. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2020</b> , 5, 776-787	18.1	49
371	Prognostic value of $\alpha$ -fetoprotein and des- $\gamma$ -carboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. <i>BMC Cancer</i> , <b>2013</b> , 13, 5	4.6	42
370	18F-fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. <i>Cancer</i> , <b>2011</b> , 117, 4779-87	6.2	45
369	Efficacy of adefovir add-on lamivudine rescue therapy compared with switching to entecavir monotherapy in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , <b>2010</b> , 82, 1835-42	19.3	44

368	Specific mutations in the enhancer II/core promoter/precore regions of hepatitis B virus subgenotype C2 in Korean patients with hepatocellular carcinoma. <i>Journal of Medical Virology</i> , <b>2009</b> , 81, 1002-8	19.3	47
367	How to predict HCC development in patients with chronic B viral liver disease?. <i>Intervirolgy</i> , <b>2005</b> , 48, 23-8	2.3	45
366	Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , <b>2012</b> , 7, e35825	3.6	44
365	Chronic hepatitis B: whom to treat and for how long? Propositions, challenges, and future directions. <i>Hepatology International</i> , <b>2010</b> , 4, 386-95	8.5	43
364	RNA Interference Therapy With ARC-520 Results in Prolonged Hepatitis B Surface Antigen Response in Patients With Chronic Hepatitis B Infection. <i>Hepatology</i> , <b>2020</b> , 72, 19-31	10.9	44
363	Switching from tenofovir disoproxil fumarate to tenofovir alafenamide in virologically suppressed patients with chronic hepatitis B: a randomised, double-blind, phase 3, multicentre non-inferiority study. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2020</b> , 5, 441-453	18.1	48
362	Clinical outcome of renal transplantation in patients with positive pre-transplant hepatitis B surface antigen. <i>Journal of Medical Virology</i> , <b>2007</b> , 79, 1655-63	19.3	43
361	Long-term clinical outcomes of hepatic arterial infusion chemotherapy with cisplatin with or without 5-fluorouracil in locally advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2011</b> , 137, 659-67	4.7	42
360	Normal liver elasticity values using acoustic radiation force impulse imaging: a prospective study in healthy living liver and kidney donors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 130-6	3.8	41
359	Surgical resection after down-staging of locally advanced hepatocellular carcinoma by localized concurrent chemoradiotherapy. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3646-53	3	40
358	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2013</b> , 28, 1384-90	3.8	41
357	Risk prediction for patients with hepatocellular carcinoma undergoing chemoembolization: development of a prediction model. <i>Liver International</i> , <b>2016</b> , 36, 92-9	7.6	42
356	Liver stiffness measurement using FibroScan is influenced by serum total bilirubin in acute hepatitis. <i>Liver International</i> , <b>2009</b> , 29, 810-5	7.6	42
355	Characterization of focal liver masses using acoustic radiation force impulse elastography. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 219-26	5.4	42
354	A comparative analysis of hepatocellular carcinoma after hepatic resection in young versus elderly patients. <i>Journal of Gastrointestinal Surgery</i> , <b>2012</b> , 16, 1736-43	3.2	40
353	Clinical features and prognosis of spontaneous bacterial peritonitis in Korean patients with liver cirrhosis: a multicenter retrospective study. <i>Gut and Liver</i> , <b>2009</b> , 3, 197-204	4.6	39
352	Two-year treatment outcome of chronic hepatitis B infection treated with besifovir vs. entecavir: results from a multicentre study. <i>Journal of Hepatology</i> , <b>2015</b> , 62, 526-32	3.1	39
351	Comparison of multiplex restriction fragment mass polymorphism and sequencing analyses for detecting entecavir resistance in chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2011</b> , 16, 77-87	1.6	38

350	Survival of hepatocellular carcinoma patients may be improved in surveillance interval not more than 6 months compared with more than 6 months: a 15-year prospective study. <i>Journal of Clinical Gastroenterology</i> , <b>2013</b> , 47, 538-44	2.9	38
349	Non-invasive assessment of changes in liver fibrosis via liver stiffness measurement in patients with chronic hepatitis B: impact of antiviral treatment on fibrosis regression. <i>Hepatology International</i> , <b>2010</b> , 4, 673-80	8.5	37
348	Chronic Hepatitis B Virus Infection: Disease Revisit and Management Recommendations. <i>Journal of Clinical Gastroenterology</i> , <b>2016</b> , 50, 286-94	2.9	36
347	Number of target lesions for EASL and modified RECIST to predict survivals in hepatocellular carcinoma treated with chemoembolization. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 1503-11	12.3	36
346	Prediction models of hepatocellular carcinoma development in chronic hepatitis B patients. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 8314-8321	5.4	36
345	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 1008-17	7.6	35
344	Factors associated with significant liver fibrosis assessed using transient elastography in general population. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 1158-66	5.4	32
343	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations. <i>BMC Medical Genetics</i> , <b>2012</b> , 13, 47	2	35
342	Gastroduodenal complications after concurrent chemoradiation therapy in patients with hepatocellular carcinoma: endoscopic findings and risk factors. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2011</b> , 81, 1343-51	0.8	35
341	Association of genetic variations in CCR5 and its ligand, RANTES with clearance of hepatitis B virus in Korea. <i>Journal of Medical Virology</i> , <b>2006</b> , 78, 1564-71	19.3	34
340	Hepatocellular carcinoma in Budd-Chiari syndrome: a single center experience with long-term follow-up in South Korea. <i>World Journal of Gastroenterology</i> , <b>2012</b> , 18, 1946-52	5.4	34
339	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , <b>2014</b> , 60, 1911-9	10.9	33
338	Predictive factors for long-term survival in patients with clinically significant portal hypertension following resection of hepatocellular carcinoma. <i>Liver International</i> , <b>2011</b> , 31, 485-93	7.6	35
337	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , <b>2017</b> , 260, 156-162	1.4	34
336	Evolution of hepatitis B virus sequence from a liver transplant recipient with rapid breakthrough despite hepatitis B immune globulin prophylaxis and lamivudine therapy. <i>Journal of Medical Virology</i> , <b>2003</b> , 71, 367-75	19.3	32
335	Impact of spontaneous hepatocellular carcinoma rupture on recurrence pattern and long-term surgical outcomes after partial hepatectomy. <i>World Journal of Surgery</i> , <b>2014</b> , 38, 2070-8	3.2	31
334	Prevention of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 41-9	3.5	31
333	Validation of PAGE-B model in Asian chronic hepatitis B patients receiving entecavir or tenofovir. <i>Liver International</i> , <b>2017</b> , 37, 1788-1795	7.6	31

332	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , <b>2017</b> , 112, 882-891	0.6	29
331	Clinical characteristics and prognosis of hepatocellular carcinoma with different sets of serum AFP and PIVKA-II levels. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2012</b> , 24, 849-56	2.1	30
330	Molecular and clinical characteristics of hepatitis B virus in Korea. <i>Journal of Medical Virology</i> , <b>2010</b> , 82, 1126-34	19.3	30
329	Ascitic fluid infection in patients with hepatitis B virus-related liver cirrhosis: culture-negative neutrocytic ascites versus spontaneous bacterial peritonitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 122-8	3.8	29
328	Factors affecting the accuracy of controlled attenuation parameter (CAP) in assessing hepatic steatosis in patients with chronic liver disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e98689	3.6	30
327	Lower incidence of hepatocellular carcinoma and cirrhosis in hepatitis C patients with sustained virological response by pegylated interferon and ribavirin. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 573-81	3.8	28
326	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , <b>2010</b> , 30, 1073-81	7.6	30
325	Prevalence and genotype distribution of hepatitis C virus among apparently healthy individuals in Mongolia: a population-based nationwide study. <i>Liver International</i> , <b>2008</b> , 28, 1389-95	7.6	27
324	Natural history of hepatitis B virus-related cirrhotic patients hospitalized to control ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2008</b> , 23, 1722-7	3.8	27
323	Emerging therapies for hepatitis C. <i>Gut and Liver</i> , <b>2014</b> , 8, 471-9	4.6	29
322	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2016</b> , 14, 1647-1656.e6	6.6	28
321	Liver stiffness-based model for prediction of hepatocellular carcinoma in chronic hepatitis B virus infection: comparison with histological fibrosis. <i>Liver International</i> , <b>2015</b> , 35, 1054-62	7.6	28
320	Early on-treatment predictions of clinical outcomes using alpha-fetoprotein and des-gamma-carboxy prothrombin responses in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 313-22	3.8	28
319	Combination treatment of localized concurrent chemoradiation therapy and transarterial chemoembolization in locally advanced hepatocellular carcinoma with intrahepatic metastasis. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2013</b> , 71, 165-73	3.4	28
318	Transient elastography in chronic hepatitis B: an Asian perspective. <i>World Journal of Gastroenterology</i> , <b>2010</b> , 16, 5173-80	5.4	28
317	Efficacy and safety of transarterial chemoembolization in recurrent hepatocellular carcinoma after curative surgical resection. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , <b>2009</b> , 32, 564-9	2.6	28
316	Hepatitis B Surface Antigen Loss with Tenofovir Disoproxil Fumarate Plus Peginterferon Alfa-2a: Week 120 Analysis. <i>Digestive Diseases and Sciences</i> , <b>2018</b> , 63, 3487-3497	3.8	27
315	"Normal" liver stiffness values differ between men and women: a prospective study for healthy living liver and kidney donors in a native Korean population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 781-8	3.8	27



314	New susceptibility and resistance HLA-DP alleles to HBV-related diseases identified by a trans-ethnic association study in Asia. <i>PLoS ONE</i> , <b>2014</b> , 9, e86449	3.6	27
313	Predictive value of HBsAg quantification for determining the clinical course of genotype C HBeAg-negative carriers. <i>Liver International</i> , <b>2012</b> , 32, 796-802	7.6	27
312	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. <i>Liver International</i> , <b>2017</b> , 37, 879-887	7.6	27
311	Evaluation of the prognostic value of Okuda, Cancer of the Liver Italian Program, and Japan Integrated Staging systems for hepatocellular carcinoma patients undergoing radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2007</b> , 67, 1037-42	0.8	27
310	Usefulness of urine strip test in the rapid diagnosis of spontaneous bacterial peritonitis. <i>Liver International</i> , <b>2005</b> , 25, 1197-201	7.6	29
309	The Clinical Impact of Early Detection of the Ymdd Mutant on the Outcomes of Long-Term Lamivudine Therapy in Patients with Chronic Hepatitis B. <i>Antiviral Therapy</i> , <b>2006</b> , 11, 447-455	1.6	27
308	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , <b>2016</b> , 57, 885-92	2.9	26
307	Efficacy and Safety of Besifovir Dipivoxil Maleate Compared With Tenofovir Disoproxil Fumarate in Treatment of Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1850-1859.e4	6.6	28
306	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Liver International</i> , <b>2014</b> , 34, 1216-23	7.6	26
305	Investigation of oncogenic cooperation in simple liver-specific transgenic mouse models using noninvasive in vivo imaging. <i>PLoS ONE</i> , <b>2013</b> , 8, e59869	3.6	26
304	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 1296-306	2.9	25
303	Gamma-glutamyl transpeptidase-to-platelet ratio is an independent predictor of hepatitis B virus-related liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 1221-1229	3.8	25
302	Inhibition of tumour angiogenesis and growth by small hairpin HIF-1 $\alpha$ and IL-8 in hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 632-42	7.6	24
301	Combined measurement of preoperative $\alpha$ Fetoprotein and des- $\gamma$ -carboxy prothrombin predicts recurrence after curative resection in patients with hepatitis-B-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2332-41	7.3	25
300	Clinicopathological characteristics in combined hepatocellular-cholangiocarcinoma: a single center study in Korea. <i>Yonsei Medical Journal</i> , <b>2011</b> , 52, 753-60	2.9	25
299	Predictive value of liver cell dysplasia for development of hepatocellular carcinoma in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , <b>2008</b> , 42, 738-43	2.9	25
298	Quantification of HBsAg: basic virology for clinical practice. <i>World Journal of Gastroenterology</i> , <b>2011</b> , 17, 283-9	5.4	25
297	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , <b>2019</b> , 11,	6.3	26

296	Conventional versus drug-eluting beads chemoembolization for hepatocellular carcinoma: Emphasis on the impact of tumor size. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 487-496	3.8	24
295	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , <b>2013</b> , 33, 180-9	7.6	24
294	Ascites and spontaneous bacterial peritonitis: an Asian perspective. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 1494-503	3.8	24
293	Changes in serum and ascitic monocyte chemotactic protein-1 (MCP-1) and IL-10 levels in cirrhotic patients with spontaneous bacterial peritonitis. <i>Journal of Interferon and Cytokine Research</i> , <b>2007</b> , 27, 227-30	3.3	23
292	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3328	1.8	24
291	Clinical outcomes and prognostic factors of patients with advanced hepatocellular carcinoma treated with sorafenib as first-line therapy: a Korean multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 1463-9	3.8	23
290	Association between IL28B polymorphisms and spontaneous clearance of hepatitis B virus infection. <i>PLoS ONE</i> , <b>2013</b> , 8, e69166	3.6	22
289	Nucleos(t)ide Analogue Treatment for Patients With Hepatitis B Virus (HBV) e Antigen-Positive Chronic HBV Genotype C Infection: A Nationwide, Multicenter, Retrospective Study. <i>Journal of Infectious Diseases</i> , <b>2017</b> , 216, 1407-1414	6.8	23
288	Radiation-induced hepatic toxicity after radiotherapy combined with chemotherapy for hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2007</b> , 37, 906-13	4.9	23
287	A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , <b>2015</b> , 10, e0121009	3.6	22
286	Risk assessment of liver-related events using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Journal of Clinical Gastroenterology</i> , <b>2014</b> , 48, 272-8	2.9	22
285	Clinical features and prognosis of hepatocellular carcinoma in Mongolia: a multicentre study. <i>Hepatology International</i> , <b>2012</b> , 6, 763-9	8.5	13
284	Use of the delta neutrophil index as a prognostic factor of mortality in patients with spontaneous bacterial peritonitis: implications of a simple and useful marker. <i>PLoS ONE</i> , <b>2014</b> , 9, e86884	3.6	22
283	Rituximab and hepatitis B reactivation in HBsAg-negative/ anti-HBc-positive kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, 722-729	4.1	22
282	Preoperative radiologic and postoperative pathologic risk factors for early intra-hepatic recurrence in hepatocellular carcinoma patients who underwent curative resection. <i>Yonsei Medical Journal</i> , <b>2009</b> , 50, 789-95	2.9	22
281	Red cell volume distribution width-to-platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , <b>2016</b> , 36, 24-30	7.6	22
280	Efficient long-term amplification of hepatitis B virus isolates after infection of slow proliferating HepG2-NTCP cells. <i>Journal of Hepatology</i> , <b>2019</b> , 71, 289-300	3.1	21
279	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , <b>2019</b> , 39, 1624-1630	7.6	22

278	Clinical features and treatment outcomes of upper gastrointestinal bleeding in patients with cirrhosis. <i>Journal of Korean Medical Science</i> , <b>2008</b> , 23, 635-43	4.6	21
277	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , <b>2018</b> , 38, 676-686	7.6	20
276	Clinical features of autoimmune hepatitis and comparison of two diagnostic criteria in Korea: a nationwide, multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2013</b> , 28, 128-34	3.8	21
275	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 584-595	0.6	22
274	Prognosis of hepatocellular carcinoma patients with extrahepatic metastasis and the controllability of intrahepatic lesions. <i>Clinical and Experimental Metastasis</i> , <b>2014</b> , 31, 475-82	4.6	19
273	Partial virological response to entecavir in treatment-naive patients with chronic hepatitis B. <i>Antiviral Therapy</i> , <b>2011</b> , 16, 469-77	1.6	17
272	Efficacy of sorafenib monotherapy versus sorafenib-based loco-regional treatments in advanced hepatocellular carcinoma. <i>PLoS ONE</i> , <b>2013</b> , 8, e77240	3.6	19
271	Rescue Monotherapy in Lamivudine-Resistant Hepatitis B e Antigen-Positive Chronic Hepatitis B: Adefovir versus Entecavir. <i>Antiviral Therapy</i> , <b>2009</b> , 14, 705-712	1.6	17
270	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Cancer Medicine</i> , <b>2019</b> , 8, 5023-5032	4.7	18
269	Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , <b>2015</b> , 8, 347-56	4.3	17
268	Entecavir plus tenofovir combination therapy in patients with multidrug-resistant chronic hepatitis B: results of a multicentre, prospective study. <i>Liver International</i> , <b>2016</b> , 36, 1108-15	7.6	18
267	Role of splenectomy in patients with hepatocellular carcinoma and hypersplenism. <i>ANZ Journal of Surgery</i> , <b>2013</b> , 83, 865-70	0.9	17
266	Transient elastography-based risk estimation of hepatitis B virus-related occurrence of hepatocellular carcinoma: development and validation of a predictive model. <i>OncoTargets and Therapy</i> , <b>2013</b> , 6, 1463-9	4.3	20
265	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , <b>2017</b> , 11, 268-276	8.5	18
264	Urgency to treat patients with chronic hepatitis C in Asia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 966-974	3.8	18
263	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , <b>2015</b> , 35, 455-62	7.6	17
262	Reimbursement policies in the Asia-Pacific for chronic hepatitis B. <i>Hepatology International</i> , <b>2015</b> , 9, 43-51	5.5	18
261	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 842-7	3.8	18

260	Abnormal liver stiffness assessed using transient elastography (Fibroscan <sup>®</sup> ) in HIV-infected patients without HBV/HCV coinfection receiving combined antiretroviral treatment. <i>PLoS ONE</i> , <b>2013</b> , 8, e52720	3.6	18
259	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , <b>2014</b> , 9, e99167 <sup>3,6</sup>	3.6	17
258	Risk assessment of development of hepatic decompensation in histologically proven hepatitis B viral cirrhosis using liver stiffness measurement. <i>Digestion</i> , <b>2012</b> , 85, 219-27	3.4	17
257	Controversies in surveillance and early diagnosis of hepatocellular carcinoma. <i>Oncology</i> , <b>2011</b> , 81 Suppl 1, 56-60	3.5	17
256	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 24-32	6.4	17
255	Effects of Entecavir and Tenofovir on Renal Function in Patients with Hepatitis B Virus-Related Compensated and Decompensated Cirrhosis. <i>Gut and Liver</i> , <b>2017</b> , 11, 828-834	4.6	18
254	Hepatic fibrosis assessed using transient elastography independently associated with coronary artery calcification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2015</b> , 30, 1536-42	3.8	16
253	Probability-based interpretation of liver stiffness measurement in untreated chronic hepatitis B patients. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 1448-56	3.8	16
252	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. <i>Cerebrovascular Diseases</i> , <b>2019</b> , 47, 32-39	3	17
251	The effect of interferon-free regimens on health-related quality of life in East Asian patients with chronic hepatitis C. <i>Liver International</i> , <b>2018</b> , 38, 1179-1187	7.6	16
250	Adjuvant hepatic arterial infusional chemotherapy with 5-fluorouracil and cisplatin after curative resection of hepatocellular carcinoma. <i>Oncology</i> , <b>2011</b> , 81, 184-91	3.5	16
249	Validation of the CAMD Score in Patients With Chronic Hepatitis B Virus Infection Receiving Antiviral Therapy. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 693-699.e1	6.6	15
248	Substitution at rt269 in Hepatitis B Virus Polymerase Is a Compensatory Mutation Associated with Multi-Drug Resistance. <i>PLoS ONE</i> , <b>2015</b> , 10, e0136728	3.6	16
247	Long-term clinical outcome of large volume paracentesis with intravenous albumin in patients with spontaneous bacterial peritonitis: a randomized prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2005</b> , 20, 1215-22	3.8	16
246	Tumor Necrosis Factor-producing T-regulatory Cells Are Associated With Severe Liver Injury in Patients With Acute Hepatitis A. <i>Gastroenterology</i> , <b>2018</b> , 154, 1047-1060	7.8	16
245	Reduced risk of hepatocellular carcinoma by achieving a subcirrhotic liver stiffness through antiviral agents in hepatitis B virus-related advanced fibrosis or cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2018</b> , 33, 503-510	3.8	15
244	Development of a transgenic mouse model of hepatocellular carcinoma with a liver fibrosis background. <i>BMC Gastroenterology</i> , <b>2016</b> , 16, 13	2.9	15
243	A phase IIIb study of ledipasvir/sofosbuvir fixed-dose combination tablet in treatment-naïve and treatment-experienced Korean patients chronically infected with genotype 1 hepatitis C virus. <i>Hepatology International</i> , <b>2016</b> , 10, 947-955	8.5	15

242	Clinical usefulness of double biomarkers AFP and PIVKA-II for subdividing prognostic groups in locally advanced hepatocellular carcinoma. <i>Liver International</i> , <b>2014</b> , 34, 313-21	7.6	14
241	Long-term outcomes of chronic hepatitis B virus infection in the era of antiviral therapy in Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 1005-11	3.8	16
240	Early predictor of mortality due to irreversible posthepatectomy liver failure in patients with hepatocellular carcinoma. <i>World Journal of Surgery</i> , <b>2013</b> , 37, 1028-33	3.2	15
239	Combination therapy of thymosin alpha-1 and lamivudine for HBeAg positive chronic hepatitis B: A prospective randomized, comparative pilot study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2008</b> , 23, 729-35	3.8	16
238	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2020</b> , 52, 196-204	5.8	16
237	Hepatitis B e antigen-negative mutations in the precore and core promoter regions in Korean patients. <i>Journal of Medical Virology</i> , <b>2009</b> , 81, 594-601	19.3	16
236	Variability in liver stiffness values from different intercostal spaces. <i>Liver International</i> , <b>2009</b> , 29, 760-6	7.6	15
235	Hepatocellular Carcinoma Risk Steadily Persists over Time Despite Long-Term Antiviral Therapy for Hepatitis B: A Multicenter Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 832-837	3.6	8
234	Treatment outcome of transcatheter arterial chemoinfusion according to anticancer agents and prognostic factors in patients with advanced hepatocellular carcinoma (TNM stage IVa). <i>Yonsei Medical Journal</i> , <b>2004</b> , 45, 847-58	2.9	15
233	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , <b>2019</b> , 25, 283-293	6.4	17
232	Sofosbuvir and ledipasvir are associated with high sustained virologic response and improvement of health-related quality of life in East Asian patients with hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , <b>2018</b> , 25, 1429-1437	3.3	14
231	Early Ectoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , <b>2015</b> , 2, 39-47	5.1	14
230	Using transient elastography to predict hepatocellular carcinoma recurrence after radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 1079-1086	3.8	14
229	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , <b>2010</b> , 28, 802-11	3.2	15
228	Prediction of Sustained Response After Nucleo(s)tide Analogue Cessation Using HBsAg and HBcrAg Levels: A Multicenter Study (CREATE). <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> ,	6.6	14
227	Daclatasvir/asunaprevir/beclabuvir, all-oral, fixed-dose combination for patients with chronic hepatitis C virus genotype 1. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2017</b> , 32, 1998-2005 <sup>3.8</sup>	3.8	14
226	Sequence analysis and functional characterization of full-length hepatitis B virus genomes from Korean cirrhotic patients with or without liver cancer. <i>Virus Research</i> , <b>2017</b> , 235, 86-95	6.2	14
225	An optimized hepatocellular carcinoma prediction model for chronic hepatitis B with well-controlled viremia. <i>Liver International</i> , <b>2020</b> , 40, 1736-1743	7.6	15

224	Hepatitis B Core-Related Antigen to Indicate High Viral Load: Systematic Review and Meta-Analysis of 10,397 Individual Participants. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 46-60.e8	6.6	14
223	Clarification required for the definition of hepatitis B virus subgenotypes C1 and C2. <i>Intervirology</i> , <b>2009</b> , 52, 321-2	2.3	14
222	Risk assessment of hepatocellular carcinoma development for indeterminate hepatic nodules in patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2019</b> , 25, 390-399	6.4	15
221	Hepatitis B Virus Cure: Targets and Future Therapies. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 22,	6.1	15
220	Factors Influencing the Diagnostic Accuracy of Acoustic Radiation Force Impulse Elastography in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , <b>2016</b> , 10, 275-82	4.6	14
219	Reproducibility of European Association for the Study of the Liver criteria and modified Response Evaluation Criteria in Solid Tumors in patients treated with sorafenib. <i>Liver International</i> , <b>2018</b> , 38, 1655-1663	7.6	13
218	Knockdown of HIF-1 $\alpha$ and IL-8 induced apoptosis of hepatocellular carcinoma triggers apoptosis of vascular endothelial cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2016</b> , 21, 85-95	5.3	13
217	Prognostic role of magnetic resonance imaging vs. computed tomography for hepatocellular carcinoma undergoing chemoembolization. <i>Liver International</i> , <b>2015</b> , 35, 1722-30	7.6	13
216	Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139227	3.6	13
215	Prevention of hepatocellular carcinoma: beyond hepatitis B vaccination. <i>Seminars in Oncology</i> , <b>2015</b> , 42, 316-28	5.3	14
214	Predictive Factors of Spontaneous Bacterial Peritonitis Caused by Gram-Positive Bacteria in Patients With Cirrhosis. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3489	1.8	13
213	Effect of S267F variant of NTCP on the patients with chronic hepatitis B. <i>Scientific Reports</i> , <b>2017</b> , 7, 17634	4.7	13
212	Lesson from 610 liver resections of hepatocellular carcinoma in a single center over 10 years. <i>World Journal of Surgical Oncology</i> , <b>2014</b> , 12, 192	3.3	13
211	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , <b>2013</b> , 33, 706-13	7.6	12
210	Antiviral efficacy of lamivudine versus entecavir in patients with hepatitis B virus-related advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27, 1528-34	3.8	13
209	Clinical efficacy of a 24-months course of lamivudine therapy in patients with HBeAg negative chronic hepatitis B: a long-term prospective study. <i>Journal of Korean Medical Science</i> , <b>2010</b> , 25, 882-7	4.6	13
208	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , <b>2017</b> , 62, 2150-2158	3.8	13
207	Dynamics of the liver stiffness value using transient elastography during the perioperative period in patients with valvular heart disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e92795	3.6	13

206	Anti-hepatitis A virus seroprevalence among patients with chronic viral liver disease in Korea. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2007</b> , 19, 923-6	2.1	13
205	Incidence and risk factors of delayed postpolypectomy bleeding in patients with chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , <b>2016</b> , 51, 618-24	2.3	12
204	A 96-week randomized trial of switching to entecavir in chronic hepatitis B patients with a partial virological response to lamivudine. <i>Antiviral Therapy</i> , <b>2012</b> , 17, 1563-70	1.6	12
203	Prospective validation of P2/MS noninvasive index using complete blood counts for detecting oesophageal varices in B-viral cirrhosis. <i>Liver International</i> , <b>2010</b> , 30, 860-6	7.6	12
202	Correlation between quantitative serum HBsAg and HBV DNA test in Korean patients who showed high level of HBsAg. <i>Journal of Clinical Pathology</i> , <b>2010</b> , 63, 1027-31	3.8	12
201	Transarterial Radioembolization Versus Concurrent Chemoradiation Therapy for Locally Advanced Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2017</b> , 99, 396-406	0.8	12
200	Dickkopf-1 induces angiogenesis via VEGF receptor 2 regulation independent of the Wnt signaling pathway. <i>Oncotarget</i> , <b>2017</b> , 8, 58974-58984	3.2	12
199	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2013</b> , 19, 29-35	6.4	12
198	Normal controlled attenuation parameter values: a prospective study of healthy subjects undergoing health checkups and liver donors in Korea. <i>Digestive Diseases and Sciences</i> , <b>2015</b> , 60, 234-42	3.8	13
197	Optimal time for restoring the reliability of liver stiffness measurement in patients with chronic hepatitis B experiencing acute exacerbation. <i>Journal of Clinical Gastroenterology</i> , <b>2012</b> , 46, 602-7	2.9	12
196	Hepatitis B virus infection after renal transplantation in the presence of antibody to hepatitis B surface antigen immunity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2004</b> , 19, 847-53	3.8	11
195	Quasispecies and pre-existing drug-resistant mutations of hepatitis B virus in patients with chronic hepatitis B. <i>Gut and Liver</i> , <b>2013</b> , 7, 329-34	4.6	10
194	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , <b>2016</b> , 10, 429-36	4.6	11
193	Hepatitis C Virus and Antiviral Drug Resistance. <i>Gut and Liver</i> , <b>2016</b> , 10, 890-895	4.6	12
192	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , <b>2019</b> , 9, 2508	4.7	11
191	Prognosis of Untreated Minimally Active Chronic Hepatitis B Patients in Comparison With Virological Responders by Antivirals. <i>Clinical and Translational Gastroenterology</i> , <b>2019</b> , 10, e00036	4	11
190	Long-term Efficacy of Tenofovir Disoproxil Fumarate Monotherapy for Multidrug-Resistant Chronic HBV infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1348-1355.e2	6.6	10
189	Transient Elastography is Superior to FIB-4 in Assessing the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3434	1.8	10

188	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir add-on lamivudine after stopping lamivudine therapy. <i>Liver International</i> , <b>2014</b> , 34, 1543-9	7.6	9
187	How many valid measurements are necessary to assess liver fibrosis using FibroScan <sup>®</sup> in patients with chronic viral hepatitis? An analysis of subjects with at least 10 valid measurements. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 337-45	2.9	10
186	Antibody-secreting cells with a phenotype of Ki-67low, CD138high, CD31high, and CD38high secrete nonspecific IgM during primary hepatitis A virus infection. <i>Journal of Immunology</i> , <b>2013</b> , 191, 127-34	5.2	11
185	Combination of preS deletions and A1762T/G1764A mutations in HBV subgenotype C2 increases the risk of developing HCC. <i>Intervirology</i> , <b>2012</b> , 55, 296-302	2.3	10
184	Non-invasive assessment of liver fibrosis: time to move from cross-sectional studies to longitudinal ones. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2010</b> , 25, 1472-3	3.8	11
183	Discontinuation of nucleos(t)ide analogues is not associated with a higher risk of HBsAg seroreversion after antiviral-induced HBsAg seroclearance: a nationwide multicentre study. <i>Gut</i> , <b>2020</b> , 69, 2214-2222	18.6	10
182	Efficacy and Safety of Liver-Directed Concurrent Chemoradiotherapy and Sequential Sorafenib for Advanced Hepatocellular Carcinoma: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2020</b> , 107, 106-115	0.8	11
181	Discordance between liver biopsy and FibroTest in assessing liver fibrosis in chronic hepatitis B. <i>PLoS ONE</i> , <b>2013</b> , 8, e55759	3.6	10
180	Two cases of telbivudine-induced myopathy in siblings with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2013</b> , 19, 82-6	6.4	9
179	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-naïve chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. <i>Clinical and Molecular Hepatology</i> , <b>2014</b> , 20, 261-6	6.4	9
178	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 33-44	6.4	10
177	A case of embryonal sarcoma of the liver mimicking a hydatid cyst in an adult. <i>Gut and Liver</i> , <b>2010</b> , 4, 245-9	4.6	10
176	Progression of Untreated Minimally Active Chronic HBV Infection Compared to Inactive Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 2808-2810.e2	6.6	11
175	Alpha-Fetoprotein, Des-Gamma-Carboxy Prothrombin, and Modified RECIST Response as Predictors of Survival after Transarterial Radioembolization for Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , <b>2019</b> , 30, 1194-1200.e1	0.9	9
174	Long-Term Follow-Up of Patients After Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , <b>2017</b> , 26, 1059-1066	3.8	9
173	Acute variceal hemorrhage in patients with liver cirrhosis: weekend versus weekday admissions. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 318-27	2.9	9
172	Fibrosis-4 index at diagnosis can predict all-cause mortality in patients with rheumatoid arthritis: A retrospective monocentric study. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 70-77	3.1	8
171	Design and validation of risk prediction model for hepatocellular carcinoma development after sustained virological response in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 378-385	2.1	9



170	IFNL3-adjuvanted HCV DNA vaccine reduces regulatory T cell frequency and increases virus-specific T cell responses. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 72-83	3.1	9
169	Natural History of Untreated HBeAg-Positive Chronic HBV Infection With Persistently Elevated HBV DNA but Normal Alanine Aminotransferase. <i>Clinical and Translational Gastroenterology</i> , <b>2020</b> , 11, e00140	4	9
168	Silencing of hypoxia-inducible factor-1 induces anti-tumor effects in hepatoma cell lines under tumor hypoxia. <i>PLoS ONE</i> , <b>2014</b> , 9, e103304	3.6	9
167	Non-invasive prediction of forthcoming cirrhosis-related complications. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 2613-23	5.4	9
166	Comparison of the Effects of Telbivudine and Entecavir Treatment on Estimated Glomerular Filtration Rate in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , <b>2015</b> , 9, 776-83	4.6	9
165	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , <b>2019</b> , 13, 197-205	4.6	9
164	Staged partial hepatectomy versus transarterial chemoembolization for the treatment of spontaneous hepatocellular carcinoma rupture: a multicenter analysis in Korea. <i>Annals of Surgical Treatment and Research</i> , <b>2019</b> , 96, 275-282	1.9	8
163	Prediction of virologic response to tenofovir mono-rescue therapy for multidrug resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , <b>2016</b> , 88, 1027-34	19.3	8
162	Sorafenib versus cytotoxic chemotherapy for patients with advanced hepatocellular carcinoma: a retrospective, single-institution study. <i>Investigational New Drugs</i> , <b>2012</b> , 30, 1150-7	4.1	7
161	Clinical features and prognosis of hepatocellular carcinoma with respect to pre-S deletion and basal core promoter mutations of hepatitis B virus Genotype C2. <i>Journal of Medical Virology</i> , <b>2011</b> , 83, 2088-95	19.3	8
160	Orthotopic liver transplantation after the combined use of locoregional therapy and sorafenib for advanced hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , <b>2013</b> , 6, 755-9	4.3	8
159	Lamivudine plus adefovir vs. entecavir in HBeAg-positive hepatitis B with sequential treatment failure of lamivudine and adefovir. <i>Liver International</i> , <b>2012</b> , 32, 1179-85	7.6	8
158	Efficacy of Lenervimab, a Recombinant Human Immunoglobulin, in Treatment of Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 3043-3045.e1	6.6	8
157	What is the role of diagnostic laparoscopy in a gastroenterology unit?. <i>Journal of Gastroenterology</i> , <b>2007</b> , 42, 881-6	6.6	7
156	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , <b>2020</b> , 14, 626-635	4.6	7
155	An evaluation of entecavir for the treatment of chronic hepatitis B infection in adults. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2016</b> , 10, 177-86	4.1	7
154	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2019</b> , 54, 1283-1290	2.3	7
153	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. <i>BMC Cancer</i> , <b>2019</b> , 19, 363	4.6	7

152	An Observational, Multicenter, Cohort Study Evaluating the Antiviral Efficacy and Safety in Korean Patients With Chronic Hepatitis B Receiving Pegylated Interferon-alpha 2a (Pegasys): TRACES Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3026	1.8	7
151	Outcome of adefovir add-on lamivudine rescue therapy of up to 5 years in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 241-7	3.8	7
150	Pre-S mutations of hepatitis B virus affect genome replication and expression of surface antigens. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 843-50	3.8	7
149	Telbivudine in combination with adefovir versus adefovir monotherapy in HBeAg-positive, lamivudine-resistant chronic hepatitis B. <i>Hepatology International</i> , <b>2012</b> , 6, 696-706	8.5	7
148	Spontaneous bacterial peritonitis in patients with hepatitis B virus-related liver cirrhosis: community-acquired versus nosocomial. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 328-36	2.9	7
147	A novel estimation of the relative economic value in terms of different chronic hepatitis B treatment options. <i>PLoS ONE</i> , <b>2013</b> , 8, e57900	3.6	7
146	Casein kinase II inhibitor enhances production of infectious genotype 1a hepatitis C virus (H77S). <i>PLoS ONE</i> , <b>2014</b> , 9, e113938	3.6	7
145	Clinical course of virologic breakthrough after emergence of YMDD mutations in HBeAg-positive chronic hepatitis B. <i>Intervirology</i> , <b>2008</b> , 51, 293-8	2.3	7
144	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 1950-1958.e7	6.6	8
143	Besifovir Dipivoxil Maleate 144-Week Treatment of Chronic Hepatitis B: An Open-Label Extensional Study of a Phase 3 Trial. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 1217-1225	0.6	8
142	Lenvatinib is independently associated with the reduced risk of progressive disease when compared with sorafenib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1317-1325	3.8	7
141	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , <b>2021</b> , 15, 117-127	4.6	7
140	Efficacy of switching from adefovir to tenofovir in chronic hepatitis B patients who exhibit suboptimal responses to adefovir-based combination rescue therapy due to resistance to nucleoside analogues (SATIS study). <i>Clinical and Molecular Hepatology</i> , <b>2016</b> , 22, 443-449	6.4	8
139	The Modified Response Evaluation Criteria in Solid Tumors (RECIST) Yield a More Accurate Prognoses Than the RECIST 1.1 in Hepatocellular Carcinoma Treated with Transarterial Radioembolization. <i>Gut and Liver</i> , <b>2020</b> , 14, 765-774	4.6	9
138	Transarterial Chemoembolization in Treatment-Naïve and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , <b>2019</b> , 64, 3660-3668	3.8	6
137	Analysis of miRNA expression patterns in human and mouse hepatocellular carcinoma cells. <i>Hepatology Research</i> , <b>2015</b> , 45, 1331-40	4.9	6
136	Efficacy of switching to telbivudine plus adefovir in suboptimal responders to lamivudine plus adefovir. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 7671-9	5.4	6
135	Hepatitis B virus serology to predict antiviral response in chronic hepatitis B. <i>Digestion</i> , <b>2011</b> , 84 Suppl 1, 29-34	3.4	6

134	The efficacies of entecavir and tenofovir in terms of enhancing prognosis after curative treatment of hepatitis B virus-related hepatocellular carcinoma. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 89, 48-55	3.8	6
133	Efficacy and long-term follow up of combination therapy with interferon alpha and ribavirin for chronic hepatitis C in Korea. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 793-8	2.9	5
132	Association between the severity of liver fibrosis and cardiovascular outcomes in patients with type 2 diabetes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1703-1713	3.8	7
131	Spontaneous HBsAg loss in Korean patients: relevance of viral genotypes, S gene mutations, and covalently closed circular DNA copy numbers. <i>Clinical and Molecular Hepatology</i> , <b>2014</b> , 20, 251-60	6.4	7
130	Acute hepatitis A, B and C but not D is still prevalent in Mongolia: a time trend analysis. <i>Clinical and Molecular Hepatology</i> , <b>2017</b> , 23, 147-153	6.4	6
129	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , <b>2018</b> , 12, 190-200	4.6	5
128	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. <i>Gut and Liver</i> , <b>2018</b> , 12, 324-330	4.6	7
127	Prediction of significant fibrosis in chronic hepatitis C patients with normal ALT. <i>Hepato-Gastroenterology</i> , <b>2011</b> , 58, 1321-7		5
126	Long-term Outcomes of Antiviral Therapy in Patients With Advanced Chronic HBV Infection. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 2811-2813.e1	6.6	5
125	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , <b>2016</b> , 31, 1431-7	4.6	5
124	Inter-observer variability of response evaluation criteria for hepatocellular carcinoma treated with chemoembolization. <i>Digestive and Liver Disease</i> , <b>2015</b> , 47, 682-8	1.2	5
123	Follow-Up Liver Stiffness Measurements after Liver Resection Influence Oncologic Outcomes of Hepatitis-B-Associated Hepatocellular Carcinoma with Liver Cirrhosis. <i>Cancers</i> , <b>2019</b> , 11,	6.3	5
122	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. <i>Journal of Medical Virology</i> , <b>2017</b> , 89, 85-90	19.3	5
121	Switching from tenofovir and nucleoside analogue therapy to tenofovir monotherapy in virologically suppressed chronic hepatitis B patients with antiviral resistance. <i>Journal of Medical Virology</i> , <b>2018</b> , 90, 497-502	19.3	5
120	Prognostic indicators for acute liver failure development and mortality in patients with hepatitis A: consecutive case analysis. <i>Yonsei Medical Journal</i> , <b>2014</b> , 55, 953-9	2.9	5
119	Association between polymorphism of tumor necrosis factor-alpha promoter and response to lamivudine treatment in patients with chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 2043-8	3.8	5
118	External validation of P2/MS and comparison with other simple non-invasive indices for predicting liver fibrosis in HBV-infected patients. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 2636-43	3.8	5
117	An observational study on long-term renal outcome in patients with chronic hepatitis B treated with tenofovir disoproxil fumarate. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 316-322	3.3	6

116	Prognosis of Early-Stage Hepatocellular Carcinoma: Comparison between Trans-Arterial Chemoembolization and Radiofrequency Ablation. <i>Cancers</i> , <b>2020</b> , 12,	6.3	5
115	YAP/TAZ Suppress Drug Penetration Into Hepatocellular Carcinoma Through Stromal Activation. <i>Hepatology</i> , <b>2021</b> , 74, 2605-2621	10.9	5
114	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , <b>2021</b> , 15, 1083-1092	8.5	5
113	Conditional survival estimate in patients with Barcelona Clinic Liver Cancer stage B/C hepatocellular carcinoma treated with hepatic arterial infusion chemotherapy with/without concurrent radiotherapy. <i>Oncotarget</i> , <b>2017</b> , 8, 79914-79926	3.2	4
112	Fatty liver associated with metabolic derangement in patients with chronic kidney disease: A controlled attenuation parameter study. <i>Kidney Research and Clinical Practice</i> , <b>2017</b> , 36, 48-57	3.3	5
111	Recombinant interferon-Beta-1 alpha plus ribavirin for the treatment of chronic HCV infection: a prospective, randomized, comparative pilot study. <i>Gut and Liver</i> , <b>2009</b> , 3, 20-5	4.6	5
110	Predictors of Discordance in the Assessment of Skeletal Muscle Mass between Computed Tomography and Bioimpedance Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5	6
109	HBsAg-negative and anti-HBc-positive in eosinophilic granulomatosis with polyangiitis: a retrospective pilot study. <i>Rheumatology International</i> , <b>2018</b> , 38, 1531-1538	3.5	4
108	Refractoriness to transarterial chemoembolization in patients with recurrent hepatocellular carcinoma after curative resection. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214613	3.6	4
107	A quantile regression approach to explain the relationship of Fatigue and Cortisol, Cytokine among Koreans with Hepatitis B. <i>Scientific Reports</i> , <b>2018</b> , 8, 16434	4.7	4
106	Individual prediction model for lamivudine treatment response in hepatitis B virus e antigen-positive chronic hepatitis B patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 1049-55	3.8	4
105	Relationship between severity of liver dysfunction and the relative ratio of liver to aortic enhancement (RE) on MRI using hepatocyte-specific contrast. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 39, 24-30	5.4	4
104	Entecavir plus adefovir versus adefovir plus lamivudine in hepatitis B virus e antigen-positive, lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2014</b> , 29, 1485-93	3.8	4
103	Non-invasive assessment of liver fibrosis: the gap between ideal and real. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2011</b> , 26, 937-9	3.8	6
102	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , <b>2013</b> , 2, 19-25	1.6	4
101	Non-O1, Non-O139 Vibrio cholerae Septicemia after Acupuncture. <i>The Ewha Medical Journal</i> , <b>2013</b> , 36, S22	0.1	3
100	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 58-65	2.1	4
99	Advanced Liver Fibrosis Predicts Unfavorable Long-Term Prognosis in First-Ever Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , <b>2020</b> , 49, 474-480	3	5

98	Hepatocellular Carcinoma Risk According to Regimens for Eradication of Hepatitis C Virus; Interferon or Direct Acting Antivirals. <i>Cancers</i> , <b>2020</b> , 12,	6.3	4
97	Prognostic factors of sorafenib therapy in hepatocellular carcinoma patients with failure of transarterial chemoembolization. <i>Hepatology International</i> , <b>2017</b> , 11, 292-299	8.5	4
96	Validation of risk prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 95-104	3.3	4
95	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> , 12, 1168-1178	9.9	4
94	Appraisal of Long-Term Outcomes of Liver-Directed Concurrent Chemoradiotherapy for Hepatocellular Carcinoma with Major Portal Vein Invasion. <i>Journal of Hepatocellular Carcinoma</i> , <b>2020</b> , 7, 403-412	5.1	4
93	Tuberculous mesenteric lymphadenitis involving the gastric wall: case report. <i>Gastrointestinal Endoscopy</i> , <b>2005</b> , 62, 799-802	1.4	4
92	Disease duration and Medsger $\beta$ severity score are associated with significant liver fibrosis in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , <b>2015</b> , 33, S68-74	2.1	4
91	Risk and Risk Score Performance of Hepatocellular Carcinoma Development in Patients With Hepatitis B Surface Antigen Seroclearance. <i>Clinical and Translational Gastroenterology</i> , <b>2021</b> , 12, e00290 <sup>4</sup>		4
90	Survival Estimates after Stopping Sorafenib in Patients with Hepatocellular Carcinoma: NEXT Score Development and Validation. <i>Gut and Liver</i> , <b>2017</b> , 11, 693-701	4.6	4
89	A novel risk score for hepatocellular carcinoma in Asian cirrhotic patients: a multicentre prospective cohort study. <i>Scientific Reports</i> , <b>2018</b> , 8, 8608	4.7	3
88	Less Fibrotic Burden Differently Affects the Long-Term Outcomes of Hepatocellular Carcinoma after Curative Resection. <i>Oncology</i> , <b>2017</b> , 93, 224-232	3.5	3
87	Treatment of lamivudine-resistant chronic hepatitis B infection: a multicenter retrospective study. <i>Scandinavian Journal of Gastroenterology</i> , <b>2013</b> , 48, 196-204	2.3	3
86	Clinical characteristics of acute hepatitis A complicated by acute kidney injury. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2012</b> , 44, 144-8		3
85	Predictors of refractory ascites development in patients with hepatitis B virus-related cirrhosis hospitalized to control ascitic decompensation. <i>Yonsei Medical Journal</i> , <b>2013</b> , 54, 145-53	2.9	3
84	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 1352-1358	3.3	2
83	HKR3 regulates cell cycle through the inhibition of hTERT in hepatocellular carcinoma cell lines. <i>Journal of Cancer</i> , <b>2020</b> , 11, 2442-2452	4.4	2
82	Cell culture-adaptive mutations of NS5A affect replication of hepatitis C virus differentially depending on the viral genotypes. <i>Journal of Medical Virology</i> , <b>2017</b> , 89, 146-152	19.3	3
81	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232186	3.6	3

80	Negligible risks of hepatocellular carcinoma during biomarker-defined immune-tolerant phase for patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2021</b> , 27, 295-304	6.4	4
79	Continuing besifovir dipivoxil maleate versus switching from tenofovir disoproxil fumarate for treatment of chronic hepatitis B: Results of 192-week phase 3 trial. <i>Clinical and Molecular Hepatology</i> , <b>2021</b> , 27, 346-359	6.4	4
78	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2021</b> , 33, 885-893	2.1	3
77	A case of hypervascular hyperplastic nodules in a patient with alcoholic liver cirrhosis. <i>Yonsei Medical Journal</i> , <b>2006</b> , 47, 881-6	2.9	3
76	Probability of HBsAg loss after nucleo(s)tide analogue withdrawal depends on HBV genotype and viral antigen levels.. <i>Journal of Hepatology</i> , <b>2022</b> ,	3.1	3
75	Management of Clevudine-Resistant Chronic Hepatitis B: A Multicenter Cohort Study. <i>Gut and Liver</i> , <b>2017</b> , 11, 129-135	4.6	3
74	Psychometric evaluation of the Korean version of the Hepatitis B Quality of Life Questionnaire. <i>PLoS ONE</i> , <b>2019</b> , 14, e0213001	3.6	2
73	Clonal evolution of multidrug resistant hepatitis B virus during entecavir rescue therapy. <i>Liver International</i> , <b>2015</b> , 35, 2370-83	7.6	2
72	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , <b>2019</b> , 9, 15628	4.7	2
71	A 96-week randomized trial of switching to entecavir in patients who achieved virological suppression on lamivudine therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 865-71	3.8	2
70	Clinical predictors of silent but substantial liver fibrosis in primary Sjogren's syndrome. <i>Modern Rheumatology</i> , <b>2016</b> , 26, 576-82	3.1	2
69	Gene Expression Profiling of Hepatocellular Carcinoma Derived Cancer Stem Like Cell under Hypoxia. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 925-933	2.9	2
68	Partial virological response to adefovir add-on lamivudine rescue therapy in patients with lamivudine-resistant chronic hepatitis B. <i>Digestion</i> , <b>2013</b> , 87, 196-203	3.4	2
67	Prediction of esophageal variceal bleeding in B-viral liver cirrhosis using the P2/MS noninvasive index based on complete blood counts. <i>Digestion</i> , <b>2012</b> , 86, 264-72	3.4	2
66	Establishment and validation of a risk prediction model in patients with hepatocellular carcinoma treated with transarterial radioembolization. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 739-747	2.1	2
65	Direct-Acting Antivirals Improve Treatment Outcomes in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma Treated with Transarterial Chemoembolization: A Nationwide, Multi-center, Retrospective Cohort Study. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 66, 2427-2438	3.8	2
64	High body mass index hinders fibrosis improvement in patients receiving long-term tenofovir therapy in hepatitis B virus-related cirrhosis. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 1119-1126	3.3	2
63	Factors associated with improvement in MELD score after antiviral treatment in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 1610-1618	3.8	2

62	Evolution of liver fibrosis and steatosis markers in patients with type 2 diabetes after metformin treatment for 2 years. <i>Journal of Diabetes and Its Complications</i> , <b>2021</b> , 35, 107747	3.1	2
61	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , <b>2021</b> , 51, 406-416	4.9	2
60	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , <b>2021</b> ,	4.6	2
59	Effect of tenofovir alafenamide vs. tenofovir disoproxil fumarate on hepatocellular carcinoma risk in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 1570-1578	3.3	2
58	Episodic Detectable Viremia Does Not Affect Prognosis in Untreated Compensated Cirrhosis With Serum Hepatitis B Virus DNA . <i>American Journal of Gastroenterology</i> , <b>2021</b> ,	0.6	2
57	Cost-Effectiveness Analysis of Antiviral Therapy for Untreated Minimally Active Chronic Hepatitis B to Prevent Liver Disease Progression. <i>Clinical and Translational Gastroenterology</i> , <b>2021</b> , 12, e00299	4	2
56	External validation of CAGE-B and SAGE-B scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 951-958	3.3	2
55	Advanced liver fibrosis measured by transient elastography predicts chronic kidney disease development in individuals with non-alcoholic fatty liver disease.. <i>Diabetologia</i> , <b>2021</b> , 65, 518	10	2
54	Influence of Besifovir Dipivoxil Maleate Combined with L-Carnitine on Hepatic Steatosis in Patients with Chronic Hepatitis B. <i>Journal of Korean Medical Science</i> , <b>2020</b> , 35, e104	4.6	2
53	Performance evaluation of the HepB Typer-Entecavir kit for detection of entecavir resistance mutations in chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , <b>2013</b> , 19, 399-408	6.4	2
52	Fibrosis-matched outcomes between chronic hepatitis B patients with drug-induced virological response and inactive carriers. <i>Liver International</i> , <b>2019</b> , 39, 81-89	7.6	1
51	The clinical implication of single nucleotide polymorphisms in deoxycytidine kinase in chronic hepatitis B patients treated with lamivudine. <i>Journal of Medical Virology</i> , <b>2016</b> , 88, 820-7	19.3	1
50	Combined use of rosuvastatin and ezetimibe improves hepatic steatosis in patients with dyslipidemia. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 1538-1544	2.1	1
49	Entecavir and tenofovir on renal function in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Viral Hepatitis</i> , <b>2020</b> , 27, 932-940	3.3	1
48	Negligible HCC risk during stringently defined untreated immune-tolerant phase of chronic hepatitis B. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 84, 68-73	3.8	2
47	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , <b>2021</b> , 62, 12-20	2.9	1
46	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.6	1
45	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> ,	3.8	1

44	Predictors of Complete Response in Patients with Hepatocellular Carcinoma Treated with Trans-Arterial Radioembolization. <i>Current Oncology</i> , <b>2021</b> , 28, 965-977	2.7	1
43	Artificial intelligence in liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 539-542	3.8	1
42	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , <b>2021</b> , 21, 69-75	0.6	1
41	Pathological predictive factors for late recurrence of hepatocellular carcinoma in chronic liver disease. <i>Liver International</i> , <b>2021</b> , 41, 1662-1674	7.6	1
40	Treatment efficacy by hepatic arterial infusion chemotherapy vs. sorafenib after liver-directed concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2021</b> , 147, 3123-3133	4.7	1
39	Change in the Recurrence Pattern and Predictors over Time after Complete Cure of Hepatocellular Carcinoma. <i>Gut and Liver</i> , <b>2021</b> , 15, 420-429	4.6	1
38	Hepatitis B Core-Related Antigen: From Virology to Clinical Application. <i>Seminars in Liver Disease</i> , <b>2021</b> , 41, 182-190	7	1
37	Pre-existing liver disease is associated with poor outcome in patients with SARS CoV2 infection; The APCOLIS Study (APASL COVID-19 Liver Injury Spectrum Study)		1
36	Subclinical but significant liver fibrosis in patients with ANCA-associated vasculitis. <i>Clinical and Experimental Rheumatology</i> , <b>2019</b> , 37 Suppl 117, 26-31	2.1	1
35	Entecavir+tenofovir vs. lamivudine/telbivudine+adefovir in chronic hepatitis B patients with prior suboptimal response. <i>Clinical and Molecular Hepatology</i> , <b>2020</b> , 26, 352-363	6.4	1
34	Correlation of the grade of hepatic steatosis between controlled attenuation parameter and ultrasound in patients with fatty liver: a multi-center retrospective cohort study. <i>Korean Journal of Internal Medicine</i> , <b>2020</b> , 35, 1346-1353	2.5	1
33	Treatment of Chronic Hepatitis C Using Newly Developed Oral Antiviral Agents. <i>Korean Journal of Medicine</i> , <b>2015</b> , 88, 635	0.4	1
32	Proposal of a New Risk Score for Patients Treated with Transarterial Chemoembolization due to Recurrent Hepatocellular Carcinoma after Curative Resection: A Multicenter Study. <i>Gut and Liver</i> , <b>2020</b> , 14, 477-485	4.6	1
31	Multicenter Retrospective Risk Assessment of Esophageal Variceal Bleeding in Patients with Cirrhosis: An Acoustic Radiation Force Impulse Elastography-Based Prediction Model. <i>Gut and Liver</i> , <b>2019</b> , 13, 206-214	4.6	1
30	Hepatocellular Carcinoma with Bile Duct Tumor Thrombi. <i>Yeungnam University Journal of Medicine</i> , <b>2011</b> , 28, 180		1
29	Pharmacokinetics and safety of evogliptin in hepatically impaired patients. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 2757-2766	3.7	0
28	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , <b>2020</b> , 52, 1338-1345	1.2	1
27	Association Between Curative Treatment after Transarterial Radioembolization and Better Survival Outcomes in Patients with Hepatocellular Carcinoma. <i>Cancer Investigation</i> , <b>2021</b> , 39, 274-283	2.1	0



26	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , <b>2021</b> , 8, 467-476	5.1	o
25	Clinical stage drugs targeting inhibitor of apoptosis proteins purge episomal Hepatitis B viral genome in preclinical models. <i>Cell Death and Disease</i> , <b>2021</b> , 12, 641	9.5	o
24	Controlled attenuation parameter value and the risk of hepatocellular carcinoma in chronic hepatitis B patients under antiviral therapy. <i>Hepatology International</i> , <b>2021</b> , 15, 892-900	8.5	o
23	No influence of hepatic steatosis on the 3-year outcomes of patients with quiescent chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 1545-1553	3.3	o
22	Screening, confirmation, and treatment rates of hepatitis C virus infection in a tertiary academic medical center in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 2479-2485	3.8	
21	Metabolic Dysfunction-Associated Fatty Liver Disease and Risk of Incident Chronic Kidney Disease: A Nationwide Cohort Study.. <i>Diabetes and Metabolism</i> , <b>2022</b> , 101344	5.3	o
20	Efficacy of entecavir, tenofovir disoproxil fumarate, and tenofovir alafenamide in treatment-naive hepatitis B patients. <i>Hepatology International</i> , <b>2021</b> , 15, 1328-1336	8.5	o
19	Revised Korean Antiviral Guideline Reduces the Hepatitis B-related Hepatocellular Carcinoma Risk in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , <b>2021</b> , 36, e105	4.6	
18	Efficacy and safety of ledipasvir/sofosbuvir in 5,028 Mongolian patients infected with genotype 1 hepatitis C virus: A multicenter study. <i>Clinical and Molecular Hepatology</i> , <b>2021</b> , 27, 125-135	6.4	1
17	Impact of Interferon-Based Treatment on Quality of Life and Work-Related Productivity of Korean Patients with Chronic Hepatitis C. <i>Gut and Liver</i> , <b>2020</b> , 14, 368-376	4.6	o
16	Hepatic Sarcoidosis in a Patient with Chronic Hepatitis B Virus Infection. <i>Journal of Rheumatic Diseases</i> , <b>2015</b> , 22, 200	1.1	
15	Development and initial validation of the nonalcoholic fatty liver disease self-management questionnaire. <i>Research in Nursing and Health</i> , <b>2021</b> , 44, 844-853	1.9	
14	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , <b>2021</b> , 28, 1362-1372	3.3	
13	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 1	3.8	
12	Predictors of Sarcopenia in an Obese Asian Population. <i>Nutrition and Cancer</i> , <b>2021</b> , 1-10	2.6	
11	One Case of Tracheal Rupture after Blunt Chest Trauma Diagnosed Early by Fiberoptic Bronchoscopy. <i>Tuberculosis and Respiratory Diseases</i> , <b>1999</b> , 46, 586		
10	Dickkopf-1 promotes angiogenesis by upregulating VEGF receptor 2-mediated mTOR/p70S6K signaling in hepatocellular carcinoma. <i>American Journal of Cancer Research</i> , <b>2021</b> , 11, 4788-4806	4.2	
9	Cost-effectiveness of antiviral therapy in untreated compensated cirrhosis patient with serum HBV-DNA level . <i>Hepatology International</i> , <b>2022</b> , 16, 294	8.5	

- 8 Comparison of FibroScan-Aspartate Aminotransferase (FAST) Score and Other Non-invasive Surrogates in Predicting High-Risk Non-alcoholic Steatohepatitis Criteria.. *Frontiers in Medicine*, **2022**, 9, 869190 4.7
- 7 Efficacy and safety of localized concurrent chemoradiation therapy and sorafenib sequential therapy in advanced hepatocellular carcinoma: A prospective phase II trial.. *Journal of Clinical Oncology*, **2017**, 35, e15678-e15678 2.1
- 6 A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea **2020**, 15, e0232186
- 5 A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea **2020**, 15, e0232186
- 4 A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea **2020**, 15, e0232186
- 3 A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea **2020**, 15, e0232186
- 2 A micellized bone morphogenetic protein-7 prodrug ameliorates liver fibrosis by suppressing transforming growth factor- signaling.. *American Journal of Cancer Research*, **2022**, 12, 763-778 4.2
- 1 A Delayed Hepatico-colonic Fistula after Radiofrequency Ablation in Hepatocellular Carcinoma. *Korean Journal of Medicine*, **2014**, 86, 722 0.4