

Sang Hoon Ahn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4133489/sang-hoon-ahn-publications-by-year.pdf>

Version: 2023-06-06

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

438
papers

12,322
citations

55
h-index

89
g-index

483
ext. papers

15,213
ext. citations

5.2
avg, IF

6.14
L-index

#	Paper	IF	Citations
438	Probability of HBsAg loss after nucleo(s)tide analogue withdrawal depends on HBV genotype and viral antigen levels.. <i>Journal of Hepatology</i> , 2022 ,	3.1	6
437	Cost-effectiveness of antiviral therapy in untreated compensated cirrhosis patient with serum HBV-DNA level . <i>Hepatology International</i> , 2022 , 16, 294	8.5	0
436	Metabolic Dysfunction-Associated Fatty Liver Disease and Risk of Incident Chronic Kidney Disease: A Nationwide Cohort Study.. <i>Diabetes and Metabolism</i> , 2022 , 101344	5.3	1
435	Comparison of FibroScan-Aspartate Aminotransferase (FAST) Score and Other Non-invasive Surrogates in Predicting High-Risk Non-alcoholic Steatohepatitis Criteria.. <i>Frontiers in Medicine</i> , 2022 , 9, 869190	4.7	0
434	A micellized bone morphogenetic protein-7 prodrug ameliorates liver fibrosis by suppressing transforming growth factor- signaling.. <i>American Journal of Cancer Research</i> , 2022 , 12, 763-778	4.2	
433	Advanced liver fibrosis measured by transient elastography predicts chronic kidney disease development in individuals with non-alcoholic fatty liver disease.. <i>Diabetologia</i> , 2021 , 65, 518	10	2
432	Efficacy of entecavir, tenofovir disoproxil fumarate, and tenofovir alafenamide in treatment-naive hepatitis B patients. <i>Hepatology International</i> , 2021 , 15, 1328-1336	8.5	1
431	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 885-893	2.1	3
430	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1950-1958.e7	6.6	8
429	Pharmacokinetics and safety of evogliptin in hepatically impaired patients. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2757-2766	3.7	0
428	Direct-Acting Antivirals Improve Treatment Outcomes in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma Treated with Transarterial Chemoembolization: A Nationwide, Multi-center, Retrospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2427-2438	3.8	2
427	Predictors of Sarcopenia in an Obese Asian Population. <i>Nutrition and Cancer</i> , 2021 , 1-10	2.6	
426	Pathological predictive factors for late recurrence of hepatocellular carcinoma in chronic liver disease. <i>Liver International</i> , 2021 , 41, 1662-1674	7.6	1
425	External validation of CAGE-B and SAGE-B scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 951-958	3.3	2
424	Negligible risks of hepatocellular carcinoma during biomarker-defined immune-tolerant phase for patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 295-304	6.4	3
423	Treatment efficacy by hepatic arterial infusion chemotherapy vs. sorafenib after liver-directed concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 3123-3133	4.7	1
422	Screening, confirmation, and treatment rates of hepatitis C virus infection in a tertiary academic medical center in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2479-2485	2.8	0

4 ²¹	Continuing besifovir dipivoxil maleate versus switching from tenofovir disoproxil fumarate for treatment of chronic hepatitis B: Results of 192-week phase 3 trial. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 346-359	6.4	3
4 ²⁰	Change in the Recurrence Pattern and Predictors over Time after Complete Cure of Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2021 , 15, 420-429	4.6	1
4 ¹⁹	Hepatitis B Core-Related Antigen: From Virology to Clinical Application. <i>Seminars in Liver Disease</i> , 2021 , 41, 182-190	7	1
4 ¹⁸	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 467-476	5.1	0
4 ¹⁷	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.6	3
4 ¹⁶	Development and initial validation of the nonalcoholic fatty liver disease self-management questionnaire. <i>Research in Nursing and Health</i> , 2021 , 44, 844-853	1.9	0
4 ¹⁵	Clinical stage drugs targeting inhibitor of apoptosis proteins purge episomal Hepatitis B viral genome in preclinical models. <i>Cell Death and Disease</i> , 2021 , 12, 641	9.5	0
4 ¹⁴	The efficacies of entecavir and tenofovir in terms of enhancing prognosis after curative treatment of hepatitis B virus-related hepatocellular carcinoma. <i>European Journal of Internal Medicine</i> , 2021 , 89, 48-55	3.8	6
4 ¹³	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2021 ,	4.6	4
4 ¹²	Hepatitis B Core-Related Antigen to Indicate High Viral Load: Systematic Review and Meta-Analysis of 10,397 Individual Participants. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 46-60.e8	6.6	15
4 ¹¹	Evolution of liver fibrosis and steatosis markers in patients with type 2 diabetes after metformin treatment for 2 years. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107747	3.1	2
4 ¹⁰	Validation of risk prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 95-104	3.3	4
4 ⁰⁹	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2021 , 51, 406-416	4.9	2
4 ⁰⁸	Negligible HCC risk during stringently defined untreated immune-tolerant phase of chronic hepatitis B. <i>European Journal of Internal Medicine</i> , 2021 , 84, 68-73	3.8	1
4 ⁰⁷	Lenvatinib is independently associated with the reduced risk of progressive disease when compared with sorafenib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1317-1325	3.8	9
4 ⁰⁶	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2021 , 62, 12-20	2.9	1
4 ⁰⁵	Association Between Curative Treatment after Transarterial Radioembolization and Better Survival Outcomes in Patients with Hepatocellular Carcinoma. <i>Cancer Investigation</i> , 2021 , 39, 274-283	2.1	0
4 ⁰⁴	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , 2021 , 15, 117-127	4.6	8

403	Predictors of Complete Response in Patients with Hepatocellular Carcinoma Treated with Trans-Arterial Radioembolization. <i>Current Oncology</i> , 2021 , 28, 965-977	2.7	1
402	Cost-Effectiveness Analysis of Antiviral Therapy for Untreated Minimally Active Chronic Hepatitis B to Prevent Liver Disease Progression. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00299	4	2
401	Artificial intelligence in liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 539-542	3.8	1
400	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , 2021 , 21, 69-75	0.6	1
399	Controlled attenuation parameter value and the risk of hepatocellular carcinoma in chronic hepatitis B patients under antiviral therapy. <i>Hepatology International</i> , 2021 , 15, 892-900	8.5	0
398	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1362-1372 ³	2.3	0
397	YAP/TAZ Suppress Drug Penetration Into Hepatocellular Carcinoma Through Stromal Activation. <i>Hepatology</i> , 2021 , 74, 2605-2621	10.9	5
396	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 1168-1178	9.9	6
395	No influence of hepatic steatosis on the 3-year outcomes of patients with quiescent chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1545-1553	3.3	0
394	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , 2021 , 15, 1083-1092	8.5	5
393	Effect of tenofovir alafenamide vs. tenofovir disoproxil fumarate on hepatocellular carcinoma risk in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1570-1578	3.3	2
392	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	3.8	1
391	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2021 , 1	3.8	
390	Episodic Detectable Viremia Does Not Affect Prognosis in Untreated Compensated Cirrhosis With Serum Hepatitis B Virus DNA . <i>American Journal of Gastroenterology</i> , 2021 ,	0.6	2
389	Revised Korean Antiviral Guideline Reduces the Hepatitis B-related Hepatocellular Carcinoma Risk in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , 2021 , 36, e105	4.6	0
388	Association between the severity of liver fibrosis and cardiovascular outcomes in patients with type 2 diabetes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1703-1713	3.8	6
387	Efficacy and safety of ledipasvir/sofosbuvir in 5,028 Mongolian patients infected with genotype 1 hepatitis C virus: A multicenter study. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 125-135	6.4	1
386	Risk and Risk Score Performance of Hepatocellular Carcinoma Development in Patients With Hepatitis B Surface Antigen Seroclearance. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00290 ⁴		5

385	Dickkopf-1 promotes angiogenesis by upregulating VEGF receptor 2-mediated mTOR/p70S6K signaling in hepatocellular carcinoma. <i>American Journal of Cancer Research</i> , 2021 , 11, 4788-4806	4.2	
384	Prediction of Sustained Response After Nucleo(s)tide Analogue Cessation Using HBsAg and HBcrAg Levels: A Multicenter Study (CREATE). <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.6	17
383	Entecavir and tenofovir on renal function in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 932-940	3.3	1
382	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 196-204	5.8	16
381	High body mass index hinders fibrosis improvement in patients receiving long-term tenofovir therapy in hepatitis B virus-related cirrhosis. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1119-1126	3.3	2
380	HKR3 regulates cell cycle through the inhibition of hTERT in hepatocellular carcinoma cell lines. <i>Journal of Cancer</i> , 2020 , 11, 2442-2452	4.4	4
379	Discontinuation of nucleos(t)ide analogues is not associated with a higher risk of HBsAg seroreversion after antiviral-induced HBsAg seroclearance: a nationwide multicentre study. <i>Gut</i> , 2020 , 69, 2214-2222	18.6	10
378	Pre-existing liver disease is associated with poor outcome in patients with SARS CoV2 infection; The APCOLIS Study (APASL COVID-19 Liver Injury Spectrum Study). <i>Hepatology International</i> , 2020 , 14, 690-700	8.5	108
377	Factors associated with improvement in MELD score after antiviral treatment in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1610-1618	3.8	2
376	Switching from tenofovir disoproxil fumarate to tenofovir alafenamide in virologically suppressed patients with chronic hepatitis B: a randomised, double-blind, phase 3, multicentre non-inferiority study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 441-453	18.1	45
375	Efficacy and Safety of Liver-Directed Concurrent Chemoradiotherapy and Sequential Sorafenib for Advanced Hepatocellular Carcinoma: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 106-115	0.8	10
374	IFNL3-adjuvanted HCV DNA vaccine reduces regulatory T cell frequency and increases virus-specific T cell responses. <i>Journal of Hepatology</i> , 2020 , 73, 72-83	3.1	9
373	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea. <i>PLoS ONE</i> , 2020 , 15, e0232186	3.6	3
372	Natural History of Untreated HBeAg-Positive Chronic HBV Infection With Persistently Elevated HBV DNA but Normal Alanine Aminotransferase. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00140	4	9
371	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , 2020 , 73, 202-209	3.1	764
370	An optimized hepatocellular carcinoma prediction model for chronic hepatitis B with well-controlled viremia. <i>Liver International</i> , 2020 , 40, 1736-1743	7.6	15
369	Hepatocellular Carcinoma Risk Steadily Persists over Time Despite Long-Term Antiviral Therapy for Hepatitis B: A Multicenter Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 832-837	3.6	17
368	Entecavir+tenofovir vs. lamivudine/telbivudine+adefovir in chronic hepatitis B patients with prior suboptimal response. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 352-363	6.4	1

367	Correlation of the grade of hepatic steatosis between controlled attenuation parameter and ultrasound in patients with fatty liver: a multi-center retrospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1346-1353	2.5	1
366	Appraisal of Long-Term Outcomes of Liver-Directed Concurrent Chemoradiotherapy for Hepatocellular Carcinoma with Major Portal Vein Invasion. <i>Journal of Hepatocellular Carcinoma</i> , 2020 , 7, 403-412	5.1	4
365	Influence of Besifovir Dipivoxil Maleate Combined with L-Carnitine on Hepatic Steatosis in Patients with Chronic Hepatitis B. <i>Journal of Korean Medical Science</i> , 2020 , 35, e104	4.6	2
364	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 24-32	6.4	17
363	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 33-44	6.4	11
362	Hepatitis B Virus Cure: Targets and Future Therapies. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.1	16
361	Proposal of a New Risk Score for Patients Treated with Transarterial Chemoembolization due to Recurrent Hepatocellular Carcinoma after Curative Resection: A Multicenter Study. <i>Gut and Liver</i> , 2020 , 14, 477-485	4.6	1
360	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , 2020 , 14, 626-635	4.6	10
359	The Modified Response Evaluation Criteria in Solid Tumors (RECIST) Yield a More Accurate Prognoses Than the RECIST 1.1 in Hepatocellular Carcinoma Treated with Transarterial Radioembolization. <i>Gut and Liver</i> , 2020 , 14, 765-774	4.6	8
358	Impact of Interferon-Based Treatment on Quality of Life and Work-Related Productivity of Korean Patients with Chronic Hepatitis C. <i>Gut and Liver</i> , 2020 , 14, 368-376	4.6	0
357	Safety, pharmacokinetics, and antiviral effects of ABI-H0731, a hepatitis B virus core inhibitor: a randomised, placebo-controlled phase 1 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 152-166	18.1	49
356	Validation of the CAMD Score in Patients With Chronic Hepatitis B Virus Infection Receiving Antiviral Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 693-699.e1	6.6	16
355	Efficacy of Lenervimab, a Recombinant Human Immunoglobulin, in Treatment of Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 3043-3045.e1	6.6	10
354	An observational study on long-term renal outcome in patients with chronic hepatitis B treated with tenofovir disoproxil fumarate. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 316-322	3.3	5
353	RNA Interference Therapy With ARC-520 Results in Prolonged Hepatitis B Surface Antigen Response in Patients With Chronic Hepatitis B Infection. <i>Hepatology</i> , 2020 , 72, 19-31	10.9	47
352	Combined use of rosuvastatin and ezetimibe improves hepatic steatosis in patients with dyslipidemia. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1538-1544	2.1	2
351	Establishment and validation of a risk prediction model in patients with hepatocellular carcinoma treated with transarterial radioembolization. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 739-747	2.1	2
350	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 58-65	2.1	5

349	Design and validation of risk prediction model for hepatocellular carcinoma development after sustained virological response in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 378-385	2.1	10
348	Advanced Liver Fibrosis Predicts Unfavorable Long-Term Prognosis in First-Ever Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , 2020 , 49, 474-480	3	5
347	Hepatocellular Carcinoma Risk According to Regimens for Eradication of Hepatitis C Virus; Interferon or Direct Acting Antivirals. <i>Cancers</i> , 2020 , 12,	6.3	5
346	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , 2020 , 52, 1338-1345	1.2	2
345	Management of patients with liver derangement during the COVID-19 pandemic: an Asia-Pacific position statement. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 776-787	18.1	51
344	Besifovir Dipivoxil Maleate 144-Week Treatment of Chronic Hepatitis B: An Open-Label Extensional Study of a Phase 3 Trial. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1217-1225	0.6	7
343	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1352-1358	3.3	3
342	Prognosis of Early-Stage Hepatocellular Carcinoma: Comparison between Trans-Arterial Chemoembolization and Radiofrequency Ablation. <i>Cancers</i> , 2020 , 12,	6.3	6
341	Fibrosis-4 index at diagnosis can predict all-cause mortality in patients with rheumatoid arthritis: A retrospective monocentric study. <i>Modern Rheumatology</i> , 2020 , 30, 70-77	3.1	11
340	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , 2020 , 115, 584-595	0.6	24
339	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
338	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
337	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
336	A tool to measure the impact of inaction toward elimination of hepatitis C: A case study in Korea 2020 , 15, e0232186		
335	Staged partial hepatectomy versus transarterial chemoembolization for the treatment of spontaneous hepatocellular carcinoma rupture: a multicenter analysis in Korea. <i>Annals of Surgical Treatment and Research</i> , 2019 , 96, 275-282	1.9	9
334	Long-term Outcomes of Antiviral Therapy in Patients With Advanced Chronic HBV Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2811-2813.e1	6.6	6
333	Transarterial Chemoembolization in Treatment-Naïve and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 3660-3668	3.8	6
332	Combined GS-4774 and Tenofovir Therapy Can Improve HBV-Specific T-Cell Responses in Patients With Chronic Hepatitis. <i>Gastroenterology</i> , 2019 , 157, 227-241.e7	7.8	52

331	Efficient long-term amplification of hepatitis B virus isolates after infection of slow proliferating HepG2-NTCP cells. <i>Journal of Hepatology</i> , 2019 , 71, 289-300	3.1	22
330	Progression of Untreated Minimally Active Chronic HBV Infection Compared to Inactive Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2808-2810.e2	6.6	9
329	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. <i>BMC Cancer</i> , 2019 , 19, 363	4.6	7
328	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2019 , 39, 1624-1630	7.6	22
327	Psychometric evaluation of the Korean version of the Hepatitis B Quality of Life Questionnaire. <i>PLoS ONE</i> , 2019 , 14, e0213001	3.6	2
326	Predictors of Discordance in the Assessment of Skeletal Muscle Mass between Computed Tomography and Bioimpedance Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5	4
325	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , 2019 , 11,	6.3	24
324	Follow-Up Liver Stiffness Measurements after Liver Resection Influence Oncologic Outcomes of Hepatitis-B-Associated Hepatocellular Carcinoma with Liver Cirrhosis. <i>Cancers</i> , 2019 , 11,	6.3	5
323	Refractoriness to transarterial chemoembolization in patients with recurrent hepatocellular carcinoma after curative resection. <i>PLoS ONE</i> , 2019 , 14, e0214613	3.6	4
322	A multicenter study of entecavir vs. tenofovir on prognosis of treatment-naïve chronic hepatitis B in South Korea. <i>Journal of Hepatology</i> , 2019 , 71, 456-464	3.1	91
321	Efficacy and Safety of Besifovir Dipivoxil Maleate Compared With Tenofovir Disoproxil Fumarate in Treatment of Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1850-1859.e4	6.6	26
320	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. <i>Cerebrovascular Diseases</i> , 2019 , 47, 32-39	3	16
319	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , 2019 , 9, 2508	4.7	10
318	Alpha-Fetoprotein, Des-Gamma-Carboxy Prothrombin, and Modified RECIST Response as Predictors of Survival after Transarterial Radioembolization for Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 1194-1200.e1	0.9	10
317	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Cancer Medicine</i> , 2019 , 8, 5023-5032	4.7	20
316	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1283-1290	2.3	8
315	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 283-293	6.4	16
314	Risk assessment of hepatocellular carcinoma development for indeterminate hepatic nodules in patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 390-399	6.4	14

313	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , 2019 , 13, 197-205	4.6	9
312	Multicenter Retrospective Risk Assessment of Esophageal Variceal Bleeding in Patients with Cirrhosis: An Acoustic Radiation Force Impulse Elastography-Based Prediction Model. <i>Gut and Liver</i> , 2019 , 13, 206-214	4.6	1
311	Prognosis of Untreated Minimally Active Chronic Hepatitis B Patients in Comparison With Virological Responders by Antivirals. <i>Clinical and Translational Gastroenterology</i> , 2019 , 10, e00036	4	10
310	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019 , 9, 15628	4.7	3
309	Long-term Efficacy of Tenofovir Disoproxil Fumarate Monotherapy for Multidrug-Resistant Chronic HBV infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1348-1355.e2	6.6	10
308	Fibrosis-matched outcomes between chronic hepatitis B patients with drug-induced virological response and inactive carriers. <i>Liver International</i> , 2019 , 39, 81-89	7.6	1
307	Subclinical but significant liver fibrosis in patients with ANCA-associated vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 117, 26-31	2.1	1
306	Reproducibility of European Association for the Study of the Liver criteria and modified Response Evaluation Criteria in Solid Tumors in patients treated with sorafenib. <i>Liver International</i> , 2018 , 38, 1655-1663	7.6	13
305	96 weeks treatment of tenofovir alafenamide vs. tenofovir disoproxil fumarate for hepatitis B virus infection. <i>Journal of Hepatology</i> , 2018 , 68, 672-681	3.1	180
304	Tumor Necrosis Factor-producing T-regulatory Cells Are Associated With Severe Liver Injury in Patients With Acute Hepatitis A. <i>Gastroenterology</i> , 2018 , 154, 1047-1060	7.8	16
303	Reduced risk of hepatocellular carcinoma by achieving a subcirrhotic liver stiffness through antiviral agents in hepatitis B virus-related advanced fibrosis or cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 503-510	3.8	16
302	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , 2018 , 38, 676-686	7.6	20
301	Sofosbuvir and ledipasvir are associated with high sustained virologic response and improvement of health-related quality of life in East Asian patients with hepatitis C virus infection. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 1429-1437	3.3	14
300	Hepatitis B Surface Antigen Loss with Tenofovir Disoproxil Fumarate Plus Peginterferon Alfa-2a: Week 120 Analysis. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 3487-3497	3.8	28
299	A novel risk score for hepatocellular carcinoma in Asian cirrhotic patients: a multicentre prospective cohort study. <i>Scientific Reports</i> , 2018 , 8, 8608	4.7	3
298	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018 , 12, 190-200	4.6	6
297	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. <i>Gut and Liver</i> , 2018 , 12, 324-330	4.6	6
296	Safety, efficacy and pharmacodynamics of vesatolimod (GS-9620) in virally suppressed patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2018 , 68, 431-440	3.1	98

295	The effect of interferon-free regimens on health-related quality of life in East Asian patients with chronic hepatitis C. <i>Liver International</i> , 2018 , 38, 1179-1187	7.6	16
294	Switching from tenofovir and nucleoside analogue therapy to tenofovir monotherapy in virologically suppressed chronic hepatitis B patients with antiviral resistance. <i>Journal of Medical Virology</i> , 2018 , 90, 497-502	19.3	5
293	A quantile regression approach to explain the relationship of Fatigue and Cortisol, Cytokine among Koreans with Hepatitis B. <i>Scientific Reports</i> , 2018 , 8, 16434	4.7	4
292	HBsAg-negative and anti-HBc-positive in eosinophilic granulomatosis with polyangiitis: a retrospective pilot study. <i>Rheumatology International</i> , 2018 , 38, 1531-1538	3.5	4
291	Cell culture-adaptive mutations of NS5A affect replication of hepatitis C virus differentially depending on the viral genotypes. <i>Journal of Medical Virology</i> , 2017 , 89, 146-152	19.3	3
290	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , 2017 , 260, 156-162	1.4	32
289	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , 2017 , 11, 268-276	8.5	18
288	Rituximab and hepatitis B reactivation in HBsAg-negative/ anti-HBc-positive kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 722-729	4.1	22
287	Validation of PAGE-B model in Asian chronic hepatitis B patients receiving entecavir or tenofovir. <i>Liver International</i> , 2017 , 37, 1788-1795	7.6	31
286	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2150-2158	3.8	13
285	Transarterial Radioembolization Versus Concurrent Chemoradiation Therapy for Locally Advanced Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 396-406	0.8	12
284	Daclatasvir/asunaprevir/beclabuvir, all-oral, fixed-dose combination for patients with chronic hepatitis C virus genotype 1. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1998-2005	3.8	14
283	Prognostic factors of sorafenib therapy in hepatocellular carcinoma patients with failure of transarterial chemoembolization. <i>Hepatology International</i> , 2017 , 11, 292-299	8.5	5
282	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2017 , 112, 882-891	0.6	33
281	Sequence analysis and functional characterization of full-length hepatitis B virus genomes from Korean cirrhotic patients with or without liver cancer. <i>Virus Research</i> , 2017 , 235, 86-95	6.2	14
280	Urgency to treat patients with chronic hepatitis C in Asia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 966-974	3.8	18
279	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. <i>Liver International</i> , 2017 , 37, 879-887	7.6	29
278	Nucleos(t)ide Analogue Treatment for Patients With Hepatitis B Virus (HBV) e Antigen-Positive Chronic HBV Genotype C Infection: A Nationwide, Multicenter, Retrospective Study. <i>Journal of Infectious Diseases</i> , 2017 , 216, 1407-1414	6.8	23

277	Effects of Entecavir and Tenofovir on Renal Function in Patients with Hepatitis B Virus-Related Compensated and Decompensated Cirrhosis. <i>Gut and Liver</i> , 2017 , 11, 828-834	4.6	16
276	Long-Term Follow-Up of Patients After Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , 2017 , 26, 1059-1066	3.8	9
275	Less Fibrotic Burden Differently Affects the Long-Term Outcomes of Hepatocellular Carcinoma after Curative Resection. <i>Oncology</i> , 2017 , 93, 224-232	3.5	3
274	Using transient elastography to predict hepatocellular carcinoma recurrence after radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1079-1086	3.8	14
273	Gamma-glutamyl transpeptidase-to-platelet ratio is an independent predictor of hepatitis B virus-related liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1221-1229	3.8	25
272	Conventional versus drug-eluting beads chemoembolization for hepatocellular carcinoma: Emphasis on the impact of tumor size. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 487-496	3.8	24
271	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. <i>Journal of Medical Virology</i> , 2017 , 89, 85-90	19.3	5
270	Effect of S267F variant of NTCP on the patients with chronic hepatitis B. <i>Scientific Reports</i> , 2017 , 7, 17634	4.7	13
269	Gene Expression Profiling of Hepatocellular Carcinoma Derived Cancer Stem Like Cell under Hypoxia. <i>Yonsei Medical Journal</i> , 2017 , 58, 925-933	2.9	2
268	Dickkopf-1 induces angiogenesis via VEGF receptor 2 regulation independent of the Wnt signaling pathway. <i>Oncotarget</i> , 2017 , 8, 58974-58984	3.2	12
267	Conditional survival estimate in patients with Barcelona Clinic Liver Cancer stage B/C hepatocellular carcinoma treated with hepatic arterial infusion chemotherapy with/without concurrent radiotherapy. <i>Oncotarget</i> , 2017 , 8, 79914-79926	3.2	5
266	Fatty liver associated with metabolic derangement in patients with chronic kidney disease: A controlled attenuation parameter study. <i>Kidney Research and Clinical Practice</i> , 2017 , 36, 48-57	3.3	5
265	Acute hepatitis A, B and C but not D is still prevalent in Mongolia: a time trend analysis. <i>Clinical and Molecular Hepatology</i> , 2017 , 23, 147-153	6.4	6
264	Management of Clevudine-Resistant Chronic Hepatitis B: A Multicenter Cohort Study. <i>Gut and Liver</i> , 2017 , 11, 129-135	4.6	3
263	Survival Estimates after Stopping Sorafenib in Patients with Hepatocellular Carcinoma: NEXT Score Development and Validation. <i>Gut and Liver</i> , 2017 , 11, 693-701	4.6	4
262	Efficacy and safety of localized concurrent chemoradiation therapy and sorafenib sequential therapy in advanced hepatocellular carcinoma: A prospective phase II trial.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15678-e15678	2.1	
261	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 344-353	3.3	52
260	Combination of Tenofovir Disoproxil Fumarate and Peginterferon E2a Increases Loss of Hepatitis B Surface Antigen in Patients With Chronic Hepatitis B. <i>Gastroenterology</i> , 2016 , 150, 134-144.e10	7.8	219

259	Knockdown of HIF-1 α and IL-8 induced apoptosis of hepatocellular carcinoma triggers apoptosis of vascular endothelial cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016 , 21, 85-95	5.3	13
258	Risk prediction for patients with hepatocellular carcinoma undergoing chemoembolization: development of a prediction model. <i>Liver International</i> , 2016 , 36, 92-9	7.6	41
257	Red cell volume distribution width-to-platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , 2016 , 36, 24-30	7.6	22
256	Development of a transgenic mouse model of hepatocellular carcinoma with a liver fibrosis background. <i>BMC Gastroenterology</i> , 2016 , 16, 13	2.9	15
255	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , 2016 , 63, 776-86	10.9	175
254	Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. <i>Liver International</i> , 2016 , 36, 100-7	7.6	51
253	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1647-1656.e6	6.6	29
252	Incidence and risk factors of delayed postpolypectomy bleeding in patients with chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 618-24	2.3	13
251	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , 2016 , 51, 830-9	6.6	61
250	Peginterferon lambda for the treatment of HBeAg-positive chronic hepatitis B: A randomized phase 2b study (LIRA-B). <i>Journal of Hepatology</i> , 2016 , 64, 1011-1019	3.1	61
249	An evaluation of entecavir for the treatment of chronic hepatitis B infection in adults. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 177-86	4.1	7
248	Efficacy of switching from adefovir to tenofovir in chronic hepatitis B patients who exhibit suboptimal responses to adefovir-based combination rescue therapy due to resistance to nucleoside analogues (SATIS study). <i>Clinical and Molecular Hepatology</i> , 2016 , 22, 443-449	6.4	7
247	Factors Influencing the Diagnostic Accuracy of Acoustic Radiation Force Impulse Elastography in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2016 , 10, 275-82	4.6	14
246	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , 2016 , 10, 429-36	4.6	11
245	Hepatitis C Virus and Antiviral Drug Resistance. <i>Gut and Liver</i> , 2016 , 10, 890-895	4.6	12
244	Prediction models of hepatocellular carcinoma development in chronic hepatitis B patients. <i>World Journal of Gastroenterology</i> , 2016 , 22, 8314-8321	5.4	35
243	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , 2016 , 57, 885-92	2.9	26
242	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1431-7	4.6	5

241	Transient Elastography is Superior to FIB-4 in Assessing the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Medicine (United States)</i> , 2016 , 95, e3434	1.8	10
240	Predictive Factors of Spontaneous Bacterial Peritonitis Caused by Gram-Positive Bacteria in Patients With Cirrhosis. <i>Medicine (United States)</i> , 2016 , 95, e3489	1.8	13
239	Entecavir plus tenofovir combination therapy in patients with multidrug-resistant chronic hepatitis B: results of a multicentre, prospective study. <i>Liver International</i> , 2016 , 36, 1108-15	7.6	18
238	Chronic Hepatitis B Virus Infection: Disease Revisit and Management Recommendations. <i>Journal of Clinical Gastroenterology</i> , 2016 , 50, 286-94	2.9	36
237	Prediction of virologic response to tenofovir mono-rescue therapy for multidrug resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , 2016 , 88, 1027-34	19.3	8
236	The clinical implication of single nucleotide polymorphisms in deoxycytidine kinase in chronic hepatitis B patients treated with lamivudine. <i>Journal of Medical Virology</i> , 2016 , 88, 820-7	19.3	1
235	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016 , 95, e3328	1.8	24
234	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 842-7	3.8	17
233	A 96-week randomized trial of switching to entecavir in patients who achieved virological suppression on lamivudine therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 865-71	3.8	2
232	A phase IIIb study of ledipasvir/sofosbuvir fixed-dose combination tablet in treatment-naïve and treatment-experienced Korean patients chronically infected with genotype 1 hepatitis C virus. <i>Hepatology International</i> , 2016 , 10, 947-955	8.5	15
231	Clinical predictors of silent but substantial liver fibrosis in primary Sjogren's syndrome. <i>Modern Rheumatology</i> , 2016 , 26, 576-82	3.1	2
230	An Observational, Multicenter, Cohort Study Evaluating the Antiviral Efficacy and Safety in Korean Patients With Chronic Hepatitis B Receiving Pegylated Interferon-alpha 2a (Pegasys): TRACES Study. <i>Medicine (United States)</i> , 2016 , 95, e3026	1.8	7
229	Outcome of adefovir add-on lamivudine rescue therapy of up to 5 years in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 241-7	3.8	7
228	Liver stiffness-based model for prediction of hepatocellular carcinoma in chronic hepatitis B virus infection: comparison with histological fibrosis. <i>Liver International</i> , 2015 , 35, 1054-62	7.6	28
227	Probability-based interpretation of liver stiffness measurement in untreated chronic hepatitis B patients. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1448-56	3.8	16
226	Reimbursement policies in the Asia-Pacific for chronic hepatitis B. <i>Hepatology International</i> , 2015 , 9, 43-51	5.5	17
225	Prevention of hepatocellular carcinoma: beyond hepatitis B vaccination. <i>Seminars in Oncology</i> , 2015 , 42, 316-28	5.3	14
224	Normal controlled attenuation parameter values: a prospective study of healthy subjects undergoing health checkups and liver donors in Korea. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 234-42	3.8	11

223	Analysis of miRNA expression patterns in human and mouse hepatocellular carcinoma cells. <i>Hepatology Research</i> , 2015 , 45, 1331-40	4.9	6
222	High Sustained Virologic Response to Daclatasvir Plus Asunaprevir in Elderly and Cirrhotic Patients with Hepatitis C Virus Genotype 1b Without Baseline NS5A Polymorphisms. <i>Advances in Therapy</i> , 2015 , 32, 637-49	4	63
221	Prognostic role of magnetic resonance imaging vs. computed tomography for hepatocellular carcinoma undergoing chemoembolization. <i>Liver International</i> , 2015 , 35, 1722-30	7.6	13
220	Lower incidence of hepatocellular carcinoma and cirrhosis in hepatitis C patients with sustained virological response by pegylated interferon and ribavirin. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 573-81	3.8	29
219	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , 2015 , 35, 455-62	7.6	17
218	Factors associated with significant liver fibrosis assessed using transient elastography in general population. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1158-66	5.4	34
217	Clonal evolution of multidrug resistant hepatitis B virus during entecavir rescue therapy. <i>Liver International</i> , 2015 , 35, 2370-83	7.6	2
216	Hepatic fibrosis assessed using transient elastography independently associated with coronary artery calcification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1536-42	3.8	17
215	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , 2015 , 62, 1757-66	10.9	73
214	Early Ectoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , 2015 , 2, 39-47	5.1	16
213	Hepatic Sarcoidosis in a Patient with Chronic Hepatitis B Virus Infection. <i>Journal of Rheumatic Diseases</i> , 2015 , 22, 200	1.1	
212	Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 347-56	4.3	18
211	A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , 2015 , 10, e0121009	3.6	24
210	Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , 2015 , 10, e0139227	3.6	13
209	Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2015 , 56, 1296-306	2.9	25
208	Inter-observer variability of response evaluation criteria for hepatocellular carcinoma treated with chemoembolization. <i>Digestive and Liver Disease</i> , 2015 , 47, 682-8	1.2	5
207	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 62, 1304-10	3.1	108
206	Two-year treatment outcome of chronic hepatitis B infection treated with besifovir vs. entecavir: results from a multicentre study. <i>Journal of Hepatology</i> , 2015 , 62, 526-32	3.1	38

205	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015 , 61, 1851-9	10.9	100
204	Substitution at rt269 in Hepatitis B Virus Polymerase Is a Compensatory Mutation Associated with Multi-Drug Resistance. <i>PLoS ONE</i> , 2015 , 10, e0136728	3.6	16
203	Growth rate of early-stage hepatocellular carcinoma in patients with chronic liver disease. <i>Clinical and Molecular Hepatology</i> , 2015 , 21, 279-86	6.4	53
202	Treatment of Chronic Hepatitis C Using Newly Developed Oral Antiviral Agents. <i>Korean Journal of Medicine</i> , 2015 , 88, 635	0.4	1
201	Comparison of the Effects of Telbivudine and Entecavir Treatment on Estimated Glomerular Filtration Rate in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2015 , 9, 776-83	4.6	9
200	Disease duration and MedsgerB severity score are associated with significant liver fibrosis in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S68-74	2.1	4
199	Prognosis of hepatocellular carcinoma patients with extrahepatic metastasis and the controllability of intrahepatic lesions. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 475-82	4.6	20
198	Inhibition of tumour angiogenesis and growth by small hairpin HIF-1 α and IL-8 in hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 632-42	7.6	25
197	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 1008-17	7.6	35
196	Long-term outcomes of chronic hepatitis B virus infection in the era of antiviral therapy in Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1005-11	3.8	15
195	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Liver International</i> , 2014 , 34, 1216-23	7.6	27
194	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1241-9	0.6	89
193	Lesson from 610 liver resections of hepatocellular carcinoma in a single center over 10 years. <i>World Journal of Surgical Oncology</i> , 2014 , 12, 192	3.3	13
192	Impact of spontaneous hepatocellular carcinoma rupture on recurrence pattern and long-term surgical outcomes after partial hepatectomy. <i>World Journal of Surgery</i> , 2014 , 38, 2070-8	3.2	31
191	Surgical resection after down-staging of locally advanced hepatocellular carcinoma by localized concurrent chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3646-53	3	41
190	New susceptibility and resistance HLA-DP alleles to HBV-related diseases identified by a trans-ethnic association study in Asia. <i>PLoS ONE</i> , 2014 , 9, e86449	3.6	28
189	Use of the delta neutrophil index as a prognostic factor of mortality in patients with spontaneous bacterial peritonitis: implications of a simple and useful marker. <i>PLoS ONE</i> , 2014 , 9, e86884	3.6	22
188	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , 2014 , 9, e99167	3.6	18

187	Casein kinase II inhibitor enhances production of infectious genotype 1a hepatitis C virus (H77S). <i>PLoS ONE</i> , 2014 , 9, e113938	3.6	7
186	Prognostic indicators for acute liver failure development and mortality in patients with hepatitis A: consecutive case analysis. <i>Yonsei Medical Journal</i> , 2014 , 55, 953-9	2.9	4
185	Individual prediction model for lamivudine treatment response in hepatitis B virus e antigen-positive chronic hepatitis B patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1049-55	3.8	4
184	Clinical outcomes and prognostic factors of patients with advanced hepatocellular carcinoma treated with sorafenib as first-line therapy: a Korean multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1463-9	3.8	23
183	Relationship between severity of liver dysfunction and the relative ratio of liver to aortic enhancement (RE) on MRI using hepatocyte-specific contrast. <i>Journal of Magnetic Resonance Imaging</i> , 2014 , 39, 24-30	5.4	4
182	Clinical usefulness of double biomarkers AFP and PIVKA-II for subdividing prognostic groups in locally advanced hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 313-21	7.6	16
181	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir add-on lamivudine after stopping lamivudine therapy. <i>Liver International</i> , 2014 , 34, 1543-9	7.6	10
180	Phase IIb multicentred randomised trial of besifovir (LB80380) versus entecavir in Asian patients with chronic hepatitis B. <i>Gut</i> , 2014 , 63, 996-1004	18.6	55
179	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014 , 60, 1911-9	10.9	33
178	Entecavir plus adefovir versus adefovir plus lamivudine in hepatitis B virus e antigen-positive, lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1485-93	3.8	4
177	Pre-S mutations of hepatitis B virus affect genome replication and expression of surface antigens. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 843-50	3.8	7
176	Risk assessment of liver-related events using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 272-8	2.9	22
175	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014 , 34, 102-9	7.6	113
174	Dynamics of the liver stiffness value using transient elastography during the perioperative period in patients with valvular heart disease. <i>PLoS ONE</i> , 2014 , 9, e92795	3.6	15
173	Factors affecting the accuracy of controlled attenuation parameter (CAP) in assessing hepatic steatosis in patients with chronic liver disease. <i>PLoS ONE</i> , 2014 , 9, e98689	3.6	30
172	Silencing of hypoxia-inducible factor-1 induces anti-tumor effects in hepatoma cell lines under tumor hypoxia. <i>PLoS ONE</i> , 2014 , 9, e103304	3.6	9
171	Spontaneous HBsAg loss in Korean patients: relevance of viral genotypes, S gene mutations, and covalently closed circular DNA copy numbers. <i>Clinical and Molecular Hepatology</i> , 2014 , 20, 251-60	6.4	6
170	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-naïve chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. <i>Clinical and Molecular Hepatology</i> , 2014 , 20, 261-6	6.4	10

169	Non-invasive prediction of forthcoming cirrhosis-related complications. <i>World Journal of Gastroenterology</i> , 2014 , 20, 2613-23	5.4	9
168	Emerging therapies for hepatitis C. <i>Gut and Liver</i> , 2014 , 8, 471-9	4.6	30
167	A Delayed Hepatico-colonic Fistula after Radiofrequency Ablation in Hepatocellular Carcinoma. <i>Korean Journal of Medicine</i> , 2014 , 86, 722	0.4	
166	Early predictor of mortality due to irreversible posthepatectomy liver failure in patients with hepatocellular carcinoma. <i>World Journal of Surgery</i> , 2013 , 37, 1028-33	3.2	15
165	Combination treatment of localized concurrent chemoradiation therapy and transarterial chemoembolization in locally advanced hepatocellular carcinoma with intrahepatic metastasis. <i>Cancer Chemotherapy and Pharmacology</i> , 2013 , 71, 165-73	3.4	28
164	Treatment of lamivudine-resistant chronic hepatitis B infection: a multicenter retrospective study. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 196-204	2.3	3
163	Clinical features of autoimmune hepatitis and comparison of two diagnostic criteria in Korea: a nationwide, multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 128-34	3.8	22
162	Prospective comparison of prognostic values of modified Response Evaluation Criteria in Solid Tumours with European Association for the Study of the Liver criteria in hepatocellular carcinoma following chemoembolisation. <i>European Journal of Cancer</i> , 2013 , 49, 826-34	4.4	65
161	Prognostic value of Efetoprotein and des-Ecarboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. <i>BMC Cancer</i> , 2013 , 13, 5	4.6	48
160	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2013 , 33, 180-9	7.6	24
159	Non-O1, Non-O139Vibrio choleraeSepticemia after Acupuncture. <i>The Ewha Medical Journal</i> , 2013 , 36, S22	0.1	4
158	A novel estimation of the relative economic value in terms of different chronic hepatitis B treatment options. <i>PLoS ONE</i> , 2013 , 8, e57900	3.6	7
157	Efficacy of switching to telbivudine plus adefovir in suboptimal responders to lamivudine plus adefovir. <i>World Journal of Gastroenterology</i> , 2013 , 19, 7671-9	5.4	6
156	Partial virological response to adefovir add-on lamivudine rescue therapy in patients with lamivudine-resistant chronic hepatitis B. <i>Digestion</i> , 2013 , 87, 196-203	3.4	2
155	Survival of hepatocellular carcinoma patients may be improved in surveillance interval not more than 6 months compared with more than 6 months: a 15-year prospective study. <i>Journal of Clinical Gastroenterology</i> , 2013 , 47, 538-44	2.9	38
154	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1384-90	3.8	41
153	Role of splenectomy in patients with hepatocellular carcinoma and hypersplenism. <i>ANZ Journal of Surgery</i> , 2013 , 83, 865-70	0.9	19
152	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , 2013 , 33, 706-13	7.6	13

151	Number of target lesions for EASL and modified RECIST to predict survivals in hepatocellular carcinoma treated with chemoembolization. <i>Clinical Cancer Research</i> , 2013 , 19, 1503-11	12.3	36
150	Antibody-secreting cells with a phenotype of Ki-67low, CD138high, CD31high, and CD38high secrete nonspecific IgM during primary hepatitis A virus infection. <i>Journal of Immunology</i> , 2013 , 191, 127-34	5.2	10
149	Orthotopic liver transplantation after the combined use of locoregional therapy and sorafenib for advanced hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2013 , 6, 755-9	4.3	8
148	Transient elastography-based risk estimation of hepatitis B virus-related occurrence of hepatocellular carcinoma: development and validation of a predictive model. <i>OncoTargets and Therapy</i> , 2013 , 6, 1463-9	4.3	18
147	Predictors of refractory ascites development in patients with hepatitis B virus-related cirrhosis hospitalized to control ascitic decompensation. <i>Yonsei Medical Journal</i> , 2013 , 54, 145-53	2.9	3
146	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , 2013 , 2, 19-25	1.6	4
145	Abnormal liver stiffness assessed using transient elastography (Fibroscan®) in HIV-infected patients without HBV/HCV coinfection receiving combined antiretroviral treatment. <i>PLoS ONE</i> , 2013 , 8, e52720	3.6	17
144	Investigation of oncogenic cooperation in simple liver-specific transgenic mouse models using noninvasive in vivo imaging. <i>PLoS ONE</i> , 2013 , 8, e59869	3.6	27
143	Association between IL28B polymorphisms and spontaneous clearance of hepatitis B virus infection. <i>PLoS ONE</i> , 2013 , 8, e69166	3.6	23
142	Efficacy of sorafenib monotherapy versus sorafenib-based loco-regional treatments in advanced hepatocellular carcinoma. <i>PLoS ONE</i> , 2013 , 8, e77240	3.6	19
141	Discordance between liver biopsy and FibroTest in assessing liver fibrosis in chronic hepatitis B. <i>PLoS ONE</i> , 2013 , 8, e55759	3.6	10
140	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 29-35	6.4	12
139	Two cases of telbivudine-induced myopathy in siblings with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 82-6	6.4	11
138	Performance evaluation of the HepB Typer-Entecavir kit for detection of entecavir resistance mutations in chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 399-408	6.4	2
137	Characterization of focal liver masses using acoustic radiation force impulse elastography. <i>World Journal of Gastroenterology</i> , 2013 , 19, 219-26	5.4	41
136	Quasispecies and pre-existing drug-resistant mutations of hepatitis B virus in patients with chronic hepatitis B. <i>Gut and Liver</i> , 2013 , 7, 329-34	4.6	11
135	"Normal" liver stiffness values differ between men and women: a prospective study for healthy living liver and kidney donors in a native Korean population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 781-8	3.8	27
134	Antiviral efficacy of lamivudine versus entecavir in patients with hepatitis B virus-related advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1528-34	3.8	13

133	Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScan®). <i>Annals of Surgical Oncology</i> , 2012 , 19, 4278-86	3	54
132	Demonstration of safety and enhanced seroprotection against hepatitis B with investigational HBsAg-1018 ISS vaccine compared to a licensed hepatitis B vaccine. <i>Vaccine</i> , 2012 , 30, 2689-96	3.9	48
131	Predictive value of HBsAg quantification for determining the clinical course of genotype C HBeAg-negative carriers. <i>Liver International</i> , 2012 , 32, 796-802	7.6	27
130	Lamivudine plus adefovir vs. entecavir in HBeAg-positive hepatitis B with sequential treatment failure of lamivudine and adefovir. <i>Liver International</i> , 2012 , 32, 1179-85	7.6	8
129	Applicability of BCLC stage for prognostic stratification in comparison with other staging systems: single centre experience from long-term clinical outcomes of 1717 treatment-naïve patients with hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 1120-7	7.6	83
128	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations. <i>BMC Medical Genetics</i> , 2012 , 13, 47	2	34
127	A comparative analysis of hepatocellular carcinoma after hepatic resection in young versus elderly patients. <i>Journal of Gastrointestinal Surgery</i> , 2012 , 16, 1736-43	3.2	40
126	Telbivudine in combination with adefovir versus adefovir monotherapy in HBeAg-positive, lamivudine-resistant chronic hepatitis B. <i>Hepatology International</i> , 2012 , 6, 696-706	8.5	7
125	Clinical features and prognosis of hepatocellular carcinoma in Mongolia: a multicentre study. <i>Hepatology International</i> , 2012 , 6, 763-9	8.5	22
124	Clinical characteristics of acute hepatitis A complicated by acute kidney injury. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 144-8		3
123	Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e35825	3.6	44
122	How many valid measurements are necessary to assess liver fibrosis using FibroScan® in patients with chronic viral hepatitis? An analysis of subjects with at least 10 valid measurements. <i>Yonsei Medical Journal</i> , 2012 , 53, 337-45	2.9	11
121	Acute variceal hemorrhage in patients with liver cirrhosis: weekend versus weekday admissions. <i>Yonsei Medical Journal</i> , 2012 , 53, 318-27	2.9	9
120	Spontaneous bacterial peritonitis in patients with hepatitis B virus-related liver cirrhosis: community-acquired versus nosocomial. <i>Yonsei Medical Journal</i> , 2012 , 53, 328-36	2.9	7
119	Prediction of microvascular invasion of hepatocellular carcinoma: usefulness of peritumoral hypointensity seen on gadoxetate disodium-enhanced hepatobiliary phase images. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 629-34	5.4	105
118	Combined measurement of preoperative Eftoprotein and des-Ecarboxy prothrombin predicts recurrence after curative resection in patients with hepatitis-B-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2012 , 131, 2332-41	7.3	26
117	Liver stiffness measurement using acoustic radiation force impulse (ARFI) elastography and effect of necroinflammation. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1682-91	3.8	73
116	Sorafenib versus cytotoxic chemotherapy for patients with advanced hepatocellular carcinoma: a retrospective, single-institution study. <i>Investigational New Drugs</i> , 2012 , 30, 1150-7	4.1	8

115	Normal liver elasticity values using acoustic radiation force impulse imaging: a prospective study in healthy living liver and kidney donors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 130-6	3.8	42
114	Early on-treatment predictions of clinical outcomes using alpha-fetoprotein and des-gamma-carboxy prothrombin responses in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 313-22	3.8	29
113	Combination of preS deletions and A1762T/G1764A mutations in HBV subgenotype C2 increases the risk of developing HCC. <i>Intervirolgy</i> , 2012 , 55, 296-302	2.3	10
112	Risk assessment of development of hepatic decompensation in histologically proven hepatitis B viral cirrhosis using liver stiffness measurement. <i>Digestion</i> , 2012 , 85, 219-27	3.4	17
111	Prediction of esophageal variceal bleeding in B-viral liver cirrhosis using the P2/MS noninvasive index based on complete blood counts. <i>Digestion</i> , 2012 , 86, 264-72	3.4	2
110	Optimal time for restoring the reliability of liver stiffness measurement in patients with chronic hepatitis B experiencing acute exacerbation. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 602-7	2.9	12
109	The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 518-25	2.9	48
108	Clinical characteristics and prognosis of hepatocellular carcinoma with different sets of serum AFP and PIVKA-II levels. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 849-56	2.1	30
107	A 96-week randomized trial of switching to entecavir in chronic hepatitis B patients with a partial virological response to lamivudine. <i>Antiviral Therapy</i> , 2012 , 17, 1563-70	1.6	12
106	Prediction of liver-related events using fibroscan in chronic hepatitis B patients showing advanced liver fibrosis. <i>PLoS ONE</i> , 2012 , 7, e36676	3.6	76
105	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean. <i>PLoS ONE</i> , 2012 , 7, e39175	3.6	117
104	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e41964	3.6	59
103	Performance of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B: a meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e44930	3.6	202
102	Hepatocellular carcinoma in Budd-Chiari syndrome: a single center experience with long-term follow-up in South Korea. <i>World Journal of Gastroenterology</i> , 2012 , 18, 1946-52	5.4	34
101	Controversies in surveillance and early diagnosis of hepatocellular carcinoma. <i>Oncology</i> , 2011 , 81 Suppl 1, 56-60	3.5	17
100	Hepatitis B virus serology to predict antiviral response in chronic hepatitis B. <i>Digestion</i> , 2011 , 84 Suppl 1, 29-34	3.4	6
99	Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. <i>European Journal of Cancer</i> , 2011 , 47, 2568-75	4.4	50
98	Gastroduodenal complications after concurrent chemoradiation therapy in patients with hepatocellular carcinoma: endoscopic findings and risk factors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 1343-51	0.8	34

97	Clinicopathological characteristics in combined hepatocellular-cholangiocarcinoma: a single center study in Korea. <i>Yonsei Medical Journal</i> , 2011 , 52, 753-60	2.9	25
96	HBV genotypes: relevance to natural history, pathogenesis and treatment of chronic hepatitis B. <i>Antiviral Therapy</i> , 2011 , 16, 1169-86	1.6	122
95	Partial virological response to entecavir in treatment-naive patients with chronic hepatitis B. <i>Antiviral Therapy</i> , 2011 , 16, 469-77	1.6	19
94	Non-invasive assessment of liver fibrosis: the gap between ideal and real. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 937-9	3.8	4
93	Early α -fetoprotein response as a predictor for clinical outcome after localized concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Liver International</i> , 2011 , 31, 369-76	7.6	50
92	Predictive factors for long-term survival in patients with clinically significant portal hypertension following resection of hepatocellular carcinoma. <i>Liver International</i> , 2011 , 31, 485-93	7.6	33
91	Prognostic value of 18F-FDG PET for hepatocellular carcinoma patients treated with sorafenib. <i>Liver International</i> , 2011 , 31, 1144-9	7.6	50
90	Comparison of multiplex restriction fragment mass polymorphism and sequencing analyses for detecting entecavir resistance in chronic hepatitis B. <i>Antiviral Therapy</i> , 2011 , 16, 77-87	1.6	38
89	Long-term clinical outcomes of hepatic arterial infusion chemotherapy with cisplatin with or without 5-fluorouracil in locally advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 659-67	4.7	43
88	Clinical features and prognosis of hepatocellular carcinoma with respect to pre-S deletion and basal core promoter mutations of hepatitis B virus Genotype C2. <i>Journal of Medical Virology</i> , 2011 , 83, 2088-95	19.3	8
87	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , 2011 , 53, 885-94	10.9	285
86	Quantitative hepatitis B surface antigen and hepatitis B e antigen titers in prediction of treatment response to entecavir. <i>Hepatology</i> , 2011 , 53, 1486-93	10.9	110
85	18F-fluorodeoxyglucose uptake on positron emission tomography as a prognostic predictor in locally advanced hepatocellular carcinoma. <i>Cancer</i> , 2011 , 117, 4779-87	6.2	45
84	Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1654-62, 1730	0.6	48
83	Prevention of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Oncology</i> , 2011 , 81 Suppl 1, 41-9	3.5	32
82	Adjuvant hepatic arterial infusional chemotherapy with 5-fluorouracil and cisplatin after curative resection of hepatocellular carcinoma. <i>Oncology</i> , 2011 , 81, 184-91	3.5	16
81	Quantification of HBsAg: basic virology for clinical practice. <i>World Journal of Gastroenterology</i> , 2011 , 17, 283-9	5.4	25
80	Prediction of significant fibrosis in chronic hepatitis C patients with normal ALT. <i>Hepato-Gastroenterology</i> , 2011 , 58, 1321-7		6

79	Hepatocellular Carcinoma with Bile Duct Tumor Thrombi. <i>Yeungnam University Journal of Medicine</i> , 2011 , 28, 180		1
78	What are the true normal liver stiffness values using FibroScan?: a prospective study in healthy living liver and kidney donors in South Korea. <i>Liver International</i> , 2010 , 30, 268-74	7.6	62
77	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. <i>Liver International</i> , 2010 , 30, 546-53	7.6	167
76	Prospective validation of P2/MS noninvasive index using complete blood counts for detecting oesophageal varices in B-viral cirrhosis. <i>Liver International</i> , 2010 , 30, 860-6	7.6	13
75	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. <i>Liver International</i> , 2010 , 30, 1073-81	7.6	29
74	Ascitic fluid infection in patients with hepatitis B virus-related liver cirrhosis: culture-negative neutrocytic ascites versus spontaneous bacterial peritonitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 122-8	3.8	30
73	Non-invasive assessment of liver fibrosis: time to move from cross-sectional studies to longitudinal ones. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1472-3	3.8	10
72	Transient elastography in chronic hepatitis B: an Asian perspective. <i>World Journal of Gastroenterology</i> , 2010 , 16, 5173-80	5.4	28
71	Clinical efficacy of a 24-months course of lamivudine therapy in patients with HBeAg negative chronic hepatitis B: a long-term prospective study. <i>Journal of Korean Medical Science</i> , 2010 , 25, 882-7	4.6	13
70	Correlation between quantitative serum HBsAg and HBV DNA test in Korean patients who showed high level of HBsAg. <i>Journal of Clinical Pathology</i> , 2010 , 63, 1027-31	3.8	12
69	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1382-90	0.6	159
68	Autologous bone marrow infusion activates the progenitor cell compartment in patients with advanced liver cirrhosis. <i>Cell Transplantation</i> , 2010 , 19, 1237-46	3.8	71
67	How can we enhance the performance of liver stiffness measurement using FibroScan in diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 66-71	2.9	88
66	Long-term adefovir dipivoxil monotherapy for up to 5 years in lamivudine-resistant chronic hepatitis B. <i>Antiviral Therapy</i> , 2010 , 15, 235-41	1.6	59
65	Chronic hepatitis B: whom to treat and for how long? Propositions, challenges, and future directions. <i>Hepatology International</i> , 2010 , 4, 386-95	8.5	44
64	Non-invasive assessment of changes in liver fibrosis via liver stiffness measurement in patients with chronic hepatitis B: impact of antiviral treatment on fibrosis regression. <i>Hepatology International</i> , 2010 , 4, 673-80	8.5	37
63	Association between polymorphism of tumor necrosis factor-alpha promoter and response to lamivudine treatment in patients with chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2043-8	3.8	5
62	External validation of P2/MS and comparison with other simple non-invasive indices for predicting liver fibrosis in HBV-infected patients. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2636-43	3.8	5

61	Lamivudine maintenance beyond one year after HBeAg seroconversion is a major factor for sustained virologic response in HBeAg-positive chronic hepatitis B. <i>Hepatology</i> , 2010 , 51, 415-21	10.9	91
60	Molecular and clinical characteristics of hepatitis B virus in Korea. <i>Journal of Medical Virology</i> , 2010 , 82, 1126-34	19.3	30
59	Efficacy of adefovir add-on lamivudine rescue therapy compared with switching to entecavir monotherapy in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , 2010 , 82, 1835-42	19.3	45
58	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 802-11	3.2	14
57	A case of embryonal sarcoma of the liver mimicking a hydatid cyst in an adult. <i>Gut and Liver</i> , 2010 , 4, 245-46	4.6	10
56	Preoperative radiologic and postoperative pathologic risk factors for early intra-hepatic recurrence in hepatocellular carcinoma patients who underwent curative resection. <i>Yonsei Medical Journal</i> , 2009 , 50, 789-95	2.9	22
55	Clarification required for the definition of hepatitis B virus subgenotypes C1 and C2. <i>Intervirology</i> , 2009 , 52, 321-2	2.3	14
54	Hepatitis B e antigen-negative mutations in the precore and core promoter regions in Korean patients. <i>Journal of Medical Virology</i> , 2009 , 81, 594-601	19.3	15
53	Specific mutations in the enhancer II/core promoter/precore regions of hepatitis B virus subgenotype C2 in Korean patients with hepatocellular carcinoma. <i>Journal of Medical Virology</i> , 2009 , 81, 1002-8	19.3	45
52	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1758-63	3.8	115
51	Ascites and spontaneous bacterial peritonitis: an Asian perspective. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 1494-503	3.8	24
50	Liver stiffness measurement using FibroScan is influenced by serum total bilirubin in acute hepatitis. <i>Liver International</i> , 2009 , 29, 810-5	7.6	41
49	Variability in liver stiffness values from different intercostal spaces. <i>Liver International</i> , 2009 , 29, 760-6	7.6	15
48	Efficacy and safety of transarterial chemoembolization in recurrent hepatocellular carcinoma after curative surgical resection. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2009 , 32, 564-9	2.6	28
47	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 267-71	2.9	63
46	Recombinant interferon-Beta-1alpha plus ribavirin for the treatment of chronic HCV infection: a prospective, randomized, comparative pilot study. <i>Gut and Liver</i> , 2009 , 3, 20-5	4.6	5
45	Clinical features and prognosis of spontaneous bacterial peritonitis in korean patients with liver cirrhosis: a multicenter retrospective study. <i>Gut and Liver</i> , 2009 , 3, 197-204	4.6	39
44	Rescue Monotherapy in Lamivudine-Resistant Hepatitis B e Antigen-Positive Chronic Hepatitis B: Adefovir versus Entecavir. <i>Antiviral Therapy</i> , 2009 , 14, 705-712	1.6	19

43	Prevalence and genotype distribution of hepatitis C virus among apparently healthy individuals in Mongolia: a population-based nationwide study. <i>Liver International</i> , 2008 , 28, 1389-95	7.6	29
42	Combination therapy of thymosin alpha-1 and lamivudine for HBeAg positive chronic hepatitis B: A prospective randomized, comparative pilot study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 729-35	3.8	16
41	Natural history of hepatitis B virus-related cirrhotic patients hospitalized to control ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 1722-7	3.8	29
40	Clinical course of virologic breakthrough after emergence of YMDD mutations in HBeAg-positive chronic hepatitis B. <i>Intervirolgy</i> , 2008 , 51, 293-8	2.3	7
39	MDM2 and p53 polymorphisms are associated with the development of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Carcinogenesis</i> , 2008 , 29, 1192-6	4.4	108
38	Predictive value of liver cell dysplasia for development of hepatocellular carcinoma in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 738-43	2.9	25
37	Clinical features and treatment outcomes of upper gastrointestinal bleeding in patients with cirrhosis. <i>Journal of Korean Medical Science</i> , 2008 , 23, 635-43	4.6	21
36	Persistent hepatitis B viral replication affects recurrence of hepatocellular carcinoma after curative resection. <i>Liver International</i> , 2008 , 28, 393-401	7.6	91
35	Prediction of postoperative hepatic insufficiency by liver stiffness measurement (FibroScan((R))) before curative resection of hepatocellular carcinoma: a pilot study. <i>Hepatology International</i> , 2008 , 2, 471-7	8.5	66
34	Hepatocellular carcinoma presenting with bone metastasis: clinical characteristics and prognostic factors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 1377-84	4.7	59
33	Prediction of microvascular invasion before curative resection of hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2008 , 97, 246-52	2.7	94
32	Pilot clinical trial of localized concurrent chemoradiation therapy for locally advanced hepatocellular carcinoma with portal vein thrombosis. <i>Cancer</i> , 2008 , 113, 995-1003	6.2	128
31	PIVKA-II is a useful tumor marker for recurrent hepatocellular carcinoma after surgical resection. <i>Oncology</i> , 2007 , 72 Suppl 1, 52-7	3.5	74
30	Repetitive short-course hepatic arterial infusion chemotherapy with high-dose 5-fluorouracil and cisplatin in patients with advanced hepatocellular carcinoma. <i>Cancer</i> , 2007 , 110, 129-37	6.2	85
29	Clinical outcome of renal transplantation in patients with positive pre-transplant hepatitis B surface antigen. <i>Journal of Medical Virology</i> , 2007 , 79, 1655-63	19.3	46
28	Evaluation of the prognostic value of Okuda, Cancer of the Liver Italian Program, and Japan Integrated Staging systems for hepatocellular carcinoma patients undergoing radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 67, 1037-42	0.8	27
27	Long-term outcome of chronic hepatitis B based on histological grade and stage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 383-8	3.8	66
26	Noninvasive models to predict liver cirrhosis in patients with chronic hepatitis B. <i>Liver International</i> , 2007 , 27, 969-76	7.6	80

25	What is the role of diagnostic laparoscopy in a gastroenterology unit?. <i>Journal of Gastroenterology</i> , 2007 , 42, 881-6	6.6	8
24	Role of 18F-fluorodeoxyglucose positron emission tomography in detecting extrahepatic metastasis in pretreatment staging of hepatocellular carcinoma. <i>Oncology</i> , 2007 , 72 Suppl 1, 104-10	3.5	89
23	Changes in serum and ascitic monocyte chemotactic protein-1 (MCP-1) and IL-10 levels in cirrhotic patients with spontaneous bacterial peritonitis. <i>Journal of Interferon and Cytokine Research</i> , 2007 , 27, 227-30	3.3	26
22	MRP2 haplotypes confer differential susceptibility to toxic liver injury. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 403-15	1.9	119
21	Anti-hepatitis A virus seroprevalence among patients with chronic viral liver disease in Korea. <i>European Journal of Gastroenterology and Hepatology</i> , 2007 , 19, 923-6	2.1	14
20	Radiation-induced hepatic toxicity after radiotherapy combined with chemotherapy for hepatocellular carcinoma. <i>Hepatology Research</i> , 2007 , 37, 906-13	4.9	23
19	Association of genetic variations in CCR5 and its ligand, RANTES with clearance of hepatitis B virus in Korea. <i>Journal of Medical Virology</i> , 2006 , 78, 1564-71	19.3	35
18	Long-term clinical outcome of phase IIb clinical trial of percutaneous injection with holmium-166/chitosan complex (Milican) for the treatment of small hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2006 , 12, 543-8	12.3	72
17	A case of hypervascular hyperplastic nodules in a patient with alcoholic liver cirrhosis. <i>Yonsei Medical Journal</i> , 2006 , 47, 881-6	2.9	3
16	Efficacy and long-term follow up of combination therapy with interferon alpha and ribavirin for chronic hepatitis C in Korea. <i>Yonsei Medical Journal</i> , 2006 , 47, 793-8	2.9	6
15	The Clinical Impact of Early Detection of the Ymdd Mutant on the Outcomes of Long-Term Lamivudine Therapy in Patients with Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2006 , 11, 447-455	1.6	27
14	Long-term clinical and histological outcomes in patients with spontaneous hepatitis B surface antigen seroclearance. <i>Journal of Hepatology</i> , 2005 , 42, 188-94	3.1	151
13	Tuberculous mesenteric lymphadenitis involving the gastric wall: case report. <i>Gastrointestinal Endoscopy</i> , 2005 , 62, 799-802	1.4	4
12	Usefulness of urine strip test in the rapid diagnosis of spontaneous bacterial peritonitis. <i>Liver International</i> , 2005 , 25, 1197-201	7.6	27
11	Long-term clinical outcome of large volume paracentesis with intravenous albumin in patients with spontaneous bacterial peritonitis: a randomized prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 1215-22	3.8	16
10	Comparison of rifaximin and lactulose for the treatment of hepatic encephalopathy: a prospective randomized study. <i>Yonsei Medical Journal</i> , 2005 , 46, 399-407	2.9	94
9	How to predict HCC development in patients with chronic B viral liver disease?. <i>Intervirolgy</i> , 2005 , 48, 23-8	2.3	45
8	Evaluation of Methods for Monitoring Drug Resistance in Chronic Hepatitis B Patients during Lamivudine Therapy Based on Mass Spectrometry and Reverse Hybridization. <i>Antiviral Therapy</i> , 2005 , 10, 441-449	1.6	55

7	Treatment outcome of transcatheter arterial chemoinfusion according to anticancer agents and prognostic factors in patients with advanced hepatocellular carcinoma (TNM stage IVa). <i>Yonsei Medical Journal</i> , 2004 , 45, 847-58	2.9	15
6	Hepatitis B virus infection after renal transplantation in the presence of antibody to hepatitis B surface antigen immunity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004 , 19, 847-53	3.8	11
5	Evolution of hepatitis B virus sequence from a liver transplant recipient with rapid breakthrough despite hepatitis B immune globulin prophylaxis and lamivudine therapy. <i>Journal of Medical Virology</i> , 2003 , 71, 367-75	19.3	32
4	Sequence variation upstream of precore translation initiation codon reduces hepatitis B virus e antigen production. <i>Gastroenterology</i> , 2003 , 125, 1370-8	7.8	64
3	Genome replication, virion secretion, and e antigen expression of naturally occurring hepatitis B virus core promoter mutants. <i>Journal of Virology</i> , 2003 , 77, 6601-12	6.3	215
2	Association between hepatitis B virus infection and HLA-DR type in Korea. <i>Hepatology</i> , 2000 , 31, 1371-3	10.9	103
1	One Case of Tracheal Rupture after Blunt Chest Trauma Diagnosed Early by Fiberoptic Bronchoscopy. <i>Tuberculosis and Respiratory Diseases</i> , 1999 , 46, 586		