

# Yuuki Kitanaka

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4133914/yuuki-kitanaka-publications-by-year.pdf>

**Version:** 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83 papers	962 citations	20 h-index	27 g-index
86 ext. papers	1,057 ext. citations	1.8 avg, IF	4.13 L-index

#	Paper	IF	Citations
83	Lattice engineering by Sr-substitution leads to high piezoelectric performance of $(\text{Sr}_x\text{Ca}_{1-x})_3\text{TaAl}_3\text{Si}_2\text{O}_{14}$ single crystals. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 851, 156860	5.7	1
82	Passive Component Enhancements in High-Temperature Electronic Devices: A Deterioration Mechanism for Metal Electrodes in Ceramic Film Resistors. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 10483-10492	3.9	1
81	Visualization of spontaneous electronic polarization in Pb ion of ferroelectric $\text{PbTiO}_3$ by synchrotron-radiation x-ray diffraction. <i>Applied Physics Letters</i> , <b>2020</b> , 117, 252905	3.4	6
80	Ferroelectrics with a controlled oxygen-vacancy distribution by design. <i>Scientific Reports</i> , <b>2019</b> , 9, 4225	4.9	23
79	Ferrielectric-mediated morphotropic phase boundaries in Bi-based polar perovskites. <i>Scientific Reports</i> , <b>2019</b> , 9, 4087	4.9	6
78	Composition-driven structural variation in ferrielectric phase of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-Ba}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ . <i>Japanese Journal of Applied Physics</i> , <b>2019</b> , 58, SLLA04	1.4	1
77	Uncovering ferroelectric polarization in tetragonal $(\text{BiK})\text{TiO-(BiNa)}\text{TiO}$ single crystals. <i>Scientific Reports</i> , <b>2019</b> , 9, 19275	4.9	2
76	Control of misfit strain in ferroelectric $\text{BaTiO}_3$ thin-film capacitors with $\text{SrRuO}_3$ -based electrodes on $(\text{Ba, Sr})\text{TiO}_3$ -buffered $\text{SrTiO}_3$ substrates. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 012903	3.4	7
75	Crystal structure and ferroelectric polarization of tetragonal $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-}2\text{BaTiO}_3$ . <i>Japanese Journal of Applied Physics</i> , <b>2018</b> , 57, 11UD05	1.4	4
74	Fabrication and characterization of $(\text{Ba, Sr})\text{RuO}_3$ ceramic targets and thin films for ferroelectric $\text{BaTiO}_3$ thin-film capacitors. <i>AIP Advances</i> , <b>2018</b> , 8, 115135	1.5	1
73	Piezoelectric $\text{Ca}_3\text{TaAl}_3\text{Si}_2\text{O}_{14}$ (CTAS): High quality 2-in. single-crystal growth and electro-elastic properties from room to high (650 °C) temperature. <i>Journal of Crystal Growth</i> , <b>2018</b> , 501, 38-42	1.6	5
72	Resistivity and piezoelectric properties of $\text{Ca}_3\text{TaGa}_{1.5}\text{Al}_{1.5}\text{Si}_2\text{O}_{14}$ single crystals for high temperature sensors. <i>RSC Advances</i> , <b>2017</b> , 7, 56697-56703	3.7	2
71	Enhanced polarization properties of ferroelectric $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3\text{-Ba}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ single crystals grown under high-pressure oxygen atmosphere. <i>Journal of the Ceramic Society of Japan</i> , <b>2017</b> , 125, 463-467	1	2
70	An optical method for evaluating the degradation mechanism of a developing $\text{RuO}_2$ thick film resistor element for power modules. <i>Journal of the Ceramic Society of Japan</i> , <b>2017</b> , 125, 476-481	1	4
69	Influence of growth conditions on the optical, electrical resistivity and piezoelectric properties of $\text{Ca}_3\text{TaGa}_3\text{Si}_2\text{O}_{14}$ single crystals. <i>Journal of the Ceramic Society of Japan</i> , <b>2016</b> , 124, 523-527	1	14
68	Strong interaction between ferroelectric polarization and oxygen vacancy in $\text{BiFeO}_3$ thin film capacitors. <i>Journal of the Ceramic Society of Japan</i> , <b>2016</b> , 124, 634-638	1	6
67	Influence of Oxygen Partial Pressure during Growth on Optical and Electrical Properties of $\text{Ca}_3\text{TaAl}_3\text{Si}_2\text{O}_{14}$ Single Crystals. <i>Crystal Growth and Design</i> , <b>2016</b> , 16, 2151-2156	3.5	13

66	Photon energy dependence of photovoltaic properties in ferroelectric BiFeO <sub>3</sub> thin-film capacitors. <i>Transactions of the Materials Research Society of Japan</i> , <b>2016</b> , 41, 201-204	0.2	
65	Temperature dependence of electrical resistivity, dielectric and piezoelectric properties of Ca <sub>3</sub> TaGa <sub>3</sub> Al <sub>x</sub> Si <sub>2</sub> O <sub>14</sub> single crystals as a function of Al content. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 687, 797-803	5.7	9
64	Bulk and domain-wall effects in ferroelectric photovoltaics. <i>Physical Review B</i> , <b>2016</b> , 94,	3.3	32
63	Polarization twist in perovskite ferrielectrics. <i>Scientific Reports</i> , <b>2016</b> , 6, 32216	4.9	21
62	Cooperative effect of oxygen-vacancy-rich layer and ferroelectric polarization on photovoltaic properties in BiFeO <sub>3</sub> thin film capacitors. <i>Applied Physics Letters</i> , <b>2016</b> , 108, 032901	3.4	32
61	Enhanced polarization properties of ferroelectric AgNbO <sub>3</sub> single crystals grown by Czochralski method under high-pressure oxygen atmosphere. <i>Japanese Journal of Applied Physics</i> , <b>2016</b> , 55, 10TB03	1.4	3
60	Crystal structure and polarization hysteresis properties of ferroelectric BaTiO <sub>3</sub> thin-film capacitors on (Ba,Sr)TiO <sub>3</sub> -buffered substrates. <i>Japanese Journal of Applied Physics</i> , <b>2016</b> , 55, 10TA03	1.4	4
59	Local polarization switching in epitaxial thin films of ferroelectric (Bi <sub>1/2</sub> Na <sub>1/2</sub> )TiO <sub>3</sub> Peer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society. View all notes. <i>Journal of Asian Ceramic Societies</i> , <b>2015</b> , 3, 160-163	2.4	7
58	Ferrielectric phase in the (Bi <sub>1/2</sub> Na <sub>1/2</sub> )TiO <sub>3</sub> Ba(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> system. <i>Japanese Journal of Applied Physics</i> , <b>2015</b> , 54, 10NC05	1.4	10
57	Heavy Mn-doping effect on spontaneous polarization in ferroelectric BiFeO <sub>3</sub> thin films. <i>Japanese Journal of Applied Physics</i> , <b>2015</b> , 54, 10NA03	1.4	18
56	Switchable diode-effect mechanism in ferroelectric BiFeO <sub>3</sub> thin film capacitors. <i>Journal of Applied Physics</i> , <b>2015</b> , 118, 114101	2.5	33
55	Giant photovoltaic effect of ferroelectric domain walls in perovskite single crystals. <i>Scientific Reports</i> , <b>2015</b> , 5, 14741	4.9	52
54	Enhanced photovoltaic currents in strained Fe-doped LiNbO <sub>3</sub> films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2015</b> , 212, 2968-2974	1.6	18
53	Electrical conduction mechanism in BiFeO <sub>3</sub> -based ferroelectric thin-film capacitors: Impact of Mn doping Peer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society. View all notes. <i>Journal of Asian Ceramic Societies</i> , <b>2015</b> , 3, 426-431	2.4	11
52	Non-180° polarization rotation of ferroelectric (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> single crystals under electric field. <i>Physical Review B</i> , <b>2014</b> , 89,	3.3	28
51	Polarization properties and crystal structures of ferroelectric (Ba,Ca)TiO <sub>3</sub> single crystals. <i>Journal of Advanced Dielectrics</i> , <b>2014</b> , 04, 1450003	1.3	6
50	Polarization degradation and oxygen-vacancy rearrangement in Mn-doped BaTiO <sub>3</sub> ferroelectrics ceramics. <i>Journal of the Ceramic Society of Japan</i> , <b>2014</b> , 122, 373-380	1	6
49	Photocurrent Characteristics for Mn-doped Barium Titanate Ferroelectric Single Crystals. <i>Transactions of the Materials Research Society of Japan</i> , <b>2014</b> , 39, 259-264	0.2	1

48	Spontaneous Polarization and Local Structures in Ca-substituted BaTiO <sub>3</sub> . <i>Transactions of the Materials Research Society of Japan</i> , <b>2014</b> , 39, 121-124	0.2	
47	Polarization Rotation and Monoclinic Distortion in Ferroelectric (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> /BaTiO <sub>3</sub> Single Crystals under Electric Fields. <i>Crystals</i> , <b>2014</b> , 4, 273-295	2.3	21
46	Polarization-switching dynamics and microstructures of ferroelectric (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> single crystals. <i>Journal of the Korean Physical Society</i> , <b>2013</b> , 62, 1035-1040	0.6	2
45	Synchrotron radiation analyses of domain switching behaviors for ferroelectric BaTiO <sub>3</sub> single crystals under electric fields. <i>Journal of the Korean Physical Society</i> , <b>2013</b> , 62, 1046-1050	0.6	
44	Enhanced polarization switching in ferroelectric Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> single crystals by defect control. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2013</b> , 210, 791-795	1.6	6
43	Crystal Structures and Surface Morphologies of LaGaO <sub>3</sub> -Based Epitaxial Thin Films Grown by a Pulse Laser Deposition Method. <i>Key Engineering Materials</i> , <b>2013</b> , 582, 153-156	0.4	1
42	Synchrotron Radiation Analyses of Domain Switching and Lattice Strain Behaviors for Ferroelectric (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> Single Crystals under Electric Fields. <i>Ferroelectrics</i> , <b>2013</b> , 443, 1-7	0.6	7
41	Leakage Current and Polarization Properties of (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> -BaTiO <sub>3</sub> Single Crystals. <i>Key Engineering Materials</i> , <b>2013</b> , 582, 96-99	0.4	1
40	Growth and Ferroelectric/Piezoelectric Properties of (K,Na)(Nb,Ta)O <sub>3</sub> Ferroelectric Single Crystals. <i>Key Engineering Materials</i> , <b>2013</b> , 566, 64-67	0.4	2
39	Domain Dynamics under Unipolar Electric Fields for BaTiO <sub>3</sub> Single Crystals. <i>Key Engineering Materials</i> , <b>2013</b> , 582, 40-43	0.4	
38	Crystal Structural Analyses of Ferroelectric Tetragonal (Bi <sub>1/2</sub> Na <sub>1/2</sub> )TiO <sub>3</sub> /BaTiO <sub>3</sub> Powders and Single Crystals. <i>Japanese Journal of Applied Physics</i> , <b>2013</b> , 52, 09KD01	1.4	21
37	Polarization Switching Dynamics of Ferroelectric (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> Single Crystals. <i>Key Engineering Materials</i> , <b>2013</b> , 582, 51-54	0.4	
36	Ferroelectric Properties and Domain Clamping of (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> Single Crystals Grown under High-Oxygen-Pressure Atmosphere. <i>Key Engineering Materials</i> , <b>2013</b> , 566, 29-33	0.4	1
35	Crystal Growth and Characterization of (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> -BaTiO <sub>3</sub> Single Crystals Obtained by the Top-Seeded Solution Growth Method under High-Pressure Oxygen Atmosphere. <i>Key Engineering Materials</i> , <b>2013</b> , 566, 25-28	0.4	
34	Photocurrent Characteristics of Mn-Doped Barium Titanate Ferroelectric Single Crystals. <i>Japanese Journal of Applied Physics</i> , <b>2013</b> , 52, 09KF03	1.4	16
33	Synchrotron radiation analyses of lattice strain behaviors for rhombohedral Pb(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> /PbTiO <sub>3</sub> single crystals under electric fields. <i>Journal of the Ceramic Society of Japan</i> , <b>2013</b> , 121, 632-637	1	6
32	Electronic and local structures of Mn-doped BiFeO <sub>3</sub> crystals. <i>Physical Review B</i> , <b>2012</b> , 86,	3.3	53
31	Laser beam scanning microscope and piezoresponse force microscope studies on domain structured in 001-, 110-, and 111-oriented NaNbO <sub>3</sub> films. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 052007	2.5	23

30	Clamping of Non-180° Domain Walls in Bi-Based Ferroelectric Single Crystals. <i>Transactions of the Materials Research Society of Japan</i> , <b>2012</b> , 37, 69-72	0.2	
29	(Invited) High-Temperature-Operating Dielectrics of Perovskite Oxides. <i>ECS Transactions</i> , <b>2012</b> , 45, 195-207		4
28	Elastic and Piezoelectric Properties of High-Quality Ferroelectric $\text{Bi}_{0.4}\text{Ti}_{0.3}\text{O}_{12}$ Single Crystals. <i>Japanese Journal of Applied Physics</i> , <b>2012</b> , 51, 09LD08	1.4	5
27	Lattice-Defect Control for High-Performance Bismuth-Based Ferroelectric/Piezoelectric Crystals. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , <b>2012</b> , 59, 22-28	0.2	
26	Elastic and Piezoelectric Properties of High-Quality Ferroelectric $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ Single Crystals. <i>Japanese Journal of Applied Physics</i> , <b>2012</b> , 51, 09LD08	1.4	3
25	Ferroelectric Polarization Properties in High-Performance Bismuth Sodium Titanate Single Crystals. <i>Key Engineering Materials</i> , <b>2011</b> , 485, 7-10	0.4	1
24	Synchrotron Radiation Study on Time-Resolved Tetragonal Lattice Strain of $\text{BaTiO}_3$ under Electric Field. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 09NE05	1.4	22
23	Nanoscale Characterization of Domain Structures in $\text{Bi}_{0.4}\text{Ti}_{0.3}\text{O}_{12}$ Single Crystals Using Near-Field Raman Spectroscopy. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 09NE10	1.4	3
22	Crystal Growth and Characterization of $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3/\text{BaTiO}_3$ Single Crystals Obtained by a Top-Seeded Solution Growth Method under High-Pressure Oxygen Atmosphere. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 09NE07	1.4	23
21	ENHANCED PIEZOELECTRIC PROPERTIES IN $(\text{Bi}_{0.5}\text{K}_{0.5})\text{TiO}_3/(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ FERROELECTRIC SINGLE CRYSTALS. <i>Journal of Advanced Dielectrics</i> , <b>2011</b> , 01, 63-69	1.3	7
20	High-Performance Ferroelectric $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ Single Crystals Grown by Top-Seeded Solution Growth Method under High-Pressure Oxygen Atmosphere. <i>Ferroelectrics</i> , <b>2011</b> , 414, 24-29	0.6	16
19	Ferroelectric and Piezoelectric Properties of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ Single Crystals Grown by Top-Seeded Solution Growth Method at High Oxygen Pressure. <i>Key Engineering Materials</i> , <b>2011</b> , 485, 73-76	0.4	1
18	Synchrotron Radiation Study on Time-Resolved Tetragonal Lattice Strain of $\text{BaTiO}_3$ under Electric Field. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 09NE05	1.4	8
17	Crystal Growth and Characterization of $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3/\text{BaTiO}_3$ Single Crystals Obtained by a Top-Seeded Solution Growth Method under High-Pressure Oxygen Atmosphere. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 09NE07	1.4	7
16	Nanoscale Characterization of Domain Structures in $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ Single Crystals Using Near-Field Raman Spectroscopy. <i>Japanese Journal of Applied Physics</i> , <b>2011</b> , 50, 09NE10	1.4	2
15	Crystal Growth and Ferroelectric Properties in $\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3/\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ Crystals. <i>Key Engineering Materials</i> , <b>2010</b> , 445, 7-10	0.4	4
14	Materials Design and Characterization of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3/\text{Bi}(\text{BiO})\text{O}_3$ Ceramics. <i>Key Engineering Materials</i> , <b>2010</b> , 445, 59-62	0.4	2
13	Polarization and Piezoelectric Properties of High Performance Bismuth Sodium Titanate Single Crystals Grown by High-Oxygen-Pressure Flux Method. <i>Japanese Journal of Applied Physics</i> , <b>2010</b> , 49, 09MD09	1.4	27

12	High-Performance Ferroelectric Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> Single Crystals Grown by Top-Seeded Solution Growth Method under High-Pressure Oxygen Atmosphere. <i>Japanese Journal of Applied Physics</i> , <b>2010</b> , 49, 09MC06	1.4	27
11	Defect control for polarization switching in BiFeO <sub>3</sub> single crystals. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2010</b> , 57, 2233-6	3.2	24
10	Oxygen-vacancy-induced 90° domain clamping in ferroelectric Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> single crystals. <i>Physical Review B</i> , <b>2010</b> , 81,	3.3	86
9	Behaviors of 90° and 180° Domain Walls under c-axis Polarization Switching in Ferroelectric Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> Single Crystals. <i>Transactions of the Materials Research Society of Japan</i> , <b>2009</b> , 34, 27-30	0.2	
8	Ferroelectric polarization and piezoelectric properties of layer-structured K <sub>0.5</sub> Bi <sub>4.5</sub> Ti <sub>4</sub> O <sub>15</sub> single crystals. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 032904	3.4	32
7	Switching properties and domain dynamics of the c-axis polarization in monoclinic Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> single crystals. <i>Transactions of the Materials Research Society of Japan</i> , <b>2008</b> , 33, 19-22	0.2	
6	Effects of Oxygen Pressure during Crystal Growth on the Polarization Properties in Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> Single Crystals. <i>Transactions of the Materials Research Society of Japan</i> , <b>2008</b> , 33, 53-56	0.2	
5	Effects of Mn doping on the polarization and leakage current properties in Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> single crystals. <i>Journal of the European Ceramic Society</i> , <b>2007</b> , 27, 4081-4084	6	21
4	Electric-Field-Stabilized Ferroelastic Domain Walls in Monoclinic Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> Crystals. <i>Japanese Journal of Applied Physics</i> , <b>2007</b> , 46, 7028-7030	1.4	16
3	High-oxygen-pressure crystal growth of ferroelectric Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> single crystals. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 162909	3.4	53
2	Ferroelectric domain structure and c-axis polarization switching in monoclinic Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> single crystals. <i>Applied Physics Letters</i> , <b>2007</b> , 90, 202904	3.4	18
1	Domain Dynamics of C-Axis Polarization in Bismuth Titanate Crystals. <i>Key Engineering Materials</i> , <b>2007</b> , 350, 69-72	0.4	1