Thomas Korn

List of Publications by Citations

Source: https://exaly.com/author-pdf/4135240/thomas-korn-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 21,753 44 90 g-index

90 g-index

90 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	Reciprocal developmental pathways for the generation of pathogenic effector TH17 and regulatory T cells. <i>Nature</i> , 2006 , 441, 235-8	50.4	5545
83	IL-17 and Th17 Cells. Annual Review of Immunology, 2009, 27, 485-517	34.7	3635
82	IL-21 initiates an alternative pathway to induce proinflammatory T(H)17 cells. <i>Nature</i> , 2007 , 448, 484-4	87 0.4	1484
81	Control of T(reg) and T(H)17 cell differentiation by the aryl hydrocarbon receptor. <i>Nature</i> , 2008 , 453, 65-71	50.4	1281
80	Interleukin-17 and type 17 helper T cells. New England Journal of Medicine, 2009, 361, 888-98	59.2	1095
79	Induction and effector functions of T(H)17 cells. <i>Nature</i> , 2008 , 453, 1051-7	50.4	960
78	Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. <i>Nature Genetics</i> , 2013 , 45, 1353-60	36.3	934
77	Myelin-specific regulatory T cells accumulate in the CNS but fail to control autoimmune inflammation. <i>Nature Medicine</i> , 2007 , 13, 423-31	50.5	654
76	Th17: the third member of the effector T cell trilogy. Current Opinion in Immunology, 2007, 19, 652-7	7.8	490
75	IL-6 controls Th17 immunity in vivo by inhibiting the conversion of conventional T cells into Foxp3+ regulatory T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 18460-5	11.5	414
74	Proinflammatory T helper type 17 cells are effective B-cell helpers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14292-7	11.5	374
73	Th17 cells: effector T cells with inflammatory properties. Seminars in Immunology, 2007, 19, 362-71	10.7	351
72	Role of Th1 and Th17 cells in organ-specific autoimmunity. <i>Journal of Autoimmunity</i> , 2008 , 31, 252-6	15.5	306
71	Cutting edge: IL-23 receptor gfp reporter mice reveal distinct populations of IL-17-producing cells. <i>Journal of Immunology</i> , 2009 , 182, 5904-8	5.3	293
70	Neutralization of the IL-17 axis diminishes neutrophil invasion and protects from ischemic stroke. <i>Blood</i> , 2012 , 120, 3793-802	2.2	277
69	Potassium channel KIR4.1 as an immune target in multiple sclerosis. <i>New England Journal of Medicine</i> , 2012 , 367, 115-23	59.2	266
68	T cells enhance autoimmunity by restraining regulatory T cell responses via an interleukin-23-dependent mechanism. <i>Immunity</i> , 2010 , 33, 351-63	32.3	209

67	Th17 lymphocytes traffic to the central nervous system independently of A integrin expression during EAE. <i>Journal of Experimental Medicine</i> , 2011 , 208, 2465-76	16.6	197
66	CCL17-expressing dendritic cells drive atherosclerosis by restraining regulatory T cell homeostasis in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 2898-910	15.9	183
65	Dendritic cells ameliorate autoimmunity in the CNS by controlling the homeostasis of PD-1 receptor(+) regulatory T cells. <i>Immunity</i> , 2012 , 37, 264-75	32.3	154
64	CXCL13 is the major determinant for B cell recruitment to the CSF during neuroinflammation. <i>Journal of Neuroinflammation</i> , 2012 , 9, 93	10.1	147
63	Microglial expression of the B7 family member B7 homolog 1 confers strong immune inhibition: implications for immune responses and autoimmunity in the CNS. <i>Journal of Neuroscience</i> , 2005 , 25, 253	3 5 -46	134
62	Differential effects of fingolimod (FTY720) on immune cells in the CSF and blood of patients with MS. <i>Neurology</i> , 2011 , 76, 1214-21	6.5	129
61	Brain-resident memory T cells represent an autonomous cytotoxic barrier to viral infection. <i>Journal of Experimental Medicine</i> , 2016 , 213, 1571-87	16.6	125
60	Differential engagement of Tim-1 during activation can positively or negatively costimulate T cell expansion and effector function. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1691-702	16.6	107
59	Pathophysiology of multiple sclerosis. <i>Journal of Neurology</i> , 2008 , 255 Suppl 6, 2-6	5.5	103
58	Immune mechanisms of new therapeutic strategies in MS: teriflunomide. <i>Clinical Immunology</i> , 2012 , 142, 49-56	9	98
57	Cytokines and effector T cell subsets causing autoimmune CNS disease. FEBS Letters, 2011, 585, 3747-5	7 3.8	98
56	Autoantigen specific T cells inhibit glutamate uptake in astrocytes by decreasing expression of astrocytic glutamate transporter GLAST: a mechanism mediated by tumor necrosis factor-alpha. <i>FASEB Journal</i> , 2005 , 19, 1878-80	0.9	97
55	Cell-type-specific profiling of brain mitochondria reveals functional and molecular diversity. <i>Nature Neuroscience</i> , 2019 , 22, 1731-1742	25.5	93
54	Antigen targeting to plasmacytoid dendritic cells via Siglec-H inhibits Th cell-dependent autoimmunity. <i>Journal of Immunology</i> , 2011 , 187, 6346-56	5.3	84
53	Modulation of effector cell functions in experimental autoimmune encephalomyelitis by leflunomidemechanisms independent of pyrimidine depletion. <i>Journal of Leukocyte Biology</i> , 2004 , 76, 950-60	6.5	84
52	Regulatory myeloid cells paralyze T cells through cell-cell transfer of the metabolite methylglyoxal. <i>Nature Immunology</i> , 2020 , 21, 555-566	19.1	79
51	Evidence that nucleocytoplasmic Olig2 translocation mediates brain-injury-induced differentiation of glial precursors to astrocytes. <i>Journal of Neuroscience Research</i> , 2007 , 85, 2126-37	4.4	72
50	IL-17A production by renal I cells promotes kidney injury in crescentic GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1486-95	12.7	69

49	The dynamics of effector T cells and Foxp3+ regulatory T cells in the promotion and regulation of autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2007 , 191, 51-60	3.5	64
48	Optical coherence tomography indicates disease activity prior to clinical onset of central nervous system demyelination. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 893-900	5	61
47	Th17 cells in central nervous system autoimmunity. Experimental Neurology, 2014, 262 Pt A, 18-27	5.7	55
46	Enriched CD161high CCR6+ IT cells in the cerebrospinal fluid of patients with multiple sclerosis. JAMA Neurology, 2013 , 70, 345-51	17.2	54
45	Immunology of neuromyelitis optica: a T cell-B cell collaboration. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1283, 57-66	6.5	54
44	Development and function of interleukin 17-producing IT cells. <i>Annals of the New York Academy of Sciences</i> , 2012 , 1247, 34-45	6.5	51
43	Active immunization with amyloid-beta 1-42 impairs memory performance through TLR2/4-dependent activation of the innate immune system. <i>Journal of Immunology</i> , 2010 , 185, 6338-47	5.3	51
42	Blimp1 Prevents Methylation of Foxp3 and Loss of Regulatory T Cell Identity at Sites of Inflammation. <i>Cell Reports</i> , 2019 , 26, 1854-1868.e5	10.6	48
41	Myeloid-derived suppressor cells control B cell accumulation in the central nervous system during autoimmunity. <i>Nature Immunology</i> , 2018 , 19, 1341-1351	19.1	45
40	Functional characterization of aquaporin-4 specific T cells: towards a model for neuromyelitis optica. <i>PLoS ONE</i> , 2011 , 6, e16083	3.7	42
39	Expression of miRNAs miR-133b and miR-206 in the Il17a/f locus is co-regulated with IL-17 production in Land LT cells. <i>PLoS ONE</i> , 2011 , 6, e20171	3.7	42
38	Neutralizing IL-17 protects the optic nerve from autoimmune pathology and prevents retinal nerve fiber layer atrophy during experimental autoimmune encephalomyelitis. <i>Journal of Autoimmunity</i> , 2015 , 56, 34-44	15.5	41
37	Unlike DT cells, DT cells, LTi cells and NKT cells do not require IRF4 for the production of IL-17A and IL-22. <i>European Journal of Immunology</i> , 2012 , 42, 3189-201	6.1	39
36	Anti-thymocyte globulin (ATG) prevents autoimmune encephalomyelitis by expanding myelin antigen-specific Foxp3+ regulatory T cells. <i>International Immunology</i> , 2007 , 19, 1003-10	4.9	34
35	IL-1Iand IL-23 Promote Extrathymic Commitment of CD27CD122 IT Cells to II17 Cells. <i>Journal of Immunology</i> , 2017 , 199, 2668-2679	5.3	32
34	Brain-resident memory T cells generated early in life predispose to autoimmune disease in mice. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	30
33	18F-FDG PET detects inflammatory infiltrates in spinal cord experimental autoimmune encephalomyelitis lesions. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 1269-76	8.9	30
32	TNF-alpha-dependent loss of IKKbeta-deficient myeloid progenitors triggers a cytokine loop culminating in granulocytosis. <i>Proceedings of the National Academy of Sciences of the United States</i>	11.5	28

31	Dendritic cells in central nervous system autoimmunity. Seminars in Immunopathology, 2017, 39, 99-111	12	24
30	Immunological basis for the development of tissue inflammation and organ-specific autoimmunity in animal models of multiple sclerosis. <i>Results and Problems in Cell Differentiation</i> , 2010 , 51, 43-74	1.4	24
29	The plasma membrane-associated protein RS1 decreases transcription of the transporter SGLT1 in confluent LLC-PK1 cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 45330-40	5.4	24
28	Cloning and characterization of the transport modifier RS1 from rabbit which was previously assumed to be specific for Na+-D-glucose cotransport. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999 , 1417, 131-43	3.8	22
27	Repositioning T cell polarization from single cytokines to complex help. <i>Nature Immunology</i> , 2021 , 22, 1210-1217	19.1	22
26	4-integrins control viral meningoencephalitis through differential recruitment of T helper cell subsets. <i>Acta Neuropathologica Communications</i> , 2014 , 2, 27	7.3	19
25	Biphasic form of experimental autoimmune neuritis in dark Agouti rats and its oral therapy by antigen-specific tolerization. <i>Journal of Neuroscience Research</i> , 2004 , 75, 524-35	4.4	19
24	APOSTEL 2.0 Recommendations for Reporting Quantitative Optical Coherence Tomography Studies. <i>Neurology</i> , 2021 , 97, 68-79	6.5	19
23	Salt generates antiinflammatory Th17 cells but amplifies pathogenicity in proinflammatory cytokine microenvironments. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4587-4600	15.9	18
22	Deletional tolerance prevents AQP4-directed autoimmunity in mice. <i>European Journal of Immunology</i> , 2017 , 47, 458-469	6.1	17
22		6.1	17
	Immunology, 2017 , 47, 458-469 How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 ,		12
21	Immunology, 2017 , 47, 458-469 How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 20597-8 Dynamics of antigen-specific regulatory T-cells in the context of autoimmunity. <i>Seminars in</i>	11.5	12
21	Immunology, 2017, 47, 458-469 How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 20597-8 Dynamics of antigen-specific regulatory T-cells in the context of autoimmunity. Seminars in Immunology, 2007, 19, 272-8 Impaired volitional closure of the left eyelid after right anterior cerebral artery infarction: apraxia	11.5	12
21 20 19	How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 20597-8 Dynamics of antigen-specific regulatory T-cells in the context of autoimmunity. <i>Seminars in Immunology</i> , 2007 , 19, 272-8 Impaired volitional closure of the left eyelid after right anterior cerebral artery infarction: apraxia due to interhemispheric disconnection?. <i>Archives of Neurology</i> , 2004 , 61, 273-5 Vav1-deficient mice are resistant to MOG-induced experimental autoimmune encephalomyelitis	11.5	12 12 12
21 20 19	How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 20597-8 Dynamics of antigen-specific regulatory T-cells in the context of autoimmunity. Seminars in Immunology, 2007, 19, 272-8 Impaired volitional closure of the left eyelid after right anterior cerebral artery infarction: apraxia due to interhemispheric disconnection?. Archives of Neurology, 2004, 61, 273-5 Vav1-deficient mice are resistant to MOG-induced experimental autoimmune encephalomyelitis due to impaired antigen priming. Journal of Neuroimmunology, 2003, 139, 17-26 Interaction with antigen-specific T cells regulates expression of the lactate transporter MCT1 in	11.5	12 12 12
21 20 19 18	How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 20597-8 Dynamics of antigen-specific regulatory T-cells in the context of autoimmunity. Seminars in Immunology, 2007, 19, 272-8 Impaired volitional closure of the left eyelid after right anterior cerebral artery infarction: apraxia due to interhemispheric disconnection?. Archives of Neurology, 2004, 61, 273-5 Vav1-deficient mice are resistant to MOG-induced experimental autoimmune encephalomyelitis due to impaired antigen priming. Journal of Neuroimmunology, 2003, 139, 17-26 Interaction with antigen-specific T cells regulates expression of the lactate transporter MCT1 in primary rat astrocytes: specific link between immunity and homeostasis. Glia, 2005, 49, 73-83 Lipooligosaccharide of Campylobacter jejuni prevents myelin-specific enteral tolerance to autoimmune neuritisa potential mechanism in Guillain-Barre syndrome?. Neuroscience Letters,	11.5 10.7 3.5 9	12 12 12 12

13	Inner retinal layer thinning in radiologically isolated syndrome predicts conversion to multiple sclerosis. <i>European Journal of Neurology</i> , 2020 , 27, 2217-2224	6	7
12	Autoimmune modulation of astrocyte-mediated homeostasis. <i>NeuroMolecular Medicine</i> , 2007 , 9, 1-16	4.6	7
11	Dendritic Cell Accumulation in the Gut and Central Nervous System Is Differentially Dependent on Integrins. <i>Journal of Immunology</i> , 2019 , 203, 1417-1427	5.3	6
10	Aryl Hydrocarbon Receptor Plasma Agonist Activity Correlates With Disease Activity in Progressive MS. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021 , 8,	9.1	3
9	Cutting Edge: IL-6-Driven Immune Dysregulation Is Strictly Dependent on IL-6R EChain Expression. Journal of Immunology, 2020 , 204, 747-751	5.3	2
8	Skin and gut imprinted helper T cell subsets exhibit distinct functional phenotypes in central nervous system autoimmunity. <i>Nature Immunology</i> , 2021 , 22, 880-892	19.1	2
7	Formation and immunomodulatory function of meningeal B cell aggregates In progressive CNS autoimmunity. <i>Brain</i> , 2021 , 144, 1697-1710	11.2	1
6	Aquaporin-4 prevents exaggerated astrocytosis and structural damage in retinal inflammation <i>Journal of Molecular Medicine</i> , 2022 , 1	5.5	1
5	Keratinocyte-intrinsic BCL10/MALT1 activity initiates and amplifies psoriasiform skin inflammation. <i>Science Immunology</i> , 2021 , 6, eabi4425	28	O
4	Reply to Comment on: Repositioning T cell polarization from single cytokines to complex helpS. Nature Immunology, 2022 ,	19.1	O
3	Stars Are Not in Outer Space: Astrocytes Respond to Environmental Cues. <i>Cell</i> , 2019 , 176, 416-418	56.2	
2	Which type of inflammation can be controlled by Foxp3+ Tregs?. <i>Acta Neuropathologica</i> , 2013 , 126, 523	3-4 4.3	

Multiple sclerosis: is it all black and white in optical coherence tomography?. *Brain*, **2018**, 141, 3088-3091_{1.1.2}