

Thomas Korn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4135240/thomas-korn-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 papers	21,753 citations	44 h-index	90 g-index
90 ext. papers	24,192 ext. citations	14 avg, IF	6.64 L-index

#	Paper	IF	Citations
84	Reply to Comment on: Repositioning T cell polarization from single cytokines to complex helpS. <i>Nature Immunology</i> , 2022 ,	19.1	0
83	Aquaporin-4 prevents exaggerated astrogliosis and structural damage in retinal inflammation.. <i>Journal of Molecular Medicine</i> , 2022 , 1	5.5	1
82	Aryl Hydrocarbon Receptor Plasma Agonist Activity Correlates With Disease Activity in Progressive MS. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021 , 8,	9.1	3
81	Keratinocyte-intrinsic BCL10/MALT1 activity initiates and amplifies psoriasiform skin inflammation. <i>Science Immunology</i> , 2021 , 6, eabi4425	28	0
80	Formation and immunomodulatory function of meningeal B cell aggregates in progressive CNS autoimmunity. <i>Brain</i> , 2021 , 144, 1697-1710	11.2	1
79	APOSTEL 2.0 Recommendations for Reporting Quantitative Optical Coherence Tomography Studies. <i>Neurology</i> , 2021 , 97, 68-79	6.5	19
78	Skin and gut imprinted helper T cell subsets exhibit distinct functional phenotypes in central nervous system autoimmunity. <i>Nature Immunology</i> , 2021 , 22, 880-892	19.1	2
77	Repositioning T cell polarization from single cytokines to complex help. <i>Nature Immunology</i> , 2021 , 22, 1210-1217	19.1	22
76	Inner retinal layer thinning in radiologically isolated syndrome predicts conversion to multiple sclerosis. <i>European Journal of Neurology</i> , 2020 , 27, 2217-2224	6	7
75	Regulatory myeloid cells paralyze T cells through cell-cell transfer of the metabolite methylglyoxal. <i>Nature Immunology</i> , 2020 , 21, 555-566	19.1	79
74	Salt generates antiinflammatory Th17 cells but amplifies pathogenicity in proinflammatory cytokine microenvironments. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4587-4600	15.9	18
73	Cutting Edge: IL-6-Driven Immune Dysregulation Is Strictly Dependent on IL-6R α Chain Expression. <i>Journal of Immunology</i> , 2020 , 204, 747-751	5.3	2
72	Cell-type-specific profiling of brain mitochondria reveals functional and molecular diversity. <i>Nature Neuroscience</i> , 2019 , 22, 1731-1742	25.5	93
71	Stars Are Not in Outer Space: Astrocytes Respond to Environmental Cues. <i>Cell</i> , 2019 , 176, 416-418	56.2	
70	Dendritic Cell Accumulation in the Gut and Central Nervous System Is Differentially Dependent on α Integrins. <i>Journal of Immunology</i> , 2019 , 203, 1417-1427	5.3	6
69	Brain-resident memory T cells generated early in life predispose to autoimmune disease in mice. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	30
68	Blimp1 Prevents Methylation of Foxp3 and Loss of Regulatory T Cell Identity at Sites of Inflammation. <i>Cell Reports</i> , 2019 , 26, 1854-1868.e5	10.6	48

67	RelB Deficiency in Dendritic Cells Protects from Autoimmune Inflammation Due to Spontaneous Accumulation of Tissue T Regulatory Cells. <i>Journal of Immunology</i> , 2019 , 203, 2602-2613	5.3	9
66	Multiple sclerosis: is it all black and white in optical coherence tomography?. <i>Brain</i> , 2018 , 141, 3088-3091	11.2	
65	Myeloid-derived suppressor cells control B cell accumulation in the central nervous system during autoimmunity. <i>Nature Immunology</i> , 2018 , 19, 1341-1351	19.1	45
64	Deletional tolerance prevents AQP4-directed autoimmunity in mice. <i>European Journal of Immunology</i> , 2017 , 47, 458-469	6.1	17
63	IL-1 β and IL-23 Promote Extrathymic Commitment of CD27 ⁺ CD122 ⁺ T Cells to TH17 Cells. <i>Journal of Immunology</i> , 2017 , 199, 2668-2679	5.3	32
62	Dendritic cells in central nervous system autoimmunity. <i>Seminars in Immunopathology</i> , 2017 , 39, 99-111	12	24
61	Optical coherence tomography indicates disease activity prior to clinical onset of central nervous system demyelination. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 893-900	5	61
60	Brain-resident memory T cells represent an autonomous cytotoxic barrier to viral infection. <i>Journal of Experimental Medicine</i> , 2016 , 213, 1571-87	16.6	125
59	Neutralizing IL-17 protects the optic nerve from autoimmune pathology and prevents retinal nerve fiber layer atrophy during experimental autoimmune encephalomyelitis. <i>Journal of Autoimmunity</i> , 2015 , 56, 34-44	15.5	41
58	Th17 cells in central nervous system autoimmunity. <i>Experimental Neurology</i> , 2014 , 262 Pt A, 18-27	5.7	55
57	α -integrins control viral meningoencephalitis through differential recruitment of T helper cell subsets. <i>Acta Neuropathologica Communications</i> , 2014 , 2, 27	7.3	19
56	Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. <i>Nature Genetics</i> , 2013 , 45, 1353-60	36.3	934
55	Which type of inflammation can be controlled by Foxp3 ⁺ Tregs?. <i>Acta Neuropathologica</i> , 2013 , 126, 523-4	4.3	
54	Enriched CD161 ^{high} CCR6 ⁺ T cells in the cerebrospinal fluid of patients with multiple sclerosis. <i>JAMA Neurology</i> , 2013 , 70, 345-51	17.2	54
53	Immunology of neuromyelitis optica: a T cell-B cell collaboration. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1283, 57-66	6.5	54
52	Neutralization of the IL-17 axis diminishes neutrophil invasion and protects from ischemic stroke. <i>Blood</i> , 2012 , 120, 3793-802	2.2	277
51	IL-17A production by renal T cells promotes kidney injury in crescentic GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2012 , 23, 1486-95	12.7	69
50	Dendritic cells ameliorate autoimmunity in the CNS by controlling the homeostasis of PD-1 receptor(+) regulatory T cells. <i>Immunity</i> , 2012 , 37, 264-75	32.3	154

49	Unlike α cells, β cells, LT α cells and NKT cells do not require IRF4 for the production of IL-17A and IL-22. <i>European Journal of Immunology</i> , 2012 , 42, 3189-201	6.1	39
48	Potassium channel KIR4.1 as an immune target in multiple sclerosis. <i>New England Journal of Medicine</i> , 2012 , 367, 115-23	59.2	266
47	CXCL13 is the major determinant for B cell recruitment to the CSF during neuroinflammation. <i>Journal of Neuroinflammation</i> , 2012 , 9, 93	10.1	147
46	Development and function of interleukin 17-producing γ cells. <i>Annals of the New York Academy of Sciences</i> , 2012 , 1247, 34-45	6.5	51
45	Immune mechanisms of new therapeutic strategies in MS: teriflunomide. <i>Clinical Immunology</i> , 2012 , 142, 49-56	9	98
44	¹⁸ F-FDG PET detects inflammatory infiltrates in spinal cord experimental autoimmune encephalomyelitis lesions. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 1269-76	8.9	30
43	TNF-alpha-dependent loss of IKKbeta-deficient myeloid progenitors triggers a cytokine loop culminating in granulocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 6567-72	11.5	28
42	Functional characterization of aquaporin-4 specific T cells: towards a model for neuromyelitis optica. <i>PLoS ONE</i> , 2011 , 6, e16083	3.7	42
41	Cytokines and effector T cell subsets causing autoimmune CNS disease. <i>FEBS Letters</i> , 2011 , 585, 3747-57	3.8	98
40	Antigen targeting to plasmacytoid dendritic cells via Siglec-H inhibits Th cell-dependent autoimmunity. <i>Journal of Immunology</i> , 2011 , 187, 6346-56	5.3	84
39	Th17 lymphocytes traffic to the central nervous system independently of β integrin expression during EAE. <i>Journal of Experimental Medicine</i> , 2011 , 208, 2465-76	16.6	197
38	Differential effects of fingolimod (FTY720) on immune cells in the CSF and blood of patients with MS. <i>Neurology</i> , 2011 , 76, 1214-21	6.5	129
37	CCL17-expressing dendritic cells drive atherosclerosis by restraining regulatory T cell homeostasis in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 2898-910	15.9	183
36	Expression of miRNAs miR-133b and miR-206 in the Il17a/f locus is co-regulated with IL-17 production in α and β cells. <i>PLoS ONE</i> , 2011 , 6, e20171	3.7	42
35	Proinflammatory T helper type 17 cells are effective B-cell helpers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14292-7	11.5	374
34	Active immunization with amyloid-beta 1-42 impairs memory performance through TLR2/4-dependent activation of the innate immune system. <i>Journal of Immunology</i> , 2010 , 185, 6338-47	5.3	51
33	How T cells take developmental decisions by using the aryl hydrocarbon receptor to sense the environment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 20597-8	11.5	12
32	Immunological basis for the development of tissue inflammation and organ-specific autoimmunity in animal models of multiple sclerosis. <i>Results and Problems in Cell Differentiation</i> , 2010 , 51, 43-74	1.4	24

31	Th17 cells enhance autoimmunity by restraining regulatory T cell responses via an interleukin-23-dependent mechanism. <i>Immunity</i> , 2010 , 33, 351-63	32.3	209
30	Cutting edge: IL-23 receptor gfp reporter mice reveal distinct populations of IL-17-producing cells. <i>Journal of Immunology</i> , 2009 , 182, 5904-8	5.3	293
29	Interleukin-17 and type 17 helper T cells. <i>New England Journal of Medicine</i> , 2009 , 361, 888-98	59.2	1095
28	IL-17 and Th17 Cells. <i>Annual Review of Immunology</i> , 2009 , 27, 485-517	34.7	3635
27	Control of T(reg) and T(H)17 cell differentiation by the aryl hydrocarbon receptor. <i>Nature</i> , 2008 , 453, 65-71	50.4	1281
26	Induction and effector functions of T(H)17 cells. <i>Nature</i> , 2008 , 453, 1051-7	50.4	960
25	Role of Th1 and Th17 cells in organ-specific autoimmunity. <i>Journal of Autoimmunity</i> , 2008 , 31, 252-6	15.5	306
24	IL-6 controls Th17 immunity in vivo by inhibiting the conversion of conventional T cells into Foxp3+ regulatory T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 18460-5	11.5	414
23	Pathophysiology of multiple sclerosis. <i>Journal of Neurology</i> , 2008 , 255 Suppl 6, 2-6	5.5	103
22	Evidence that nucleocytoplasmic Olig2 translocation mediates brain-injury-induced differentiation of glial precursors to astrocytes. <i>Journal of Neuroscience Research</i> , 2007 , 85, 2126-37	4.4	72
21	Th17: the third member of the effector T cell trilogy. <i>Current Opinion in Immunology</i> , 2007 , 19, 652-7	7.8	490
20	Myelin-specific regulatory T cells accumulate in the CNS but fail to control autoimmune inflammation. <i>Nature Medicine</i> , 2007 , 13, 423-31	50.5	654
19	IL-21 initiates an alternative pathway to induce proinflammatory T(H)17 cells. <i>Nature</i> , 2007 , 448, 484-487	50.4	1484
18	The dynamics of effector T cells and Foxp3+ regulatory T cells in the promotion and regulation of autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2007 , 191, 51-60	3.5	64
17	Autoimmune modulation of astrocyte-mediated homeostasis. <i>NeuroMolecular Medicine</i> , 2007 , 9, 1-16	4.6	7
16	Differential engagement of Tim-1 during activation can positively or negatively costimulate T cell expansion and effector function. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1691-702	16.6	107
15	Anti-thymocyte globulin (ATG) prevents autoimmune encephalomyelitis by expanding myelin antigen-specific Foxp3+ regulatory T cells. <i>International Immunology</i> , 2007 , 19, 1003-10	4.9	34
14	Dynamics of antigen-specific regulatory T-cells in the context of autoimmunity. <i>Seminars in Immunology</i> , 2007 , 19, 272-8	10.7	12

13	Th17 cells: effector T cells with inflammatory properties. <i>Seminars in Immunology</i> , 2007 , 19, 362-71	10.7	351
12	Reciprocal developmental pathways for the generation of pathogenic effector TH17 and regulatory T cells. <i>Nature</i> , 2006 , 441, 235-8	50.4	5545
11	Lipooligosaccharide of <i>Campylobacter jejuni</i> prevents myelin-specific enteral tolerance to autoimmune neuritis--a potential mechanism in Guillain-Barre syndrome?. <i>Neuroscience Letters</i> , 2005 , 381, 175-8	3.3	9
10	Interaction with antigen-specific T cells regulates expression of the lactate transporter MCT1 in primary rat astrocytes: specific link between immunity and homeostasis. <i>Glia</i> , 2005 , 49, 73-83	9	10
9	Autoantigen specific T cells inhibit glutamate uptake in astrocytes by decreasing expression of astrocytic glutamate transporter GLAST: a mechanism mediated by tumor necrosis factor-alpha. <i>FASEB Journal</i> , 2005 , 19, 1878-80	0.9	97
8	Microglial expression of the B7 family member B7 homolog 1 confers strong immune inhibition: implications for immune responses and autoimmunity in the CNS. <i>Journal of Neuroscience</i> , 2005 , 25, 2537-46	6.6	134
7	Impaired volitional closure of the left eyelid after right anterior cerebral artery infarction: apraxia due to interhemispheric disconnection?. <i>Archives of Neurology</i> , 2004 , 61, 273-5		12
6	Modulation of effector cell functions in experimental autoimmune encephalomyelitis by leflunomide--mechanisms independent of pyrimidine depletion. <i>Journal of Leukocyte Biology</i> , 2004 , 76, 950-60	6.5	84
5	Chronically stimulated microglial cells do no longer alter their immune functions in response to the phagocytosis of apoptotic cells. <i>Journal of Neuroimmunology</i> , 2004 , 155, 64-72	3.5	9
4	Biphasic form of experimental autoimmune neuritis in dark Agouti rats and its oral therapy by antigen-specific tolerization. <i>Journal of Neuroscience Research</i> , 2004 , 75, 524-35	4.4	19
3	Vav1-deficient mice are resistant to MOG-induced experimental autoimmune encephalomyelitis due to impaired antigen priming. <i>Journal of Neuroimmunology</i> , 2003 , 139, 17-26	3.5	12
2	The plasma membrane-associated protein RS1 decreases transcription of the transporter SGLT1 in confluent LLC-PK1 cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 45330-40	5.4	24
1	Cloning and characterization of the transport modifier RS1 from rabbit which was previously assumed to be specific for Na+-D-glucose cotransport. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999 , 1417, 131-43	3.8	22