Jiwei Tian

List of Publications by Citations

Source: https://exaly.com/author-pdf/4136096/jiwei-tian-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers 1,712 21 40 g-index

82 2,288 4 4.84 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
74	Observation of Luzon Strait transport. <i>Geophysical Research Letters</i> , 2006 , 33,	4.9	197
73	Enhanced Diapycnal Mixing in the South China Sea. Journal of Physical Oceanography, 2009, 39, 3191-32	: 0:3 4	146
72	Observed 3D Structure, Generation, and Dissipation of Oceanic Mesoscale Eddies in the South China Sea. <i>Scientific Reports</i> , 2016 , 6, 24349	4.9	125
71	A mesoscale eddy pair southwest of Taiwan and its influence on deep circulation. <i>Journal of Geophysical Research: Oceans</i> , 2013 , 118, 6479-6494	3.3	100
70	Observed upper ocean response to typhoon Megi (2010) in the Northern South China Sea. <i>Journal of Geophysical Research: Oceans</i> , 2014 , 119, 3134-3157	3.3	88
69	Deep water circulation in the Luzon Strait. <i>Journal of Geophysical Research: Oceans</i> , 2014 , 119, 790-804	3.3	81
68	Anticyclonic Eddy Sheddings from Kuroshio Loop and the Accompanying Cyclonic Eddy in the Northeastern South China Sea. <i>Journal of Physical Oceanography</i> , 2017 , 47, 1243-1259	2.4	76
67	Proliferation of hydrocarbon-degrading microbes at the bottom of the Mariana Trench. <i>Microbiome</i> , 2019 , 7, 47	16.6	66
66	Three-Dimensional Distribution of Turbulent Mixing in the South China Sea. <i>Journal of Physical Oceanography</i> , 2016 , 46, 769-788	2.4	54
65	Variability of the Deep-Water Overflow in the Luzon Strait*. <i>Journal of Physical Oceanography</i> , 2014 , 44, 2972-2986	2.4	52
64	Spatial structure and temporal variability of the zonal flow in the Luzon Strait. <i>Journal of Geophysical Research: Oceans</i> , 2015 , 120, 759-776	3.3	49
63	Observed and simulated submesoscale vertical pump of an anticyclonic eddy in the South China Sea. <i>Scientific Reports</i> , 2017 , 7, 44011	4.9	37
62	Elevated Mixing in the Periphery of Mesoscale Eddies in the South China Sea. <i>Journal of Physical Oceanography</i> , 2017 , 47, 895-907	2.4	36
61	Advances in research on the deep South China Sea circulation. <i>Science Bulletin</i> , 2012 , 57, 3115-3120		33
60	Impacts of a Mesoscale Eddy Pair on Internal Solitary Waves in the Northern South China Sea revealed by Mooring Array Observations. <i>Journal of Physical Oceanography</i> , 2017 , 47, 1539-1554	2.4	30
59	Latitudinal Distribution of Mixing Rate Caused by the M2 Internal Tide. <i>Journal of Physical Oceanography</i> , 2006 , 36, 35-42	2.4	25
58	Subthermocline eddies observed by rapid-sampling Argo floats in the subtropical northwestern Pacific Ocean in Spring 2014. <i>Geophysical Research Letters</i> , 2015 , 42, 6438-6445	4.9	24

(2020-2017)

57	A statistical study on the subthermocline submesoscale eddies in the northwestern Pacific Ocean based on Argo data. <i>Journal of Geophysical Research: Oceans</i> , 2017 , 122, 3586-3598	3.3	23	
56	Deep Western Boundary Current in the South China Sea. <i>Scientific Reports</i> , 2017 , 7, 9303	4.9	23	
55	Mooring observations of internal solitary waves in the deep basin west of Luzon Strait. <i>Acta Oceanologica Sinica</i> , 2014 , 33, 82-89	1	22	
54	Interannual modulation of eddy kinetic energy in the northeastern South China Sea as revealed by an eddy-resolving OGCM. <i>Journal of Geophysical Research: Oceans</i> , 2016 , 121, 3190-3201	3.3	21	
53	Latitude-dependent finescale turbulent shear generations in the Pacific tropical-extratropical upper ocean. <i>Nature Communications</i> , 2018 , 9, 4086	17.4	21	
52	Novel insights into the Thaumarchaeota in the deepest oceans: their metabolism and potential adaptation mechanisms. <i>Microbiome</i> , 2020 , 8, 78	16.6	20	
51	Estimates of M2 internal tide energy fluxes along the margin of Northwestern Pacific using TOPEX/POSEIDON altimeter data. <i>Geophysical Research Letters</i> , 2003 , 30, n/a-n/a	4.9	19	
50	Biogeographic drivers of diazotrophs in the western Pacific Ocean. <i>Limnology and Oceanography</i> , 2019 , 64, 1403-1421	4.8	17	
49	A quasi-synoptic interpretation of water mass distribution and circulation in the western North Pacific: I. Water mass distribution. <i>Chinese Journal of Oceanology and Limnology</i> , 2009 , 27, 630-639		17	
48	A quasi-synoptic interpretation of water mass distribution and circulation in the western North Pacific II: Circulation. <i>Chinese Journal of Oceanology and Limnology</i> , 2009 , 27, 955-965		17	
47	Dissipation of mesoscale eddies and its contribution to mixing in the northern South China Sea. <i>Scientific Reports</i> , 2019 , 9, 556	4.9	16	
46	Signals of interannual and interdecadal variability of air-sea interaction in the basin-wide Indian Ocean. <i>Atmosphere - Ocean</i> , 2002 , 40, 293-311	1.5	16	
45	Cruise Observation of Rossby Waves with Finite Wavelengths Propagating from the Pacific to the South China Sea. <i>Journal of Physical Oceanography</i> , 2016 , 46, 2897-2913	2.4	16	
44	Insight Into the Pico- and Nano-Phytoplankton Communities in the Deepest Biosphere, the Mariana Trench. <i>Frontiers in Microbiology</i> , 2018 , 9, 2289	5.7	16	
43	An anticyclonic eddy in the intermediate layer of the Luzon Strait in Autumn 2005. <i>Journal of Oceanography</i> , 2011 , 67, 37-46	1.9	15	
42	Observation of material fluxes through the Luzon Strait. <i>Chinese Journal of Oceanology and Limnology</i> , 2011 , 29, 26-32		15	
41	Dissolved black carbon is not likely a significant refractory organic carbon pool in rivers and oceans. <i>Nature Communications</i> , 2020 , 11, 5051	17.4	15	
40	Spatiotemporal Characteristics and Generation Mechanisms of Submesoscale Currents in the Northeastern South China Sea Revealed by Numerical Simulations. <i>Journal of Geophysical Research: Oceans,</i> 2020 , 125, e2019JC015404	3.3	14	

39	Estimation of eddy heat transport in the global ocean from Argo data. <i>Acta Oceanologica Sinica</i> , 2014 , 33, 42-47	1	14
38	Deepwater overflow observed by three bottom-anchored moorings in the Bashi Channel. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016 , 110, 65-74	2.5	13
37	Variability in the Deep Overflow through the Heng-Chun Ridge of the Luzon Strait. <i>Journal of Physical Oceanography</i> , 2019 , 49, 811-825	2.4	11
36	Spatial Structure of Turbulent Mixing in the Northwestern Pacific Ocean. <i>Journal of Physical Oceanography</i> , 2014 , 44, 2235-2247	2.4	11
35	A new method to estimate phase speed and vertical velocity of internal solitary waves in the South China Sea. <i>Journal of Oceanography</i> , 2012 , 68, 761-769	1.9	11
34	Temporal variability of the current in the northeastern South China Sea revealed by 2.5-year-long moored observations. <i>Journal of Oceanography</i> , 2015 , 71, 361-372	1.9	9
33	Temporal variability of diapycnal mixing in the northern South China Sea. <i>Journal of Geophysical Research: Oceans</i> , 2016 , 121, 8840-8848	3.3	8
32	Observations of Deep Current at the Western Boundary of the Northern Philippine Basin. <i>Scientific Reports</i> , 2018 , 8, 14334	4.9	8
31	Elevated Diapycnal Mixing by a Subthermocline Eddy in the Western Equatorial Pacific. <i>Geophysical Research Letters</i> , 2019 , 46, 2628-2636	4.9	7
30	Cascade of Internal Wave Energy Catalyzed by Eddy-Topography Interactions in the Deep South China Sea. <i>Geophysical Research Letters</i> , 2020 , 47, e2019GL086510	4.9	6
29	Enhanced turbulent mixing induced by strong wind on the South China Sea shelf. <i>Ocean Dynamics</i> , 2014 , 64, 781-796	2.3	6
28	Alcanivorax profundi sp. nov., isolated from deep seawater of the Mariana Trench. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 371-376	2.2	6
27	Submesoscale Currents in the Subtropical Upper Ocean Observed by Long-Term High-Resolution Mooring Arrays. <i>Journal of Physical Oceanography</i> , 2021 , 51, 187-206	2.4	6
26	An Examination of Circulation Characteristics in the Luzon Strait and the South China Sea Using High-Resolution Regional Atmosphere-Ocean Coupled Models. <i>Journal of Geophysical Research: Oceans</i> , 2020 , 125, e2020JC016253	3.3	5
25	The wavelet analysis of satellite sea surface temperature in the South China Sea and the Pacific Ocean. <i>Science Bulletin</i> , 2000 , 45, 2187-2192		5
24	Microstructure measurements and finescale parameterization assessment of turbulent mixing in the northern South China Sea. <i>Journal of Oceanography</i> , 2018 , 74, 485-498	1.9	4
23	Observation of near-inertial internal waves on the continental slope in the northwestern South China Sea. <i>Journal of Ocean University of China</i> , 2017 , 16, 184-190	1	3
22	A modified method to estimate eddy diffusivity in the North Pacific using altimeter eddy statistics. <i>Chinese Journal of Oceanology and Limnology</i> , 2013 , 31, 925-933		3

(2021-2011)

21	Examination of wind-wave interaction source term in WAVEWATCH III with tropical cyclone wind forcing. <i>Acta Oceanologica Sinica</i> , 2011 , 30, 1-13	1	3
20	Diversity and co-occurrence networks of picoeukaryotes as a tool for indicating underlying environmental heterogeneity in the Western Pacific Ocean. <i>Marine Environmental Research</i> , 2021 , 170, 105376	3.3	3
19	Impact of eddies on ocean diapycnal mixing in Gulf Stream region. <i>Science China Earth Sciences</i> , 2014 , 57, 1407-1414	4.6	2
18	Turbulent dissipation and mixing in Prydz Bay. <i>Chinese Journal of Oceanology and Limnology</i> , 2013 , 31, 445-453		2
17	Shoaling of the internal solitary waves over the continental shelf of the northern South China Sea. <i>Acta Oceanologica Sinica</i> , 2015 , 34, 35-42	1	2
16	Energy distributions of the large-scale horizontal currents caused by wind in the baroclinic ocean. <i>Science in China Series D: Earth Sciences</i> , 2005 , 48, 2267-2275		2
15	Water-Mass Properties and Circulation in the Deep and Abyssal Philippine Sea. <i>Journal of Geophysical Research: Oceans</i> , 2021 , 126, e2020JC016994	3.3	2
14	The impact of the planetary leffect on the vertical structure of a coherent vortex in the South China Sea. <i>Ocean Dynamics</i> , 2020 , 70, 879-896	2.3	1
13	Estimates of global M 2 internal tide energy fluxes using TOPEX/POSEIDON altimeter data. <i>Chinese Journal of Oceanology and Limnology</i> , 2009 , 27, 129-134		1
12	Intense Abyssal Flow Through the Yap-Mariana Junction in the Western North Pacific. <i>Geophysical Research Letters</i> , 2022 , 49,	4.9	1
11	Saline lakes on the Qinghai-Tibet Plateau harbor unique viral assemblages mediating microbial environmental adaption <i>IScience</i> , 2021 , 24, 103439	6.1	1
10	Temporal variability of internal solitary waves in the northern South China Sea revealed by long-term mooring observations. <i>Progress in Oceanography</i> , 2022 , 201, 102716	3.8	1
9	Genomic Characteristics and Potential Metabolic Adaptations of Hadal Trench and Bacteria Based on Single-Cell Genomics Analyses. <i>Frontiers in Microbiology</i> , 2020 , 11, 1739	5.7	1
8	Reply to: "Questions remain about the biolability of dissolved black carbon along the combustion continuum". <i>Nature Communications</i> , 2021 , 12, 4282	17.4	1
7	Sea experiments of the Underway Conductivity-Temperature-Depth prototype made in China. Journal of Ocean University of China, 2009 , 8, 409-415	1	O
6	Internal Solitary Wave Activities near the Indonesian Submarine Wreck Site Inferred from Satellite Images. <i>Journal of Marine Science and Engineering</i> , 2022 , 10, 197	2.4	O
5	Comparison of Deep-Sea Picoeukaryotic Composition Estimated from the V4 and V9 Regions of 18S rRNA Gene with a Focus on the Hadal Zone of the Mariana Trench. <i>Microbial Ecology</i> , 2021 , 1	4.4	0
4	On Contributions of Multiscale Dynamic Processes to the Steric Height in the Northeastern South China Sea as Revealed by Moored Observations. <i>Geophysical Research Letters</i> , 2021 , 48, e2021GL09382	.9 ^{4.9}	O

- Impacts of subtidal motions and the earth rotation on modal characteristics of the semidiurnal internal tide. *Journal of Oceanography*, **2020**, 76, 15-27
- 1.9 0
- Formation mechanism of the moniliform seamounts outside the West Melanesian Trench. *Geological Journal*, **2018**, 53, 1604-1610

1.7

A new inverse method and application to ocean data. *Science in China Series D: Earth Sciences*, **2001**, 44, 490-497