

Eduard V Bocharov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4136237/eduard-v-bocharov-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55 papers	1,603 citations	25 h-index	39 g-index
59 ext. papers	1,860 ext. citations	4.2 avg, IF	4.19 L-index

#	Paper	IF	Citations
55	All dEnantiomeric Peptide D3 Designed for Alzheimer's Disease Treatment Dynamically Interacts with Membrane-Bound Amyloid- β Precursors. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 16464-16479	8.3	0
54	Structural Studies Providing Insights into Production and Conformational Behavior of Amyloid- β Peptide Associated with Alzheimer's Disease Development. <i>Molecules</i> , 2021 , 26,	4.8	3
53	NMR assignments and secondary structure distribution of emfourin, a novel proteinaceous protease inhibitor. <i>Biomolecular NMR Assignments</i> , 2021 , 15, 361	0.7	0
52	Unambiguous Tracking of Protein Phosphorylation by Fast High-Resolution FOSY NMR**. <i>Angewandte Chemie</i> , 2021 , 133, 23732	3.6	
51	Unambiguous Tracking of Protein Phosphorylation by Fast High-Resolution FOSY NMR*. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 23540-23544	16.4	2
50	Activity-dependent conformational transitions of the insulin receptor-related receptor. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100534	5.4	3
49	Transmembrane Peptides as a New Strategy to Inhibit Neuraminidase-1 Activation. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 611121	5.7	5
48	Backbone and side-chain chemical shift assignments for the ribosome-inactivating protein trichobakin (TBK). <i>Biomolecular NMR Assignments</i> , 2020 , 14, 55-61	0.7	
47	Dimeric states of transmembrane domains of insulin and IGF-1R receptors: Structures and possible role in activation. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183417	3.8	3
46	Structure-based inhibitors targeting the alpha-helical domain of the Spiroplasma melliferum histone-like HU protein. <i>Scientific Reports</i> , 2020 , 10, 15128	4.9	4
45	Familial L723P Mutation Can Shift the Distribution between the Alternative APP Transmembrane Domain Cleavage Cascades by Local Unfolding of the β -Cleavage Site Suggesting a Straightforward Mechanism of Alzheimer's Disease Pathogenesis. <i>ACS Chemical Biology</i> , 2019 , 14, 1573-1582	4.9	8
44	Accurate measurement of dipole/dipole transverse cross-correlated relaxation [Formula: see text] in methylenes and primary amines of uniformly [Formula: see text]-labeled proteins. <i>Journal of Biomolecular NMR</i> , 2019 , 73, 245-260	3	1
43	The dimeric ectodomain of the alkali-sensing insulin receptor-related receptor (ectoIRR) has a droplike shape. <i>Journal of Biological Chemistry</i> , 2019 , 294, 17790-17798	5.4	8
42	Two types of conformational dynamics and thermo-sensor properties of praseodymium-DOTA by $^1\text{H}/^{13}\text{C}$ NMR. <i>Inorganica Chimica Acta</i> , 2019 , 486, 340-344	2.7	8
41	Atomistic mechanism of the constitutive activation of PDGFRA via its transmembrane domain. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 82-95	4	4
40	Structural plasticity and thermal stability of the histone-like protein from Spiroplasma melliferum are due to phenylalanine insertions into the conservative scaffold. <i>Journal of Biomolecular Structure and Dynamics</i> , 2018 , 36, 4392-4404	3.6	4
39	Structural basis of the signal transduction via transmembrane domain of the human growth hormone receptor. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018 , 1862, 1410-1420	4	17

38	Enhanced conformational flexibility of the histone-like (HU) protein from <i>Mycoplasma gallisepticum</i> . <i>Journal of Biomolecular Structure and Dynamics</i> , 2018 , 36, 45-53	3.6	8
37	Conformational transitions and interactions underlying the function of membrane embedded receptor protein kinases. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 1417-1429	3.8	23
36	The Conformation of the Epidermal Growth Factor Receptor Transmembrane Domain Dimer Dynamically Adapts to the Local Membrane Environment. <i>Biochemistry</i> , 2017 , 56, 1697-1705	3.2	26
35	HER2 Transmembrane Domain (TMD) Mutations (V659/G660) That Stabilize Homo- and Heterodimerization Are Rare Oncogenic Drivers in Lung Adenocarcinoma That Respond to Afatinib. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 446-457	8.9	59
34	NMR relaxation parameters of methyl groups as a tool to map the interfaces of helix-helix interactions in membrane proteins. <i>Journal of Biomolecular NMR</i> , 2017 , 69, 165-179	3	5
33	Alternative dimerization of receptor tyrosine kinases with signal transduction through a cellular membrane. <i>Russian Journal of Bioorganic Chemistry</i> , 2017 , 43, 477-486	1	
32	Helix-helix interactions in membrane domains of bitopic proteins: Specificity and role of lipid environment. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 561-576	3.8	49
31	Alternative packing of EGFR transmembrane domain suggests that protein-lipid interactions underlie signal conduction across membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 1254-61	3.8	51
30	HER2 Transmembrane Domain Dimerization Coupled with Self-Association of Membrane-Embedded Cytoplasmic Juxtamembrane Regions. <i>Journal of Molecular Biology</i> , 2016 , 428, 52-61	6.5	39
29	New Insights into Molecular Organization of Human Neuraminidase-1: Transmembrane Topology and Dimerization Ability. <i>Scientific Reports</i> , 2016 , 6, 38363	4.9	34
28	Cell-free expression of the APP transmembrane fragments with Alzheimer's disease mutations using algal amino acid mixture for structural NMR studies. <i>Protein Expression and Purification</i> , 2016 , 123, 105-11	2	9
27	The Membrane Mimetic Affects the Spatial Structure and Mobility of EGFR Transmembrane and Juxtamembrane Domains. <i>Biochemistry</i> , 2015 , 54, 6295-8	3.2	24
26	New strategy for high-level expression and purification of biologically active monomeric TGF- β /C77S in <i>Escherichia coli</i> . <i>Molecular Biotechnology</i> , 2015 , 57, 160-71	3	5
25	Point mutations in dimerization motifs of the transmembrane domain stabilize active or inactive state of the EphA2 receptor tyrosine kinase. <i>Journal of Biological Chemistry</i> , 2014 , 289, 14955-64	5.4	28
24	NMR-based approach to measure the free energy of transmembrane helix-helix interactions. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014 , 1838, 164-72	3.8	27
23	New Development in the Solid-State Isotope Exchange with Spillover Hydrogen in Organic Compounds. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 16878-16884	3.8	7
22	Structure of FGFR3 transmembrane domain dimer: implications for signaling and human pathologies. <i>Structure</i> , 2013 , 21, 2087-93	5.2	56
21	Role of dimerization efficiency of transmembrane domains in activation of fibroblast growth factor receptor 3. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8105-8	16.4	19

20	Structural and thermodynamic insight into the process of "weak" dimerization of the ErbB4 transmembrane domain by solution NMR. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 2158-70	3.8	50
19	Dimeric structure of transmembrane domain of amyloid precursor protein in micellar environment. <i>FEBS Letters</i> , 2012 , 586, 1687-92	3.8	63
18	Structure elucidation of dimeric transmembrane domains of bitopic proteins. <i>Cell Adhesion and Migration</i> , 2010 , 4, 284-98	3.2	29
17	Left-handed dimer of EphA2 transmembrane domain: Helix packing diversity among receptor tyrosine kinases. <i>Biophysical Journal</i> , 2010 , 98, 881-9	2.9	87
16	Spatial structure of the transmembrane domain heterodimer of ErbB1 and ErbB2 receptor tyrosine kinases. <i>Journal of Molecular Biology</i> , 2010 , 400, 231-43	6.5	99
15	Loop 3 of short neurotoxin II is an additional interaction site with membrane-bound nicotinic acetylcholine receptor as detected by solid-state NMR spectroscopy. <i>Journal of Molecular Biology</i> , 2009 , 390, 662-71	6.5	22
14	Specific membrane binding of neurotoxin II can facilitate its delivery to acetylcholine receptor. <i>Biophysical Journal</i> , 2009 , 97, 2089-97	2.9	26
13	Spatial structure of the dimeric transmembrane domain of the growth factor receptor ErbB2 presumably corresponding to the receptor active state. <i>Journal of Biological Chemistry</i> , 2008 , 283, 6950-6	5.4	164
12	Modulation of the Bioactive Conformation of Transforming Growth Factor β Possible Implications of Cation Binding for Biological Function. <i>Topics in Current Chemistry</i> , 2008 , 273, 155-81		3
11	Spatial structure and pH-dependent conformational diversity of dimeric transmembrane domain of the receptor tyrosine kinase EphA1. <i>Journal of Biological Chemistry</i> , 2008 , 283, 29385-95	5.4	86
10	Antiamoebin I in methanol solution: rapid exchange between right-handed and left-handed 3(10)-helical conformations. <i>Chemistry and Biodiversity</i> , 2007 , 4, 1219-42	2.5	23
9	Unique dimeric structure of BNip3 transmembrane domain suggests membrane permeabilization as a cell death trigger. <i>Journal of Biological Chemistry</i> , 2007 , 282, 16256-66	5.4	106
8	From structure and dynamics of protein L7/L12 to molecular switching in ribosome. <i>Journal of Biological Chemistry</i> , 2004 , 279, 17697-706	5.4	79
7	Uncharged AZT and D4T derivatives of phosphonoformic and phosphonoacetic acids as anti-HIV pronucleosides. <i>Journal of Medicinal Chemistry</i> , 2004 , 47, 3606-14	8.3	25
6	Towards structure determination of neurotoxin II bound to nicotinic acetylcholine receptor: a solid-state NMR approach. <i>FEBS Letters</i> , 2004 , 564, 319-24	3.8	27
5	Dynamics-modulated biological activity of transforming growth factor beta3. <i>Journal of Biological Chemistry</i> , 2002 , 277, 46273-9	5.4	34
4	New binding site on common molecular scaffold provides HERG channel specificity of scorpion toxin BeKm-1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 43104-9	5.4	51
3	Membrane binding motif of the P-type cardiotoxin. <i>Journal of Molecular Biology</i> , 2001 , 305, 137-49	6.5	48

- | | | | |
|---|--|-----|----|
| 2 | Backbone dynamics of the channel-forming antibiotic zervamicin IIB studied by ^{15}N NMR relaxation. <i>FEBS Letters</i> , 2001 , 495, 52-5 | 3.8 | 15 |
| 1 | Two forms of cytotoxin II (cardiotoxin) from <i>Naja naja oxiana</i> in aqueous solution: spatial structures with tightly bound water molecules. <i>FEBS Journal</i> , 1999 , 263, 152-62 | | 27 |