

Shaoguo Ru

List of Publications by Citations

Source: <https://exaly.com/author-pdf/41367/shaoguo-ru-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

1,281
citations

19
h-index

31
g-index

100
ext. papers

1,801
ext. citations

6.5
avg, IF

5.11
L-index

#	Paper	IF	Citations
99	High levels of microplastic pollution in the sediments and benthic organisms of the South Yellow Sea, China. <i>Science of the Total Environment</i> , 2019 , 651, 1661-1669	10.2	157
98	Polystyrene microplastics cause tissue damages, sex-specific reproductive disruption and transgenerational effects in marine medaka (<i>Oryzias melastigma</i>). <i>Environmental Pollution</i> , 2019 , 254, 113024	9.3	121
97	Typhoons increase the abundance of microplastics in the marine environment and cultured organisms: A case study in Sanggou Bay, China. <i>Science of the Total Environment</i> , 2019 , 667, 1-8	10.2	53
96	Bisphenol S exposure impairs glucose homeostasis in male zebrafish (<i>Danio rerio</i>). <i>Ecotoxicology and Environmental Safety</i> , 2018 , 147, 794-802	7	45
95	Low level of polystyrene microplastics decreases early developmental toxicity of phenanthrene on marine medaka (<i>Oryzias melastigma</i>). <i>Journal of Hazardous Materials</i> , 2020 , 385, 121586	12.8	45
94	Bisphenol S induces obesogenic effects through deregulating lipid metabolism in zebrafish (<i>Danio rerio</i>) larvae. <i>Chemosphere</i> , 2018 , 199, 286-296	8.4	39
93	Exposure to monocrotophos pesticide causes disruption of the hypothalamic-pituitary-thyroid axis in adult male goldfish (<i>Carassius auratus</i>). <i>General and Comparative Endocrinology</i> , 2013 , 193, 158-66	3	36
92	An effervescence-assisted switchable fatty acid-based microextraction with solidification of floating organic droplet for determination of fluoroquinolones and tetracyclines in seawater, sediment, and seafood. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 2671-2687	4.4	35
91	Toxicity of benzophenone-3 and its biodegradation in a freshwater microalga <i>Scenedesmus obliquus</i> . <i>Journal of Hazardous Materials</i> , 2020 , 389, 122149	12.8	30
90	Transgenerational thyroid endocrine disruption induced by bisphenol S affects the early development of zebrafish offspring. <i>Environmental Pollution</i> , 2018 , 243, 800-808	9.3	30
89	Disruptions in aromatase expression in the brain, reproductive behavior, and secondary sexual characteristics in male guppies (<i>Poecilia reticulata</i>) induced by tributyltin. <i>Aquatic Toxicology</i> , 2015 , 162, 117-125	5.1	28
88	Effects of monocrotophos on the reproductive axis in the male goldfish (<i>Carassius auratus</i>): potential mechanisms underlying vitellogenin induction. <i>Aquatic Toxicology</i> , 2010 , 98, 67-73	5.1	28
87	Long-term exposure to bisphenol S damages the visual system and reduces the tracking capability of male zebrafish (<i>Danio rerio</i>). <i>Journal of Applied Toxicology</i> , 2018 , 38, 248-258	4.1	26
86	Long-term bisphenol S exposure induces fat accumulation in liver of adult male zebrafish (<i>Danio rerio</i>) and slows yolk lipid consumption in F1 offspring. <i>Chemosphere</i> , 2019 , 221, 500-510	8.4	25
85	Estrogenic effects associated with bisphenol a exposure in male zebrafish (<i>Danio rerio</i>) is associated with changes of endogenous 17 β -estradiol and gene specific DNA methylation levels. <i>General and Comparative Endocrinology</i> , 2017 , 252, 27-35	3	23
84	Anti-estrogenic effect of semicarbazide in female zebrafish (<i>Danio rerio</i>) and its potential mechanisms. <i>Aquatic Toxicology</i> , 2016 , 170, 262-270	5.1	20
83	Impairment of the cortisol stress response mediated by the hypothalamus-pituitary-interrenal (HPI) axis in zebrafish (<i>Danio rerio</i>) exposed to monocrotophos pesticide. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2015 , 176-177, 10-6	3.2	19

82	Monocrotophos pesticide modulates the expression of sexual differentiation genes and causes phenotypic feminization in zebrafish (<i>Danio rerio</i>). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2013 , 157, 33-40	3.2	19
81	Exposure to monocrotophos pesticide during sexual development causes the feminization/demasculinization of the reproductive traits and a reduction in the reproductive success of male guppies (<i>Poecilia reticulata</i>). <i>Toxicology and Applied Pharmacology</i> , 2012 , 263, 163-70	4.6	19
80	Preparation of a polyclonal antibody against goldfish (<i>Carassius auratus</i>) vitellogenin and its application to detect the estrogenic effects of monocrotophos pesticide. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 111, 109-16	7	18
79	Cu accumulation, detoxification and tolerance in the red swamp crayfish <i>Procambarus clarkii</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019 , 175, 201-207	7	17
78	In Vivo and In Vitro Inhibitions of Red Drum (<i>Sciaenops ocellatus</i>) Brain Acetylcholinesterase and Liver Carboxylesterase by Monocrotophos at Sublethal Concentrations. <i>Water, Air, and Soil Pollution</i> , 2003 , 149, 17-25	2.6	16
77	Bisphenol S promotes the cell cycle progression and cell proliferation through ER α -cyclin D-CDK4/6-pRb pathway in MCF-7 breast cancer cells. <i>Toxicology and Applied Pharmacology</i> , 2019 , 366, 75-82	4.6	15
76	Long-term exposure of zebrafish to bisphenol S impairs stress function of hypothalamic-pituitary-interrenal axis and causes anxiety-like behavioral responses to novelty. <i>Science of the Total Environment</i> , 2020 , 716, 137092	10.2	15
75	Carbofuran induces increased anxiety-like behaviors in female zebrafish (<i>Danio rerio</i>) through disturbing dopaminergic/norepinephrinergetic system. <i>Chemosphere</i> , 2020 , 253, 126635	8.4	15
74	Oxidative damage induced by copper in testis of the red swamp crayfish <i>Procambarus clarkii</i> and its underlying mechanisms. <i>Aquatic Toxicology</i> , 2019 , 207, 120-131	5.1	15
73	Impairment of bisphenol F on the glucose metabolism of zebrafish larvae. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 165, 386-392	7	15
72	Insights into the effect of cerium oxide nanoparticle on microalgal degradation of sulfonamides. <i>Bioresource Technology</i> , 2020 , 309, 123452	11	14
71	Low microalgae availability increases the ingestion rates and potential effects of microplastics on marine copepod <i>Pseudodiaptomus annandalei</i> . <i>Marine Pollution Bulletin</i> , 2020 , 152, 110919	6.7	14
70	Estrogenic effects of monocrotophos evaluated by vitellogenin mRNA and protein induction in male goldfish (<i>Carassius auratus</i>). <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2009 , 150, 231-6	3.2	14
69	Semicarbazide disturbs the reproductive system of male zebrafish (<i>Danio rerio</i>) through the GABAergic system. <i>Reproductive Toxicology</i> , 2017 , 73, 149-157	3.4	13
68	Disruption of the thyroid system by the thyroid-disrupting compound Aroclor 1254 in juvenile Japanese flounder (<i>Paralichthys olivaceus</i>). <i>PLoS ONE</i> , 2014 , 9, e104196	3.7	13
67	Development of a lipovitellin-based goldfish (<i>Carassius auratus</i>) vitellogenin ELISA for detection of environmental estrogens. <i>Chemosphere</i> , 2015 , 132, 166-71	8.4	12
66	Development of ELISAs for the detection of vitellogenin in three marine fish from coastal areas of China. <i>Marine Pollution Bulletin</i> , 2018 , 133, 415-422	6.7	12
65	Multiple metabolic pathways of enrofloxacin by <i>Lolium perenne</i> L.: Ecotoxicity, biodegradation, and key driven genes. <i>Water Research</i> , 2021 , 202, 117413	12.5	12

64	Long-term bisphenol S exposure aggravates non-alcoholic fatty liver by regulating lipid metabolism and inducing endoplasmic reticulum stress response with activation of unfolded protein response in male zebrafish. <i>Environmental Pollution</i> , 2020 , 263, 114535	9.3	11
63	An integrated approach combining chemical analysis and an in vivo bioassay to assess the estrogenic potency of a municipal solid waste landfill leachate in Qingdao. <i>PLoS ONE</i> , 2014 , 9, e95597	3.7	10
62	Monocrotophos pesticide decreases the plasma levels of total 3,3',5-triiodo-L-thyronine and alters the expression of genes associated with the thyroidal axis in female goldfish (<i>Carassius auratus</i>). <i>PLoS ONE</i> , 2014 , 9, e108972	3.7	10
61	Unravelling metabolism and microbial community of a phytobed co-planted with <i>Typha angustifolia</i> and <i>Ipomoea aquatica</i> for biodegradation of doxylamine from wastewater. <i>Journal of Hazardous Materials</i> , 2021 , 401, 123404	12.8	10
60	Semicarbazide-induced thyroid disruption in Japanese flounder (<i>Paralichthys olivaceus</i>) and its potential mechanisms. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 140, 131-140	7	9
59	Thyroid disruption in male goldfish (<i>Carassius auratus</i>) exposed to leachate from a municipal waste treatment plant: Assessment combining chemical analysis and in vivo bioassay. <i>Science of the Total Environment</i> , 2016 , 554-555, 64-72	10.2	9
58	An emerging water contaminant, semicarbazide, exerts an anti-estrogenic effect in zebrafish (<i>Danio rerio</i>). <i>Bulletin of Environmental Contamination and Toxicology</i> , 2014 , 93, 280-8	2.7	9
57	Vitellogenin induction in caudal fin of guppy (<i>Poecilia reticulata</i>) as a less invasive and sensitive biomarker for environmental estrogens. <i>Scientific Reports</i> , 2017 , 7, 7647	4.9	9
56	Distribution and ecological risk assessment of HCHs and DDTs in surface seawater and sediment of the mariculture area of Jincheng Bay, China. <i>Journal of Ocean University of China</i> , 2015 , 14, 301-308	1	8
55	Development of a lipovitellin-based sandwich ELISA for quantification of vitellogenin in surface mucus and plasma of goldfish (<i>Carassius auratus</i>). <i>Ecotoxicology and Environmental Safety</i> , 2015 , 120, 80-7	7	8
54	Effects of monocrotophos pesticide on serotonin metabolism during early development in the sea urchin, <i>Hemicentrotus pulcherrimus</i> . <i>Environmental Toxicology and Pharmacology</i> , 2012 , 34, 537-547	5.8	8
53	Effects of polychlorinated biphenyls on metamorphosis of a marine fish Japanese flounder (<i>Paralichthys olivaceus</i>) in relation to thyroid disruption. <i>Marine Pollution Bulletin</i> , 2017 , 119, 325-331	6.7	7
52	Effects of dietary genistein on GH/IGF-I axis of Nile tilapia <i>Oreochromis niloticus</i> . <i>Chinese Journal of Oceanology and Limnology</i> , 2016 , 34, 1004-1012		7
51	Quantitative analysis of in-vivo responses of reproductive and thyroid endpoints in male goldfish exposed to monocrotophos pesticide. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2018 , 211, 41-47	3.2	7
50	Induction of DNA base damage and strand breaks in peripheral erythrocytes and the underlying mechanism in goldfish (<i>Carassius auratus</i>) exposed to monocrotophos. <i>Fish Physiology and Biochemistry</i> , 2015 , 41, 613-24	2.7	7
49	The neurotoxic effects of monocrotophos on the formation of the serotonergic nervous system and swimming activity in the larvae of the sea urchin <i>Hemicentrotus pulcherrimus</i> . <i>Environmental Toxicology and Pharmacology</i> , 2010 , 30, 181-7	5.8	7
48	Effects of monocrotophos pesticide on cholinergic and dopaminergic neurotransmitter systems during early development in the sea urchin <i>Hemicentrotus pulcherrimus</i> . <i>Toxicology and Applied Pharmacology</i> , 2017 , 328, 46-53	4.6	6
47	New methods for purification of <i>Paralichthys olivaceus</i> lipovitellin and immunoassay-based detection of vitellogenin. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 180, 624-631	7	6

46	Identification, purification, and immunoassay of stone flounder (<i>Kareius bicouratus</i>) vitellogenin 2012 , 55, 219-227		6
45	Juvenile zebrafish in the vitellogenin blank period as an alternative test organism for evaluation of estrogenic activity of chemicals. <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 1783-7	3.8	6
44	2,2FDithiobis-pyridine induced reproductive toxicity in male guppy (<i>Poecilia reticulata</i>). <i>Ecotoxicology and Environmental Safety</i> , 2019 , 169, 778-785	7	6
43	The anti-androgenic effect of chronic exposure to semicarbazide on male Japanese flounder (<i>Paralichthys olivaceus</i>) and its potential mechanisms. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2018 , 210, 30-34	3.2	6
42	Effect of dietary genistein on growth performance, digestive enzyme activity, and body composition of Nile tilapia <i>Oreochromis niloticus</i> . <i>Chinese Journal of Oceanology and Limnology</i> , 2015 , 33, 77-83		5
41	Bisphenol S Induces Ectopic Angiogenesis in Embryos via VEGFR2 Signaling, Leading to Lipid Deposition in Blood Vessels of Larval Zebrafish. <i>Environmental Science & Technology</i> , 2020 , 54, 6822-6831	10.3	5
40	A novel enzyme-linked immunosorbent assay based on anti-lipovitellin monoclonal antibodies for quantification of zebrafish (<i>Danio rerio</i>) vitellogenin. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 136, 78-83	7	5
39	Genotoxic biomarkers and histological changes in marine medaka (<i>Oryzias melastigma</i>) exposed to 17 β ethynylestradiol and 17 β renbolone. <i>Marine Pollution Bulletin</i> , 2020 , 150, 110601	6.7	5
38	Biodegradation of Doxylamine From Wastewater by a Green Microalga,. <i>Frontiers in Microbiology</i> , 2020 , 11, 584020	5.7	5
37	Adaptation of life-history traits and trade-offs in marine medaka (<i>Oryzias melastigma</i>) after whole life-cycle exposure to polystyrene microplastics. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125537	12.8	5
36	Effects of monocrotophos pesticide on steroidogenesis and transcription of steroidogenic enzymes in rainbow trout RTG-2 cells involving the protein kinase A signal pathway. <i>Toxicology in Vitro</i> , 2015 , 29, 155-61	3.6	4
35	Bisphenol S exposure alters behavioral parameters in adult zebrafish and offspring. <i>Science of the Total Environment</i> , 2020 , 741, 140448	10.2	4
34	Risk assessment of butyltins based on a fugacity-based food web bioaccumulation model in the Jincheng Bay mariculture area: I. Model development. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 1994-2001	4.3	4
33	Lipovitellin as an antigen to improve the precision of sandwich ELISA for quantifying zebrafish (<i>Danio rerio</i>) vitellogenin. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2016 , 185-186, 87-93	3.2	4
32	The anti-estrogenicity of chronic exposure to semicarbazide in female Japanese flounders (<i>Paralichthys olivaceus</i>), and its potential mechanisms. <i>Marine Pollution Bulletin</i> , 2018 , 129, 806-812	6.7	4
31	Unraveling the mechanism of long-term bisphenol S exposure disrupted ovarian lipids metabolism, oocytes maturation, and offspring development of zebrafish. <i>Chemosphere</i> , 2021 , 277, 130304	8.4	3
30	Refuse leachate exposure causes changes of thyroid hormone level and related gene expression in female goldfish (<i>Carassius auratus</i>). <i>Environmental Toxicology and Pharmacology</i> , 2016 , 48, 46-52	5.8	2
29	Distribution of vitellogenin in Japanese flounder (<i>Paralichthys olivaceus</i>) for biomarker analysis of marine environmental estrogens. <i>Aquatic Toxicology</i> , 2019 , 216, 105321	5.1	2

28	Monocrotophos pesticide affects synthesis and conversion of sex steroids through multiple targets in male goldfish (<i>Carassius auratus</i>). <i>Scientific Reports</i> , 2017 , 7, 2306	4.9	2
27	Development of an immunosensor for quantifying zebrafish vitellogenin based on the Octet system. <i>Analytical Biochemistry</i> , 2017 , 533, 60-65	3.1	2
26	Studies on hemolysis of hemolysin produced by <i>Synechocystis</i> sp. PCC 6803. <i>Journal of Ocean University of China</i> , 2011 , 10, 362-368	1	2
25	Effects of co-exposure of the triazine herbicides atrazine, prometryn and terbutryn on <i>Phaeodactylum tricornutum</i> photosynthesis and nutritional value. <i>Science of the Total Environment</i> , 2022 , 807, 150609	10.2	2
24	Polystyrene microplastics increase estrogenic effects of 17 β -ethynylestradiol on male marine medaka (<i>Oryzias melastigma</i>). <i>Chemosphere</i> , 2022 , 287, 132312	8.4	2
23	Sexual characteristics of male guppies <i>Poecilia reticulata</i> serve as effect biomarkers of estrogens. <i>Journal of Oceanology and Limnology</i> , 2018 , 36, 1392-1400	1.5	1
22	Risk assessment of butyltins based on a fugacity-based food web bioaccumulation model in the Jincheng Bay mariculture area: II. Risk assessment. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 2002-6	4.3	1
21	Monocrotophos, an organophosphorus insecticide, disrupts the expression of HpNetrin and its receptor neogenin during early development in the sea urchin (<i>Hemicentrotus pulcherrimus</i>). <i>NeuroToxicology</i> , 2017 , 62, 130-137	4.4	1
20	An in vivo assay performed using multiple biomarkers related to testosterone synthesis and conversion for assessing the androgenic potency of refuse leachate. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 135, 82-89	7	1
19	Porous microplastics enhance polychlorinated biphenyls-induced thyroid disruption in juvenile Japanese flounder (<i>Paralichthys olivaceus</i>).. <i>Marine Pollution Bulletin</i> , 2022 , 174, 113289	6.7	1
18	Environmental relevant herbicide prometryn induces developmental toxicity in the early life stages of marine medaka (<i>Oryzias melastigma</i>) and its potential mechanism.. <i>Aquatic Toxicology</i> , 2022 , 243, 106079	5.1	1
17	Microplastics increase the accumulation of phenanthrene in the ovaries of marine medaka (<i>Oryzias melastigma</i>) and its transgenerational toxicity. <i>Journal of Hazardous Materials</i> , 2021 , 127754	12.8	1
16	Metabolic perturbations of <i>Lolium perenne</i> L. by enrofloxacin: Bioaccumulation and multistage defense system. <i>Journal of Hazardous Materials</i> , 2021 , 127893	12.8	1
15	Eelgrass (<i>Zostera marina</i>) and its epiphytic bacteria facilitate the sinking of microplastics in the seawater. <i>Environmental Pollution</i> , 2022 , 292, 118337	9.3	1
14	Integrated disperser freezing purification with extraction using fatty acid-based solidification of floating organic-droplet (IDFP-EFA-SFO) for triclosan and methyltriclosan determination in seawater, sediment and seafood. <i>Marine Pollution Bulletin</i> , 2018 , 137, 677-687	6.7	1
13	Ultrasensitive label-free electrochemical immunosensors for detecting marine medaka (<i>Oryzias melastigma</i>) vitellogenin based on novel Cu ₂ OBSA nanoparticles and anti-lipovitellin monoclonal antibody. <i>Sensors and Actuators B: Chemical</i> , 2021 , 345, 130358	8.5	1
12	A comprehensive review on the effects of engineered nanoparticles on microalgal treatment of pollutants from wastewater. <i>Journal of Cleaner Production</i> , 2022 , 344, 131121	10.3	1
11	Development of homologous enzyme-linked immunosorbent assays to quantify two forms of vitellogenin in guppy (<i>Poecilia reticulata</i>). <i>Environmental Science and Pollution Research</i> , 2018 , 25, 25036-25044 ⁰	5.1	1

10	Impacts of nanoplastics on life-history traits of marine rotifer (<i>Brachionus plicatilis</i>) are recovered after being transferred to clean seawater.. <i>Environmental Science and Pollution Research</i> , 2022 , 1	5.1	o
9	Bisphenol S exposure accelerates the progression of atherosclerosis in zebrafish embryo-larvae.. <i>Journal of Hazardous Materials</i> , 2021 , 426, 128042	12.8	o
8	17 β Trenbolone binds to androgen receptor, decreases number of primordial germ cells, modulates expression of genes related to sexual differentiation, and affects sexual differentiation in zebrafish (<i>Danio rerio</i>). <i>Science of the Total Environment</i> , 2022 , 806, 150959	10.2	o
7	Bisphenol AF exposure causes fasting hyperglycemia in zebrafish (<i>Danio rerio</i>) by interfering with glycometabolic networks. <i>Aquatic Toxicology</i> , 2021 , 241, 106000	5.1	o
6	Combined exposure to environmentally relevant copper and 2,2 \prime dithiobis-pyridine induces significant reproductive toxicity in male guppy (<i>Poecilia reticulata</i>). <i>Science of the Total Environment</i> , 2021 , 797, 149131	10.2	o
5	Mechanistic revealing of reproductive behavior impairment in male guppy (<i>Poecilia reticulata</i>) induced by environmentally realistic 2,2 \prime dithiobis-pyridine exposure. <i>Chemosphere</i> , 2022 , 286, 131839	8.4	o
4	Transgenerational effects of parental bisphenol S exposure on zebrafish (<i>Danio rerio</i>) reproduction. <i>Food and Chemical Toxicology</i> , 2022 , 165, 113142	4.7	o
3	Carp (<i>Cyprinus carpio</i>) lipovitellin is a highly stable phospholipoglycoprotein with the same immunogenicity as vitellogenin. <i>Aquaculture Research</i> , 2018 , 49, 1389-1395	1.9	
2	Brightened body coloration in female guppies (<i>Poecilia reticulata</i>) serves as an in vivo biomarker for environmental androgens: The example of 17 β Trenbolone. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 224, 112698	7	
1	mRNA-miRNA sequencing reveals mechanisms of 2,2 \prime dipyridyl disulfide-induced thyroid disruption in Japanese flounder (<i>Paralichthys olivaceus</i>).. <i>Aquatic Toxicology</i> , 2022 , 248, 106191	5.1	