Eui-Ju Choi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4139555/eui-ju-choi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105	11,097	42	105
papers	citations	h-index	g-index
138 ext. papers	12,358 ext. citations	6.8 avg, IF	6.01 L-index

#	Paper	IF	Citations
105	Pre/post-natal exposure to microplastic as a potential risk factor for autism spectrum disorder <i>Environment International</i> , 2022 , 161, 107121	12.9	6
104	Enhanced ASGR2 by microplastic exposure leads to resistance to therapy in gastric cancer <i>Theranostics</i> , 2022 , 12, 3217-3236	12.1	0
103	UXT chaperone prevents proteotoxicity by acting as an autophagy adaptor for p62-dependent aggrephagy. <i>Nature Communications</i> , 2021 , 12, 1955	17.4	2
102	TRAF6-mediated ubiquitination of MST1/STK4 attenuates the TLR4-NF- B signaling pathway in macrophages. <i>Cellular and Molecular Life Sciences</i> , 2021 , 78, 2315-2328	10.3	3
101	MST1 mediates the N-methyl-D-aspartate-induced excitotoxicity in mouse cortical neurons <i>Cellular and Molecular Life Sciences</i> , 2021 , 79, 15	10.3	O
100	CEP41-mediated ciliary tubulin glutamylation drives angiogenesis through AURKA-dependent deciliation. <i>EMBO Reports</i> , 2020 , 21, e48290	6.5	12
99	Mst1-Deficiency Induces Hyperactivation of Monocyte-Derived Dendritic Cells via Akt1/c-myc Pathway. <i>Frontiers in Immunology</i> , 2019 , 10, 2142	8.4	3
98	MST1 Negatively Regulates TNFIInduced NF- B Signaling through Modulating LUBAC Activity. <i>Molecular Cell</i> , 2019 , 73, 1138-1149.e6	17.6	18
97	PRMT1 negatively regulates activation-induced cell death in macrophages by arginine methylation of GAPDH. <i>Experimental Cell Research</i> , 2018 , 368, 50-58	4.2	6
96	Yin-and-yang bifurcation of opioidergic circuits for descending analgesia at the midbrain of the mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 1107	78-190	8 3 7
95	SMN1 functions as a novel inhibitor for TRAF6-mediated NF- B signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017 , 1864, 760-770	4.9	12
94	eIF4E phosphorylation by MST1 reduces translation of a subset of mRNAs, but increases lncRNA translation. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2017 , 1860, 761-772	6	18
93	CIB1 protects against MPTP-induced neurotoxicity through inhibiting ASK1. <i>Scientific Reports</i> , 2017 , 7, 12178	4.9	8
92	A novel conformation of the LC3-interacting region motif revealed by the structure of a complex between LC3B and RavZ. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 490, 1093-1099	3.4	17
91	Amyotrophic lateral sclerosis-related mutant superoxide dismutase 1 aggregates inhibit 14-3-3-mediated cell survival by sequestration into the JUNQ compartment. <i>Human Molecular Genetics</i> , 2017 , 26, 3615-3629	5.6	13
90	The 1:2 complex between RavZ and LC3 reveals a mechanism for deconjugation of LC3 on the phagophore membrane. <i>Autophagy</i> , 2017 , 13, 70-81	10.2	29
89	Downregulation of SIRT1 signaling underlies hepatic autophagy impairment in glycogen storage disease type Ia. <i>PLoS Genetics</i> , 2017 , 13, e1006819	6	38

(2012-2017)

88	Ataxin-1 is involved in tumorigenesis of cervical cancer cells via the EGFR-RAS-MAPK signaling pathway. <i>Oncotarget</i> , 2017 , 8, 94606-94618	3.3	13
87	BAT3 negatively regulates lipopolysaccharide-induced NF- B signaling through TRAF6. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 478, 784-90	3.4	7
86	S-nitrosylated GAPDH mediates neuronal apoptosis induced by amyotrophic lateral sclerosis-associated mutant SOD1G93A. <i>Animal Cells and Systems</i> , 2016 , 20, 310-316	2.3	3
85	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
84	TRAF2 functions as an activator switch in the reactive oxygen species-induced stimulation of MST1. <i>Free Radical Biology and Medicine</i> , 2016 , 91, 105-13	7.8	13
83	RC3/neurogranin negatively regulates extracellular signal-regulated kinase pathway through its interaction with Ras. <i>Molecular and Cellular Biochemistry</i> , 2015 , 402, 33-40	4.2	1
82	Iron accumulation promotes TACE-mediated TNF-Becretion and neurodegeneration in a mouse model of ALS. <i>Neurobiology of Disease</i> , 2015 , 80, 63-9	7.5	24
81	Role of autophagy in the pathogenesis of amyotrophic lateral sclerosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 2517-24	6.9	58
80	Insights into autophagosome maturation revealed by the structures of ATG5 with its interacting partners. <i>Autophagy</i> , 2015 , 11, 75-87	10.2	47
79	Intrathecal RGS4 inhibitor, CCG50014, reduces nociceptive responses and enhances opioid-mediated analgesic effects in the mouse formalin test. <i>Anesthesia and Analgesia</i> , 2015 , 120, 671	-619	18
78	Compromised MAPK signaling in human diseases: an update. <i>Archives of Toxicology</i> , 2015 , 89, 867-82	5.8	527
77	The role of reciprocal activation of cAbl and Mst1 in the oxidative death of cultured astrocytes. <i>Glia</i> , 2014 , 62, 639-48	9	27
76	CIIA negatively regulates neuronal cell death induced by oxygen-glucose deprivation and reoxygenation. <i>Molecular and Cellular Biochemistry</i> , 2014 , 397, 139-46	4.2	2
75	CIIA negatively regulates the Ras-Erk1/2 signaling pathway through inhibiting the Ras-specific GEF activity of SOS1. <i>Journal of Cell Science</i> , 2014 , 127, 1640-6	5.3	6
74	Rebound burst firing in the reticular thalamus is not essential for pharmacological absence seizures in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 118.	2 8-3 3	36
73	MST1 functions as a key modulator of neurodegeneration in a mouse model of ALS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 12066-71	11.5	72
72	SUMO1 modulates Algeneration via BACE1 accumulation. <i>Neurobiology of Aging</i> , 2013 , 34, 650-62	5.6	43
71	Proteomic approach reveals FKBP4 and S100A9 as potential prediction markers of therapeutic response to neoadjuvant chemotherapy in patients with breast cancer. <i>Journal of Proteome</i> Research 2012 11 1078-88	5.6	40

70	Thioredoxin-1 functions as a molecular switch regulating the oxidative stress-induced activation of MST1. <i>Free Radical Biology and Medicine</i> , 2012 , 53, 2335-43	7.8	32
69	Phosphorylation of nicastrin by SGK1 leads to its degradation through lysosomal and proteasomal pathways. <i>PLoS ONE</i> , 2012 , 7, e37111	3.7	11
68	Daxx mediates activation-induced cell death in microglia by triggering MST1 signalling. <i>EMBO Journal</i> , 2011 , 30, 2465-76	13	38
67	GSK-3Enduced ASK1 stabilization is crucial in LPS-induced endotoxin shock. <i>Experimental Cell Research</i> , 2011 , 317, 1663-8	4.2	24
66	Stabilization of the survival motor neuron protein by ASK1. FEBS Letters, 2011, 585, 1287-92	3.8	10
65	Serum- and glucocorticoid-inducible kinase 1 (SGK1) controls Notch1 signaling by downregulation of protein stability through Fbw7 ubiquitin ligase. <i>Journal of Cell Science</i> , 2011 , 124, 100-12	5.3	53
64	CIIA functions as a molecular switch for the Rac1-specific GEF activity of SOS1. <i>Journal of Cell Biology</i> , 2011 , 195, 377-86	7.3	12
63	CIIA is a novel regulator of detachment-induced cell death. <i>Cancer Research</i> , 2010 , 70, 6352-8	10.1	4
62	Dcp2 phosphorylation by Ste20 modulates stress granule assembly and mRNA decay in Saccharomyces cerevisiae. <i>Journal of Cell Biology</i> , 2010 , 189, 813-27	7.3	71
61	T-type channels control the opioidergic descending analgesia at the low threshold-spiking GABAergic neurons in the periaqueductal gray. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 14857-62	11.5	49
60	Pathological roles of MAPK signaling pathways in human diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010 , 1802, 396-405	6.9	1455
59	Irreversible inactivation of glutathione peroxidase 1 and reversible inactivation of peroxiredoxin II by H2O2 in red blood cells. <i>Antioxidants and Redox Signaling</i> , 2010 , 12, 1235-46	8.4	105
58	MST1 limits the kinase activity of aurora B to promote stable kinetochore-microtubule attachment. <i>Current Biology</i> , 2010 , 20, 416-22	6.3	45
57	Knockdown of apoptosis signal-regulating kinase 1 modulates basal glycogen synthase kinase-3 kinase activity and regulates cell migration. <i>FEBS Letters</i> , 2010 , 584, 4097-101	3.8	7
56	CIB1 functions as a Ca(2+)-sensitive modulator of stress-induced signaling by targeting ASK1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17389-94	11.5	60
55	A truncated form of p23 down-regulates telomerase activity via disruption of Hsp90 function. Journal of Biological Chemistry, 2009 , 284, 30871-80	5.4	19
54	Downregulation by lipopolysaccharide of Notch signaling, via nitric oxide. <i>Journal of Cell Science</i> , 2008 , 121, 1466-76	5.3	31
53	Quantitative structural-activity relationship (QSAR) study for fungicidal activities of thiazoline derivatives against rice blast. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 2133-42	2.9	18

(2003-2007)

52	Negative regulation of SEK1 signaling by serum- and glucocorticoid-inducible protein kinase 1. <i>EMBO Journal</i> , 2007 , 26, 3075-85	13	31
51	Integrin-linked kinase controls Notch1 signaling by down-regulation of protein stability through Fbw7 ubiquitin ligase. <i>Molecular and Cellular Biology</i> , 2007 , 27, 5565-74	4.8	43
50	Zinc-induced downregulation of Notch signaling is associated with cytoplasmic retention of Notch1-IC and RBP-Jk via PI3k-Akt signaling pathway. <i>Cancer Letters</i> , 2007 , 255, 117-26	9.9	18
49	Novel candidate targets of Wnt/beta-catenin signaling in hepatoma cells. <i>Life Sciences</i> , 2007 , 80, 690-8	6.8	38
48	STMN2 is a novel target of beta-catenin/TCF-mediated transcription in human hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 345, 1059-67	3.4	22
47	Neuronal nitric oxide synthase (nNOS) modulates the JNK1 activity through redox mechanism: a cGMP independent pathway. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 346, 408-14	3.4	9
46	Nitric oxide inhibits an interaction between JNK1 and c-Jun through nitrosylation. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 351, 281-6	3.4	25
45	Presenilin acts as a positive regulator of basal level activity of ERK through the Raf-MEK1 signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 332, 609-13	3.4	23
44	SUMO-1 represses apoptosis signal-regulating kinase 1 activation through physical interaction and not through covalent modification. <i>EMBO Reports</i> , 2005 , 6, 949-55	6.5	23
43	Activation of PI3K/Akt pathway by PTEN reduction and PIK3CA mRNA amplification contributes to cisplatin resistance in an ovarian cancer cell line. <i>Gynecologic Oncology</i> , 2005 , 97, 26-34	4.9	193
42	Notch interferes with the scaffold function of JNK-interacting protein 1 to inhibit the JNK signaling pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 14	3 0 8-513	59
41	Phosphorylation of p38 MAPK induced by oxidative stress is linked to activation of both caspase-8-and -9-mediated apoptotic pathways in dopaminergic neurons. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20451-60	5.4	167
40	Negative regulation of MEKK1-induced signaling by glutathione S-transferase Mu. <i>Journal of Biological Chemistry</i> , 2004 , 279, 43589-94	5.4	43
39	Inhibition of apoptosis signal-regulating kinase 1 by nitric oxide through a thiol redox mechanism. Journal of Biological Chemistry, 2004 , 279, 7584-90	5.4	87
38	The tumour suppressor RASSF1A regulates mitosis by inhibiting the APC-Cdc20 complex. <i>Nature Cell Biology</i> , 2004 , 6, 129-37	23.4	259
37	SB203580 induces prolonged B-Raf activation and promotes neuronal differentiation upon EGF treatment of PC12 cells. <i>Biochemistry (Moscow)</i> , 2004 , 69, 799-805	2.9	2
36	Identification of a novel antiapoptotic protein that antagonizes ASK1 and CAD activities. <i>Journal of Cell Biology</i> , 2003 , 163, 71-81	7.3	37
35	Glycogen synthase kinase 3 beta is a natural activator of mitogen-activated protein kinase/extracellular signal-regulated kinase kinase 1 (MEKK1). <i>Journal of Biological Chemistry</i> , 2003 , 278, 13995-4001	5.4	68

34	p57KIP2 modulates stress-activated signaling by inhibiting c-Jun NH2-terminal kinase/stress-activated protein Kinase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 48092-8	5.4	53
33	Heat shock protein hsp72 is a negative regulator of apoptosis signal-regulating kinase 1. <i>Molecular and Cellular Biology</i> , 2002 , 22, 7721-30	4.8	145
32	Akt (protein kinase B) negatively regulates SEK1 by means of protein phosphorylation. <i>Journal of Biological Chemistry</i> , 2002 , 277, 2573-8	5.4	110
31	SWI/SNF complex interacts with tumor suppressor p53 and is necessary for the activation of p53-mediated transcription. <i>Journal of Biological Chemistry</i> , 2002 , 277, 22330-7	5.4	163
30	H(2)O(2)-induced AP-1 activation and its effect on p21(WAF1/CIP1)-mediated G2/M arrest in a p53-deficient human lung cancer cell. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 293, 1248-53	3.4	54
29	The Na(+)/H(+) exchanger regulatory factor 2 mediates phosphorylation of serum- and glucocorticoid-induced protein kinase 1 by 3-phosphoinositide-dependent protein kinase 1. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 298, 207-15	3.4	18
28	Apoptotic signaling pathways: caspases and stress-activated protein kinases. <i>BMB Reports</i> , 2002 , 35, 24-7	5.5	134
27	Hepatitis C virus core inhibits the Fas-mediated p38 mitogen activated kinase signaling pathway in hepatocytes. <i>Molecules and Cells</i> , 2002 , 13, 452-62	3.5	14
26	Glutamine-dependent antiapoptotic interaction of human glutaminyl-tRNA synthetase with apoptosis signal-regulating kinase 1. <i>Journal of Biological Chemistry</i> , 2001 , 276, 6030-6	5.4	152
25	Apoptosis signal-regulating kinase 1 controls the proapoptotic function of death-associated protein (Daxx) in the cytoplasm. <i>Journal of Biological Chemistry</i> , 2001 , 276, 39103-6	5.4	91
24	Role of receptor-interacting protein in tumor necrosis factor-alpha -dependent MEKK1 activation. Journal of Biological Chemistry, 2001 , 276, 27064-70	5.4	30
23	Negative regulation of the SAPK/JNK signaling pathway by presenilin 1. <i>Journal of Cell Biology</i> , 2001 , 153, 457-63	7.3	27
22	Kaposiß sarcoma-associated herpesvirus open reading frame 50 represses p53-induced transcriptional activity and apoptosis. <i>Journal of Virology</i> , 2001 , 75, 6245-8	6.6	41
21	Role of phospholipase C-gamma1 in insulin-like growth factor I-induced muscle differentiation of H9c2 cardiac myoblasts. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 282, 816-22	3.4	18
20	Glutathione S-transferase mu modulates the stress-activated signals by suppressing apoptosis signal-regulating kinase 1. <i>Journal of Biological Chemistry</i> , 2001 , 276, 12749-55	5.4	303
19	Zn(2+) induces stimulation of the c-Jun N-terminal kinase signaling pathway through phosphoinositide 3-Kinase. <i>Molecular Pharmacology</i> , 2001 , 59, 981-6	4.3	50
18	Correlation between structure of Bcl-2 and its inhibitory function of JNK and caspase activity in dopaminergic neuronal apoptosis. <i>Journal of Neurochemistry</i> , 2000 , 74, 1621-6	6	21
17	Activation of death-inducing signaling complex (DISC) by pro-apoptotic C-terminal fragment of RIP. <i>Oncogene</i> , 2000 , 19, 4491-9	9.2	81

LIST OF PUBLICATIONS

16	Structural and functional dissection of human cytomegalovirus US3 in binding major histocompatibility complex class I molecules. <i>Journal of Virology</i> , 2000 , 74, 11262-9	6.6	43
15	Selenite negatively regulates caspase-3 through a redox mechanism. <i>Journal of Biological Chemistry</i> , 2000 , 275, 8487-91	5.4	56
14	Selenite inhibits the c-Jun N-terminal kinase/stress-activated protein kinase (JNK/SAPK) through a thiol redox mechanism. <i>Journal of Biological Chemistry</i> , 2000 , 275, 2527-31	5.4	97
13	Rb protein down-regulates the stress-activated signals through inhibiting c-Jun N-terminal kinase/stress-activated protein kinase. <i>Journal of Biological Chemistry</i> , 2000 , 275, 14107-11	5.4	29
12	Role of cytosolic phospholipase A(2) as a downstream mediator of Rac in the signaling pathway to JNK stimulation. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 268, 231-6	3.4	15
11	Molecular cloning of multiple splicing variants of JIP-1 preferentially expressed in brain. <i>Journal of Neurochemistry</i> , 1999 , 72, 1335-43	6	39
10	Two distinct mechanisms are involved in 6-hydroxydopamine- and MPP+-induced dopaminergic neuronal cell death: role of caspases, ROS, and JNK. <i>Journal of Neuroscience Research</i> , 1999 , 57, 86-94	4.4	207
9	Two distinct mechanisms are involved in 6-hydroxydopamine- and MPP+-induced dopaminergic neuronal cell death: Role of caspases, ROS, and JNK 1999 , 57, 86		1
8	Two distinct mechanisms are involved in 6-hydroxydopamine- and MPP+-induced dopaminergic neuronal cell death: Role of caspases, ROS, and JNK 1999 , 57, 86		13
7	Ca2+-mediated activation of c-Jun N-terminal kinase and nuclear factor kappa B by NMDA in cortical cell cultures. <i>Journal of Neurochemistry</i> , 1998 , 71, 1390-5	6	88
6	Activation of c-Jun N-terminal kinase antagonizes an anti-apoptotic action of Bcl-2. <i>Journal of Biological Chemistry</i> , 1997 , 272, 16725-8	5.4	96
5	A non-enzymatic p21 protein inhibitor of stress-activated protein kinases. <i>Nature</i> , 1996 , 381, 804-6	50.4	237
4	Do the calmodulin-stimulated adenylyl cyclases play a role in neuroplasticity?. <i>Behavioral and Brain Sciences</i> , 1995 , 18, 429	0.9	16
3	The regulatory diversity of the mammalian adenylyl cyclases. <i>Current Opinion in Cell Biology</i> , 1993 , 5, 269-73	9	95
2	Type I calmodulin-sensitive adenylyl cyclase is neural specific. <i>Journal of Neurochemistry</i> , 1993 , 60, 305-	16	224
1	The type III calcium/calmodulin-sensitive adenylyl cyclase is not specific to olfactory sensory neurons. <i>Neuroscience Letters</i> , 1992 , 144, 169-73	3.3	168