

Janus C Jakobsen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4139631/janus-c-jakobsen-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

204
papers

4,167
citations

30
h-index

61
g-index

225
ext. papers

5,940
ext. citations

4.6
avg, IF

6.17
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 204 | When and how should multiple imputation be used for handling missing data in randomised clinical trials - a practical guide with flowcharts. <i>BMC Medical Research Methodology</i> , 2017 , 17, 162 | 4.7 | 640 |
| 203 | Trial Sequential Analysis in systematic reviews with meta-analysis. <i>BMC Medical Research Methodology</i> , 2017 , 17, 39 | 4.7 | 430 |
| 202 | Thresholds for statistical and clinical significance in systematic reviews with meta-analytic methods. <i>BMC Medical Research Methodology</i> , 2014 , 14, 120 | 4.7 | 347 |
| 201 | Mindfulness: top-down or bottom-up emotion regulation strategy?. <i>Clinical Psychology Review</i> , 2013 , 33, 82-96 | 10.8 | 247 |
| 200 | Selective serotonin reuptake inhibitors versus placebo in patients with major depressive disorder. A systematic review with meta-analysis and Trial Sequential Analysis. <i>BMC Psychiatry</i> , 2017 , 17, 58 | 4.2 | 164 |
| 199 | Hypothermia versus Normothermia after Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2021 , 384, 2283-2294 | 59.2 | 127 |
| 198 | The thresholds for statistical and clinical significance - a five-step procedure for evaluation of intervention effects in randomised clinical trials. <i>BMC Medical Research Methodology</i> , 2014 , 14, 34 | 4.7 | 92 |
| 197 | Higher versus lower blood pressure targets in adults with shock. <i>The Cochrane Library</i> , | 5.2 | 78 |
| 196 | Non-acute percutaneous coronary intervention versus medical therapy in patients with ischaemic heart disease. <i>The Cochrane Library</i> , 2020 , | 5.2 | 78 |
| 195 | Drug-eluting stents versus bare-metal stents for non-acute ischaemic heart disease. <i>The Cochrane Library</i> , 2021 , 2021, | 5.2 | 78 |
| 194 | Beta-blockers for heart failure. <i>The Cochrane Library</i> , 2021 , 2021, | 5.2 | 78 |
| 193 | Evidence-based clinical practice: Overview of threats to the validity of evidence and how to minimise them. <i>European Journal of Internal Medicine</i> , 2016 , 32, 13-21 | 3.9 | 69 |
| 192 | Effect of Combination of Paracetamol (Acetaminophen) and Ibuprofen vs Either Alone on Patient-Controlled Morphine Consumption in the First 24 Hours After Total Hip Arthroplasty: The PANSAID Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 562-571 | 27.4 | 54 |
| 191 | Radiofrequency (thermal) ablation versus no intervention or other interventions for hepatocellular carcinoma. <i>The Cochrane Library</i> , 2013 , CD003046 | 5.2 | 53 |
| 190 | Network meta-analysis: the highest level of medical evidence?. <i>BMJ Evidence-Based Medicine</i> , 2018 , 23, 56-59 | 2.7 | 52 |
| 189 | Barriers to the conduct of randomised clinical trials within all disease areas. <i>Trials</i> , 2017 , 18, 360 | 2.8 | 45 |
| 188 | Effects of cognitive therapy versus interpersonal psychotherapy in patients with major depressive disorder: a systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Psychological Medicine</i> , 2012 , 42, 1343-57 | 6.9 | 44 |

| | | | |
|-----|--|------|----|
| 187 | The Necessity of Randomized Clinical Trials. <i>British Journal of Medicine and Medical Research</i> , 2013 , 3, 1453-1468 | | 41 |
| 186 | Targeted hypothermia versus targeted Normothermia after out-of-hospital cardiac arrest (TTM2): A randomized clinical trial-Rationale and design. <i>American Heart Journal</i> , 2019 , 217, 23-31 | 4.9 | 39 |
| 185 | Specific barriers to the conduct of randomised clinical trials on medical devices. <i>Trials</i> , 2017 , 18, 427 | 2.8 | 39 |
| 184 | Direct-acting antivirals for chronic hepatitis C. <i>The Cochrane Library</i> , 2017 , 9, CD012143 | 5.2 | 38 |
| 183 | Effects of using the simplified airway risk index vs usual airway assessment on unanticipated difficult tracheal intubation - a cluster randomized trial with 64,273 participants. <i>British Journal of Anaesthesia</i> , 2016 , 116, 680-9 | 5.4 | 37 |
| 182 | Prediction of difficult mask ventilation using a systematic assessment of risk factors vs. existing practice - a cluster randomised clinical trial in 94,006 patients. <i>Anaesthesia</i> , 2017 , 72, 296-308 | 6.6 | 36 |
| 181 | Interventions for treatment of COVID-19: A living systematic review with meta-analyses and trial sequential analyses (The LIVING Project). <i>PLoS Medicine</i> , 2020 , 17, e1003293 | 11.6 | 36 |
| 180 | Should antidepressants be used for major depressive disorder?. <i>BMJ Evidence-Based Medicine</i> , 2020 , 25, 130 | 2.7 | 35 |
| 179 | Nutrition support in hospitalised adults at nutritional risk. <i>The Cochrane Library</i> , 2017 , 5, CD011598 | 5.2 | 34 |
| 178 | A systematic literature review of evidence-based clinical practice for rare diseases: what are the perceived and real barriers for improving the evidence and how can they be overcome?. <i>Trials</i> , 2017 , 18, 556 | 2.8 | 34 |
| 177 | Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , 2019 , 45, 143-158 | 14.5 | 33 |
| 176 | Direct-acting antivirals for chronic hepatitis C. <i>The Cochrane Library</i> , 2017 , 6, CD012143 | 5.2 | 33 |
| 175 | Interventions for treatment of COVID-19: a protocol for a living systematic review with network meta-analysis including individual patient data (The LIVING Project). <i>Systematic Reviews</i> , 2020 , 9, 108 | 3 | 30 |
| 174 | The effects of cognitive therapy versus no intervention for major depressive disorder. <i>PLoS ONE</i> , 2011 , 6, e28299 | 3.7 | 27 |
| 173 | The effects of rhythm control strategies versus rate control strategies for atrial fibrillation and atrial flutter: A systematic review with meta-analysis and Trial Sequential Analysis. <i>PLoS ONE</i> , 2017 , 12, e0186856 | 3.7 | 27 |
| 172 | Maternal Sildenafil vs Placebo in Pregnant Women With Severe Early-Onset Fetal Growth Restriction: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e205323 | 10.4 | 25 |
| 171 | Therapeutic hypothermia for acute ischaemic stroke. Results of a European multicentre, randomised, phase III clinical trial. <i>European Stroke Journal</i> , 2019 , 4, 254-262 | 5.6 | 24 |
| 170 | Do direct acting antivirals cure chronic hepatitis C?. <i>BMJ, The</i> , 2018 , 361, k1382 | 5.9 | 23 |

| | | | |
|-----|---|-----|----|
| 169 | Systematic Review and Meta-Analysis: Cognitive-Behavioral Therapy for Obsessive-Compulsive Disorder in Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 64-77 | 7.2 | 23 |
| 168 | Digoxin for atrial fibrillation and atrial flutter: A systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. <i>PLoS ONE</i> , 2018 , 13, e0193924 | 3.7 | 20 |
| 167 | Interventions for treatment of COVID-19: Second edition of a living systematic review with meta-analyses and trial sequential analyses (The LIVING Project). <i>PLoS ONE</i> , 2021 , 16, e0248132 | 3.7 | 20 |
| 166 | Higher versus lower fraction of inspired oxygen or targets of arterial oxygenation for adults admitted to the intensive care unit. <i>The Cochrane Library</i> , 2019 , 2019, | 5.2 | 20 |
| 165 | Randomized multicentre feasibility trial of intermediate care versus standard ward care after emergency abdominal surgery (InCare trial). <i>British Journal of Surgery</i> , 2015 , 102, 619-29 | 5.3 | 19 |
| 164 | The effect of adding psychodynamic therapy to antidepressants in patients with major depressive disorder. A systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Journal of Affective Disorders</i> , 2012 , 137, 4-14 | 6.6 | 19 |
| 163 | Cerebral near-infrared spectroscopy monitoring versus treatment as usual for extremely preterm infants: a protocol for the SafeBoosC randomised clinical phase III trial. <i>Trials</i> , 2019 , 20, 811 | 2.8 | 19 |
| 162 | Low vs high hemoglobin trigger for transfusion in vascular surgery: a randomized clinical feasibility trial. <i>Blood</i> , 2019 , 133, 2639-2650 | 2.2 | 18 |
| 161 | The effects of cognitive therapy versus treatment as usual in patients with major depressive disorder. <i>PLoS ONE</i> , 2011 , 6, e22890 | 3.7 | 18 |
| 160 | Effects of eHealth physical activity encouragement in adolescents with complex congenital heart disease: The PReVaiL randomized clinical trial. <i>International Journal of Cardiology</i> , 2016 , 221, 1100-6 | 3.2 | 18 |
| 159 | Non-invasive positive pressure ventilation for acute asthma in children. <i>The Cochrane Library</i> , 2016 , 9, CD012067 | 5.2 | 18 |
| 158 | 10-Year Associations Between Tumor Necrosis Factor Receptors 1 and 2 and Cardiovascular Events in Patients With Stable Coronary Heart Disease: A CLARICOR (Effect of Clarithromycin on Mortality and Morbidity in Patients With Ischemic Heart Disease) Trial Substudy. <i>Journal of the American Heart Association</i> , 2018 , 7, | 6 | 16 |
| 157 | Cathepsin B and S as markers for cardiovascular risk and all-cause mortality in patients with stable coronary heart disease during 10 years: a CLARICOR trial sub-study. <i>Atherosclerosis</i> , 2018 , 278, 97-102 | 3.1 | 15 |
| 156 | Pharmacological interventions for prevention and management of delirium in intensive care patients: a systematic overview of reviews and meta-analyses. <i>BMJ Open</i> , 2019 , 9, e024562 | 3 | 14 |
| 155 | Evidence-based practice within nutrition: what are the barriers for improving the evidence and how can they be dealt with?. <i>Trials</i> , 2017 , 18, 425 | 2.8 | 14 |
| 154 | Pharmacological interventions for delirium in intensive care patients: a protocol for an overview of reviews. <i>Systematic Reviews</i> , 2016 , 5, 211 | 3 | 14 |
| 153 | Vaccines to prevent COVID-19: a protocol for a living systematic review with network meta-analysis including individual patient data (The LIVING VACCINE Project). <i>Systematic Reviews</i> , 2020 , 9, 262 | 3 | 13 |
| 152 | Beneficial and harmful effects of sacubitril/valsartan in patients with heart failure: a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Open Heart</i> , 2020 , 7, | 3 | 13 |

| | | | |
|-----|---|------|----|
| 151 | Higher vs Lower Oxygenation Strategies in Acutely Ill Adults: A Systematic Review With Meta-Analysis and Trial Sequential Analysis. <i>Chest</i> , 2021 , 159, 154-173 | 5.3 | 13 |
| 150 | Efficacy of new-generation antidepressants assessed with the Montgomery-Asberg Depression Rating Scale, the gold standard clinician rating scale: A meta-analysis of randomised placebo-controlled trials. <i>PLoS ONE</i> , 2020 , 15, e0229381 | 3.7 | 12 |
| 149 | Intraoperative clonidine for prevention of postoperative agitation in children anaesthetised with sevoflurane (PREVENT AGITATION): a randomised, placebo-controlled, double-blind trial. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 15-24 | 14.5 | 12 |
| 148 | Assessing assumptions for statistical analyses in randomised clinical trials. <i>BMJ Evidence-Based Medicine</i> , 2019 , 24, 185-189 | 2.7 | 11 |
| 147 | Power estimations for non-primary outcomes in randomised clinical trials. <i>BMJ Open</i> , 2019 , 9, e027092 | 3 | 11 |
| 146 | Stress ulcer prophylaxis versus placebo or no prophylaxis in adult hospitalised acutely ill patients-protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2017 , 6, 118 | 3 | 10 |
| 145 | Predictors for major cardiovascular outcomes in stable ischaemic heart disease (PREMAC): statistical analysis plan for data originating from the CLARICOR (clarithromycin for patients with stable coronary heart disease) trial. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 10 | 5.5 | 10 |
| 144 | Third-wave cognitive therapy versus mentalisation-based treatment for major depressive disorder: a randomised clinical trial. <i>BMJ Open</i> , 2014 , 4, e004903 | 3 | 10 |
| 143 | Antibiotic regimens for neonatal sepsis - a protocol for a systematic review with meta-analysis. <i>Systematic Reviews</i> , 2019 , 8, 306 | 3 | 10 |
| 142 | Dopamine in critically ill patients with cardiac dysfunction: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 424-437 | 1.9 | 10 |
| 141 | Drug-eluting stents versus bare-metal stents for acute coronary syndrome. <i>The Cochrane Library</i> , 2017 , 8, CD012481 | 5.2 | 10 |
| 140 | Xiao Chai Hu Tang, a herbal medicine, for chronic hepatitis B. <i>The Cochrane Library</i> , 2019 , 2019, | 5.2 | 10 |
| 139 | Short-term versus long-term mentalization-based therapy for outpatients with subthreshold or diagnosed borderline personality disorder: a protocol for a randomized clinical trial. <i>Trials</i> , 2019 , 20, 196 | 2.8 | 9 |
| 138 | Great boast, small roast on effects of selective serotonin reuptake inhibitors: response to a critique of our systematic review. <i>Acta Neuropsychiatrica</i> , 2018 , 30, 251-265 | 3.9 | 9 |
| 137 | The effect of interpersonal psychotherapy and other psychodynamic therapies versus treatment as usual in patients with major depressive disorder. <i>PLoS ONE</i> , 2011 , 6, e19044 | 3.7 | 9 |
| 136 | Prognosis and Reclassification by YKL-40 in Stable Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e014634 | 6 | 8 |
| 135 | Pulmonary artery perfusion versus no pulmonary perfusion during cardiopulmonary bypass in patients with COPD: a randomised clinical trial. <i>BMJ Open Respiratory Research</i> , 2016 , 3, e000146 | 5.6 | 8 |
| 134 | Prevention of haematoma progression by tranexamic acid in intracerebral haemorrhage patients with and without spot sign on admission scan: a statistical analysis plan of a pre-specified sub-study of the TICH-2 trial. <i>BMC Research Notes</i> , 2018 , 11, 379 | 2.3 | 8 |

| | | | |
|-----|---|-----|---|
| 133 | Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <i>The Cochrane Library</i> , 2019 , 2, CD011828 | 5.2 | 8 |
| 132 | Nitazoxanide for chronic hepatitis C. <i>The Cochrane Library</i> , 2014 , CD009182 | 5.2 | 8 |
| 131 | Thrombolysis for acute upper extremity deep vein thrombosis. <i>The Cochrane Library</i> , 2017 , 12, CD012175 | 5.2 | 8 |
| 130 | Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. <i>BMJ Evidence-Based Medicine</i> , 2021 , 26, 121-126 | 2.7 | 8 |
| 129 | Network meta-analysis of antidepressants. <i>Lancet, The</i> , 2018 , 392, 1010 | 4.0 | 8 |
| 128 | Aluminium adjuvants used in vaccines versus placebo or no intervention. <i>The Cochrane Library</i> , 2017 | 5.2 | 7 |
| 127 | Protocol for outcome reporting and follow-up in the Targeted Hypothermia versus Targeted Normothermia after Out-of-Hospital Cardiac Arrest trial (TTM2). <i>Resuscitation</i> , 2020 , 150, 104-112 | 4 | 7 |
| 126 | Effects of adding adjunctive hyperbaric oxygen therapy to standard wound care for diabetic foot ulcers: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2020 , 10, e031708 | 3 | 7 |
| 125 | Non-invasive positive pressure ventilation for acute asthma in children 2016 , | | 7 |
| 124 | Serum osteoprotegerin as a long-term predictor for patients with stable coronary artery disease and its association with diabetes and statin treatment: A CLARICOR trial 10-year follow-up substudy. <i>Atherosclerosis</i> , 2020 , 301, 8-14 | 3.1 | 7 |
| 123 | Blinding in randomised clinical trials of psychological interventions: a retrospective study of published trial reports. <i>BMJ Evidence-Based Medicine</i> , 2021 , 26, 109 | 2.7 | 7 |
| 122 | Prognostic value of routinely available data in patients with stable coronary heart disease. A 10-year follow-up of patients sampled at random times during their disease course. <i>Open Heart</i> , 2018 , 5, e000808 | 3 | 7 |
| 121 | Dexmedetomidine for the management of delirium in critically ill patients-A protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 549-557 | 1.9 | 6 |
| 120 | Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. <i>Atherosclerosis</i> , 2019 , 284, 202-208 | 3.1 | 6 |
| 119 | PANSAID-PARacetamol and NSAID in combination: detailed statistical analysis plan for a randomised, blinded, parallel, four-group multicentre clinical trial. <i>Trials</i> , 2017 , 18, 465 | 2.8 | 6 |
| 118 | Short-term versus long-term psychotherapy for adult psychiatric disorders: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2019 , 8, 169 | 3 | 6 |
| 117 | Haloperidol for the treatment of delirium in critically ill patients: A systematic review with meta-analysis and Trial Sequential Analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 254-266 | 1.9 | 6 |
| 116 | Antibiotic regimens for late-onset neonatal sepsis. <i>The Cochrane Library</i> , 2021 , 5, CD013836 | 5.2 | 6 |

| | | | |
|-----|---|------|---|
| 115 | Beta-blockers for suspected or diagnosed acute myocardial infarction. <i>The Cochrane Library</i> , 2019 , 12, CD012484 | 5.2 | 6 |
| 114 | Systematic reviews of randomised clinical trials examining the effects of psychotherapeutic interventions versus "no intervention" for acute major depressive disorder and a randomised trial examining the effects of "third wave" cognitive therapy versus mentalization-based treatment for acute major depressive disorder. <i>Journal of Affective Disorders</i> , 2019 , 241, 1-10 | 3.8 | 6 |
| 113 | Digoxin versus placebo, no intervention, or other medical interventions for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , 2017 , 6, 71 | 3 | 5 |
| 112 | Higher versus lower inspiratory oxygen fraction or targets of arterial oxygenation for adult intensive care patients. <i>The Cochrane Library</i> , 2017 , | 5.2 | 5 |
| 111 | DEPEROR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2015 , 179, 121-7 | 6.6 | 5 |
| 110 | Prophylactic use of acid suppressants in adult acutely ill hospitalised patients: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 714-728 | 1.9 | 5 |
| 109 | Apparently conclusive meta-analyses on interventions in critical care may be inconclusive-a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2019 , 114, 1-10 | 5.7 | 5 |
| 108 | Third wave cognitive therapy versus mentalization-based therapy for major depressive disorder. A protocol for a randomised clinical trial. <i>BMC Psychiatry</i> , 2012 , 12, 232 | 4.2 | 5 |
| 107 | Review: interpersonal psychotherapy is effective as an acute or maintenance treatment for unipolar depression. <i>Evidence-Based Mental Health</i> , 2011 , 14, 108 | 11.1 | 5 |
| 106 | Vaccines to prevent COVID-19: A living systematic review with Trial Sequential Analysis and network meta-analysis of randomized clinical trials.. <i>PLoS ONE</i> , 2022 , 17, e0260733 | 3.7 | 5 |
| 105 | Methodologies for systematic reviews with meta-analysis of randomised clinical trials in pain, anaesthesia, and perioperative medicine. <i>British Journal of Anaesthesia</i> , 2021 , 126, 903-911 | 5.4 | 5 |
| 104 | Direct-acting antivirals for chronic hepatitis C 2016 , | | 5 |
| 103 | Aluminium adjuvants used in vaccines. <i>The Cochrane Library</i> , | 5.2 | 5 |
| 102 | The effects of ventilation tubes versus no ventilation tubes for recurrent acute otitis media or chronic otitis media with effusion in 9 to 36 month old Greenlandic children, the SIUTIT trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 30 | 2.8 | 4 |
| 101 | Haloperidol for delirium in critically ill patients - protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 712-723 | 1.9 | 4 |
| 100 | The effects of rhythm control strategies versus rate control strategies for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , 2017 , 6, 47 | 3 | 4 |
| 99 | Endoscopic versus open radial artery harvest and mammario-radial versus aorto-radial grafting in patients undergoing coronary artery bypass surgery: protocol for the 2 x 2 factorial designed randomised NEO trial. <i>Trials</i> , 2014 , 15, 135 | 2.8 | 4 |
| 98 | Is the Total Score of the Hamilton Depression Rating Scale Associated with Suicide Attempts or Suicides?. <i>British Journal of Medicine and Medical Research</i> , 2013 , 3, 140-152 | | 4 |

| | | | |
|----|---|-----|---|
| 97 | DEX-2-TKA-DEXamethasone twice for pain treatment after Total Knee Arthroplasty: A protocol for a randomized, blinded, three-group multicentre clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 267-275 | 1.9 | 4 |
| 96 | Early Orthostatic Exercise by Head-Up Tilt With Stepping vs. Standard Care After Severe Traumatic Brain Injury Is Feasible. <i>Frontiers in Neurology</i> , 2021 , 12, 626014 | 4.1 | 4 |
| 95 | Antibiotic regimens for early-onset neonatal sepsis. <i>The Cochrane Library</i> , 2021 , 5, CD013837 | 5.2 | 4 |
| 94 | Detailed statistical analysis plan for the Dutch STRIDER (Sildenafil TheRapy In Dismal prognosis Early-onset fetal growth Restriction) randomised clinical trial on sildenafil versus placebo for pregnant women with severe early onset fetal growth restriction. <i>Trials</i> , 2019 , 20, 42 | 2.8 | 4 |
| 93 | Tranexamic Acid for Prevention of Hematoma Expansion in Intracerebral Hemorrhage Patients With or Without Spot Sign. <i>Stroke</i> , 2021 , 52, 2629-2636 | 6.7 | 4 |
| 92 | Dexmedetomidine for the prevention of delirium in critically ill patients - A protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 540-548 | 1.9 | 3 |
| 91 | Quinolones for sepsis. A protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 1113-1123 | 1.9 | 3 |
| 90 | The effects of adding angiotensin receptor neprilysin inhibitors to usual care in patients with heart failure: a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2019 , 8, 251 | 3 | 3 |
| 89 | Radix Sophorae flavescens versus other drugs or herbs for chronic hepatitis B. <i>The Cochrane Library</i> , 2019 , 6, CD013106 | 5.2 | 3 |
| 88 | Nutrition support in hospitalised adults at nutritional risk 2015 , | | 3 |
| 87 | Effect of dexamethasone as an analgesic adjuvant to multimodal pain treatment after total knee arthroplasty: randomised clinical trial.. <i>BMJ, The</i> , 2022 , 376, e067325 | 5.9 | 3 |
| 86 | Health apps targeting children with overweight-a protocol for a systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. <i>Systematic Reviews</i> , 2020 , 9, 28 | 3 | 3 |
| 85 | Detailed statistical analysis plan for the SafeBoosC III trial: a multinational randomised clinical trial assessing treatment guided by cerebral oxygenation monitoring versus treatment as usual in extremely preterm infants. <i>Trials</i> , 2019 , 20, 746 | 2.8 | 3 |
| 84 | Antibiotics for secondary prevention of coronary heart disease. <i>The Cochrane Library</i> , 2021 , 2, CD003610 | 5.2 | 3 |
| 83 | Hospitalisation in short-stay units for adults with internal medicine diseases and conditions. <i>The Cochrane Library</i> , 2018 , 8, CD012370 | 5.2 | 3 |
| 82 | Radix Sophorae flavescens for chronic hepatitis B. <i>The Cochrane Library</i> , 2018 , | 5.2 | 3 |
| 81 | Radix Sophorae flavescens versus antiviral drugs for chronic hepatitis B. <i>The Cochrane Library</i> , 2018 , | 5.2 | 3 |
| 80 | Targeted hypothermia versus targeted normothermia after out-of-hospital cardiac arrest: a statistical analysis plan. <i>Trials</i> , 2020 , 21, 831 | 2.8 | 2 |

| | | | |
|----|--|-----|---|
| 79 | Antibiotics for secondary prevention of coronary heart disease. <i>The Cochrane Library</i> , 2017 , | 5.2 | 2 |
| 78 | 3-dimensional versus conventional laparoscopy for benign hysterectomy: protocol for a randomized clinical trial. <i>BMC Women's Health</i> , 2017 , 17, 76 | 2.9 | 2 |
| 77 | Stress ulcer prophylaxis in adult intensive care unit patients - a protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 744-755 | 1.9 | 2 |
| 76 | Oxygen supplementation for critically ill patients-A protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1020-1030 | 1.9 | 2 |
| 75 | Detailed statistical analysis plan for the pulmonary protection trial. <i>Trials</i> , 2014 , 15, 510 | 2.8 | 2 |
| 74 | Reporting of methodological studies in health research: a protocol for the development of the Methodological STudy reporting Checklist (MISTIC). <i>BMJ Open</i> , 2020 , 10, e040478 | 3 | 2 |
| 73 | Cerebral near-infrared spectroscopy monitoring versus treatment as usual for extremely preterm infants. A protocol for the SafeBoosC phase III randomized clinical trial | | 2 |
| 72 | Interventions for treatment of COVID-19: second edition of a living systematic review with meta-analyses and trial sequential analyses (The LIVING Project) | | 2 |
| 71 | Beneficial and harmful effects of antidepressants versus placebo, active placebo or no intervention for adults with major depressive disorder: a protocol for a systematic review of published and unpublished data with meta-analyses and trial sequential analyses. <i>Systematic Reviews</i> , 2021 , 10, 154 | 3 | 2 |
| 70 | Drug-eluting stents versus bare-metal stents for acute coronary syndrome 2016 , | | 2 |
| 69 | Adding exercise to usual care in patients with hypertension, type 2 diabetes mellitus and/or cardiovascular disease: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2019 , 8, 330 | 3 | 2 |
| 68 | Xiao Chai Hu Tang, a Chinese herbal medicine formula, for chronic hepatitis B. <i>The Cochrane Library</i> , 2018 , | 5.2 | 2 |
| 67 | Viagra for fetal growth restriction: STRIDER Consortium replies to letter by Symonds and Budge. <i>BMJ</i> , 2018 , 363, k4872 | 5.9 | 2 |
| 66 | Prothrombin complex concentrate versus placebo, no intervention, or other interventions in critically bleeding patients associated with oral anticoagulant administration: a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2019 , 8, 116 | 3 | 2 |
| 65 | Letter to the editor re: Assessing the validity of surrogate endpoints in the context of a controversy about the measurement of effectiveness of hepatitis C virus treatment. <i>BMJ Evidence-Based Medicine</i> , 2018 , 23, 240 | 2.7 | 2 |
| 64 | Tricyclic antidepressants versus active placebo, placebo or no intervention for adults with major depressive disorder: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , 2021 , 10, 227 | 3 | 2 |
| 63 | Antibiotic prophylaxis versus placebo or no intervention for people with cirrhosis and variceal bleeding. <i>The Cochrane Library</i> , | 5.2 | 2 |
| 62 | Reporting of methodological studies in health research: a protocol for the development of the Methodological STudy reporting Checklist (MISTIC) 2020 , 10, e040478 | | 2 |

| | | | |
|----|--|------|---|
| 61 | Beta-blockers for non-acute treatment after myocardial infarction. <i>The Cochrane Library</i> , 2017 , | 5.2 | 1 |
| 60 | Ivabradine for coronary artery disease and/or heart failure-a protocol for a systematic review of randomised clinical trials with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , 2019 , 8, 39 | 3 | 1 |
| 59 | Selective serotonin reuptake inhibitors are still harmful and ineffective. Responses to the comments by Hieronymus. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 276-284 | 3.9 | 1 |
| 58 | Antibiotics for adults with acute cholecystitis or acute cholangitis or both. <i>The Cochrane Library</i> , 2020 , | 5.2 | 1 |
| 57 | Dr. Uhre et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020 , 59, 787-791 | 1 | 1 |
| 56 | DEX-2-TKA - DEXamethasone twice for pain treatment after Total Knee Arthroplasty: Detailed statistical analysis plan for a randomized, blinded, three-group multicentre clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 839-846 | 1.9 | 1 |
| 55 | Beta-blockers for heart failure. <i>The Cochrane Library</i> , 2017 , | 5.2 | 1 |
| 54 | Who is wrong? Responses to Kwo et al. <i>American Journal of Gastroenterology</i> , 2018 , 113, 779-780 | 0.7 | 1 |
| 53 | Beta-blockers for suspected or diagnosed acute myocardial infarction. <i>The Cochrane Library</i> , 2016 , | 5.2 | 1 |
| 52 | Radix Sophorae flavescens versus no intervention or placebo for chronic hepatitis B. <i>The Cochrane Library</i> , 2019 , 4, CD013089 | 5.2 | 1 |
| 51 | Dynamic LED light versus static LED light for depressed inpatients: results from a randomized feasibility trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 5 | 1.9 | 1 |
| 50 | Antibiotics for hospital-acquired pneumonia in neonates and children. <i>The Cochrane Library</i> , 2021 , 11, CD013864 | 5.2 | 1 |
| 49 | Beta-blockers in patients without heart failure after myocardial infarction. <i>The Cochrane Library</i> , 2021 , 11, CD012565 | 5.2 | 1 |
| 48 | Interventions for altering blood pressure in people with acute subarachnoid haemorrhage. <i>The Cochrane Library</i> , 2021 , 11, CD013096 | 5.2 | 1 |
| 47 | Sexual transmission of Hepatitis C Virus infection in a heterosexual population: A systematic review. <i>HRB Open Research</i> , 2018 , 1, 10 | 1.2 | 1 |
| 46 | Sertraline in primary care: comments on the PANDA trial. <i>Lancet Psychiatry</i> , 2020 , 7, 17 | 23.3 | 1 |
| 45 | Effects of adding ivabradine to usual care in patients with angina pectoris: a systematic review of randomised clinical trials with meta-analysis and Trial Sequential Analysis. <i>Open Heart</i> , 2020 , 7, | 3 | 1 |
| 44 | Prognostic value of 12 novel cardiological biomarkers in stable coronary artery disease. A 10-year follow-up of the placebo group of the Copenhagen CLARICOR trial. <i>BMJ Open</i> , 2020 , 10, e033720 | 3 | 1 |

| | | | |
|----|--|------|---|
| 43 | The effects of adding quinolones to beta-lactam antibiotics for sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1023-1032 | 1.9 | 1 |
| 42 | The clinical effects of cerebral near-infrared spectroscopy monitoring (NIRS) versus no monitoring: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2021 , 10, 111 | 3 | 1 |
| 41 | Duloxetine versus Active Placebo, placebo or no intervention for major depressive disorder; a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2021 , 10, 171 | 3 | 1 |
| 40 | Central data monitoring in the multicentre randomised SafeBoosC-III trial - a pragmatic approach. <i>BMC Medical Research Methodology</i> , 2021 , 21, 160 | 4.7 | 1 |
| 39 | Hospitalisation in short-stay units for internal medicine diseases and conditions. <i>The Cochrane Library</i> , 2016 , | 5.2 | 1 |
| 38 | Non-acute percutaneous coronary intervention versus medical therapy in patients with ischaemic heart disease. <i>The Cochrane Library</i> , 2016 , | 5.2 | 1 |
| 37 | Drug-eluting stents versus bare-metal stents for stable ischaemic heart disease. <i>The Cochrane Library</i> , 2016 , | 5.2 | 1 |
| 36 | Thrombolysis for acute upper extremity deep vein thrombosis. <i>The Cochrane Library</i> , 2016 , | 5.2 | 1 |
| 35 | Fever control interventions versus placebo, sham or no intervention in adults: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>BMJ Open</i> , 2019 , 9, e032389 | 3 | 1 |
| 34 | Cannabinoids versus placebo or no intervention for pain: protocol for a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2019 , 9, e031574 | 3 | 1 |
| 33 | Acupuncture for chronic hepatitis B. <i>The Cochrane Library</i> , 2019 , 8, CD013107 | 5.2 | 1 |
| 32 | Letter to Editor: Response to AASLD Editorial/Message from the President. <i>Hepatology</i> , 2019 , 69, 2300 | 11.2 | 1 |
| 31 | Considerations on the strengths and limitations of using disease-related mortality as an outcome in clinical research. <i>BMJ Evidence-Based Medicine</i> , 2021 , 26, 127-130 | 2.7 | 1 |
| 30 | Antibiotics for hospital-acquired pneumonia in neonates and children. <i>The Cochrane Library</i> , | 5.2 | 1 |
| 29 | An internet-based emotion regulation intervention versus no intervention for nonsuicidal self-injury in adolescents: study protocol for a feasibility trial. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 44 | 1.9 | 1 |
| 28 | Lenient rate control versus strict rate control for atrial fibrillation: a protocol for the Danish Atrial Fibrillation (DanAF) randomised clinical trial. <i>BMJ Open</i> , 2021 , 11, e044744 | 3 | 1 |
| 27 | Interventions for altering blood pressure in people with acute subarachnoid haemorrhage. <i>The Cochrane Library</i> , 2018 , | 5.2 | 1 |
| 26 | Acupuncture for chronic hepatitis B. <i>The Cochrane Library</i> , 2018 , | 5.2 | 1 |

| | | | |
|----|---|-----|---|
| 25 | Antibiotic prophylaxis for people with cirrhosis and variceal bleeding. <i>The Cochrane Library</i> , 2018 , | 5.2 | 1 |
| 24 | An Internet-based emotion regulation intervention versus no intervention for non-suicidal self-injury in adolescents: a statistical analysis plan for a feasibility randomised clinical trial. <i>Trials</i> , 2021 , 22, 456 | 2.8 | 1 |
| 23 | Self-determination theory interventions versus usual care in people with diabetes: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2021 , 10, 12 | 3 | 1 |
| 22 | Antibiotic regimens for early-onset neonatal sepsis. <i>The Cochrane Library</i> , | 5.2 | 1 |
| 21 | Antibiotic regimens for late-onset neonatal sepsis. <i>The Cochrane Library</i> , | 5.2 | 1 |
| 20 | Comparison of different mobile health applications for intervention in children and adolescent with overweight: a protocol for systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2020 , 10, e032570 | 3 | 0 |
| 19 | Coronary artery bypass surgery plus medical therapy versus medical therapy alone for ischaemic heart disease: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2019 , 8, 246 | 3 | 0 |
| 18 | Short-term outcomes of phosphodiesterase type 5 inhibitors for fetal growth restriction: a study protocol for a systematic review with individual participant data meta-analysis, aggregate meta-analysis, and trial sequential analysis. <i>Systematic Reviews</i> , 2021 , 10, 305 | 3 | 0 |
| 17 | Benefits and harm of paracetamol and ibuprofen in combination for post-operative pain: Pre-planned subgroup analyses of the multicenter, randomized PANSALD trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 245-253 | 1.9 | 0 |
| 16 | Psychotherapy versus treatment as usual and other control interventions in children and adolescents with overweight and obesity: a protocol for systematic review with meta-analysis and Trial Sequential Analysis. <i>BMJ Open</i> , 2020 , 10, e036058 | 3 | 0 |
| 15 | Detailed statistical analysis plan for the short-term versus long-term mentalisation-based therapy for outpatients with subthreshold or diagnosed borderline personality disorder randomised clinical trial (MBT-RCT). <i>Trials</i> , 2021 , 22, 497 | 2.8 | 0 |
| 14 | Participants with mild, moderate, or severe pain following total hip arthroplasty. A sub-study of the PANSALD trial on paracetamol and ibuprofen for postoperative pain treatment. <i>Scandinavian Journal of Pain</i> , 2021 , 21, 384-392 | 1.9 | 0 |
| 13 | Cerebral near-infrared spectroscopy monitoring (NIRS) in children and adults: a systematic review with meta-analysis.. <i>Pediatric Research</i> , 2022 , | 3.2 | 0 |
| 12 | Family-based cognitive behavioural therapy versus family-based relaxation therapy for obsessive-compulsive disorder in children and adolescents: protocol for a randomised clinical trial (the TECTO trial).. <i>BMC Psychiatry</i> , 2022 , 22, 204 | 4.2 | 0 |
| 11 | Guided self-determination intervention versus attention control for people with type 2 diabetes in outpatient clinics: a protocol for a randomised clinical trial.. <i>BMJ Open</i> , 2021 , 11, e047037 | 3 | 0 |
| 10 | Biomarkers of brain injury after cardiac arrest; a statistical analysis plan from the TTM2 trial biobank investigators. <i>Resuscitation Plus</i> , 2022 , 10, 100258 | 1.4 | 0 |
| 9 | Predictive accuracy of difficult mask ventilation assessment methods - a reply. <i>Anaesthesia</i> , 2017 , 72, 787-788 | 6.6 | |
| 8 | Glucocorticosteroids for sepsis in children. A protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 819-826 | 1.9 | |

| | | |
|---|--|------|
| 7 | Statistical analysis plan: Early mobilization by head-up tilt with stepping versus standard care after severe traumatic brain injury. <i>Contemporary Clinical Trials Communications</i> , 2021 , 24, 100856 | 1.8 |
| 6 | Sertraline in primary care: comments on the PANDA trial. <i>Lancet Psychiatry</i> , 2020 , 7, 18-19 | 23.3 |
| 5 | Dynamic LED-light versus static LED-light for depressed inpatients: study protocol for a randomised clinical study. <i>BMJ Open</i> , 2020 , 10, e032233 | 3 |
| 4 | A1066 Strategies for blood pressure reduction in low- and middle-income countries. <i>Journal of Hypertension</i> , 2018 , 36, e269 | 1.9 |
| 3 | A screening method to spot biomarkers that may warn of serious events in a chronic disease—illustrated by cardiological CLARICOR trial data. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1852-1860 | 5.9 |
| 2 | Higher versus lower fraction of inspired oxygen or targets of arterial oxygenation for adults admitted to the intensive care unit. <i>Emergencias</i> , 2021 , 33, 309-311 | 0.9 |
| 1 | Interventions for Altering Blood Pressure in People With Acute Subarachnoid Hemorrhage.. <i>Stroke</i> , 2022 , 53, e156-e157 | 6.7 |