

Xingyu Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4139874/publications.pdf>

Version: 2024-02-01

27

papers

357

citations

933447

10

h-index

794594

19

g-index

27

all docs

27

docs citations

27

times ranked

197

citing authors

#	ARTICLE	IF	CITATIONS
1	Phase evolution and dielectric properties of $\text{La}_2\text{O}_3-\text{B}_2\text{O}_3-\text{ZnO}$ glass-ceramics/ Al_2O_3 composites for LTCC substrates at high frequencies. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 12436-12446.	2.2	3
2	Effects of $\text{Pb}-\text{Si}-\text{O}$ glass on the microstructures and electrical properties of silver electrode for LTCC application. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 17814-17827.	2.2	4
3	The influence of glass particle size on the interfacial bonding strength of Au/ceramic co-fired structure. <i>Microelectronics Reliability</i> , 2021, 117, 114039.	1.7	0
4	Comprehensive effects of La/B ratio and CaO additive on the efficiency of lanthanum borate glass-ceramics as sintering aids for LTCC application. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 24369-24380.	2.2	4
5	Effect of composition on crystallization behavior of $\text{La}_{2-x}\text{O}_{3-x}\text{-CaO}$ glass-ceramics. <i>Journal of Physics: Conference Series</i> , 2021, 2021, 012062.	0.4	0
6	Sintering characteristics and microwave dielectric properties of $0.5(\text{Ca}_0.7\text{Nd}_0.2)\text{TiO}_{3-x}\text{O}_{3-x}\text{-}0.5(\text{Li}_0.5\text{Nd}_0.5)\text{TiO}_{3-x}$ ceramics with $\text{La}_{2-x}\text{O}_{3-x}\text{-B}_{2-x}\text{O}_{3-x}\text{-CaO-P}_{2-x}\text{O}_{5-x}$ additive. <i>International Journal of Modern Physics B</i> , 2021, 35, .	2.0	0
7	Improvement of gold electrode conductivity after cofiring with $\text{CaO-B}_2\text{O}_3-\text{SiO}_2$ green tapes for LTCC application. <i>Ceramics International</i> , 2020, 46, 493-499.	4.8	9
8	Decrease in the camber degree of Au/ceramic co-fired structure for LTCC technology. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 17225-17232.	2.2	2
9	Sintering behavior and dielectric properties of $\text{La}_2\text{O}_3-\text{B}_2\text{O}_3-\text{CaO-P}_2\text{O}_5$ glass/ Al_2O_3 composites for LTCC applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 18581-18589.	2.2	5
10	Low temperature sintering and characterization of $\text{La}_2\text{O}_3\text{-B}_2\text{O}_3\text{-CaO}$ glass-ceramic/ LaBO_3 composites for LTCC application. <i>Journal of the European Ceramic Society</i> , 2020, 40, 2382-2389.	5.7	27
11	Effects of alkaline earth oxides on the densification and microwave properties of low-temperature fired $\text{BaO-Al}_2\text{O}_3\text{-SiO}_2$ glass-ceramic/ Al_2O_3 composites. <i>Journal of Materials Science</i> , 2019, 54, 12371-12380.	3.7	26
12	Investigation of microstructure and dielectric properties of LaMnO_3 doped BaTiO_3 ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 18227-18233.	2.2	5
13	Influence of La/B ratio on the structure, sinterability and crystallization of $\text{La}_2\text{O}_3-\text{B}_2\text{O}_3-\text{CaO}$ glass-ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14805-14812.	2.2	7
14	Sintering densification behaviors and crystallization characteristics of glass-ceramics formed by two types of $\text{CaO-B}_2\text{O}_3\text{-SiO}_2$ glass. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 10352-10359.	2.2	8
15	The effect of CaO-SiO_2 and $\text{B}_2\text{O}_3\text{-O-SiO}_2$ on the sintering contraction behaviors of $\text{CaO-B}_2\text{O}_3\text{-SiO}_2$ glass-ceramics. <i>International Journal of Modern Physics B</i> , 2019, 33, 1950070.	2.0	17
16	A Two-stage Microgrid Reconfiguration Model With Mobile Energy Storage. , 2019, , .	0	0
17	Synthesis and characterization of low CTE value $\text{La}_2\text{O}_3\text{-B}_2\text{O}_3\text{-CaO-P}_2\text{O}_5$ glass/cordierite composites for LTCC application. <i>Ceramics International</i> , 2019, 45, 7203-7209.	4.8	20
18	Low temperature sintering and dielectric properties of $\text{La}_2\text{O}_3\text{-B}_2\text{O}_3\text{-Al}_2\text{O}_3$ glass-ceramic/ Al_2O_3 composites for LTCC applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 3098-3106.	2.2	16

#	ARTICLE	IF	CITATIONS
19	Research on controllable synthesis of silicon carbide whiskers and particles on graphite by chemical vapor reaction. <i>Journal of Materials Science</i> , 2019, 54, 2016-2024.	3.7	8
20	Synthesis and characterization of borosilicate glass/ β -spodumene/Al ₂ O ₃ composites with low CTE value for LTCC applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 9038-9044.	2.2	18
21	Influence of Surface Microstructures on Explosive Electron Emission Properties for Graphite Cathodes. <i>IEEE Transactions on Plasma Science</i> , 2017, 45, 959-968.	1.3	5
22	High-permittivity microwave dielectric ceramics based on (1 - x)T _j ETQ _q O _{0.0} rgBT /Overlock 10Tf 50 627Td (x)(<i>Li</i>) _{1-x} T _j ETQ _q O _{0.0} rgBT. <i>International Journal of Modern Physics B</i> , 2015, 29, 1540026.	2.0	3
23	Synthesis, characterization, and dielectric properties of low loss LaB ₀ 3 ceramics. <i>Journal of the European Ceramic Society</i> , 2013, 33, 3001-3006.	5.7	26
24	Effect of Bi ₄ B ₂ O ₉ addition on the sintering temperature and microwave dielectric properties of BaO-Nd ₂ O ₃ -TiO ₂ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 224-229.	2.2	6
25	Densification and characterization of SiO ₂ -B ₂ O ₃ -CaO-MgO glass/Al ₂ O ₃ composites for LTCC application. <i>Ceramics International</i> , 2013, 39, 6355-6361.	4.8	72
26	Low temperature sintering and microwave dielectric properties of Bi ₄ B ₂ O ₉ -added 0.25CaTiO ₃ -0.75(Li ₁ /2Nd ₁ /2)TiO ₃ ceramics. <i>Journal of Alloys and Compounds</i> , 2012, 541, 132-136.	5.5	20
27	Low Sintering Temperature Microwave Dielectric Ceramics and Composites Based on β -Bi ₂ O ₃ -B ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2012, 95, 3207-3213.	3.8	46