

Marc Denis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/414073/publications.pdf>

Version: 2024-02-01

152
papers

5,605
citations

100601

38
h-index

107981

68
g-index

159
all docs

159
docs citations

159
times ranked

7583
citing authors

#	ARTICLE	IF	CITATIONS
1	High efficacy of alectinib in a patient with advanced lung adenocarcinoma with 2 rare ALK fusion sites: a case report. <i>Translational Lung Cancer Research</i> , 2022, 11, 100-110.	1.3	6
2	HRAS Q61L Mutation as a Possible Target for Non-Small Cell Lung Cancer: Case Series and Review of Literature. <i>Current Oncology</i> , 2022, 29, 3748-3758.	0.9	7
3	Lung Cancer in France. <i>Journal of Thoracic Oncology</i> , 2021, 16, 21-29.	0.5	13
4	Concomitant mutation status of ALK-rearranged non-small cell lung cancers and its prognostic impact on patients treated with crizotinib. <i>Translational Lung Cancer Research</i> , 2021, 10, 1525-1535.	1.3	11
5	Circulating Tumor DNA Early Kinetics Predict Response of Metastatic Melanoma to Anti-PD1 Immunotherapy: Validation Study. <i>Cancers</i> , 2021, 13, 1826.	1.7	9
6	First-Line Afatinib plus Cetuximab for EGFR-Mutant Non-Small Cell Lung Cancer: Results from the Randomized Phase II IFCT-1503 ACE-Lung Study. <i>Clinical Cancer Research</i> , 2021, 27, 4168-4176.	3.2	9
7	MEM: An Algorithm for the Reliable Detection of Microsatellite Instability (MSI) on a Small NGS Panel in Colorectal Cancer. <i>Cancers</i> , 2021, 13, 4203.	1.7	3
8	KRAS mutations in metastatic colorectal cancer: from a de facto ban on anti-EGFR treatment in the past to a potential biomarker for precision medicine. <i>Expert Opinion on Biological Therapy</i> , 2021, 21, 1325-1334.	1.4	4
9	STK11/LKB1 Modulation of the Immune Response in Lung Cancer: From Biology to Therapeutic Impact. <i>Cells</i> , 2021, 10, 3129.	1.8	30
10	Phase II Study Evaluating the Mechanisms of Resistance on Tumor Tissue and Liquid Biopsy in Patients With EGFR-mutated Non-pretreated Advanced Lung Cancer Receiving Osimertinib Until and Beyond Radiologic Progression: The MELROSE Trial. <i>Clinical Lung Cancer</i> , 2020, 21, e10-e14.	1.1	18
11	Independent prognostic value of ultra-sensitive quantification of tumor pre-treatment T790M subclones in EGFR mutated non-small cell lung cancer (NSCLC) treated by first/second generation TKI, depends on variant allele frequency (VAF): Results of the French cooperative thoracic intergroup (IFCT) biomarkers France project. <i>Lung Cancer</i> , 2020, 140, 19-26.	0.9	16
12	Circulating Tumour DNA Is an Independent Prognostic Biomarker for Survival in Metastatic BRAF or NRAS-Mutated Melanoma Patients. <i>Cancers</i> , 2020, 12, 1871.	1.7	14
13	Circulating Tumor DNA as a Prognostic Determinant in Small Cell Lung Cancer Patients Receiving Atezolizumab. <i>Journal of Clinical Medicine</i> , 2020, 9, 3861.	1.0	23
14	Predictive molecular pathology in non-small cell lung cancer in France: The past, the present and the perspectives. <i>Cancer Cytopathology</i> , 2020, 128, 601-610.	1.4	13
15	Osimertinib for Front-Line Treatment of Locally Advanced or Metastatic EGFR-Mutant NSCLC Patients: Efficacy, Acquired Resistance and Perspectives for Subsequent Treatments. <i>Cancer Management and Research</i> , 2020, Volume 12, 12593-12602.	0.9	11
16	Potential treatment strategy for the rare osimertinib resistant mutation EGFR L718Q. <i>Journal of Thoracic Disease</i> , 2020, 12, 2771-2780.	0.6	13
17	EGFR mutation-positive NSCLC: factors to consider when deciding first-line therapy. <i>Expert Review of Anticancer Therapy</i> , 2020, 20, 365-372.	1.1	6
18	Efficacy of imiquimod in the management of lentigo maligna. <i>Journal of Clinical Oncology</i> , 2020, 38, 10074-10074.	0.8	0

#	ARTICLE	IF	CITATIONS
19	Detection of ALK and ROS1 fusion transcripts in FFPE samples of non-small cell lung cancer patients using a novel RT-PCR based assay and targeted RNA sequencing.. <i>Journal of Clinical Oncology</i> , 2020, 38, e21695-e21695.	0.8	0
20	Prospective evaluation of two screening methods for molecular testing of metastatic melanoma: Diagnostic performance of BRAF V600E immunohistochemistry and of a NRAS-BRAF fully automated real-time PCR-based assay. <i>PLoS ONE</i> , 2019, 14, e0221123.	1.1	14
21	Use of circulating tumoral DNA to guide treatment for metastatic melanoma. <i>Pharmacogenomics</i> , 2019, 20, 1259-1270.	0.6	6
22	A Randomized Non-Comparative Phase II Study of Anti-Programmed Cell Death-Ligand 1 Atezolizumab or Chemotherapy as Second-Line Therapy in Patients With Small Cell Lung Cancer: Results From the IFCT-1603 Trial. <i>Journal of Thoracic Oncology</i> , 2019, 14, 903-913.	0.5	132
23	The density of Tbet+ tumor-infiltrating T lymphocytes reflects an effective and druggable preexisting adaptive antitumor immune response in colorectal cancer, irrespective of the microsatellite status. <i>Oncolmmunology</i> , 2019, 8, e1562834.	2.1	7
24	Circulating free tumor DNA in non-small cell lung cancer (NSCLC): clinical application and future perspectives. <i>Journal of Thoracic Disease</i> , 2019, 11, S113-S126.	0.6	45
25	Circulating free tumor-derived DNA to detect EGFR mutations in patients with advanced NSCLC: French subset analysis of the ASSESS study. <i>Journal of Thoracic Disease</i> , 2019, 11, 1370-1378.	0.6	12
26	Continuation of Bevacizumab vs Cetuximab Plus Chemotherapy After First Progression in <i>KRAS</i> Wild-Type Metastatic Colorectal Cancer. <i>JAMA Oncology</i> , 2019, 5, 83.	3.4	63
27	Phase II randomized trial of afatinib with or without cetuximab as first-line treatment for EGFR mutated non-small cell lung cancer (NSCLC) patients (IFCT-1503 ACE-Lung).. <i>Journal of Clinical Oncology</i> , 2019, 37, 9079-9079.	0.8	5
28	PD-1 expression by tumor cell lines: A predictive marker in melanoma. <i>Experimental Dermatology</i> , 2018, 27, 647-655.	1.4	9
29	<i>BRAF</i> mutations might be more common than supposed in vulvar melanomas. <i>Experimental Dermatology</i> , 2018, 27, 210-213.	1.4	17
30	Multiple Hotspot Mutations Scanning by Single Droplet Digital PCR. <i>Clinical Chemistry</i> , 2018, 64, 317-328.	1.5	42
31	Quantitative monitoring of circulating tumor DNA predicts response of cutaneous metastatic melanoma to anti-PD1 immunotherapy. <i>Oncotarget</i> , 2018, 9, 25265-25276.	0.8	46
32	Treatment of a NSCLC patient with osimertinib based on the detection of the EGFR T790M resistance mutation in cerebrospinal fluid. <i>Lung Cancer</i> , 2017, 114, 111-112.	0.9	7
33	Independent association of PD-1 expression with noninactivated <i>VHL</i> clear cell renal cell carcinoma—A finding with therapeutic potential. <i>International Journal of Cancer</i> , 2017, 140, 142-148.	2.3	44
34	Circulating tumour DNA: analytical aspects and clinical applications for metastatic melanoma patients. <i>Annales De Biologie Clinique</i> , 2017, 75, 619-630.	0.2	7
35	Efficient treatment of a metastatic melanoma patient with a combination of BRAF and MEK inhibitors based on circulating tumor DNA analysis: a case report. <i>BMC Research Notes</i> , 2017, 10, 320.	0.6	7
36	Guide to detecting epidermal growth factor receptor (<i>EGFR</i>) mutations in ctDNA of patients with advanced non-small-cell lung cancer. <i>Oncotarget</i> , 2017, 8, 12501-12516.	0.8	112

#	ARTICLE	IF	CITATIONS
37	Clinical significance of BRAF mutation status in circulating tumor DNA of metastatic melanoma patients at baseline. <i>Experimental Dermatology</i> , 2016, 25, 783-788.	1.4	34
38	Routine molecular profiling of patients with advanced non-small-cell lung cancer: results of a 1-year nationwide programme of the French Cooperative Thoracic Intergroup (IFCT). <i>Lancet, The</i> , 2016, 387, 1415-1426.	6.3	790
39	Rapid clearance of circulating tumor DNA during treatment with AZD9291 of a lung cancer patient presenting the resistance EGFR T790M mutation. <i>Lung Cancer</i> , 2016, 91, 73-74.	0.9	28
40	Bevacizumab or cetuximab plus chemotherapy after progression with bevacizumab plus chemotherapy in patients with wtKRAS metastatic colorectal cancer: A randomized phase II study (Prodige 18). <i>Journal of Clinical Oncology</i> , 2016, 34, e20545-e20545.	10.0	1061
41	Cross-platform comparison of techniques to detect BRAF mutations in circulating tumor DNA of melanoma patients. <i>Journal of Clinical Oncology</i> , 2016, 34, e21026-e21026.	0.8	1
42	EGFR mutation detection in plasma of lung tumor patients to predict success in treatment with tyrosine kinase inhibitors in a routine clinical setting. <i>Journal of Clinical Oncology</i> , 2016, 34, e20545-e20545.	0.8	0
43	Activation of the prostaglandin D2 metabolic pathway in Crohn's disease: involvement of the enteric nervous system. <i>BMC Gastroenterology</i> , 2015, 15, 112.	0.8	22
44	Efficient Detection of BRAF Mutation in Plasma of Patients after Long-term Storage of Blood in Cell-Free DNA Blood Collection Tubes. <i>Clinical Chemistry</i> , 2015, 61, 886-888.	1.5	26
45	EGFR T790M resistance mutation in non small-cell lung carcinoma. <i>Clinica Chimica Acta</i> , 2015, 444, 81-85.	0.5	61
46	Effects of female increased body mass index on in vitro fertilization cycles outcome. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 382-388.	0.8	40
47	Assessment of high-sensitive methods for the detection of EGFR mutations in circulating free tumor DNA from NSCLC patients. <i>Pharmacogenomics</i> , 2015, 16, 1135-1148.	0.6	26
48	Comparative analysis of BRAF, NRAS and KIT mutation status between tumor tissues and autologous tumor cell-lines of stage III/IV melanoma. <i>Experimental Dermatology</i> , 2015, 24, 70-73.	1.4	5
49	Detection of BRAF V600 Mutations in Melanoma: Evaluation of Concordance between the Cobas® 4800 BRAF V600 Mutation Test and the Methods Used in French National Cancer Institute (INCa) Platforms in a Real-Life Setting. <i>PLoS ONE</i> , 2015, 10, e0120232.	1.1	24
50	Younger age at the time of first metastasis in BRAF-mutated compared to BRAF wild-type melanoma patients. <i>Oncology Reports</i> , 2014, 32, 808-814.	1.2	6
51	Is a Single BRAF Wild-Type Test Sufficient to Exclude Melanoma Patients from Vemurafenib Therapy?. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1468-1470.	0.3	37
52	Adoptive TIL Transfer in the Adjuvant Setting for Melanoma: Long-Term Patient Survival. <i>Journal of Immunology Research</i> , 2014, 2014, 1-10.	0.9	25
53	Efficiency of the Therascreen® RGQ PCR kit for the detection of EGFR mutations in non-small cell lung carcinomas. <i>Clinica Chimica Acta</i> , 2014, 429, 8-11.	0.5	43
54	A Multicenter Blinded Study Evaluating EGFR and KRAS Mutation Testing Methods in the Clinical Setting of the IFCT/ERMETIC2 Project Part 1. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 45-55.	1.2	31

#	ARTICLE	IF	CITATIONS
55	Detection of EGFR Mutations in the Plasma of Patients with Lung Adenocarcinoma for Real-Time Monitoring of Therapeutic Response to Tyrosine Kinase Inhibitors?. Journal of Thoracic Oncology, 2014, 9, e49-e50.	0.5	19
56	BRAF mutation in circulating DNA of melanoma patients at baseline and intertumor heterogeneity.. Journal of Clinical Oncology, 2014, 32, 9017-9017.	0.8	0
57	Detection of BRAF mutations in the plasma of melanoma patients as an early marker of treatment efficiency.. Journal of Clinical Oncology, 2014, 32, 9069-9069.	0.8	0
58	Combining two biomarkers, IDH1/2 mutations and 1p/19q codeletion, to stratify anaplastic oligodendroglioma in three groups: a single-center experience. Journal of Neuro-Oncology, 2013, 114, 85-91.	1.4	28
59	New chondrosarcoma cell lines and mouse models to study the link between chondrogenesis and chemoresistance. Laboratory Investigation, 2013, 93, 1100-1114.	1.7	36
60	Plasma is a better source of tumor-derived circulating cell-free DNA than serum for the detection of EGFR alterations in lung tumor patients. Lung Cancer, 2013, 82, 373-374.	0.9	73
61	Improvement of the quality of BRAF testing in melanomas with nationwide external quality assessment, for the BRAF EQA group. BMC Cancer, 2013, 13, 472.	1.1	11
62	Difficulties in immunofixation analysis: a concordance study on the IFM 2007-02 trial. Blood Cancer Journal, 2013, 3, e154-e154.	2.8	7
63	Detection of EGFR gene mutations in non-small cell lung cancer: Lessons from a single-institution routine analysis of 1,403 tumor samples. International Journal of Oncology, 2013, 43, 1045-1051.	1.4	32
64	Performance and Cost Efficiency of KRAS Mutation Testing for Metastatic Colorectal Cancer in Routine Diagnosis: The MOKAECM Study, a Nationwide Experience. PLoS ONE, 2013, 8, e68945.	1.1	23
65	Biomarkers (BM) France: Results of routine EGFR, HER2, KRAS, BRAF, PI3KCA mutations detection and EML4-ALK gene fusion assessment on the first 10,000 non-small cell lung cancer (NSCLC) patients (pts).. Journal of Clinical Oncology, 2013, 31, 8000-8000.	0.8	70
66	Efficient detection of EGFR, KRAS, and BRAF mutations in cell-free DNA from pleural effusions.. Journal of Clinical Oncology, 2013, 31, e19151-e19151.	0.8	0
67	Detection of EGFR alterations in circulating cell-free DNA of lung tumor patients: Higher sensitivity obtained with plasma compared to serum.. Journal of Clinical Oncology, 2013, 31, e19046-e19046.	0.8	0
68	Comparison of immunohistochemistry, DNA sequencing and allele-specific PCR for the detection of IDH1 mutations in gliomas. International Journal of Oncology, 2012, 40, 2058-62.	1.4	23
69	Paraffin-embedded tissue is less accurate than frozen section analysis for determining VHL mutational status in sporadic renal cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2012, 30, 469-475.	0.8	8
70	Ovarian Reserve in Young Women of Reproductive Age with Crohn's Disease. Inflammatory Bowel Diseases, 2012, 18, 1515-1522.	0.9	47
71	Routine detection of EGFR gene mutations in lung carcinomas: A 2-year single-center experience.. Journal of Clinical Oncology, 2012, 30, e21117-e21117.	0.8	0
72	Relationship between IDH1 mutation status and magnetic resonance imaging features in WHO grade II and III oligodendroglial tumors.. Journal of Clinical Oncology, 2012, 30, 2082-2082.	0.8	0

#	ARTICLE	IF	CITATIONS
73	PPAR β is functionally expressed in clear cell renal cell carcinoma. International Journal of Oncology, 2011, 38, 851-7.	1.4	3
74	Enteric glia modulate epithelial cell proliferation and differentiation through 15-deoxy- $\Delta^{12,14}$ -prostaglandin J2. Journal of Physiology, 2010, 588, 2533-2544.	1.3	81
75	Zoledronic Acid Potentiates mTOR Inhibition and Abolishes the Resistance of Osteosarcoma Cells to RAD001 (Everolimus): Pivotal Role of the Prenylation Process. Cancer Research, 2010, 70, 10329-10339.	0.4	92
76	Loss of expression of TIMP3 in clear cell renal cell carcinoma. European Journal of Cancer, 2010, 46, 1430-1437.	1.3	44
77	HtrA3 is regulated by 15-deoxy- $\Delta^{12,14}$ -prostaglandin J2 independently of PPAR β in clear cell renal cell carcinomas. Biochemical and Biophysical Research Communications, 2010, 394, 453-458.	1.0	16
78	KLF4-dependent, PPAR β -induced expression of GPA33 in colon cancer cell lines. International Journal of Cancer, 2009, 125, 2802-2809.	2.3	62
79	TACE inhibition amplifies TNF-alpha-mediated colonic epithelial barrier disruption. International Journal of Molecular Medicine, 2009, 23, 41-8.	1.8	32
80	Experimental infection of specific pathogen-free pigs with Campylobacter: Excretion in faeces and transmission to non-inoculated pigs. Veterinary Microbiology, 2008, 131, 309-317.	0.8	20
81	Mucosal IL-10 and TGF- β 2 play crucial roles in preventing LPS-driven, IFN- γ -mediated epithelial damage in human colon explants. Journal of Clinical Investigation, 2008, 118, 1132-42.	3.9	117
82	Involvement of the serrated neoplasia pathway in inflammatory bowel disease-related colorectal oncogenesis. Oncology Reports, 2007, 18, 1093.	1.2	16
83	Low expression of ORF4, a dominant negative variant of peroxisome proliferator-activated receptor β , in colorectal adenocarcinoma. Oncology Reports, 2007, 18, 489.	1.2	0
84	Altered Calreticulin expression in human colon cancer: Maintenance of Calreticulin expression is associated with mucinous differentiation. Oncology Reports, 2007, 17, 1101-7.	1.2	27
85	Measurement of serum Anti-M μ llerian Hormone by Beckman Coulter ELISA and DSL ELISA: Comparison and relevance in Assisted Reproduction Technology (ART). Clinica Chimica Acta, 2007, 375, 162-164.	0.5	114
86	Prognostic value of peripheral blood double detection of CK19 and MUC1 mRNA positive cells detected by RT-quantitative PCR in 94 breast cancer patients with a follow up of 9 years. Molecular Oncology, 2007, 1, 267-268.	2.1	13
87	Endogenous IL-10 prevents LPS-induced IFN γ production in the human colonic mucosa. FASEB Journal, 2007, 21, A589.	0.2	0
88	Low expression of ORF4, a dominant negative variant of peroxisome proliferator-activated receptor gamma, in colorectal adenocarcinoma. Oncology Reports, 2007, 18, 489-95.	1.2	1
89	Involvement of the serrated neoplasia pathway in inflammatory bowel disease-related colorectal oncogenesis. Oncology Reports, 2007, 18, 1093-7.	1.2	39
90	ADAM15 upregulation and interaction with multiple binding partners in inflammatory bowel disease. Laboratory Investigation, 2006, 86, 1064-1073.	1.7	29

#	ARTICLE	IF	CITATIONS
91	Human colonic myocytes are involved in postischemic inflammation through ADAM17-dependent TNF α production. <i>British Journal of Pharmacology</i> , 2006, 147, 64-72.	2.7	22
92	Up-regulated expression of ADAM17 in human colon carcinoma: co-expression with EGFR in neoplastic and endothelial cells. <i>Journal of Pathology</i> , 2005, 207, 156-163.	2.1	121
93	The PPAR α K422Q mutation does not contribute to troglitazone inefficiency in colon cancer treatment. <i>Cancer Letters</i> , 2005, 224, 111-116.	3.2	7
94	Growth inhibitory effect of celecoxib and rofecoxib on human colorectal carcinoma cell lines. <i>Anticancer Research</i> , 2005, 25, 225-33.	0.5	12
95	Position in Cell Cycle Controls the Sensitivity of Colon Cancer Cells to Nitric Oxide-Dependent Programmed Cell Death. <i>Cancer Research</i> , 2004, 64, 4227-4234.	0.4	54
96	Loss of NOS1 expression in high-grade renal cell carcinoma associated with a shift of NO signalling. <i>British Journal of Cancer</i> , 2004, 90, 2364-2369.	2.9	13
97	Vasoactive intestinal peptide induces IL-8 production in human colonic epithelial cells via MAP kinase-dependent and PKA-independent pathways. <i>Biochemical and Biophysical Research Communications</i> , 2004, 317, 187-191.	1.0	30
98	Real-time allele-specific amplification for sensitive detection of the BRAF mutation V600E. <i>Molecular and Cellular Probes</i> , 2004, 18, 349-352.	0.9	85
99	Expression of NOS1 and soluble guanylyl cyclase by human kidney epithelial cells: Morphological evidence for an autocrine/paracrine action of nitric oxide. <i>Kidney International</i> , 2003, 64, 170-180.	2.6	28
100	Molecular mechanisms involved in the antiproliferative effect of two COX-2 inhibitors, nimesulide and NS-398, on colorectal cancer cell lines. <i>Digestive and Liver Disease</i> , 2003, 35, 557-565.	0.4	18
101	Identification of secreted CD155 isoforms. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 175-182.	1.0	59
102	Human ENS regulates the intestinal epithelial barrier permeability and a tight junction-associated protein ZO-1 via VIPergic pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, G1028-G1036.	1.6	151
103	Sampling and the detection of melanoma cells in blood. <i>Melanoma Research</i> , 2002, 12, 291-292.	0.6	5
104	Growth phase-dependent expression of ICAD-L/DFF45 modulates the pattern of apoptosis in human colonic cancer cells. <i>Cancer Research</i> , 2002, 62, 2169-74.	0.4	37
105	Organization of the rat TAGE4 gene and herpesvirus entry activity of the encoded protein. <i>Gene</i> , 2001, 265, 185-194.	1.0	23
106	Epitope mapping of four novel CD44 monoclonal antibodies using surface plasmon resonance and soluble CD44. <i>Transfusion Medicine</i> , 2001, 11, 447-454.	0.5	3
107	Overexpression of the CD155 gene in human colorectal carcinoma. <i>Gut</i> , 2001, 49, 236-240.	6.1	233
108	Limitations of CD44v6 amplification for the detection of tumour cells in the blood of colorectal cancer patients. <i>British Journal of Cancer</i> , 2000, 82, 1283-1289.	2.9	12

#	ARTICLE	IF	CITATIONS
109	Detection of MUC1-expressing mammary carcinoma cells in the peripheral blood of breast cancer patients by real-time polymerase chain reaction. <i>Clinical Cancer Research</i> , 2000, 6, 3117-22.	3.2	71
110	Gene Walking by PCR Amplification of Short Fragments from Taq DNA Polymerase-Modified P1 Plasmid DNA and TA Cloning. <i>BioTechniques</i> , 1999, 27, 1118-1122.	0.8	5
111	Soluble CD44: quantification and molecular repartition in plasma of patients with colorectal cancer. <i>British Journal of Cancer</i> , 1999, 80, 1995-2000.	2.9	27
112	Mapping of two different alpha-L,2-fucosyltransferase genes to rat Chromosome 1q22-q31. <i>Mammalian Genome</i> , 1997, 8, 297-298.	1.0	4
113	The TAGE4 gene maps to rat Chromosome 1q22. <i>Mammalian Genome</i> , 1997, 8, 157-158.	1.0	9
114	Detection of disseminated tumor cells in peripheral blood of colorectal cancer patients. , 1997, 74, 540-544.		116
115	Circulating micrometastases following oncological surgery. <i>Lancet, The</i> , 1996, 347, 913.	6.3	40
116	Isolation and chromosomal location of mE4, a novel murine gene of the immunoglobulin superfamily. <i>Mammalian Genome</i> , 1996, 7, 636-637.	1.0	19
117	Over-expression of a novel member of the immunoglobulin superfamily in Min mouse intestinal adenomas. , 1996, 68, 817-821.		40
118	Glycosylation of a novel member of the immunoglobulin gene superfamily expressed in rat carcinoma cell lines. <i>International Journal of Cancer</i> , 1995, 61, 87-91.	2.3	5
119	Qualitative low-level internal control for nested RT-PCR. <i>BioTechniques</i> , 1995, 19, 906-8.	0.8	6
120	H blood group antigen carried by CD44V modulates tumorigenicity of rat colon carcinoma cells. <i>Cancer Research</i> , 1994, 54, 6275-81.	0.4	60
121	A novel member of the immunoglobulin gene superfamily expressed in rat carcinoma cell lines. <i>Journal of Biological Chemistry</i> , 1994, 269, 15601-5.	1.6	65
122	Analysis of the relationship between stage of differentiation and nk/lak susceptibility of colon carcinoma cells. <i>International Journal of Cancer</i> , 1993, 53, 409-417.	2.3	18
123	Over-expression of the S13 ribosomal protein in actively growing cells. <i>International Journal of Cancer</i> , 1993, 55, 275-280.	2.3	37
124	Cloning and analysis of the human S13 ribosomal protein cDNA. <i>Nucleic Acids Research</i> , 1993, 21, 2945-2945.	6.5	10
125	Biological effects of glucocorticoid hormones on two rat colon adenocarcinoma cell lines. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1992, 41, 739-745.	1.2	11
126	Isolation of cDNA clones corresponding to genes differentially expressed in two colon-carcinoma cell lines differing by their tumorigenicity. <i>International Journal of Cancer</i> , 1992, 50, 930-936.	2.3	6

#	ARTICLE	IF	CITATIONS
127	Possible involvement of TGF beta 1 in the distinct tumorigenic properties of two rat colon carcinoma clones. <i>Invasion & Metastasis</i> , 1992, 12, 185-96.	0.5	12
128	Expression of alkaline phosphatase in murine lymphoma cells. <i>Biochemical and Biophysical Research Communications</i> , 1991, 177, 125-133.	1.0	8
129	Characterization, isolation and amino terminal sequencing of a rat colon carcinoma-associated antigen. <i>International Journal of Cancer</i> , 1991, 47, 903-908.	2.3	18
130	A secreted Mr \approx 40,000 glycoprotein specifically induced by glucocorticoids in a rat colon carcinoma cell line. <i>International Journal of Cancer</i> , 1991, 48, 774-778.	2.3	3
131	One-step 104-fold purification of transformed glucocorticoid receptor. <i>Journal of Chromatography A</i> , 1990, 508, 97-107.	1.8	8
132	Reaction of tyrosyl-modifying reagents with the ligand- and DNA-binding domains of the rabbit liver glucocorticoid receptor. <i>The Journal of Steroid Biochemistry</i> , 1990, 36, 15-23.	1.3	3
133	The transformed glucocorticoid receptor has a lower steroid-binding affinity than the nontransformed receptor. <i>Biochemistry</i> , 1990, 29, 1880-1886.	1.2	101
134	Glucocorticoid effects and receptors in two rat colon carcinoma cell lines differing by their tumorigenicity. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1990, 37, 223-230.	1.2	11
135	The specific DNA binding activity of the dioxin receptor is modulated by the 90 kd heat shock protein. <i>EMBO Journal</i> , 1990, 9, 69-76.	3.5	61
136	Immunocytochemical localization of glucocorticoid receptor in human gingival fibroblasts and evidence for a colocalization of glucocorticoid receptor with cytoplasmic microtubules. <i>European Journal of Cell Biology</i> , 1990, 53, 390-401.	1.6	42
137	Structure, function and regulation of the glucocorticoid receptor. <i>Progress in Clinical and Biological Research</i> , 1990, 322, 65-80.	0.2	3
138	Structural differences between the glucocorticoid, dioxin and oxysterol receptors from rat liver cytosol. <i>Biochemical and Biophysical Research Communications</i> , 1989, 163, 444-451.	1.0	7
139	The non-activated glucocorticoid receptor: Structure and activation. <i>The Journal of Steroid Biochemistry</i> , 1989, 34, 53-62.	1.3	15
140	Occurrence of glucocorticoid binding sites in solubilized microsomes from rat liver. <i>The Journal of Steroid Biochemistry</i> , 1989, 34, 325-330.	1.3	8
141	Ligand-dependent interaction of the dioxin receptor with target DNA. <i>The Journal of Steroid Biochemistry</i> , 1989, 34, 375-377.	1.3	5
142	Specific protein-DNA interactions at a xenobiotic-responsive element: copurification of dioxin receptor and DNA-binding activity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 60-64.	3.3	116
143	The Association of the Glucocorticoid Receptor with Mr 90,000 Heat Shock Protein and Tubulin. , 1989, , 41-53.		0
144	Translation of glucocorticoid receptor mRNA in vitro yields a nonactivated protein. <i>Journal of Biological Chemistry</i> , 1989, 264, 6005-8.	1.6	39

#	ARTICLE	IF	CITATIONS
145	Two-step purification and N-terminal amino acid sequence analysis of the rat Mr 90,000 heat shock protein. <i>Analytical Biochemistry</i> , 1988, 173, 405-411.	1.1	32
146	Requirement of hormone for thermal conversion of the glucocorticoid receptor to a DNA-binding state. <i>Nature</i> , 1988, 333, 686-688.	13.7	195
147	Subunit composition of the molybdate-stabilized non-activated glucocorticoid receptor from rat liver. <i>The Journal of Steroid Biochemistry</i> , 1988, 30, 271-276.	1.3	15
148	Application of high-performance ion-exchange chromatography to the analysis of cytosolic glucocorticoid receptor. <i>The Journal of Steroid Biochemistry</i> , 1988, 30, 281-285.	1.3	11
149	Association of the dioxin receptor with the Mr 90,000 heat shock protein: A structural kinship with the glucocorticoid receptor. <i>Biochemical and Biophysical Research Communications</i> , 1988, 155, 801-807.	1.0	229
150	Interaction of the glucocorticoid receptor with the Mr 90 000 heat shock protein. <i>Biochemical Society Transactions</i> , 1988, 16, 688-690.	1.6	9
151	Interaction of the Mr = 90,000 heat shock protein with the steroid-binding domain of the glucocorticoid receptor. <i>Journal of Biological Chemistry</i> , 1988, 263, 18520-3.	1.6	86
152	Nontransformed rabbit liver glucocorticoid receptor: purification, characterization and transformation. <i>Biochimie</i> , 1985, 67, 1267-1278.	1.3	11