

Johannes J Van Lieshout

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4141545/johannes-j-van-lieshout-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers

8,314
citations

51
h-index

86
g-index

209
ext. papers

9,145
ext. citations

5.1
avg, IF

5.75
L-index

#	Paper	IF	Citations
186	Influence of breathing on variation in cardiac stroke volume at the onset of cycling. <i>European Journal of Applied Physiology</i> , 2021 , 121, 3061-3067	3.4	1
185	Cerebral Blood Flow in Patients with Severe Aortic Valve Stenosis Undergoing Transcatheter Aortic Valve Implantation. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 494-499	5.6	3
184	Systemic and cerebral circulatory adjustment within the first 60s after active standing: An integrative physiological view. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021 , 231, 102756	2.4	11
183	Central Hypovolemia Detection During Environmental Stress-A Role for Artificial Intelligence?. <i>Frontiers in Physiology</i> , 2021 , 12, 784413	4.6	1
182	Novel Methods for Quantification of Vasodepression and Cardioinhibition During Tilt-Induced Vasovagal Syncope. <i>Circulation Research</i> , 2020 , 127, e126-e138	15.7	16
181	Neurovascular coupling and cerebral autoregulation in atrial fibrillation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020 , 40, 1647-1657	7.3	24
180	Cerebral vs. Cardiovascular Responses to Exercise in Type 2 Diabetic Patients. <i>Frontiers in Physiology</i> , 2020 , 11, 583155	4.6	1
179	Impaired Cerebrovascular Reactivity in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 1230-1232	15.1	12
178	Slow sinusoidal tilt movements demonstrate the contribution to orthostatic tolerance of cerebrospinal fluid movement to and from the spinal dural space. <i>Physiological Reports</i> , 2019 , 7, e14001	2.6	1
177	Aortic valve calcification volumes and chronic brain infarctions in patients undergoing transcatheter aortic valve implantation. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 2123-2133	2.5	3
176	Neurovascular Coupling is Blunted in Atrial Fibrillation. <i>FASEB Journal</i> , 2019 , 33, 696.3	0.9	
175	Impaired nocturnal blood pressure dipping in patients with type 2 diabetes mellitus. <i>Hypertension Research</i> , 2019 , 42, 59-66	4.7	9
174	The effect of haemodynamic and peripheral vascular variability on cardiac output monitoring: thermodilution and non-invasive pulse contour cardiac output during cardiothoracic surgery. <i>Anaesthesia</i> , 2018 , 73, 1489-1499	6.6	8
173	Modeling Arterial Pulse Pressure From Heart Rate During Sympathetic Activation by Progressive Central Hypovolemia. <i>Frontiers in Physiology</i> , 2018 , 9, 353	4.6	1
172	Detecting central hypovolemia in simulated hypovolemic shock by automated feature extraction with principal component analysis. <i>Physiological Reports</i> , 2018 , 6, e13895	2.6	5
171	Sevoflurane based anaesthesia does not affect already impaired cerebral autoregulation in patients with type 2 diabetes mellitus. <i>British Journal of Anaesthesia</i> , 2018 , 121, 1298-1307	5.4	5
170	Cerebral autoregulatory performance and the cerebrovascular response to head-of-bed positioning in acute ischaemic stroke. <i>European Journal of Neurology</i> , 2018 , 25, 1365-e117	6	13

169	Blood pressure reduction after gastric bypass surgery is explained by a decrease in cardiac output. <i>Journal of Applied Physiology</i> , 2017 , 122, 223-229	3.7	7
168	Abnormal haemodynamic postural response in patients with chronic heart failure. <i>ESC Heart Failure</i> , 2017 , 4, 146-153	3.7	8
167	The cerebrovascular response to lower-body negative pressure vs. head-up tilt. <i>Journal of Applied Physiology</i> , 2017 , 122, 877-883	3.7	13
166	Design of the ExCersion-VCI study: The effect of aerobic exercise on cerebral perfusion in patients with vascular cognitive impairment. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 157-165	6	12
165	Novel method for intraoperative assessment of cerebral autoregulation by paced breathing. <i>British Journal of Anaesthesia</i> , 2017 , 119, 1141-1149	5.4	5
164	Support Vector Machine Based Monitoring of Cardio-Cerebrovascular Reserve during Simulated Hemorrhage. <i>Frontiers in Physiology</i> , 2017 , 8, 1057	4.6	6
163	Aging modifies the effect of cardiac output on middle cerebral artery blood flow velocity. <i>Physiological Reports</i> , 2017 , 5, e13361	2.6	16
162	A machine-learning based analysis for the recognition of progressive central hypovolemia. <i>Physiological Measurement</i> , 2017 , 38, 1791-1801	2.9	2
161	Middle cerebral artery diameter changes during rhythmic handgrip exercise in humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2921-2927	7.3	67
160	Blood Pressure Increase during Oxygen Supplementation in Chronic Kidney Disease Patients Is Mediated by Vasoconstriction Independent of Baroreflex Function. <i>Frontiers in Physiology</i> , 2017 , 8, 186	4.6	6
159	MPS 05-04 IMPAIRED NOCTURNAL BLOOD PRESSURE DECLINE IN TYPE 2 DIABETES MELLITUS. <i>Journal of Hypertension</i> , 2016 , 34, e90-e91	1.9	
158	Cardiovascular Response Patterns to Sympathetic Stimulation by Central Hypovolemia. <i>Frontiers in Physiology</i> , 2016 , 7, 235	4.6	3
157	A modified device for continuous non-invasive blood pressure measurements in humans under hyperbaric and/or oxygen-enriched conditions. <i>Diving and Hyperbaric Medicine</i> , 2016 , 46, 38-42	1	2
156	Bridging cardiovascular physics, physiology, and clinical practice: Karel H. Wesseling, pioneer of continuous noninvasive hemodynamic monitoring. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 308, H153-6	5.2	8
155	Impaired cerebral blood flow and oxygenation during exercise in type 2 diabetic patients. <i>Physiological Reports</i> , 2015 , 3, e12430	2.6	30
154	Arterial Pressure Variation as a Biomarker of Preload Dependency in Spontaneously Breathing Subjects - A Proof of Principle. <i>PLoS ONE</i> , 2015 , 10, e0137364	3.7	13
153	Paradigms of Cardiovascular Control in Response to Sympathetic Stimulation by Simulated Orthostatic Stress. <i>FASEB Journal</i> , 2015 , 29, 649.10	0.9	
152	Modifying Portapres Technology for Continuous Noninvasive Blood Pressure Measurements in the Hyperbaric Chamber. <i>FASEB Journal</i> , 2015 , 29, 1041.3	0.9	

151	Assessment of middle cerebral artery diameter during hypocapnia and hypercapnia in humans using ultra-high-field MRI. <i>Journal of Applied Physiology</i> , 2014 , 117, 1084-9	3.7	206
150	Hyperventilation, cerebral perfusion, and syncope. <i>Journal of Applied Physiology</i> , 2014 , 116, 844-51	3.7	34
149	Case report: (Pre)syncope symptoms associated with a negative internal jugular venous pressure. <i>Frontiers in Physiology</i> , 2014 , 5, 317	4.6	5
148	Cardiovascular consequence of reclining vs. sitting beach-chair body position for induction of anesthesia. <i>Frontiers in Physiology</i> , 2014 , 5, 187	4.6	6
147	Arterial pressure variations as parameters of brain perfusion in response to central blood volume depletion and repletion. <i>Frontiers in Physiology</i> , 2014 , 5, 157	4.6	11
146	Cause and mechanisms of intracranial atherosclerosis. <i>Circulation</i> , 2014 , 130, 1407-14	16.7	117
145	Determinants of vascular and cardiac baroreflex sensitivity values in a random population sample. <i>Medical and Biological Engineering and Computing</i> , 2014 , 52, 65-73	3.1	10
144	Cerebral perfusion, oxygenation and metabolism during exercise in young and elderly individuals. <i>Journal of Physiology</i> , 2013 , 591, 1859-70	3.9	78
143	Middle cerebral artery blood velocity during running. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, e32-7	4.6	13
142	Central versus peripheral blood pressure in malignant hypertension; effects of antihypertensive treatment. <i>American Journal of Hypertension</i> , 2013 , 26, 574-9	2.3	4
141	Hypovolemia explains the reduced stroke volume at altitude. <i>Physiological Reports</i> , 2013 , 1, e00094	2.6	25
140	Both acute and prolonged administration of EPO reduce cerebral and systemic vascular conductance in humans. <i>FASEB Journal</i> , 2012 , 26, 1343-8	0.9	15
139	Peripheral circulation. <i>Comprehensive Physiology</i> , 2012 , 2, 321-447	7.7	160
138	Orthostatic leg blood volume changes assessed by near-infrared spectroscopy. <i>Experimental Physiology</i> , 2012 , 97, 353-61	2.4	25
137	Effect of head rotation on cerebral blood velocity in the prone position. <i>Anesthesiology Research and Practice</i> , 2012 , 2012, 647258	1.1	21
136	Noninvasive continuous arterial blood pressure monitoring with Nexfin [®] . <i>Anesthesiology</i> , 2012 , 116, 1092-103	4.3	213
135	Noninvasive continuous hemodynamic monitoring. <i>Journal of Clinical Monitoring and Computing</i> , 2012 , 26, 267-78	2	107
134	Comparison of phase-contrast MR imaging and endovascular sonography for intracranial blood flow velocity measurements. <i>American Journal of Neuroradiology</i> , 2012 , 33, 1786-90	4.4	22

133	Endotoxemia reduces cerebral perfusion but enhances dynamic cerebrovascular autoregulation at reduced arterial carbon dioxide tension. <i>Critical Care Medicine</i> , 2012 , 40, 1873-8	1.4	19
132	Arterial wave reflection decreases gradually from supine to upright. <i>Blood Pressure</i> , 2011 , 20, 370-5	1.7	18
131	When nausea becomes a tricky question. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 154, 116-8	2.4	1
130	β -adrenergic receptor genotype influences the effect of nonselective vs. selective β blockade on baroreflex function in chronic heart failure. <i>International Journal of Cardiology</i> , 2011 , 153, 230-2	3.2	3
129	Effects of aging on the cerebrovascular orthostatic response. <i>Neurobiology of Aging</i> , 2011 , 32, 344-53	5.6	16
128	Active standing reduces wave reflection in the presence of increased peripheral resistance in young and old healthy individuals. <i>Journal of Hypertension</i> , 2011 , 29, 682-9	1.9	19
127	Baroreflex sensitivity is higher during acute psychological stress in healthy subjects under β adrenergic blockade. <i>Clinical Science</i> , 2011 , 120, 161-7	6.5	8
126	Noninvasive cardiac output monitoring during exercise testing: Nexfin pulse contour analysis compared to an inert gas rebreathing method and respired gas analysis. <i>Journal of Clinical Monitoring and Computing</i> , 2011 , 25, 315-21	2	31
125	Cardiac oxygen supply is compromised during the night in hypertensive patients. <i>Medical and Biological Engineering and Computing</i> , 2011 , 49, 1073-81	3.1	2
124	Intensive blood pressure control affects cerebral blood flow in type 2 diabetes mellitus patients. <i>Hypertension</i> , 2011 , 57, 738-45	8.5	40
123	Cerebral autoregulation dynamics in endurance-trained individuals. <i>Journal of Applied Physiology</i> , 2011 , 110, 1327-33	3.7	45
122	Pulse contour cardiac output derived from non-invasive arterial pressure in cardiovascular disease. <i>Anaesthesia</i> , 2010 , 65, 1119-25	6.6	163
121	Parasympathetic control of blood flow to the activated human brain. <i>Experimental Physiology</i> , 2010 , 95, 980-1	2.4	2
120	Heart rate during haemorrhage: time for reappraisal. <i>Journal of Physiology</i> , 2010 , 588, 19	3.9	7
119	The cerebrovascular pressure-flow relationship: a simple concept but a complex phenomenon. <i>Hypertension</i> , 2010 , 56, e2; author reply e3	8.5	4
118	Dynamic cerebral autoregulation and monitoring cerebral perfusion. <i>Hypertension</i> , 2010 , 56, 189-90	8.5	7
117	Noninvasive blood pressure measurement by the Nexfin monitor during reduced arterial pulsatility: a feasibility study. <i>ASAIO Journal</i> , 2010 , 56, 221-7	3.6	38
116	Central and cerebrovascular effects of leg crossing in humans with sympathetic failure. <i>Clinical Science</i> , 2010 , 118, 573-81	6.5	14

115	A definition of normovolaemia and consequences for cardiovascular control during orthostatic and environmental stress. <i>European Journal of Applied Physiology</i> , 2010 , 109, 141-57	3.4	31
114	Dynamic cerebral autoregulation in homozygous Sickle cell disease. <i>Stroke</i> , 2009 , 40, 808-14	6.7	28
113	Nexfin noninvasive continuous blood pressure validated against Riva-Rocci/Korotkoff. <i>American Journal of Hypertension</i> , 2009 , 22, 378-83	2.3	167
112	Techniques of cardiac output measurement during liver transplantation: arterial pulse wave versus thermodilution. <i>Liver Transplantation</i> , 2009 , 15, 287-91	4.5	33
111	Reply: Validation of a new cardiac output monitor. <i>Liver Transplantation</i> , 2009 , 15, 1651-1652	4.5	
110	Hypovolaemic shock and pain. <i>Experimental Physiology</i> , 2009 , 94, 626	2.4	
109	Jugular venous overflow of noradrenaline from the brain: a neurochemical indicator of cerebrovascular sympathetic nerve activity in humans. <i>Journal of Physiology</i> , 2009 , 587, 2589-97	3.9	60
108	Green urine, but no infection. <i>Lancet, The</i> , 2009 , 374, 1566	4.0	7
107	Cerebrovascular reserve capacity is impaired in patients with sickle cell disease. <i>Blood</i> , 2009 , 114, 3473-82	2.2	55
106	Transient influence of end-tidal carbon dioxide tension on the postural restraint in cerebral perfusion. <i>Journal of Applied Physiology</i> , 2009 , 107, 816-23	3.7	30
105	Frontal lobe oxygenation is maintained during hypotension following propofol-fentanyl anesthesia. <i>AANA Journal</i> , 2009 , 77, 271-6	0.5	15
104	Cerebral hemodynamics during treatment with sodium nitroprusside versus labetalol in malignant hypertension. <i>Hypertension</i> , 2008 , 52, 236-40	8.5	35
103	Cerebral blood flow and metabolism during exercise: implications for fatigue. <i>Journal of Applied Physiology</i> , 2008 , 104, 306-14	3.7	256
102	Lactate fuels the human brain during exercise. <i>FASEB Journal</i> , 2008 , 22, 3443-9	0.9	158
101	Point:Counterpoint: Sympathetic activity does/does not influence cerebral blood flow. Point: Sympathetic activity does influence cerebral blood flow. <i>Journal of Applied Physiology</i> , 2008 , 105, 1364-6	3.7	107
100	Dynamic cerebral autoregulatory capacity is affected early in Type 2 diabetes. <i>Clinical Science</i> , 2008 , 115, 255-62	6.5	71
99	Last Word on Point:Counterpoint: Sympathetic activity does/does not influence cerebral blood flow. <i>Journal of Applied Physiology</i> , 2008 , 105, 1374	3.7	12
98	Contrasting effects of isocapnic and hypocapnic hyperventilation on orthostatic circulatory control. <i>Journal of Applied Physiology</i> , 2008 , 105, 1069-75	3.7	15

97	Resistance exercise and control of cerebral blood flow in type 2 diabetes. <i>Diabetologia</i> , 2008 , 51, 1755-61.	10.3	5
96	Optimizing squatting as a physical maneuver to prevent vasovagal syncope. <i>Clinical Autonomic Research</i> , 2008 , 18, 179-86	4.3	17
95	Capillary-oxygenation-level-dependent near-infrared spectrometry in frontal lobe of humans. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 1082-93	7.3	157
94	Continuous cardiac output monitoring by blood pressure analysis. <i>Journal of Applied Physiology</i> , 2007 , 102, 826; author reply 827	3.7	3
93	Effects of hyperglycemia on the cerebrovascular response to rhythmic handgrip exercise. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H467-73	5.2	17
92	Management of initial orthostatic hypotension: lower body muscle tensing attenuates the transient arterial blood pressure decrease upon standing from squatting. <i>Clinical Science</i> , 2007 , 113, 401-7	6.5	35
91	Monitoring of goal-directed fluid challenge. <i>Critical Care Medicine</i> , 2007 , 35, 673; author reply 673-4	1.4	3
90	Cerebral autoregulation and CO ₂ responsiveness of the brain. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H2018; author reply H2019	5.2	4
89	Time course analysis of baroreflex sensitivity during postural stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H2864-74	5.2	66
88	MCA V _{mean} and the arterial lactate-to-pyruvate ratio correlate during rhythmic handgrip. <i>Journal of Applied Physiology</i> , 2006 , 101, 1406-11	3.7	32
87	Heterogeneity and prediction of hemodynamic responses to dobutamine in patients with septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 2392-8	1.4	27
86	Leg crossing improves orthostatic tolerance in healthy subjects: a placebo-controlled crossover study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H1768-72	5.2	44
85	The postural reduction in middle cerebral artery blood velocity is not explained by PaCO ₂ . <i>European Journal of Applied Physiology</i> , 2006 , 96, 609-14	3.4	68
84	Dynamic cerebral autoregulation in acute lacunar and middle cerebral artery territory ischemic stroke. <i>Stroke</i> , 2005 , 36, 2595-600	6.7	146
83	Hemodynamic effects of leg crossing and skeletal muscle tensing during free standing in patients with vasovagal syncope. <i>Journal of Applied Physiology</i> , 2005 , 98, 584-90	3.7	83
82	Varying the heart rate response to dynamic exercise in pacemaker-dependent subjects: effects on cardiac output and cerebral blood velocity. <i>Clinical Science</i> , 2005 , 109, 493-501	6.5	9
81	Stroke volume of the heart and thoracic fluid content during head-up and head-down tilt in humans. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 1287-92	1.9	58
80	Normovolaemia defined by central blood volume and venous oxygen saturation. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005 , 32, 901-10	3	33

79	Non-invasive pulsatile arterial pressure and stroke volume changes from the human finger. <i>Experimental Physiology</i> , 2005 , 90, 437-46	2.4	291
78	Leg crossing, muscle tensing, squatting, and the crash position are effective against vasovagal reactions solely through increases in cardiac output. <i>Journal of Applied Physiology</i> , 2005 , 99, 1697-703	3.7	66
77	Orthostatic blood pressure control before and after spaceflight, determined by time-domain baroreflex method. <i>Journal of Applied Physiology</i> , 2005 , 98, 1682-90	3.7	26
76	The siphon controversy: an integration of concepts and the brain as baffle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005 , 289, R627-9	3.2	20
75	Orthostatic blood pressure control in MarfanQ syndrome. <i>Europace</i> , 2005 , 7, 25-7	3.9	2
74	Falls and medications in the elderly. <i>Netherlands Journal of Medicine</i> , 2005 , 63, 91-6	0.5	21
73	Impaired cerebral autoregulation in patients with malignant hypertension. <i>Circulation</i> , 2004 , 110, 2241-51	6.7	190
72	Tidal volume, cardiac output and functional residual capacity determine end-tidal CO2 transient during standing up in humans. <i>Journal of Physiology</i> , 2004 , 554, 579-90	3.9	60
71	Human cerebral venous outflow pathway depends on posture and central venous pressure. <i>Journal of Physiology</i> , 2004 , 560, 317-27	3.9	181
70	Reconstruction of brachial pressure from finger arterial pressure during orthostasis. <i>Journal of Hypertension</i> , 2004 , 22, 1873-80	1.9	24
69	Physical Counterpressure Maneuvers to Prevent and Abort Vasovagal Syncope: A Novel Effective Treatment? 2004 , 633-639		
68	RECONSTRUCTION OF RADIAL ARTERY PRESSURE FROM NON-INVASIVE FINGER ARTERIAL PRESSURE MEASUREMENTS IN PATIENTS WITH ISCHEMIC HEART DISEASE. <i>Journal of Hypertension</i> , 2004 , 22, S280-S281	1.9	2
67	Syncope, cerebral perfusion, and oxygenation. <i>Journal of Applied Physiology</i> , 2003 , 94, 833-48	3.7	294
66	Middle cerebral artery blood velocity during intense static exercise is dominated by a Valsalva maneuver. <i>Journal of Applied Physiology</i> , 2003 , 94, 1335-44	3.7	65
65	Tracking of cardiac output from arterial pulse wave. <i>Clinical Science</i> , 2003 , 104, 239-239	6.5	1
64	Beat-to-beat noninvasive stroke volume from arterial pressure and Doppler ultrasound. <i>European Journal of Applied Physiology</i> , 2003 , 90, 131-7	3.4	107
63	Postural effects on cardiac output and mixed venous oxygen saturation in humans. <i>Experimental Physiology</i> , 2003 , 88, 611-6	2.4	62
62	Exercise training and orthostatic intolerance: a paradox?. <i>Journal of Physiology</i> , 2003 , 551, 401	3.9	9

61	Perfusion of the human brain: a matter of interactions. <i>Journal of Physiology</i> , 2003 , 551, 402	3.9	5
60	Tracking of cardiac output from arterial pulse wave. <i>Clinical Science</i> , 2003 , 104, 239; author reply 240	6.5	7
59	In vivo interaction of endotoxin and recombinant bactericidal/permeability-increasing protein (rBPI23): hemodynamic effects in a human endotoxemia model. <i>Translational Research</i> , 2002 , 140, 228-35		13
58	The fainting lark. <i>Clinical Autonomic Research</i> , 2002 , 12, 207	4.3	12
57	Extracellular fluid volume expansion in patients with posturally related syncope. <i>Clinical Autonomic Research</i> , 2002 , 12, 242-9	4.3	53
56	Twenty-four-hour non-invasive monitoring of systemic haemodynamics and cerebral blood flow velocity in healthy humans. <i>Acta Physiologica Scandinavica</i> , 2002 , 175, 1-9		26
55	Management of vasovagal syncope: controlling or aborting faints by leg crossing and muscle tensing. <i>Circulation</i> , 2002 , 106, 1684-9	16.7	271
54	Partial inhibition of nitric oxide synthesis in vivo does not inhibit glucose production in man. <i>Metabolism: Clinical and Experimental</i> , 2002 , 51, 57-64	12.7	9
53	Mechanisms underlying the impairment in orthostatic tolerance after nocturnal recumbency in patients with autonomic failure. <i>Clinical Science</i> , 2001 , 101, 609-618	6.5	36
52	Mechanisms underlying the impairment in orthostatic tolerance after nocturnal recumbency in patients with autonomic failure. <i>Clinical Science</i> , 2001 , 101, 609	6.5	14
51	Muscle tensing during standing: effects on cerebral tissue oxygenation and cerebral artery blood velocity. <i>Stroke</i> , 2001 , 32, 1546-51	6.7	130
50	Cerebrovascular and cardiovascular responses associated with orthostatic intolerance and tachycardia. <i>Clinical Autonomic Research</i> , 2001 , 11, 35-8	4.3	10
49	Continuous cardiac output by pulse contour analysis?. <i>British Journal of Anaesthesia</i> , 2001 , 86, 467-9	5.4	57
48	Comparison of the time courses and potencies of the vasodilator effects of nifedipine and felodipine in the human forearm. <i>Blood Pressure</i> , 2001 , 10, 217-22	1.7	7
47	Orthostatic tolerance, cerebral oxygenation, and blood velocity in humans with sympathetic failure. <i>Stroke</i> , 2000 , 31, 1608-14	6.7	97
46	COMPARISON OF THE DIFFERENTIAL TIME COURSES OF THE DILATOR EFFECTS OF NIFEDIPINE AND FELODIPINE IN THE HUMAN FOREARM. <i>Journal of Hypertension</i> , 2000 , 18, S9	1.9	1
45	Fludrocortisone and sleeping in the head-up position limit the postural decrease in cardiac output in autonomic failure. <i>Clinical Autonomic Research</i> , 2000 , 10, 35-42	4.3	102
44	Middle cerebral artery blood velocity during a valsalva maneuver in the standing position. <i>Journal of Applied Physiology</i> , 2000 , 88, 1545-50	3.7	87

43	Hemodynamic effects of intermittent manual lung hyperinflation in patients with septic shock. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2000 , 29, 356-66	2.6	24
42	Middle cerebral artery blood velocity during exercise in patients with atrial fibrillation. <i>Clinical Physiology</i> , 1999 , 19, 284-9		51
41	Estimation of beat-to-beat changes in stroke volume from arterial pressure: a comparison of two pressure wave analysis techniques during head-up tilt testing in young, healthy men. <i>Clinical Autonomic Research</i> , 1999 , 9, 185-92	4.3	43
40	Continuous stroke volume monitoring by modelling flow from non-invasive measurement of arterial pressure in humans under orthostatic stress. <i>Clinical Science</i> , 1999 , 97, 291-301	6.5	239
39	Continuous stroke volume monitoring by modelling flow from non-invasive measurement of arterial pressure in humans under orthostatic stress. <i>Clinical Science</i> , 1999 , 97, 291	6.5	75
38	Continuous cardiac output in septic shock by simulating a model of the aortic input impedance: a comparison with bolus injection thermodilution. <i>Anesthesiology</i> , 1999 , 90, 1317-28	4.3	181
37	Continuous stroke volume monitoring by modelling flow from non-invasive measurement of arterial pressure in humans under orthostatic stress. <i>Clinical Science</i> , 1999 , 97, 291-301	6.5	74
36	Middle cerebral artery blood velocity depends on cardiac output during exercise with a large muscle mass. <i>Acta Physiologica Scandinavica</i> , 1998 , 162, 13-20		124
35	Dynamics of circulatory adjustments to head-up tilt and tilt-back in healthy and sympathetically denervated subjects. <i>Clinical Science</i> , 1998 , 94, 347-52	6.5	36
34	Pathophysiological mechanisms underlying vasovagal syncope in young subjects. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 2034-8	1.6	18
33	Neural circulatory control in vasovagal syncope. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 753-63	1.6	32
32	Circulatory response evoked by a 3 s bout of dynamic leg exercise in humans. <i>Journal of Physiology</i> , 1996 , 494 (Pt 2), 601-11	3.9	59
31	Finger arterial versus intrabrachial pressure and continuous cardiac output during head-up tilt testing in healthy subjects. <i>Clinical Science</i> , 1996 , 91, 193-200	6.5	102
30	Effects of leg muscle pumping and tensing on orthostatic arterial pressure: a study in normal subjects and patients with autonomic failure. <i>Clinical Science</i> , 1994 , 87, 553-8	6.5	96
29	Treatment of neurocardiogenic syncope. <i>New England Journal of Medicine</i> , 1993 , 329, 969; author reply 970	59.2	1
28	Differences in circulatory control in normal subjects who faint and who do not faint during orthostatic stress. <i>Clinical Autonomic Research</i> , 1993 , 3, 117-24	4.3	26
27	Physical manoeuvres that reduce postural hypotension in autonomic failure. <i>Clinical Autonomic Research</i> , 1993 , 3, 57-65	4.3	121
26	Coincidental severe <i>Plasmodium falciparum</i> infection and disseminated candidiasis. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993 , 87, 288-9	2	11

25	Investigation and treatment of autonomic circulatory failure. <i>Current Opinion in Neurology and Neurosurgery</i> , 1993 , 6, 537-43		12
24	Physical manoeuvres for combating orthostatic dizziness in autonomic failure. <i>Lancet, The</i> , 1992 , 339, 897-8	40	131
23	Treatment of orthostatic hypotension with sleeping in the head-up tilt position, alone and in combination with fludrocortisone. <i>Journal of Internal Medicine</i> , 1992 , 232, 139-45	10.8	106
22	Assessment of cardiovascular reflexes is of limited value in predicting maximal +Gz-tolerance. <i>Aviation, Space, and Environmental Medicine</i> , 1992 , 63, 21-6		5
21	Spectrum of orthostatic disorders: classification based on an analysis of the short-term circulatory response upon standing. <i>Clinical Science</i> , 1991 , 81, 241-8	6.5	42
20	The vasovagal response. <i>Clinical Science</i> , 1991 , 81, 575-86	6.5	259
19	Circulatory autonomic failure 50 years after acute poliomyelitis. <i>Clinical Autonomic Research</i> , 1991 , 1, 215-7	4.3	9
18	Cardiovascular instability and baroreflex activity in a patient with tetanus. <i>Clinical Autonomic Research</i> , 1991 , 1, 5-8	4.3	3
17	Circulatory responses to stand up: discrimination between the effects of respiration, orthostasis and exercise. <i>Clinical Physiology</i> , 1991 , 11, 221-30		20
16	Contrasting effects of acute and chronic volume expansion on orthostatic blood pressure control in a patient with autonomic circulatory failure. <i>Netherlands Journal of Medicine</i> , 1991 , 39, 72-83	0.5	9
15	Singing-induced hypotension: a complication of a high spinal cord lesion. <i>Netherlands Journal of Medicine</i> , 1991 , 38, 75-9	0.5	11
14	The assessment of cardiovascular reflex activity: standardization is needed. <i>Diabetologia</i> , 1990 , 33, 182-3	0.3	24
13	Assessment of cardiovascular reflexes: influence of posture and period of preceding rest. <i>Journal of Applied Physiology</i> , 1990 , 68, 147-53	3.7	63
12	Orthostatic hypotension caused by sympathectomies performed for hyperhidrosis. <i>Netherlands Journal of Medicine</i> , 1990 , 36, 53-7	0.5	9
11	Pitfalls in the assessment of cardiovascular reflexes in patients with sympathetic failure but intact vagal control. <i>Clinical Science</i> , 1989 , 76, 523-8	6.5	28
10	Cardiovascular response to coughing: its value in the assessment of autonomic nervous control. <i>Clinical Science</i> , 1989 , 77, 305-10	6.5	52
9	Bilateral kidney rupture with severe retroperitoneal bleeding in polyarteritis nodosa. <i>Netherlands Journal of Medicine</i> , 1989 , 35, 260-6	0.5	9
8	Hyperadrenergic syndrome with hypertension, hypotension and myocardial necrosis in tetanus. <i>Netherlands Journal of Medicine</i> , 1988 , 33, 33-6	0.5	4

7	Acute dysautonomia associated with Hodgkin's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1986 , 49, 830-2	5.5	43
6	Reversible coma due to intrathecal baclofen. <i>Lancet, The</i> , 1986 , 2, 696	4.0	31
5	Assessment of methods to estimate impairment of vagal and sympathetic innervation of the heart in diabetic autonomic neuropathy. <i>Netherlands Journal of Medicine</i> , 1985 , 28, 383-92	0.5	17
4	Hypovolemic shock 222-230		5
3	Disabling Orthostatic Hypotension Caused by Sympathectomies for Hyperhidrosis 137-140		
2	Clinical Fluid Therapy in the Perioperative Setting 166-176		4
1	Pathophysiology and Clinical Presentation 16-28		