Heidi Hahn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4141670/publications.pdf Version: 2024-02-01



Ηείδι Ηληνι

#	Article	IF	CITATIONS
1	Context-dependent modulation of aggressiveness of pediatric tumors by individual oncogenic RAS isoforms. Oncogene, 2021, 40, 4955-4966.	2.6	5
2	Oncogenic NRAS Accelerates Rhabdomyosarcoma Formation When Occurring within a Specific Time Frame during Tumor Development in Mice. International Journal of Molecular Sciences, 2021, 22, 13377.	1.8	2
3	Spreading of Isolated Ptch Mutant Basal Cell Carcinoma Precursors Is Physiologically Suppressed and Counteracts Tumor Formation in Mice. International Journal of Molecular Sciences, 2020, 21, 9295.	1.8	1
4	WIF1 Suppresses the Generation of Suprabasal Cells in Acanthotic Skin and Growth of Basal Cell Carcinomas upon Forced Overexpression. Journal of Investigative Dermatology, 2020, 140, 1556-1565.e11.	0.3	2
5	Regulation and Role of GL11 in Cutaneous Squamous Cell Carcinoma Pathogenesis. Frontiers in Genetics, 2019, 10, 1185.	1.1	7
6	Indian Hedgehog Suppresses a Stromal Cell–Driven Intestinal Immune Response. Cellular and Molecular Gastroenterology and Hepatology, 2018, 5, 67-82.e1.	2.3	24
7	Canonical WNT/β-Catenin Signaling Plays a Subordinate Role in Rhabdomyosarcomas. Frontiers in Pediatrics, 2018, 6, 378.	0.9	5
8	Different Response of Ptch Mutant and Ptch Wildtype Rhabdomyosarcoma Toward SMO and PI3K Inhibitors. Frontiers in Oncology, 2018, 8, 396.	1.3	11
9	Hypothalamic sonic hedgehog is required for cell specification and proliferation of LHX3/LHX4 pituitary embryonic precursors. Development (Cambridge), 2017, 144, 3289-3302.	1.2	34
10	LEF1 reduces tumor progression and induces myodifferentiation in a subset of rhabdomyosarcoma. Oncotarget, 2017, 8, 3259-3273.	0.8	13
11	Hedgehog signaling activation induces stem cell proliferation and hormone release in the adult pituitary gland. Scientific Reports, 2016, 6, 24928.	1.6	39
12	Hedgehog Inhibitors in Rhabdomyosarcoma: A Comparison of Four Compounds and Responsiveness of Four Cell Lines. Frontiers in Oncology, 2015, 5, 130.	1.3	21
13	Identification of a novel synthetic lethality of combined inhibition of hedgehog and PI3K signaling in rhabdomyosarcoma. Oncotarget, 2015, 6, 8722-8735.	0.8	46
14	Overexpression of mutant <i>Ptch</i> in rhabdomyosarcomas is associated with promoter hypomethylation and increased Gli1 and H3K4me3 occupancy. Oncotarget, 2015, 6, 9113-9124.	0.8	5
15	DMBA/TPA Treatment Is Necessary for BCC Formation from Patched Deficient Epidermal Cells in Ptch flox/flox CD4Cre +/â^' Mice. Journal of Investigative Dermatology, 2014, 134, 2620-2629.	0.3	12
16	Depletion of Cutaneous Macrophages and Dendritic Cells Promotes Growth of Basal Cell Carcinoma in Mice. PLoS ONE, 2014, 9, e93555.	1.1	29
17	Empty liposomes induce antitumoral effects associated with macrophage responses distinct from those of the TLR1/2 agonist Pam3CSK4 (BLP). Cancer Immunology, Immunotherapy, 2013, 62, 1587-1597.	2.0	9
18	The Hedgehog Receptor Patched1 in T Cells Is Dispensable for Adaptive Immunity in Mice. PLoS ONE, 2013, 8, e61034.	1.1	19

Heidi Hahn

#	Article	IF	CITATIONS
19	Patched Knockout Mouse Models of Basal Cell Carcinoma. Journal of Skin Cancer, 2012, 2012, 1-11.	0.5	28
20	Calcitriol Inhibits Hedgehog Signaling and Induces Vitamin D Receptor Signaling and Differentiation in thePatchedMouse Model of Embryonal Rhabdomyosarcoma. Sarcoma, 2012, 2012, 1-7.	0.7	69
21	PI3K Inhibition Enhances Doxorubicin-Induced Apoptosis in Sarcoma Cells. PLoS ONE, 2012, 7, e52898.	1.1	27
22	Antitumoral Effects of Calcitriol in Basal Cell Carcinomas Involve Inhibition of Hedgehog Signaling and Induction of Vitamin D Receptor Signaling and Differentiation. Molecular Cancer Therapeutics, 2011, 10, 2179-2188.	1.9	71
23	T Cell Development Critically Depends on Prethymic Stromal Patched Expression. Journal of Immunology, 2011, 186, 3383-3391.	0.4	15
24	Tumor Stroma–Derived Wnt5a Induces Differentiation of Basal Cell Carcinoma of <i>Ptch</i> -Mutant Mice via CaMKII. Cancer Research, 2010, 70, 2739-2748.	0.4	36
25	Antitumor Effects of a Combined 5-Aza-2â€2Deoxycytidine and Valproic Acid Treatment on Rhabdomyosarcoma and Medulloblastoma in <i>Ptch</i> Mutant Mice. Cancer Research, 2009, 69, 887-895.	0.4	106
26	Time-point and dosage of gene inactivation determine the tumor spectrum in conditional Ptch knockouts. Carcinogenesis, 2009, 30, 918-926.	1.3	44
27	Depletion of the Colonic Epithelial Precursor Cell Compartment Upon Conditional Activation of the Hedgehog Pathway. Gastroenterology, 2009, 136, 2195-2203.e7.	0.6	83
28	Cyclopamine treatment of fullâ€blown <i>Hh/Ptch</i> â€associated RMS partially inhibits Hh/Ptch signaling, but not tumor growth. Molecular Carcinogenesis, 2008, 47, 361-372.	1.3	42
29	The Hedgehog receptor Patched controls lymphoid lineage commitment. Blood, 2007, 110, 1814-1823.	0.6	87
30	Mode of PTCH1/Ptch1-Associated Tumor Formation. , 2006, , 53-62.		1
31	Transcriptional up-regulation of Gadd45a in Patched-associated medulloblastoma. International Journal of Oncology, 2004, 25, 113.	1.4	2
32	Analysis of the PTCH1 signaling pathway in ovarian dermoids. International Journal of Molecular Medicine, 2004, 14, 793.	1.8	4
33	Profiling the molecular difference between Patched- and p53-dependent rhabdomyosarcoma. Oncogene, 2004, 23, 8785-8795.	2.6	38
34	Genetic mapping of a Ptch1-associated rhabdomyosarcoma susceptibility locus on mouse chromosome 2. Genomics, 2004, 84, 853-858.	1.3	30
35	Thepatched polymorphism Pro1315Leu (C3944T) may modulate the association between use of oral contraceptives and breast cancer risk. International Journal of Cancer, 2003, 103, 779-783.	2.3	65
36	Molecular characterization ofPatched-associated rhabdomyosarcoma. Journal of Pathology, 2003, 200, 348-356.	2.1	37

Heidi Hahn

#	Article	IF	CITATIONS
37	Gene expression analysis of murine cells producing amphotropic mouse leukaemia virus at a cultivation temperature of 32 and 37 °C. Journal of General Virology, 2003, 84, 1677-1686.	1.3	32
38	Unbalanced overexpression of the mutant allele in murine Patched mutants. Carcinogenesis, 2002, 23, 727-734.	1.3	40
39	Analysis of thePTCH coding region in human rhabdomyosarcoma. Human Mutation, 2002, 20, 233-234.	1.1	38
40	Patched Target Igf2 Is Indispensable for the Formation of Medulloblastoma and Rhabdomyosarcoma. Journal of Biological Chemistry, 2000, 275, 28341-28344.	1.6	187
41	The patched signaling pathway in tumorigenesis and development: lessons from animal models. Journal of Molecular Medicine, 1999, 77, 459-468.	1.7	98
42	Rhabdomyosarcomas and radiation hypersensitivity in a mouse model of Gorlin syndrome. Nature Medicine, 1998, 4, 619-622.	15.2	407
43	Mutations of the Human Homolog of Drosophila patched in the Nevoid Basal Cell Carcinoma Syndrome. Cell, 1996, 85, 841-851.	13.5	2,150
44	Hedgehog-independent overexpression of transforming growth factor-β1 in rhabdomyosarcoma of Patched1 mutant mice. International Journal of Oncology, 0, , .	1.4	5