

Dalia G Aly

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4142353/publications.pdf>

Version: 2024-02-01

20
papers

260
citations

1162367

8
h-index

940134

16
g-index

20
all docs

20
docs citations

20
times ranked

416
citing authors

#	ARTICLE	IF	CITATIONS
1	The Immunogenetics of Acne. <i>Advances in Experimental Medicine and Biology</i> , 2022, 1367, 137-154.	0.8	6
2	Comparative Study Between the efficacy of Long-Pulsed Neodymium- YAG Laser and Fractional Co2 Laser in the Treatment of Striae Distensae. <i>Journal of Lasers in Medical Sciences</i> , 2021, 12, e57-e57.	0.4	4
3	Clinical and Histological Assessment of Combined Fractional CO ₂ Laser and Growth Factors Versus Fractional CO ₂ Laser Alone in the Treatment of Facial Mature Burn Scars: A Pilot Split-Face Study. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 952-958.	1.1	5
4	Autologous platelet-rich plasma versus conventional therapy for the treatment of chronic venous leg ulcers: A comparative study. <i>Journal of Cosmetic Dermatology</i> , 2018, 17, 495-501.	0.8	62
5	A study of the association of glutathione S-transferase M1/T1 polymorphisms with susceptibility to vitiligo in Egyptian patients. <i>Anais Brasileiros De Dermatologia</i> , 2018, 93, 54-58.	0.5	5
6	Study of the relation between two common cyclooxygenase 2 gene polymorphisms with risk of developing and subtypes of vitiligo in Egyptian patients. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2018, 84, 696.	0.2	2
7	Striae distensae: Immunohistochemical assessment of hormone receptors in multigravida and nulligravida. <i>Journal of Cosmetic Dermatology</i> , 2017, 16, 279-286.	0.8	11
8	Is There a Relation between Vitamin D and Interleukin-17 in Vitiligo? A Cross-Sectional Study. <i>Dermatology</i> , 2017, 233, 413-418.	0.9	17
9	Comparison Between (311-312 nm) Narrow Band Ultraviolet-B Phototherapy and (308 nm) Monochromatic Excimer Light Phototherapy in Treatment of Vitiligo: A Histopathological Study. <i>Journal of Lasers in Medical Sciences</i> , 2017, 8, 123-127.	0.4	8
10	Association of metabolic syndrome with female pattern hair loss in women: A case-control study. <i>International Journal of Dermatology</i> , 2016, 55, 1131-1137.	0.5	29
11	Assessment of serum levels of granulocyte-macrophage colony-stimulating factor (GM-CSF) among non-segmental vitiligo patients: a pilot study. <i>Acta Dermatovenerologica Alpina, Panonica Et Adriatica</i> , 2015, 24, 43-5.	0.1	4
12	Hair: A Review of Prominent Scalp Hair Changes throughout a Females' Life. <i>Journal of Pigmentary Disorders</i> , 2014, 01, .	0.2	0
13	Effect of Narrow Band Ultraviolet B Therapy versus Methotrexate on Serum Levels of Interleukin-17 and Interleukin-23 in Egyptian Patients with Severe Psoriasis. <i>Dermatology Research and Practice</i> , 2013, 2013, 1-6.	0.3	14
14	Efficacy of Onabotulinum Toxin A (Botox) versus Abobotulinum Toxin A (Dysport) Using a Conversion Factor (1:2.5) in Treatment of Primary Palmar Hyperhidrosis. <i>Dermatology Research and Practice</i> , 2013, 2013, 1-6.	0.3	14
15	Elevated serum leptin levels in nonobese patients with psoriasis. <i>Journal of Drugs in Dermatology</i> , 2013, 12, e25-9.	0.4	12
16	Endothelin-1 and its A and B receptors: are they possibly involved in vitiligo?. <i>Acta Dermatovenerologica Croatica</i> , 2013, 21, 12-8.	0.1	1
17	Assessment of serum vascular endothelial growth factor and nail fold capillaroscopy changes in systemic lupus erythematosus with and without cutaneous manifestations. <i>Journal of Dermatology</i> , 2012, 39, 52-57.	0.6	26
18	Immunohistochemical assessment of angiogenesis and vascular endothelial growth factor expression in cutaneous lichen planus: relation to the degree of inflammation. <i>European Journal of Dermatology</i> , 2011, 21, 197-202.	0.3	8

#	ARTICLE	IF	CITATIONS
19	Serum levels of interleukin-8, tumor necrosis factor- α and interferon in Egyptian psoriatic patients and correlation with disease severity. <i>Journal of Dermatology</i> , 2011, 38, 442-446.	0.6	31
20	The effectiveness of narrow-band phototherapy, corticosteroid, and methotrexate on clinical picture and serum level of soluble interleukin-2 receptors among vitiligo patients. <i>Medical Research Journal</i> , 2011, 10, 18-22.	0.1	1