Peter Luppa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4142457/publications.pdf

Version: 2024-02-01

| | | 566801 | 476904 |
|----------|----------------|--------------|----------------|
| 30 | 1,161 | 15 | 29 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 31 | 31 | 31 | 1721 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Convalescent plasma therapy in B-cell-depleted and B-cell sufficient patients with life-threatening COVID-19 $\hat{a} \in \text{``A case series. Transfusion and Apheresis Science, 2021, , 103278.}$ | 0.5 | 5 |
| 2 | Substitution of perioperative albumin deficiency disorders (SuperAdd) in adults undergoing vascular, abdominal, trauma, or orthopedic surgery: protocol for a randomized controlled trial. Trials, 2020, 21, 726. | 0.7 | 4 |
| 3 | A simple and highly sensitive on-line column extraction liquid chromatography-tandem mass spectrometry method for the determination of protein-unbound tacrolimus in human plasma samples. Journal of Chromatography A, 2018, 1547, 45-52. | 1.8 | 16 |
| 4 | Mammographic Density and Vitamin D Levels – A Cross-sectional Study. Geburtshilfe Und Frauenheilkunde, 2017, 77, 257-267. | 0.8 | 6 |
| 5 | Dynamics of Adrenocorticotropin after Application of Metyrapone. Experimental and Clinical Endocrinology and Diabetes, 2017, 125, 53-56. | 0.6 | 4 |
| 6 | Comparison of Peritoneal Low-Molecular-Weight-Protein-Removal in CCPD and CAPD Patients Based on C-Terminal Agrin Fragment Clearance. Kidney and Blood Pressure Research, 2016, 41, 175-185. | 0.9 | 10 |
| 7 | Performance characteristics of Elecsys free \hat{l}^2 hCG and PAPP-A for first trimester trisomy 21 risk assessment in gestational weeks 8+0 to 14+0. Laboratoriums Medizin, 2016, 40, 21-29. | 0.1 | 2 |
| 8 | Critical Deviations of Ionized Calcium Measurements When Using Blood Gas Analyzers to Monitor Citrate Dialysis. Clinical Laboratory, 2016, 62, 2025-2031. | 0.2 | 1 |
| 9 | C-terminal agrin fragment (CAF) as a serum biomarker for residual renal function in peritoneal dialysis patients. International Urology and Nephrology, 2015, 47, 391-396. | 0.6 | 17 |
| 10 | C-Terminal Agrin Fragment - A New Fast Biomarker for Kidney Function in Renal Transplant Recipients. American Journal of Nephrology, 2013, 38, 501-508. | 1.4 | 29 |
| 11 | Relationship of fetuin-A levels to weight-dependent insulin resistance and type 2 diabetes mellitus. Regulatory Peptides, 2012, 178, 6-10. | 1.9 | 18 |
| 12 | Selective Attenuation of Norepinephrine Release and Stress-Induced Heart Rate Increase by Partial Adenosine A1 Agonism. PLoS ONE, 2011, 6, e18048. | 1.1 | 25 |
| 13 | The effect of treatment with ketoconazole on central CRH systems of depressed patients. Human Psychopharmacology, 2011, 26, 35-40. | 0.7 | 5 |
| 14 | Venlafaxine and mirtazapine treatment lowers serum concentrations of dehydroepiandrosterone-sulfate in depressed patients remitting during the course of treatment. Journal of Psychiatric Research, 2010, 44, 556-560. | 1.5 | 14 |
| 15 | Procalcitonin Can Be Used for Monitoring Sepsis in Patients with Medullary Thyroid Carcinoma. Thyroid, 2009, 19, 1287-1289. | 2.4 | 8 |
| 16 | Relation between plasma fibroblast growth factor-23, serum fetuin-A levels and coronary artery calcification evaluated by multislice computed tomography in patients with normal kidney function. Clinical Endocrinology, 2008, 68, 660-665. | 1.2 | 78 |
| 17 | Comparison of the skeletal effects of the progestogens desogestrel and levonorgestrel in oral contraceptive preparations in young women: controlled, open, partly randomized investigation over 13 cycles. Contraception, 2006, 74, 367-375. | 0.8 | 26 |
| 18 | Nitric Oxide Is Not a Mediator of Inflammation-Induced Resistance to Atracurium. Anesthesia and Analgesia, 2005, 101, 1362-1367. | 1.1 | 4 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Antidepressant Treatment and Dehydroepiandrosterone Sulfate: Different Effects of Amitriptyline and Paroxetine. Neuropsychobiology, 2004, 50, 252-256. | 0.9 | 13 |
| 20 | Toll-like receptor 9 binds single-stranded CpG-DNA in a sequence- and pH-dependent manner. European Journal of Immunology, 2004, 34, 2541-2550. | 1.6 | 470 |
| 21 | Steroid Synthesis Inhibition with Ketoconazole and its Effect upon the Regulation of the Hypothalamus–Pituitary–Adrenal System in Healthy Humans. Neuropsychopharmacology, 2003, 28, 379-383. | 2.8 | 24 |
| 22 | Cortisol Levels in the Human Perilymph after Intravenous Administration of Prednisolone. Audiology and Neuro-Otology, 2003, 8, 316-321. | 0.6 | 53 |
| 23 | Bone metabolism during the perimenopausal transition: a prospective study. Maturitas, 2002, 41, 23-33. | 1.0 | 48 |
| 24 | Clinical value of cystatin C determination. Clinica Chimica Acta, 2000, 297, 67-72. | 0.5 | 39 |
| 25 | Solid-phase synthesis, isolation and analysis of a mouse protein, the macrophage migration inhibitory factor. Journal of Chromatography A, 1999, 852, 189-195. | 1.8 | 2 |
| 26 | Increased Diurnal Plasma Concentrations of Dehydroepiandrosterone in Depressed Patients. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 3130-3133. | 1.8 | 132 |
| 27 | Synthesis of 17β-Hydroxyandrost-4-en-3-oneâ^'7α-(Biotinyl-6-N-hexylamide), a Conjugate Useful for Affinity Chromatography and for Testosterone Immunoassays. Bioconjugate Chemistry, 1996, 7, 332-337. | 1.8 | 14 |
| 28 | Synthesis of 3-Hydroxyestra-1,3,5(10)-trien-17-one and Estra-1,3,5(10)-triene-3,17 \hat{l}^2 -diol 6 \hat{l} ±-N-(\hat{l} μ -Biotinyl)caproamide, Tracer Substances for Developing Immunoassays for Estrone and Estradiol. Bioconjugate Chemistry, 1994, 5, 167-171. | 1.8 | 15 |
| 29 | Metabolism of glutamine in lymphocytes. Metabolism: Clinical and Experimental, 1989, 38, 29-33. | 1.5 | 76 |
| 30 | SARS-CoV-2 viral load dynamics in immunocompromised critically ill patients on remdesivir treatment. Multidisciplinary Respiratory Medicine, 0, 17 , . | 0.6 | 3 |