Andreas Schicho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4142469/publications.pdf

Version: 2024-02-01

1478505 1281871 14 125 11 6 citations h-index g-index papers 14 14 14 201 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Occurrence of spontaneous fistulas detected by contrast filling during computed tomography-guided percutaneous drainage placement of splenic and perisplenic fluid collections. Acta Radiologica, 2022, 63, 719-726.	1.1	1
2	Detection of Incomplete Irreversible Electroporation (IRE) and Microwave Ablation (MWA) of Hepatocellular Carcinoma (HCC) Using Iodine Quantification in Dual Energy Computed Tomography (DECT). Diagnostics, 2022, 12, 986.	2.6	2
3	Early Detection of Local Tumor Progression after Irreversible Electroporation (IRE) of Hepatocellular Carcinoma Using Gd-EOB-DTPA-Based MR Imaging at 3T. Cancers, 2021, 13, 1595.	3.7	2
4	Necessity of Immediate MRI Imaging in the Acute Care of Severely Injured Patients. Medicina (Lithuania), 2021, 57, 982.	2.0	2
5	Evaluation of Alterations to Bile Ducts and Laboratory Values During the First 3 Months After Irreversible Electroporation of Malignant Hepatic Tumors. Cancer Management and Research, 2020, Volume 12, 8425-8433.	1.9	1
6	Modified Split-Scan Computed Tomography (CT) Diagnostics of Severely Injured Patients: First Results from a Level I Trauma Center Using a Dedicated Head-and-Neck CT-Angiogram for the Detection of Cervical Artery Dissections. Journal of Clinical Medicine, 2020, 9, 2568.	2.4	5
7	Long-term survival after percutaneous irreversible electroporation of inoperable colorectal liver metastases. Cancer Management and Research, 2019, Volume 11, 317-322.	1.9	20
8	Color coded perfusion imaging with contrast enhanced ultrasound (CEUS) for post-interventional success control following trans-arterial chemoembolization (TACE) of hepatocellular carcinoma. PLoS ONE, 2019, 14, e0217599.	2.5	13
9	Color Coded Perfusion Imaging with Contrast Enhanced Ultrasound (CEUS) for Post-Interventional Success Control Following Irreversible Electroporation (IRE) of Primary and Secondary Malignant Liver Lesions. Journal of Gastrointestinal and Liver Diseases, 2019, 28, 311-318.	0.9	11
10	Non-penetrating traumatic injuries of the aortic arch. Acta Radiologica, 2018, 59, 275-279.	1.1	4
11	Incidence of traumatic carotid and vertebral artery dissections: results of cervical vessel computed tomography angiogram as a mandatory scan component in severely injured patients. Therapeutics and Clinical Risk Management, 2018, Volume 14, 173-178.	2.0	23
12	Safety and efficacy of transarterial chemoembolization with degradable starch microspheres (DSM-TACE) in the treatment of secondary liver malignancies. OncoTargets and Therapy, 2018, Volume 11, 345-350.	2.0	13
13	Emphysematous Cystitis: Mortality, Risk Factors, and Pathogens of a Rare Disease. Clinics and Practice, 2017, 7, 930.	1.4	25
14	Vascular geometry as a risk factor for non-penetrating traumatic injuries of the aortic arch. PLoS ONE, 2017, 12, e0180066.	2.5	3