
## **Ping-Chang Yang**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4143419/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CD38+ B cells affect immunotherapy for allergic rhinitis. Journal of Allergy and Clinical Immunology, 2022, 149, 1691-1701.e9.	1.5	14
2	Glutaminolysis is required in maintaining immune regulatory functions in B cells. Mucosal Immunology, 2022, 15, 268-278.	2.7	5
3	House dust mite exposure enhances immune responses to ovalbumin-induced intestinal allergy. Scientific Reports, 2022, 12, 5216.	1.6	4
4	Chinese Consensus Report on Family-Based <i>Helicobacter pylori</i> Infection Control and Management (2021 Edition). Gut, 2022, 71, 238-253.	6.1	81
5	An eosinophil-Sos1-RAS axis licenses corticosteroid resistance in patients with allergic rhinitis. Immunobiology, 2022, 227, 152215.	0.8	6
6	Semaphorin-3 Promotes Specific Immunotherapy Effects on Experimental Food Allergy. Journal of Immunology Research, 2022, 2022, 1-15.	0.9	2
7	FcγRI plays a critical role in patients with ulcerative colitis relapse. European Journal of Immunology, 2021, 51, 459-470.	1.6	2
8	Cross-reactive antibodies against dust mite-derived enolase induce neutrophilic airway inflammation. European Respiratory Journal, 2021, 57, 1902375.	3.1	13
9	Dust-mite-derived protein disulfide isomerase suppresses airway allergy by inducing tolerogenic dendritic cells. Journal of Biological Chemistry, 2021, 296, 100585.	1.6	4
10	Livin in synergy with Ras induces and sustains corticosteroid resistance in the airway mucosa. International Journal of Biological Sciences, 2021, 17, 2089-2098.	2.6	5
11	Chimeric antigen-guiding extracellular vesicles eliminate antigen-specific Th2 cells in subjects with food allergy. World Allergy Organization Journal, 2021, 14, 100522.	1.6	1
12	Benzo(a)pyrene Enhanced Dermatophagoides Group 1 (Der f 1)-Induced TGFβ1 Signaling Activation Through the Aryl Hydrocarbon Receptor–RhoA Axis in Asthma. Frontiers in Immunology, 2021, 12, 643260.	2.2	12
13	Modulating oxidative stress counteracts specific antigenâ€induced regulatory Tâ€cell apoptosis in mice. European Journal of Immunology, 2021, 51, 1748-1761.	1.6	4
14	A20 Restores Impaired Intestinal Permeability and Inhibits Th2 Response in Mice with Colitis. Digestive Diseases and Sciences, 2020, 65, 1340-1347.	1.1	3
15	Specific antigenâ€guiding exosomes inhibit food allergies by inducing regulatory T cells. Immunology and Cell Biology, 2020, 98, 639-649.	1.0	7
16	<i>Period2</i> gene regulates diurnal changes of nasal symptoms in an allergic rhinitis mouse model. International Forum of Allergy and Rhinology, 2020, 10, 1236-1248.	1.5	9
17	A20-OVA Nanoparticles Inhibit Allergic Asthma in a Murine Model. Inflammation, 2020, 43, 953-961.	1.7	13
18	IgE binding activities and in silico epitope prediction of Der f 32 in Dermatophagoides farinae. Immunology Letters, 2019, 213, 46-54.	1.1	4

#	Article	IF	CITATIONS
19	Probiotic extracts ameliorate nasal allergy by inducing interleukinâ€35‒producing dendritic cells in mice. International Forum of Allergy and Rhinology, 2019, 9, 1289-1296.	1.5	9
20	<p>Co-delivery of allergen epitope fragments and R848 inhibits food allergy by inducing tolerogenic dendritic cells and regulatory T cells</p> . International Journal of Nanomedicine, 2019, Volume 14, 7053-7064.	3.3	16
21	Nasal instillation of probiotic extracts inhibits experimental allergic rhinitis. Immunotherapy, 2019, 11, 1315-1323.	1.0	9
22	Frontline Science: TLR3 activation inhibits food allergy in mice by inducing IFNâ€Î³ + Foxp3 + regulatory T cells. Journal of Leukocyte Biology, 2019, 106, 1201-1209.	1.5	6
23	Benzo(a)pyrene facilitates dermatophagoides group 1 (Der f 1)â€induced epithelial cytokine release through aryl hydrocarbon receptor in asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 1675-1690.	2.7	58
24	Survivin facilitates Tâ€helper 2–biased inflammation in the airway. International Forum of Allergy and Rhinology, 2019, 9, 656-664.	1.5	9
25	Survivin induces defects in apoptosis in eosinophils in intestine with food allergy. Innate Immunity, 2019, 25, 244-254.	1.1	6
26	Restoration of immune suppressor function of regulatory B cells collected from patients with allergic rhinitis with Chinese medical formula Yupingfeng San. American Journal of Translational Research (discontinued), 2019, 11, 1635-1643.	0.0	5
27	The 3-methyl-4-nitrophenol (PNMC) compromises airway epithelial barrier function. Toxicology, 2018, 395, 9-14.	2.0	7
28	Bcl2-Like Protein 12 Is Required for the Aberrant T Helper-2 Polarization in the Heart by Enhancing Interleukin-4 Expression and Compromising Apoptotic Machinery in CD4+ T Cells. Circulation, 2018, 138, 2559-2568.	1.6	19
29	B cell lymphomaâ€2â€like proteinâ€12 association with Tâ€helper 2 inflammation in chronic rhinosinusitis with allergy. International Forum of Allergy and Rhinology, 2018, 8, 1300-1307.	1.5	3
30	Probiotics SOD inhibited food allergy via downregulation of STAT6-TIM4 signaling on DCs. Molecular Immunology, 2018, 103, 71-77.	1.0	18
31	Bcl2L12 plays a critical role in the development of intestinal allergy. Immunology Letters, 2018, 203, 87-94.	1.1	2
32	Histone deacetylase 11 inhibits interleukin 10 in B cells of subjects with allergic rhinitis. International Forum of Allergy and Rhinology, 2018, 8, 1274-1283.	1.5	19
33	Circadian protein CLK suppresses transforming growth factor-Î <sup>2</sup> expression in peripheral B cells of nurses with day-night shift rotation. American Journal of Translational Research (discontinued), 2018, 10, 4331-4337.	0.0	3
34	Tumor necrosis factor suppresses interleukin 10 in peripheral B cells via upregulating Bcl2â€like protein 12 in patients with inflammatory bowel disease. Cell Biochemistry and Function, 2017, 35, 77-82.	1.4	18
35	Pplase of Dermatophagoides farinae promotes ovalbumin-induced airway allergy by modulating the functions of dendritic cells in a mouse model. Scientific Reports, 2017, 7, 43322.	1.6	5
36	Der f 31, a novel allergen from Dermatophagoides farinae, activates epithelial cells and enhances lung-resident group 2 innate lymphoid cells. Scientific Reports, 2017, 7, 8519.	1.6	12

#	Article	IF	CITATIONS
37	Exploration of the effect of probiotics supplementation on intestinal microbiota of food allergic mice. American Journal of Translational Research (discontinued), 2017, 9, 376-385.	0.0	14
38	Effect of activation of Toll-like receptor 7 in the inhibition of allergic asthma on a mouse model. American Journal of Translational Research (discontinued), 2017, 9, 2143-2152.	0.0	3
39	Combination of specific allergen and probiotics induces specific regulatory B cells and enhances specific immunotherapy effect on allergic rhinitis. Oncotarget, 2016, 7, 54360-54369.	0.8	44
40	Alternation of circadian clock modulates forkhead box protein-3 gene transcription in CD4+ TÂcells in the intestine. Journal of Allergy and Clinical Immunology, 2016, 138, 1446-1449.e10.	1.5	16
41	Induction of colitis in mice with food allergen-specific immune response. Scientific Reports, 2016, 6, 32765.	1.6	9
42	Specific immunotherapy ameliorates ulcerative colitis. Allergy, Asthma and Clinical Immunology, 2016, 12, 37.	0.9	20
43	Identification of α-tubulin, Der f 33, as a novel allergen from Dermatophagoides farinae. Immunobiology, 2016, 221, 911-917.	0.8	10
44	Regulation of TWIK-related potassium channel-1 (Trek1) restitutes intestinal epithelial barrier function. Cellular and Molecular Immunology, 2016, 13, 110-118.	4.8	25
45	The pathogenesis of rheumatoid arthritis is associated with milk or egg allergy. North American Journal of Medical Sciences, 2016, 8, 40.	1.7	13
46	Der f 21, a novel allergen from dermatophagoides farina. American Journal of Translational Research (discontinued), 2016, 8, 49-59.	0.0	1
47	Characterization and analysis of a cDNA coding for the group 29b (Der f 29b) allergen of Dermatophagoides farinae. American Journal of Translational Research (discontinued), 2016, 8, 568-77.	0.0	4
48	Micro RNA-17-92 cluster mediates interleukin-4-suppressed IL-10 expression in B cells. American Journal of Translational Research (discontinued), 2016, 8, 2317-24.	0.0	13
49	Probiotics enhance the effect of allergy immunotherapy on regulating antigen specific B cell activity in asthma patients. American Journal of Translational Research (discontinued), 2016, 8, 5256-5270.	0.0	13
50	Thiol peroxiredoxin, a novel allergen from , modulates functions of macrophages and dendritic cells. American Journal of Translational Research (discontinued), 2016, 8, 5320-5329.	0.0	7
51	Trek1 contributes to maintaining nasal epithelial barrier integrity. Scientific Reports, 2015, 5, 9191.	1.6	25
52	Co-Administration of Cholesterol-Lowering Probiotics and Anthraquinone from Cassia obtusifolia L. Ameliorate Non-Alcoholic Fatty Liver. PLoS ONE, 2015, 10, e0138078.	1.1	58
53	Insulin-like growth factor-1 endues monocytes with immune suppressive ability to inhibit inflammation in the intestine. Scientific Reports, 2015, 5, 7735.	1.6	45
54	Nasopharyngeal cancer-derived microRNA-21 promotes immune suppressive B cells. Cellular and Molecular Immunology, 2015, 12, 750-756.	4.8	17

#	Article	IF	CITATIONS
55	Thrombospondin-1 (TSP1)-producing B Cells Restore Antigen (Ag)-specific Immune Tolerance in an Allergic Environment. Journal of Biological Chemistry, 2015, 290, 12858-12867.	1.6	24
56	Tumor-specific Th2 responses inhibit growth of CT26 colon-cancer cells in mice via converting intratumor regulatory T cells to Th9 cells. Scientific Reports, 2015, 5, 10665.	1.6	16
57	Expression, purification and characterization of Der f 27, a new allergen from dermatophagoides farinae. American Journal of Translational Research (discontinued), 2015, 7, 1260-70.	0.0	9
58	Characterization of Der f 29, a new allergen from dermatophagoides farinae. American Journal of Translational Research (discontinued), 2015, 7, 1303-13.	0.0	7
59	Characterization of a new subtype of allergen in dermatophagoides farinae-Der f 28. Journal of Thoracic Disease, 2015, 7, 1842-9.	0.6	5
60	Characterization of arginine kinase, anovel allergen of dermatophagoides farinae (Der f 20). American Journal of Translational Research (discontinued), 2015, 7, 2815-23.	0.0	5
61	Western blot: Technique, theory and trouble shooting. North American Journal of Medical Sciences, 2014, 6, 160.	1.7	89
62	CD4+ T cells from food allergy model are resistant to TCR-dependent apoptotic induction. Cytokine, 2014, 68, 32-39.	1.4	5
63	Insulin-like growth factor 2 enhances regulatory T-cell functions and suppresses food allergy in an experimental model. Journal of Allergy and Clinical Immunology, 2014, 133, 1702-1708.e5.	1.5	46
64	Mast cell-derived serine proteinase regulates T helper 2 polarization. Scientific Reports, 2014, 4, 4649.	1.6	20
65	TSP1-producing B cells show immune regulatory property and suppress allergy-related mucosal inflammation. Scientific Reports, 2013, 3, 3345.	1.6	52
66	Ubiquitin E3 Ligase A20 Facilitates Processing Microbial Product in Nasal Epithelial Cells. Journal of Biological Chemistry, 2012, 287, 35318-35323.	1.6	12
67	Probiotics promote endocytic allergen degradation in gut epithelial cells. Biochemical and Biophysical Research Communications, 2012, 426, 135-140.	1.0	29
68	Interleukin (IL)-23 Suppresses IL-10 in Inflammatory Bowel Disease. Journal of Biological Chemistry, 2012, 287, 3591-3597.	1.6	41
69	Intestinal epithelial cell-derived integrin αβ6 plays an important role in the induction of regulatory T cells and inhibits an antigen-specific Th2 response. Journal of Leukocyte Biology, 2011, 90, 751-759.	1.5	71
70	Glucuronoxylomannan promotes the generation of antigenâ€specific T regulatory cell that suppresses the antigenâ€specific Th2 response upon activation. Journal of Cellular and Molecular Medicine, 2009, 13, 1765-1774.	1.6	9
71	Regulatory effect of heat shock protein 70 in stress-induced rat intestinal epithelial barrier dysfunction. North American Journal of Medical Sciences, 2009, 1, 9-15.	1.7	7
72	TIM-4 Expressed by Mucosal Dendritic Cells Plays a Critical Role in Food Antigen–Specific Th2 Differentiation and Intestinal Allergy. Gastroenterology, 2007, 133, 1522-1533.	0.6	124

#	Article	IF	CITATIONS
73	Investigation into the signal transduction pathway via which heat stress impairs intestinal epithelial barrier function. Journal of Gastroenterology and Hepatology (Australia), 2007, 22, 1823-1831.	1.4	67
74	Chronic Psychological Stress in Rats Induces Intestinal Sensitization to Luminal Antigens. American Journal of Pathology, 2006, 168, 104-114.	1.9	143
75	Rhinosinusitis derived Staphylococcal enterotoxin B possibly associates with pathogenesis of ulcerative colitis. BMC Gastroenterology, 2005, 5, 28.	0.8	26
76	A murine model of ulcerative colitis: induced with sinusitis-derived superantigen and food allergen. BMC Gastroenterology, 2005, 5, 6.	0.8	16
77	Mucosal Pathophysiology and Inflammatory Changes in the Late Phase of the Intestinal Allergic Reaction in the Rat. American Journal of Pathology, 2001, 158, 681-690.	1.9	69
78	Chronic stress impairs rat growth and jejunal epithelial barrier function: role of mast cells. American Journal of Physiology - Renal Physiology, 2000, 278, G847-G854.	1.6	153
79	Corticotropin-releasing hormone mimics stress-induced colonic epithelial pathophysiology in the rat. American Journal of Physiology - Renal Physiology, 1999, 277, G391-G399.	1.6	152
80	Livin promotes Th2-type immune response in airway allergic diseases. Immunologic Research, 0, , .	1.3	0