

Leon Flicker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4143424/leon-flicker-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

428
papers

16,505
citations

67
h-index

109
g-index

472
ext. papers

19,256
ext. citations

4.7
avg. IF

6.43
L-index

#	Paper	IF	Citations
428	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study.. <i>Alzheimeris and Dementia</i> , 2022 ,	1.2	4
427	Hearing impairment and frailty in later life: The Health in Men Study (HIMS).. <i>Maturitas</i> , 2022 , 156, 30-365		0
426	Efficacy of probucol on cognitive function in Alzheimer's disease: study protocol for a double-blind, placebo-controlled, randomised phase II trial (PIA study).. <i>BMJ Open</i> , 2022 , 12, e058826	3	0
425	Associations between diabetes, body mass index and frailty: The Western Australian Health In Men Study. <i>Maturitas</i> , 2022 , 161, 58-64	5	0
424	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis.. <i>Journal of Affective Disorders</i> , 2022 , 309, 314-323	6.6	1
423	Prevalence and sites of pain in remote-living older Aboriginal Australians, and associations with depressive symptoms and disability. <i>Internal Medicine Journal</i> , 2021 , 51, 1092-1100	1.6	1
422	Good Spirit, Good Life: A Quality of Life Tool and Framework for Older Aboriginal Peoples. <i>Gerontologist, The</i> , 2021 , 61, e163-e172	5	12
421	Why is the use of inappropriate medicines so high in Aboriginal Australians?. <i>International Psychogeriatrics</i> , 2021 , 1-5	3.4	
420	Development of a Toolkit to support sustainable culture change in residential aged care. <i>Australasian Journal on Ageing</i> , 2021 , 40, 77-83	1.5	
419	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. <i>PLoS ONE</i> , 2021 , 16, e0248931	3.7	1
418	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. <i>Maturitas</i> , 2021 , 145, 6-11	5	3
417	Associations of Osteocalcin Forms With Metabolic Syndrome and Its Individual Components in Older Men: The Health In Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3506-e3518 ¹	5.6	1
416	Association of markers of inflammation, the kynurenine pathway and B vitamins with age and mortality, and a signature of inflammaging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	7
415	"You felt like a prisoner in your own self, trapped": the experiences of Aboriginal people with acquired communication disorders. <i>Disability and Rehabilitation</i> , 2021 , 43, 1903-1916	2.4	10
414	The Well-Being of Carers of Older Aboriginal People Living in the Kimberley Region of Remote Western Australia: Empowerment, Depression, and Carer Burden. <i>Journal of Applied Gerontology</i> , 2021 , 40, 693-702	3.3	2
413	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 164-171 ⁴	6.4	2
412	Sociodemographic, lifestyle and medical influences on serum testosterone and sex hormone-binding globulin in men from UK Biobank. <i>Clinical Endocrinology</i> , 2021 , 94, 290-302	3.4	7

411	Preventing depression among older people living in rural areas: A randomised controlled trial of behavioural activation in collaborative care. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 530-539	3.9	3
410	Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. <i>Journal of Patient Safety</i> , 2021 , 17, e1472-e1479	1.9	4
409	Strong Carers, Strong Communities: a cluster randomised controlled trial to improve wellbeing of family carers of older people in remote Aboriginal communities. <i>Rural and Remote Health</i> , 2021 , 21, 6078	1.3	
408	Inflammation-Related Marker Profiling of Dietary Patterns and All-cause Mortality in the Melbourne Collaborative Cohort Study. <i>Journal of Nutrition</i> , 2021 , 151, 2908-2916	4.1	2
407	Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. <i>Frontiers in Public Health</i> , 2021 , 9, 683723	6	1
406	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. <i>Stroke</i> , 2021 , 52, 2502-2509	6.7	1
405	Association of Thyroid Dysfunction With Cognitive Function: An Individual Participant Data Analysis. <i>JAMA Internal Medicine</i> , 2021 , 181, 1440-1450	11.5	4
404	A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. <i>Journal of Alzheimer's Disease</i> , 2021 , 84, 207-220	4.3	1
403	Global Prevalence of Young-Onset Dementia: A Systematic Review and Meta-analysis. <i>JAMA Neurology</i> , 2021 , 78, 1080-1090	17.2	30
402	Healing Right Way: study protocol for a stepped wedge cluster randomised controlled trial to enhance rehabilitation services and improve quality of life in Aboriginal Australians after brain injury. <i>BMJ Open</i> , 2021 , 11, e045898	3	2
401	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery: The AFFINITY Randomized Clinical Trial. <i>JAMA Neurology</i> , 2021 , 78, 1072-1079	17.2	2
400	Effect of frailty on initiation of statins following incident acute coronary syndromes in patients aged ≥5 years. <i>Maturitas</i> , 2021 , 153, 13-18	5	0
399	Pattern of prescription of psychotropics (antipsychotics, antidepressants and benzodiazepines) in Western Australian residential aged care facilities.. <i>Internal Medicine Journal</i> , 2021 , 51, 2140-2143	1.6	0
398	Screening for and Managing the Person with Frailty in Primary Care: ICFSR Consensus Guidelines. <i>Journal of Nutrition, Health and Aging</i> , 2020 , 24, 920-927	5.2	20
397	Androgens In Men Study (AIMS): protocol for meta-analyses of individual participant data investigating associations of androgens with health outcomes in men. <i>BMJ Open</i> , 2020 , 10, e034777	3	1
396	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	7
395	Let's CHAT (community health approaches to) dementia in Aboriginal and Torres Strait Islander communities: protocol for a stepped wedge cluster randomised controlled trial. <i>BMC Health Services Research</i> , 2020 , 20, 208	2.9	6
394	Optimisation of medications used in residential aged care facilities: a systematic review and meta-analysis of randomised controlled trials. <i>BMC Geriatrics</i> , 2020 , 20, 236	4.1	11

393	A screening tool for acquired communication disorders in Aboriginal Australians after brain injury: lessons learned from the pilot phase. <i>Aphasiology</i> , 2020 , 34, 1388-1412	1.6	3
392	Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. <i>Health and Social Care in the Community</i> , 2020 , 28, 1710-1722	2.6	5
391	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020 , 182, 23-33	6.5	5
390	Self-reported health and older Aboriginal Australians - healing, balance, connection, and inner spirit are important learnings for all of us. <i>International Psychogeriatrics</i> , 2020 , 32, 1267-1270	3.4	
389	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2020 , 19, 651-660	24.1	48
388	Hearing aids to support cognitive functions of older adults at risk of dementia: the HearCog trial-clinical protocols. <i>BMC Geriatrics</i> , 2020 , 20, 508	4.1	6
387	Screening for and Managing the Person with Frailty in Primary Care: ICFSR Consensus Guidelines. <i>Journal of Nutrition, Health and Aging</i> , 2020 ,	5.2	4
386	Interim guidance for health-care professionals and administrators providing hospital care to adult patients with cognitive impairment, in the context of COVID-19 pandemic. <i>Australasian Journal on Ageing</i> , 2020 , 39, 283-286	1.5	3
385	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. <i>Ageing and Mental Health</i> , 2020 , 24, 627-633	3.5	4
384	The Healthy Heart-Mind Trial: Randomized Controlled Trial of Melatonin for Prevention of Delirium. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 112-119	5.6	12
383	Osteocalcin and its forms across the lifespan in adult men. <i>Bone</i> , 2020 , 130, 115085	4.7	15
382	Neither Hormonal Factors Nor AGEs Explain Lower Prostate Cancer Risk in Older Men With Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 6017-6024	5.6	0
381	Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. <i>Journal of Nutrition, Health and Aging</i> , 2019 , 23, 771-787	5.2	198
380	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. <i>Injury Prevention</i> , 2019 , 25, 557-564	3.2	12
379	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 684-685	5.6	
378	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002807	11.6	18
377	Potentially suboptimal prescribing of medicines for older Aboriginal Australians in remote areas. <i>Medical Journal of Australia</i> , 2019 , 211, 119-125	4	6
376	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3172	7.5	1

375	High-Sensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The Health in Men Study). <i>Journal of the American Heart Association</i> , 2019 , 8, e011818	6	9
374	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGF-II, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019 , 145, 3244-3256	7.5	9
373	Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1511-1517	6.4	15
372	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. <i>Environment International</i> , 2019 , 125, 430-436	12.9	18
371	Depression, antidepressants and the risk of cardiovascular events and death in older men. <i>Maturitas</i> , 2019 , 128, 4-9	5	9
370	Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2274-2281	5.6	10
369	General practitioners' perceptions of their communication with Australian Aboriginal patients with acquired neurogenic communication disorders. <i>Patient Education and Counseling</i> , 2019 , 102, 2310-2317	3.1	4
368	We got to row the boat on my own, more or less—Aboriginal Australian experiences of traumatic brain injury. <i>Brain Impairment</i> , 2019 , 20, 120-136	1	10
367	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032421	3	2
366	A mixed methods process evaluation of a person-centred falls prevention program. <i>BMC Health Services Research</i> , 2019 , 19, 906	2.9	7
365	Long-term Exposure to Low Air Pollutant Concentrations and the Relationship with All-Cause Mortality and Stroke in Older Men. <i>Epidemiology</i> , 2019 , 30 Suppl 1, S82-S89	3.1	15
364	Vitamin D and the endocrinology of ageing. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019 , 5, 7-10	1.7	1
363	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019 , 90, 562-569	3.4	4
362	Assessment, incidence and factors associated with urinary incontinence in older Aboriginal Australians. <i>Internal Medicine Journal</i> , 2019 , 49, 1111-1118	1.6	3
361	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 408-414	3.9	3
360	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
359	The National Institute on Aging and Alzheimer's Association research framework: A commentary from the Cochrane Dementia and Cognitive Improvement Group. <i>Alzheimer's and Dementia</i> , 2019 , 15, 179-181	1.2	5
358	When is Alzheimer's not dementia-Cochrane commentary on The National Institute on Ageing and Alzheimer's Association Research Framework for Alzheimer's Disease. <i>Age and Ageing</i> , 2019 , 48, 174-177		13

357	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. <i>Clinical Endocrinology</i> , 2019 , 90, 375-383	3.4	8
356	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). <i>Psychological Medicine</i> , 2019 , 49, 232-242	6.9	11
355	HbA1c Is Associated with Frailty in a Group of Aboriginal Australians. <i>Journal of Frailty & Aging, the</i> , 2019 , 8, 17-20	2.6	2
354	Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. <i>BMJ Open</i> , 2018 , 8, e020726	2.26	5
353	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. <i>Clinical Endocrinology</i> , 2018 , 89, 93-99	3.4	17
352	Missing Voices: Profile, Extent, and 12-Month Outcomes of Nonfatal Traumatic Brain Injury in Aboriginal and Non-Aboriginal Adults in Western Australia Using Linked Administrative Records. <i>Journal of Head Trauma Rehabilitation</i> , 2018 , 33, 412-423	3	17
351	Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2018 , 47, 512-519	3	21
350	Hearing loss and the risk of dementia in later life. <i>Maturitas</i> , 2018 , 112, 1-11	5	64
349	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of IGF1. <i>Clinical Endocrinology</i> , 2018 , 88, 333-340	3.4	15
348	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. <i>International Journal of Cardiology</i> , 2018 , 254, 316-321	3.2	4
347	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. <i>Clinical Endocrinology</i> , 2018 , 88, 88-95	3.4	20
346	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018 , 74, 585-594	10.2	36
345	Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. <i>Clinical Epidemiology</i> , 2018 , 10, 363-379	5.9	27
344	Mortality in a cohort of remote-living Aboriginal Australians and associated factors. <i>PLoS ONE</i> , 2018 , 13, e0195030	3.7	7
343	Older men with bipolar disorder: Clinical associations with early and late onset illness. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1613-1619	3.9	13
342	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. <i>Journal of Affective Disorders</i> , 2018 , 239, 269-273	6.6	4
341	Sex hormones and incident dementia in older men: The health in men study. <i>Psychoneuroendocrinology</i> , 2018 , 98, 139-147	5	22
340	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. <i>Journal of Affective Disorders</i> , 2018 , 241, 269-274	6.6	3

339	The Australian Aged Care and Its Implications for the Korean Aging Crisis. <i>Annals of Geriatric Medicine and Research</i> , 2018 , 22, 9-19	2.9	2
338	Risk of prevalent and incident dementia associated with insulin-like growth factor and insulin-like growth factor-binding protein 3. <i>Molecular Psychiatry</i> , 2018 , 23, 1825-1829	15.1	7
337	O1-11-04: HEARING LOSS IN OLDER MEN AND RISK OF DEMENTIA 2018 , 14, P248-P248		
336	P4-135: GOOD SPIRIT, GOOD LIFE: A QUALITY OF LIFE TOOL FOR ABORIGINAL AUSTRALIANS WITH COGNITIVE IMPAIRMENT AND DEMENTIA 2018 , 14, P1490-P1491		2
335	International Clinical Practice Guidelines for Sarcopenia (ICFSR): Screening, Diagnosis and Management. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 22, 1148-1161	5.2	276
334	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4224-4231	5.6	21
333	Precision Medicine: The Future Management of Geriatric Conditions. <i>Journal of Nutrition, Health and Aging</i> , 2018 , 1	5.2	3
332	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. <i>Addiction Biology</i> , 2017 , 22, 570-578	4.6	10
331	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. <i>Hormones and Cancer</i> , 2017 , 8, 119-126	5	14
330	Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. <i>BMJ Open</i> , 2017 , 7, e013931	3	12
329	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over: The HIMS (Health in Men Study). <i>Hypertension</i> , 2017 , 69, 1053-1059	8.5	5
328	Depression as a modifiable factor to decrease the risk of dementia. <i>Translational Psychiatry</i> , 2017 , 7, e1117	8.6	84
327	Development of the Aboriginal Communication Assessment After Brain Injury (ACAABI): A screening tool for identifying acquired communication disorders in Aboriginal Australians. <i>International Journal of Speech-Language Pathology</i> , 2017 , 19, 297-308	2.1	8
326	Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2017 , 15, 686-693	1.6	3
325	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017 , 101, 1-5	5	11
324	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 444-449	6.4	10
323	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. <i>BMC Geriatrics</i> , 2017 , 17, 215	4.1	5
322	18F PET with florbetapir for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). <i>The Cochrane Library</i> , 2017 , 11, CD012216	5.2	23

321	18F PET with flutemetamol for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). <i>The Cochrane Library</i> , 2017 , 11, CD012884	5.2	20
320	Body Mass Index and Vascular Disease in Men Aged 65 Years and Over: HIMS (Health In Men Study). <i>Journal of the American Heart Association</i> , 2017 , 6,	6	1
319	The Asia-Pacific Clinical Practice Guidelines for the Management of Frailty. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 564-575	5.9	227
318	Profile of diabetes in men aged 79-97 years: the Western Australian Health in Men Study. <i>Diabetic Medicine</i> , 2017 , 34, 786-793	3.5	2
317	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9 Years Follow-up: The Health in Men Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 65-69	5.9	9
316	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. <i>Clinical Endocrinology</i> , 2017 , 86, 278-285	3.4	3
315	Evidence-based occupational therapy for people with dementia and their families: What clinical practice guidelines tell us and implications for practice. <i>Australian Occupational Therapy Journal</i> , 2017 , 64, 3-10	1.7	17
314	Bone turnover markers: Defining a therapeutic target. <i>Clinical Biochemistry</i> , 2017 , 50, 162-163	3.5	7
313	18F PET with florbetaben for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). <i>The Cochrane Library</i> , 2017 , 11, CD012883	5.2	17
312	RESPOND: a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall-protocol for a mixed methods programme evaluation. <i>Injury Prevention</i> , 2016 , 22, 153-60	3.2	4
311	Falls risk assessment outcomes and factors associated with falls for older Indigenous Australians. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 553-558	2.3	7
310	Reducing depression during the menopausal transition with health coaching: Results from the healthy menopausal transition randomised controlled trial. <i>Maturitas</i> , 2016 , 92, 41-48	5	8
309	'My independent streak may get in the way': how older adults respond to falls prevention education in hospital. <i>BMJ Open</i> , 2016 , 6, e012363	3	24
308	'It promoted a positive culture around falls prevention': staff response to a patient education programme-a qualitative evaluation. <i>BMJ Open</i> , 2016 , 6, e013414	3	8
307	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016 , 251, 19-24	3.1	8
306	Missing voices: Profile and extent of acquired communication disorders in Aboriginal and non-Aboriginal adult stroke survivors in Western Australia using linked administrative records. <i>International Journal of Stroke</i> , 2016 , 11, 103-16	6.3	15
305	The Healthy Heart-Mind trial: melatonin for prevention of delirium following cardiac surgery: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 55	2.8	7
304	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 412-20	3.9	23

303	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). <i>Maturitas</i> , 2016 , 86, 3-9	5	42
302	A Human Variant of Glucose-Regulated Protein 94 That Inefficiently Supports IGF Production. <i>Endocrinology</i> , 2016 , 157, 1914-28	4.8	9
301	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. <i>Psychoneuroendocrinology</i> , 2016 , 64, 57-65	5	47
300	Incidence and predictors of cognitive impairment and dementia in Aboriginal Australians: A follow-up study of 5 years. <i>Alzheimeris and Dementia</i> , 2016 , 12, 252-61	1.2	24
299	Deprescribing in Frail Older People: A Randomised Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0149984	3.7	119
298	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. <i>PLoS ONE</i> , 2016 , 11, e0163781	3.7	5
297	Clinical practice guidelines for dementia in Australia. <i>Medical Journal of Australia</i> , 2016 , 204, 191-3	4	64
296	Depressive symptoms in midlife: the role of reproductive stage. <i>Menopause</i> , 2016 , 23, 669-75	2.5	15
295	Ageing on Hammond Island: Is there cause for concern in the Torres Strait?. <i>Australian Journal of Rural Health</i> , 2016 , 24, 342-343	1.3	5
294	18F PET ligands for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). <i>The Cochrane Library</i> , 2016 ,	5.2	5
293	F3-02-03: Predictors of Dementia and Mortality in Indigenous Australians 2016 , 12, P271-P272		
292	O3-10-04: Adapting the Kimberly Indigenous Cognitive Assessment for Use with Indigenous Older Adults in Canada 2016 , 12, P311-P311		2
291	Prevalence and incidence of frailty in Aboriginal Australians, and associations with mortality and disability. <i>Maturitas</i> , 2016 , 87, 89-94	5	36
290	The KICA Carer: informant information to enhance the Kimberley Indigenous Cognitive Assessment. <i>International Psychogeriatrics</i> , 2016 , 28, 101-7	3.4	5
289	Timely Diagnosis for Dementia: The Need for Specialists. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 462-3	5.9	1
288	Assessing people with dementia: the role of the aged care assessment team and memory clinics. <i>Internal Medicine Journal</i> , 2016 , 46, 1081-8	1.6	1
287	Suicide in older men: The health in men cohort study (HIMS). <i>Preventive Medicine</i> , 2016 , 93, 33-38	4.3	19
286	The clinical value of fluid biomarkers for dementia diagnosis. <i>Lancet Neurology</i> , 2016 , 15, 1204	24.1	7

285	Risk of dementia and death in community-dwelling older men with bipolar disorder. <i>British Journal of Psychiatry</i> , 2016 , 209, 121-6	5.4	35
284	Systematic review and meta-analysis of randomized placebo-controlled trials of folate and vitamin B12 for depression. <i>International Psychogeriatrics</i> , 2015 , 27, 727-37	3.4	89
283	Insulin resistance and depressive symptoms in older men: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 872-80	6.5	16
282	Propositional idea density in older men's written language: findings from the HIMS study using computerised analysis. <i>Clinical Linguistics and Phonetics</i> , 2015 , 29, 85-101	1.4	3
281	How many older people are frail? Using multiple imputation to investigate frailty in the population. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 439.e1-7	5.9	23
280	Impact of tai-chi on falls among preclinically disabled older people. A randomized controlled trial. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 420-6	5.9	17
279	Reported Amount of Salt Added to Food Is Associated with Increased All-Cause and Cancer-Related Mortality in Older Men in a Prospective Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 805-11	5.2	4
278	Depression, frailty, and all-cause mortality: a cohort study of men older than 75 years. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 296-300	5.9	59
277	Diabetes, myocardial infarction and stroke are distinct and duration-dependent predictors of subsequent cardiovascular events and all-cause mortality in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1038-47	5.6	21
276	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. <i>Maturitas</i> , 2015 , 81, 36-41	5	31
275	Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>Lancet, The</i> , 2015 , 385, 2592-9	4.0	129
274	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 Australian cohorts. <i>International Journal of Cancer</i> , 2015 , 137, 1699-708	7.5	35
273	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3934-42	5.6	21
272	Hypovitaminosis D and frailty: Epiphenomenon or causal?. <i>Maturitas</i> , 2015 , 82, 328-35	5	18
271	The PACE study: a randomized clinical trial of cognitive activity strategy training for older people with mild cognitive impairment. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 360-372	6.5	30
270	Association of depression with sexual and daily activities: a community study of octogenarian men. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 234-42	6.5	2
269	RESPOND--A patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for a multicentre randomised controlled trial. <i>Injury Prevention</i> , 2015 , 21, e1	3.2	18
268	What can we learn about dementia from research in Indigenous populations?. <i>International Psychogeriatrics</i> , 2015 , 27, 1957-8	3.4	5

267	Study Protocol: Missing Voices [Communication Difficulties after Stroke and Traumatic Brain Injury in Aboriginal Australians. <i>Brain Impairment</i> , 2015 , 16, 145-156	1	16
266	Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. <i>BMJ Open</i> , 2015 , 5, e009780	3	20
265	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). <i>BMC Geriatrics</i> , 2015 , 15, 164	4.1	7
264	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1215-23	3.9	17
263	Resident-to-resident physical aggression leading to injury in nursing homes: a systematic review. <i>Age and Ageing</i> , 2015 , 44, 356-64	3	38
262	Age-specific population centiles for androgen status in men. <i>European Journal of Endocrinology</i> , 2015 , 173, 809-17	6.5	60
261	Reference intervals for bone turnover markers and their association with incident hip fractures in older men: the Health in Men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 90-9	5.6	39
260	Higher serum undercarboxylated osteocalcin and other bone turnover markers are associated with reduced diabetes risk and lower estradiol concentrations in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 63-71	5.6	76
259	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. <i>PLoS ONE</i> , 2015 , 10, e0134475	3.7	12
258	HDL cholesterol and the risk of depression over 5 years. <i>Molecular Psychiatry</i> , 2014 , 19, 637-8	15.1	15
257	In older men an optimal plasma testosterone is associated with reduced all-cause mortality and higher dihydrotestosterone with reduced ischemic heart disease mortality, while estradiol levels do not predict mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E9-18	5.6	128
256	Dietary patterns as predictors of successful ageing. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 221-32	3.2	32
255	ACTIVEDEP: a randomised, controlled trial of a home-based exercise intervention to alleviate depression in middle-aged and older adults. <i>British Journal of Sports Medicine</i> , 2014 , 48, 226-32	10.3	20
254	B vitamins to enhance treatment response to antidepressants in middle-aged and older adults: results from the B-VITAGE randomised, double-blind, placebo-controlled trial. <i>British Journal of Psychiatry</i> , 2014 , 205, 450-7	5.4	39
253	150 minutes of vigorous physical activity per week predicts survival and successful ageing: a population-based 11-year longitudinal study of 12 201 older Australian men. <i>British Journal of Sports Medicine</i> , 2014 , 48, 220-5	10.3	68
252	Reducing depression during the menopausal transition: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 312	2.8	5
251	Hormones and cardiovascular disease in older men. <i>Journal of the American Medical Association</i> , 2014 , 311, 326-33	5.9	9
250	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ</i> , 2014 , 349, g4164	5.9	406

249	Hospital costs associated with depression in a cohort of older men living in Western Australia. <i>General Hospital Psychiatry</i> , 2014 , 36, 33-7	5.6	12
248	Plasma and cerebrospinal fluid amyloid beta for the diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). <i>The Cochrane Library</i> , 2014 , CD008782	5.2	67
247	Plasma angiotensin-1 is lower after ischemic stroke and associated with major disability but not stroke incidence. <i>Stroke</i> , 2014 , 45, 1064-8	6.7	19
246	Grey matter changes associated with deficit awareness in mild cognitive impairment: a voxel-based morphometry study. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 1251-9	4.3	9
245	The Kimberley assessment of depression of older Indigenous Australians: prevalence of depressive disorders, risk factors and validation of the KICA-dep scale. <i>PLoS ONE</i> , 2014 , 9, e94983	3.7	28
244	Understanding diagnosis and management of dementia and guideline implementation in general practice: a qualitative study using the theoretical domains framework. <i>Implementation Science</i> , 2014 , 9, 31	8.4	54
243	In older men, higher plasma testosterone or dihydrotestosterone is an independent predictor for reduced incidence of stroke but not myocardial infarction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 4565-73	5.6	64
242	Reporting standards for studies of diagnostic test accuracy in dementia: The STARDdem Initiative. <i>Neurology</i> , 2014 , 83, 364-73	6.5	146
241	Angiogenesis inhibition and depression in older men. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 200-5	4.5	8
240	A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. <i>BMJ Open</i> , 2014 , 4, e004195	3	19
239	Randomised controlled trial to improve depression and the quality of life of people with Dementia using cognitive bias modification: RAPID study protocol. <i>BMJ Open</i> , 2014 , 4, e005623	3	3
238	Alcohol consumption and cognitive impairment in older men: a mendelian randomization study. <i>Neurology</i> , 2014 , 82, 1038-44	6.5	21
237	Validity of self-reported versus hospital-coded diagnosis of stroke: a cross-sectional and longitudinal study. <i>Cerebrovascular Diseases</i> , 2014 , 37, 256-62	3.2	23
236	The triangular association of ADH1B genetic polymorphism, alcohol consumption and the risk of depression in older men. <i>Molecular Psychiatry</i> , 2014 , 19, 995-1000	15.1	19
235	In older men, lower plasma 25-hydroxyvitamin D is associated with reduced incidence of prostate, but not colorectal or lung cancer. <i>PLoS ONE</i> , 2014 , 9, e99954	3.7	23
234	Reported high salt intake is associated with increased prevalence of abdominal aortic aneurysm and larger aortic diameter in older men. <i>PLoS ONE</i> , 2014 , 9, e102578	3.7	10
233	Mortality among people with severe mental disorders who reach old age: a longitudinal study of a community-representative sample of 37,892 men. <i>PLoS ONE</i> , 2014 , 9, e111882	3.7	50
232	Peripheral arterial disease increases the risk of subsequent hip fracture in older men: the Health in Men Study. <i>Osteoporosis International</i> , 2013 , 24, 1683-8	5.3	8

231	A risk table to assist health practitioners assess and prevent the onset of depression in later life. <i>Preventive Medicine</i> , 2013 , 57, 878-82	4.3	24
230	Systematic review of the body of evidence for the use of biomarkers in the diagnosis of dementia. <i>Alzheimeris and Dementia</i> , 2013 , 9, e96-e105	1.2	57
229	Homocysteine, depression and cognitive function in older adults. <i>Journal of Affective Disorders</i> , 2013 , 151, 646-651	6.6	24
228	Patterns of dietary intake and psychological distress in older Australians: benefits not just from a Mediterranean diet. <i>International Psychogeriatrics</i> , 2013 , 25, 456-66	3.4	73
227	Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. <i>European Journal of Heart Failure</i> , 2013 , 15, 850-8	12.3	34
226	Associations of insulin-like growth factor-I and its binding proteins and testosterone with frailty in older men. <i>Clinical Endocrinology</i> , 2013 , 78, 752-9	3.4	33
225	Plasma total homocysteine is associated with abdominal aortic aneurysm and aortic diameter in older men. <i>Journal of Vascular Surgery</i> , 2013 , 58, 364-70	3.5	29
224	Is hypovitaminosis D associated with abdominal aortic aneurysm, and is there a dose-response relationship?. <i>European Journal of Vascular and Endovascular Surgery</i> , 2013 , 45, 657-64	2.3	37
223	Social connectedness and predictors of successful ageing. <i>Maturitas</i> , 2013 , 75, 361-6	5	48
222	Diabetes and ageing in the Melbourne Collaborative Cohort Study (MCCS). <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 398-403	7.4	9
221	The FABS trial: a randomised control trial of the effects of a 6-month physical activity intervention on adherence and long-term physical activity and self-efficacy in older adults with memory complaints. <i>Preventive Medicine</i> , 2013 , 57, 824-30	4.3	24
220	Cardiovascular diseases do not influence the mental health outcome of older men with depression over 6 years. <i>Journal of Affective Disorders</i> , 2013 , 144, 248-52	6.6	3
219	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. <i>Clinical Endocrinology</i> , 2013 , 79, 725-32	3.4	12
218	Low vitamin D status is an independent predictor of increased frailty and all-cause mortality in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3821-8	5.6	59
217	Association between depression and hospital outcomes among older men. <i>Cmaj</i> , 2013 , 185, 117-23	3.5	39
216	Homocysteine, frailty, and all-cause mortality in older men: the health in men study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 590-8	6.4	30
215	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2013 , 169, 401-8	6.5	49
214	e-ageing: development and evaluation of a flexible online geriatric medicine educational resource for diverse learners. <i>Australasian Journal on Ageing</i> , 2013 , 32, 222-8	1.5	3

213	Advances in research, education and practice in geriatric medicine, 1982-2012. <i>Australasian Journal on Ageing</i> , 2013 , 32 Suppl 2, 35-9	1.5	4
212	Hip fractures among indigenous Western Australians from 1999 to 2009. <i>Internal Medicine Journal</i> , 2013 , 43, 1287-92	1.6	11
211	Changes in body mass in later life and incident dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 467-78	3.4	19
210	Treatment fidelity and acceptability of a cognition-focused intervention for older adults with mild cognitive impairment (MCI). <i>International Psychogeriatrics</i> , 2013 , 25, 815-23	3.4	8
209	Socioeconomic disadvantage increases risk of prevalent and persistent depression in later life. <i>Journal of Affective Disorders</i> , 2012 , 138, 322-31	6.6	29
208	Prevalence and predictors of sexual problems in men aged 75-95 years: a population-based study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 442-53	1.1	42
207	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2012 , 76, 741-8	3.4	37
206	Preliminary evaluation of the prevalence of falls, pain and urinary incontinence in remote living Indigenous Australians over the age of 45 years. <i>Internal Medicine Journal</i> , 2012 , 42, e102-7	1.6	20
205	Associations of total osteocalcin with all-cause and cardiovascular mortality in older men. The Health In Men Study. <i>Osteoporosis International</i> , 2012 , 23, 599-606	5.3	61
204	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. <i>Molecular Psychiatry</i> , 2012 , 17, 1328-39	15.1	14
203	Reference ranges and determinants of testosterone, dihydrotestosterone, and estradiol levels measured using liquid chromatography-tandem mass spectrometry in a population-based cohort of older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4030-9	5.6	113
202	Cardiovascular disease, depression and mortality: the Health In Men Study. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 433-40	6.5	18
201	The diagnostic accuracy of telegeriatrics for the diagnosis of dementia via video conferencing. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 487.e19-24	5.9	60
200	Factors associated with suicidal thoughts in a large community study of older adults. <i>British Journal of Psychiatry</i> , 2012 , 201, 466-72	5.4	131
199	A pooled analysis of vitamin D dose requirements for fracture prevention. <i>New England Journal of Medicine</i> , 2012 , 367, 40-9	59.2	594
198	Impact of tai chi on impairment, functional limitation, and disability among preclinically disabled older people: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1400-7	2.8	15
197	Perception of worsening health predicts mortality in older men: the Health in Men Study (HIMS). <i>Archives of Gerontology and Geriatrics</i> , 2012 , 55, 363-8	4	8
196	CRP 1846G>A polymorphism increases risk of frailty. <i>Maturitas</i> , 2012 , 71, 261-6	5	26

195	Impact of behavioural risk factors on death within 10 years for women and men in their 70s: absolute risk charts. <i>BMC Public Health</i> , 2012 , 12, 669	4.1	9
194	Higher free thyroxine levels predict increased incidence of dementia in older men: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E2230-7	5.6	51
193	Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. <i>International Psychogeriatrics</i> , 2012 , 24, 38-47	3.4	31
192	Elevated homocysteine is associated with poorer self-perceived physical health in older men: the Health in Men Study. <i>Maturitas</i> , 2012 , 73, 158-63	5	6
191	Homocysteine, grey matter and cognitive function in adults with cardiovascular disease. <i>PLoS ONE</i> , 2012 , 7, e33345	3.7	13
190	Older men who use computers have lower risk of dementia. <i>PLoS ONE</i> , 2012 , 7, e44239	3.7	42
189	Dietary patterns are associated with cognition among older people with mild cognitive impairment. <i>Nutrients</i> , 2012 , 4, 1542-51	6.7	37
188	Memory loss. <i>Medical Journal of Australia</i> , 2012 , 196, 114-7	4	5
187	Impact of the Reelin signaling cascade (ligands-receptors-adaptor complex) on cognition in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 392-404	3.5	23
186	Validation of the frail scale in a cohort of older Australian women. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 171-3	5.6	73
185	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. <i>Molecular Psychiatry</i> , 2012 , 17, 559-66	15.1	34
184	Physical activity and all-cause mortality in older women and men. <i>British Journal of Sports Medicine</i> , 2012 , 46, 664-8	10.3	87
183	Social support and subsequent disability: it is not the size of your network that counts. <i>Age and Ageing</i> , 2012 , 41, 674-7	3	30
182	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. <i>European Journal of Endocrinology</i> , 2012 , 166, 191-7	6.5	14
181	Plasma homocysteine and MTHFR C677T polymorphism as risk factors for incident dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 70-5	5.5	31
180	Associations between testosterone levels and incident prostate, lung, and colorectal cancer. A population-based study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1319-29	4	56
179	Anxiety, depression, and comorbid anxiety and depression: risk factors and outcome over two years. <i>International Psychogeriatrics</i> , 2012 , 24, 1622-32	3.4	60
178	A randomized trial to reduce the prevalence of depression and self-harm behavior in older primary care patients. <i>Annals of Family Medicine</i> , 2012 , 10, 347-56	2.9	41

177	Low free testosterone predicts mortality from cardiovascular disease but not other causes: the Health in Men Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 179-89	5.6	133
176	Aspirin decreases the risk of depression in older men with high plasma homocysteine. <i>Translational Psychiatry</i> , 2012 , 2, e151	8.6	45
175	Cognitive and brain changes associated with ischaemic heart disease and heart failure. <i>European Heart Journal</i> , 2012 , 33, 1769-76	9.5	96
174	The influence of opinion leaders. <i>Australian Prescriber</i> , 2012 , 35, 74-75	1.4	4
173	24-month effect of smoking cessation on cognitive function and brain structure in later life. <i>NeuroImage</i> , 2011 , 55, 1480-9	7.9	67
172	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairment--is there a gender difference?. <i>Maturitas</i> , 2011 , 69, 359-64	5	85
171	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. <i>Lancet, The</i> , 2011 , 378, 584-94	4.0	231
170	Body adiposity in later life and the incidence of dementia: the health in men study. <i>PLoS ONE</i> , 2011 , 6, e17902	3.7	39
169	A cluster-randomised trial of staff education to improve the quality of life of people with dementia living in residential care: the DIRECT study. <i>PLoS ONE</i> , 2011 , 6, e28155	3.7	25
168	A practical approach to assess depression risk and to guide risk reduction strategies in later life. <i>International Psychogeriatrics</i> , 2011 , 23, 280-91	3.4	41
167	Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. <i>International Psychogeriatrics</i> , 2011 , 23, 221-9	3.4	25
166	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 592-9	3.8	76
165	The KICA Screen: the psychometric properties of a shortened version of the KICA (Kimberley Indigenous Cognitive Assessment). <i>Australasian Journal on Ageing</i> , 2011 , 30, 215-9	1.5	23
164	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. <i>Australasian Journal on Ageing</i> , 2011 , 30 Suppl 2, 13-6	1.5	5
163	Older persons in acute hospitals awaiting transfer to a residential aged care facility. <i>Australasian Journal on Ageing</i> , 2011 , 30, 3-4	1.5	1
162	Cognitive activity for the treatment of older adults with mild Alzheimer's disease (AD)--PACE AD: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 47	2.8	11
161	Complaints of difficulty to fall asleep increase the risk of depression in later life: the health in men study. <i>Journal of Affective Disorders</i> , 2011 , 134, 208-16	6.6	40
160	A multi-faceted intervention to implement guideline care and improve quality of care for older people who present to the emergency department with falls. <i>BMC Geriatrics</i> , 2011 , 11, 6	4.1	27

159	Calcium supplementation and the risks of atherosclerotic vascular disease in older women: results of a 5-year RCT and a 4.5-year follow-up. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 35-41	6.3	139
158	Response to calcium supplements and cardiovascular risk. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 900-901	6.3	5
157	Students and teachers' preferences for undergraduate dementia education in Western Australia. <i>Gerontology and Geriatrics Education</i> , 2011 , 32, 273-90	1.2	8
156	Awareness of cognitive deficits in older adults with cognitive-impairment-no-dementia (CIND): comparison with informant report. <i>Alzheimer Disease and Associated Disorders</i> , 2011 , 25, 24-33	2.5	16
155	Associations of IGF1 and IGF1BP3 and 3 with all-cause and cardiovascular mortality in older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 715-23	6.5	28
154	Effects of anticholinergic drugs on cognitive function in older Australians: results from the AIBL study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 173-8	2.6	85
153	Traditional risk factors for incident cardiovascular events have limited importance in later life compared with the health in men study cardiovascular risk score. <i>Stroke</i> , 2011 , 42, 952-9	6.7	18
152	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2011 , 164, 315	6.5	2
151	Thyroid hormones and depression: the Health in Men study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 763-70	6.5	40
150	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2011 , 164, 569-77	6.5	38
149	'Gotta be sit down and worked out together': views of Aboriginal caregivers and service providers on ways to improve dementia care for Aboriginal Australians. <i>Rural and Remote Health</i> , 2011 , 11, 1650	1.3	17
148	Alcohol use and mortality in older men and women. <i>Addiction</i> , 2010 , 105, 1391-400	4.6	35
147	Depression, antidepressant use and mortality in later life: the Health In Men Study. <i>PLoS ONE</i> , 2010 , 5, e11266	3.7	57
146	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. <i>European Journal of Endocrinology</i> , 2010 , 163, 265-72	6.5	136
145	Factors associated with dementia in Aboriginal Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 888-93	2.6	40
144	IGF1 and its binding proteins 3 and 1 are differentially associated with metabolic syndrome in older men. <i>European Journal of Endocrinology</i> , 2010 , 162, 249-57	6.5	35
143	Cardiovascular risk factors, cerebrovascular disease burden, and healthy brain aging. <i>Clinics in Geriatric Medicine</i> , 2010 , 26, 17-27	3.8	32
142	Low free testosterone predicts frailty in older men: the health in men study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3165-72	5.6	191

141	Higher luteinizing hormone is associated with poor memory recall: the health in men study. <i>Journal of Alzheimeris Disease</i> , 2010 , 19, 943-51	4.3	38
140	Prevalence of sexual activity and associated factors in men aged 75 to 95 years: a cohort study. <i>Annals of Internal Medicine</i> , 2010 , 153, 693-702	8	69
139	Modifiable lifestyle risk factors for Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2010 , 20, 803-11	4.3	50
138	B-vitamins reduce the long-term risk of depression after stroke: The VITATOPS-DEP trial. <i>Annals of Neurology</i> , 2010 , 68, 503-10	9.4	67
137	Screening for pre-clinical disability in different residential settings. <i>BMC Geriatrics</i> , 2010 , 10, 52	4.1	9
136	The Fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. <i>Trials</i> , 2010 , 11, 120	2.8	13
135	Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. <i>Trials</i> , 2010 , 11, 63	2.8	10
134	The B-VITAGE trial: a randomized trial of homocysteine lowering treatment of depression in later life. <i>Trials</i> , 2010 , 11, 8	2.8	11
133	Body mass index and survival in men and women aged 70 to 75. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 234-41	5.6	161
132	Aspirin use, depression, and cognitive impairment in later life: the health in men study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 990-2	5.6	33
131	Screening and assessment instruments for the detection and measurement of cognitive impairment 2010 , 55-60		1
130	Factors associated with self and informant ratings of the quality of life of people with dementia living in care facilities: a cross sectional study. <i>PLoS ONE</i> , 2010 , 5, e15621	3.7	81
129	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: the Health in Men Study. <i>International Journal of Epidemiology</i> , 2009 , 38, 1049-59	7.8	56
128	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. <i>European Journal of Endocrinology</i> , 2009 , 161, 591-8	6.5	96
127	Cohort Profile: The Health In Men Study (HIMS). <i>International Journal of Epidemiology</i> , 2009 , 38, 48-52	7.8	192
126	Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. <i>BMC Geriatrics</i> , 2009 , 9, 36	4.1	22
125	The PACE study: a randomised clinical trial of cognitive activity (CA) for older adults with mild cognitive impairment (MCI). <i>Trials</i> , 2009 , 10, 114	2.8	16
124	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. <i>Clinical Endocrinology</i> , 2009 , 70, 455-63	3.4	39

123	Contributors to cognitive impairment in congestive heart failure: a pilot case-control study. <i>Internal Medicine Journal</i> , 2009 , 39, 600-5	1.6	43
122	Assessing cognitive impairment in Indigenous Australians: Re-evaluation of the Kimberley Indigenous Cognitive Assessment in Western Australia and the Northern Territory. <i>Australian Psychologist</i> , 2009 , 44, 54-61	1.7	19
121	Lower testosterone levels predict incident stroke and transient ischemic attack in older men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2353-9	5.6	190
120	Life style interventions to reduce the risk of dementia. <i>Maturitas</i> , 2009 , 63, 319-22	5	16
119	Attitudes toward information and communication technology (ICT) in residential aged care in Western Australia. <i>Journal of the American Medical Directors Association</i> , 2009 , 10, 408-13	5.9	32
118	Obesity and metabolic syndrome increase the risk of incident depression in older men: the health in men study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 889-98	6.5	66
117	Use of emergency departments by older people from residential care: a population based study. <i>Age and Ageing</i> , 2009 , 38, 314-8	3	47
116	Rating the quality of life of people with dementia living in residential care facilities in routine research practice. <i>Age and Ageing</i> , 2009 , 38, 343-6	3	10
115	Population rates of bone densitometry use in Australia, 2001-2005, by sex and rural versus urban location. <i>Medical Journal of Australia</i> , 2009 , 190, 126-8	4	18
114	Use of gastrostomy tubes in older Western Australians: a population-based study of frequency, indications and outcomes. <i>Medical Journal of Australia</i> , 2009 , 190, 358-61	4	5
113	Coronary heart disease is associated with regional grey matter volume loss: implications for cognitive function and behaviour. <i>Internal Medicine Journal</i> , 2008 , 38, 599-606	1.6	23
112	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. <i>Clinical Endocrinology</i> , 2008 , 68, 404-12	3.4	54
111	KIBRA genetic polymorphism influences episodic memory in later life, but does not increase the risk of mild cognitive impairment. <i>Journal of Cellular and Molecular Medicine</i> , 2008 , 12, 1672-6	5.6	71
110	B-vitamins reduce plasma levels of beta amyloid. <i>Neurobiology of Aging</i> , 2008 , 29, 303-5	5.6	33
109	Smoking is associated with reduced cortical regional gray matter density in brain regions associated with incipient Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 92-8	6.5	115
108	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. <i>European Journal of Endocrinology</i> , 2008 , 158, 785-92	6.5	82
107	Effect of physical activity on cognitive function in older adults at risk for Alzheimer disease: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1027-37	27.4	1059
106	Homocysteine and depression in later life. <i>Archives of General Psychiatry</i> , 2008 , 65, 1286-94		121

105	Two-Year Outcomes From a Cessation of Smoking Intervention in Older Adults. <i>Journal of Smoking Cessation</i> , 2008 , 3, 101-109	0.5	7
104	Plasma lipoprotein beta-amyloid in subjects with Alzheimer's disease or mild cognitive impairment. <i>Annals of Clinical Biochemistry</i> , 2008 , 45, 395-403	2.2	38
103	Low free testosterone concentration as a potentially treatable cause of depressive symptoms in older men. <i>Archives of General Psychiatry</i> , 2008 , 65, 283-9		121
102	Vascular factors in geriatric psychiatry: time to take a serious look. <i>Current Opinion in Psychiatry</i> , 2008 , 21, 551-4	4.9	13
101	The association of C-reactive protein and CRP genotype with coronary heart disease: findings from five studies with 4,610 cases amongst 18,637 participants. <i>PLoS ONE</i> , 2008 , 3, e3011	3.7	79
100	Should geriatric medicine remain a specialty? Yes. <i>BMJ, The</i> , 2008 , 337, a516	5.9	10
99	Falls, depression and antidepressants in later life: a large primary care appraisal. <i>PLoS ONE</i> , 2008 , 3, e24237	3.7	113
98	Vitamins B12, B6, and folic acid for onset of depressive symptoms in older men: results from a 2-year placebo-controlled randomized trial. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1203-9	4.6	51
97	Development of a telemedicine protocol for the diagnosis of Alzheimer's disease. <i>Journal of Telemedicine and Telecare</i> , 2007 , 13, 90-4	6.8	75
96	Association of cardiovascular risk factors and disease with depression in later life. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 506-13	6.5	74
95	Long-term mortality following stroke, myocardial infarction and fractured neck of femur in Western Australia. <i>Internal Medicine Journal</i> , 2007 , 37, 815-9	1.6	6
94	Effectiveness of a smoking cessation intervention in older adults. <i>Addiction</i> , 2007 , 102, 148-55	4.6	52
93	Ngana minyarti? What is this? Development of cognitive questions for the Kimberley Indigenous Cognitive Assessment. <i>Australasian Journal on Ageing</i> , 2007 , 26, 115-119	1.5	14
92	Investigational treatment for vascular cognitive impairment. <i>Expert Opinion on Investigational Drugs</i> , 2007 , 16, 647-58	5.9	6
91	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. <i>European Journal of Endocrinology</i> , 2007 , 156, 585-94	6.5	107
90	The Handbook of Geriatric Assessment, 4th edition Editors: J. J. GALLO, H. R. BOGNER, T. FULMER AND G. J. PAVEZA Sudbury, Massachusetts: Jones and Bartlett Publishers, 2006, U.S.\$66.95 Hardback, 471 pp. ISBN-10 0 7637 3056 4. <i>International Psychogeriatrics</i> , 2007 , 19, 796-797	3.4	
89	Reduced awareness of executive dysfunction in Alzheimer's disease is associated with increased carer burden. <i>International Psychogeriatrics</i> , 2007 , 19, 1173-5	3.4	1
88	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). <i>Psychological Medicine</i> , 2007 , 37, 1775-86	6.9	41

87	Inspection time in non-demented older adults with mild cognitive impairment. <i>Neuropsychologia</i> , 2006 , 44, 1452-6	3.2	19
86	Healthy mental ageing. <i>The Journal of the British Menopause Society</i> , 2006 , 12, 92-6		12
85	Donepezil for mild cognitive impairment. <i>The Cochrane Library</i> , 2006 , CD006104	5.2	61
84	Successful mental health aging: results from a longitudinal study of older Australian men. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 27-35	6.5	67
83	Latent Semantic Analysis: an improved method to measure cognitive performance in subjects of Non-English-Speaking-Background. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006 , 28, 1381-7 ¹		11
82	A 20-week randomized controlled trial of estradiol replacement therapy for women aged 70 years and older: effect on mood, cognition and quality of life. <i>Neurobiology of Aging</i> , 2006 , 27, 141-9	5.6	91
81	The Handbook of Geriatric Assessment, 4th edition Editors: J. J. GALLO, H. R. BOGNER, T. FULMER AND G. J. PAVEZA Sudbury, Massachusetts: Jones and Bartlett Publishers, 2006, U.S.\$66.95 Hardback, 471 pp. ISBN-10 0 7637 3056 4. <i>International Psychogeriatrics</i> , 2006 , 1	3.4	
80	Interface between residential aged care facilities and a teaching hospital emergency department in Western Australia. <i>Medical Journal of Australia</i> , 2006 , 184, 432-5	4	88
79	Kimberley Indigenous Cognitive Assessment tool (KICA): development of a cognitive assessment tool for older indigenous Australians. <i>International Psychogeriatrics</i> , 2006 , 18, 269-80	3.4	75
78	Efficacy of B vitamins in lowering homocysteine in older men: maximal effects for those with B12 deficiency and hyperhomocysteinemia. <i>Stroke</i> , 2006 , 37, 547-9	6.7	24
77	Plenty of evidence on mandatory folate fortification. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 81-2; author reply 82-3	2.3	1
76	Assessment of the potential effect of incremental increases in folic acid intake on neural tube defects in Australia and New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 369-74	2.3	14
75	RESPONSE LETTER TO DR. GAU ET AL.. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1021-1022	5.6	4
74	Promoting evidence-based best practices for hip fracture prevention in residential aged care. <i>Australasian Journal on Ageing</i> , 2006 , 25, 185-190	1.5	3
73	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 731-734	6.5	55
72	Contribution of the MTHFR gene to the causal pathway for depression, anxiety and cognitive impairment in later life. <i>Neurobiology of Aging</i> , 2005 , 26, 251-7	5.6	71
71	Metabolic and endocrinological causes of dementia. <i>International Psychogeriatrics</i> , 2005 , 17 Suppl 1, S79-92		17
70	Association between hormone replacement therapy and dementia: is it time to forget?. <i>International Psychogeriatrics</i> , 2005 , 17, 155-64	3.4	19

69	Should older people in residential care receive vitamin D to prevent falls? Results of a randomized trial. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1881-8	5.6	238
68	Diagnostic accuracy of telehealth community dementia assessments. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 2043-4	5.6	20
67	Predictors of impaired cognitive function in men over the age of 80 years: results from the Health in Men Study. <i>Age and Ageing</i> , 2005 , 34, 77-80	3	22
66	Association between physiological serum concentration of estrogen and the mental health of community-dwelling postmenopausal women age 70 years and over. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 142-9	6.5	18
65	Subjective memory complaints with and without objective memory impairment: relationship with risk factors for dementia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 731-4	6.5	24
64	Association between lifestyle factors and mental health measures among community-dwelling older women. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 940-7	2.6	74
63	Can patients with dementia be assessed at a distance? The use of Telehealth and standardised assessments. <i>Internal Medicine Journal</i> , 2004 , 34, 239-42	1.6	74
62	Association between homocysteine, depression, and cognitive function in community-dwelling older women from Australia. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 327-8	5.6	29
61	One year follow-up study of the association between chemical castration, sex hormones, beta-amyloid, memory and depression in men. <i>Psychoneuroendocrinology</i> , 2004 , 29, 1071-81	5	215
60	Guidelines for the management of postmenopausal osteoporosis for GPs. <i>Australian Family Physician</i> , 2004 , 33, 910-9		19
59	Effective Health Behavior in Older Adults. K. Warner Schaie, Howard Leventhal, and Sherry L. Willis (Eds.). New York: Springer Publishing Company, 2002, 344 pp., \$US 49.95 (hardcover).. <i>International Psychogeriatrics</i> , 2003 , 15, 312-312	3.4	1
58	Determinants of bone density in 30- to 65-year-old women: a co-twin study. <i>Journal of Bone and Mineral Research</i> , 2003 , 18, 1650-6	6.3	76
57	A memory clinic at a geriatric hospital: a report on 577 patients assessed with the CAMDEX over 9 years. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 319-26	2.6	35
56	Serum vitamin D and falls in older women in residential care in Australia. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1533-8	5.6	188
55	Perceptions of bereavement care in consultant geriatricians and advanced trainees in geriatric medicine. <i>Australasian Journal on Ageing</i> , 2003 , 22, 94-96	1.5	1
54	Can testosterone replacement decrease the memory problem of old age?. <i>Medical Hypotheses</i> , 2003 , 60, 893-6	3.8	8
53	The combination of cognitive testing and an informant questionnaire in screening for dementia. <i>Age and Ageing</i> , 2003 , 32, 541-7	3	52
52	Energy, protein, calcium, vitamin D and fibre intakes from meals in residential care establishments in Australia. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2003 , 12, 172-7	1	46

51	Efficacy of pharmacological treatment of dementia. <i>Revista Brasileira De Psiquiatria</i> , 2002 , 24, 11-14	2.6	1
50	A randomized, double-blind, placebo-controlled study of oral vitamin B12 supplementation in older patients with subnormal or borderline serum vitamin B12 concentrations. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 146-51	5.6	93
49	Smoking as a risk factor for Alzheimer's disease: contrasting evidence from a systematic review of case-control and cohort studies. <i>Addiction</i> , 2002 , 97, 15-28	4.6	102
48	Latent semantic analysis: a new method to measure prose recall. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002 , 24, 26-35	2.1	16
47	Clinical issues in aged care: managing the interface between acute, subacute, community and residential care. <i>Australian Health Review</i> , 2002 , 25, 136-9	1.8	10
46	Guidelines for the treatment of postmenopausal osteoporosis for general practitioners. <i>Australian Family Physician</i> , 2002 , 31, 921-8		5
45	Relationships with serum parathyroid hormone in old institutionalized subjects. <i>Clinical Endocrinology</i> , 2001 , 54, 583-92	3.4	28
44	The mind of a failing heart: a systematic review of the association between congestive heart failure and cognitive functioning. <i>Internal Medicine Journal</i> , 2001 , 31, 290-5	1.6	152
43	Equity of access to a memory clinic in Melbourne? Non-English speaking background attenders are more severely demented and have increased rates of psychiatric disorders. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 327-34	3.9	50
42	Effect of testosterone deprivation on the cognitive performance of a patient with Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 823-5	3.9	10
41	Research with older people: Comparison of a General Practice and Electoral Roll Sample with the Australian National Health Survey. <i>Australasian Journal on Ageing</i> , 2001 , 20, 79-84	1.5	2
40	Results of a 10 week community based strength and balance training programme to reduce fall risk factors: a randomised controlled trial in 65-75 year old women with osteoporosis. <i>British Journal of Sports Medicine</i> , 2001 , 35, 348-51	10.3	71
39	An examination of pain perception and cerebral event-related potentials following carbon dioxide laser stimulation in patients with Alzheimer's disease and age-matched control volunteers. <i>Pain Research and Management</i> , 2001 , 6, 126-32	2.6	59
38	Helping older people to remain in their own homes. <i>Medical Journal of Australia</i> , 2001 , 174, 266-7	4	2
37	Equity of access to a memory clinic in Melbourne? Non-English speaking background attenders are more severely demented and have increased rates of psychiatric disorders 2001 , 16, 327		3
36	Urine calcium and urine sodium concentrations are not related, after adjustment for urine magnesium. <i>Clinical Endocrinology</i> , 2000 , 53, 235-42	3.4	3
35	Vitamin D insufficiency and hyperparathyroidism in Perth blood donors. <i>Medical Journal of Australia</i> , 2000 , 172, 406-7	4	21
34	Healthcare for older people in residential care--who cares?. <i>Medical Journal of Australia</i> , 2000 , 173, 77-9	4	23

33	Not just a renal epidemic among Australian Aboriginals. <i>Medical Journal of Australia</i> , 1999 , 170, 191-2	4	1
32	Systematic reviews and geriatric interventions—the need for scientific methodology. <i>Australian and New Zealand Journal of Medicine</i> , 1999 , 29, 814-6; discussion 816-8		
31	Falls among healthy, community-dwelling, older women: a prospective study of frequency, circumstances, consequences and prediction accuracy. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 41-8	2.3	207
30	Do memory clinics improve the quality of life of carers? A randomized pilot trial. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 626-32	3.9	66
29	Falls relate to vitamin D and parathyroid hormone in an Australian nursing home and hostel. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 1195-201	5.6	158
28	Improving the health behaviours of elderly people: randomised controlled trial of a general practice education programme. <i>BMJ: British Medical Journal</i> , 1999 , 319, 683-7		84
27	Self-reported ballet classes undertaken at age 10-12 years and hip bone mineral density in later life. <i>Osteoporosis International</i> , 1998 , 8, 165-73	5.3	112
26	Specialist multidisciplinary clinics for older people: fulfilling a need?. <i>Medical Journal of Australia</i> , 1998 , 168, 72-3	4	4
25	Health promotion and older people: a qualitative study of general practitioners' views. <i>Medical Journal of Australia</i> , 1997 , 167, 423-7	4	6
24	Recruitment strategies for randomised clinical trials in elderly Australians. <i>Medical Journal of Australia</i> , 1997 , 167, 438-9	4	6
23	Health care costs of people referred to an aged care assessment team: the effect of cognitive impairment. <i>Australian and New Zealand Journal of Public Health</i> , 1997 , 21, 311-5	2.3	2
22	Issues in Geriatric Medicine. <i>Australian Journal on Ageing</i> , 1997 , 16, 106-109		1
21	Nandrolone decanoate and intranasal calcitonin as therapy in established osteoporosis. <i>Osteoporosis International</i> , 1997 , 7, 29-35	5.3	33
20	The predictive value of dementia screening instruments in clinical populations. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 203-9	3.9	65
19	Determinants of hip axis length in women aged 10-89 years: a twin study. <i>Bone</i> , 1996 , 18, 41-5	4.7	64
18	The significance of subnormal serum vitamin B12 concentration in older people: a case control study. <i>Journal of the American Geriatrics Society</i> , 1996 , 44, 1355-61	5.6	64
17	Risk factors for secondary hyperparathyroidism in a nursing home population. <i>Clinical Endocrinology</i> , 1996 , 44, 375-83	3.4	76
16	Bone density determinants in elderly women: a twin study. <i>Journal of Bone and Mineral Research</i> , 1995 , 10, 1607-13	6.3	147

15	Prevalence of dementia among patients referred to an aged care assessment team and associated stress in their carers. <i>Australian Journal of Public Health</i> , 1995 , 19, 275-9		26
14	Do Australian women have greater spinal bone density than North American women?. <i>Osteoporosis International</i> , 1995 , 5, 63-5	5.3	20
13	Bone density, vitamin D nutrition, and parathyroid hormone levels in women with dementia. <i>Journal of the American Geriatrics Society</i> , 1995 , 43, 1088-91	5.6	66
12	Cancer Screening for the Elderly: is it Too Late?. <i>Australian Journal on Ageing</i> , 1995 , 14, 56-56		
11	Is caring for elderly relatives with depression as stressful as caring for those with dementia? a pilot study in Melbourne. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 339-342	3.9	12
10	The effect of aging on intact PTH and bone density in women. <i>Journal of the American Geriatrics Society</i> , 1992 , 40, 1135-8	5.6	12
9	A memory clinic at a geriatric hospital: rationale, routine and results from the first 100 patients. <i>Medical Journal of Australia</i> , 1992 , 156, 618-22	4	43
8	Jim who? Recall of national leaders by elderly people in three countries. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 437-442	3.9	4
7	The use of bone mass screening to prevent fractures. <i>Medical Journal of Australia</i> , 1991 , 154, 135-140	4	7
6	Rehabilitation for stroke survivors--a review. <i>Australian and New Zealand Journal of Medicine</i> , 1989 , 19, 400-6		3
5	Hodkinson scale and predicting performance. <i>Journal of the American Geriatrics Society</i> , 1988 , 36, 1072	5.6	
4	Health care costs of people referred to an aged care assessment team: the effect of cognitive impairment. <i>Australian and New Zealand Journal of Public Health</i> , 1977 , 21, 311-316	2.3	
3	'Gotta be sit down and worked out together': views of Aboriginal caregivers and service providers on ways to improve dementia care for Aboriginal Australians. <i>Rural and Remote Health</i> ,	1.3	4
2	Fall prevention education for older people being discharged from hospital: Educators' perspectives. <i>Health Education Journal</i> , 001789692110327	1.5	1
1	Psychological therapies for depression in older adults residing in long-term care settings. <i>The Cochrane Library</i> ,	5.2	2