

Luiz Paulo Kowalski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/414379/luiz-paulo-kowalski-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268
papers

6,623
citations

44
h-index

68
g-index

280
ext. papers

7,688
ext. citations

3.6
avg, IF

5.76
L-index

#	Paper	IF	Citations
268	Distant metastasis from head and neck cancer: role of surgical treatment.. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2022 , 30, 114-118	2	
267	Cushing® syndrome due to ectopic adrenocorticotropin secretion by a parotid carcinoma.. <i>Archives of Endocrinology and Metabolism</i> , 2022 ,	2.2	
266	Sphingolipids signature in plasma and tissue as diagnostic and prognostic tools in oral squamous cell carcinoma. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2022 , 1867, 159057	5	1
265	Prognostic impact of perineural invasion in oral cancer: a systematic review.. <i>Acta Otorhinolaryngologica Italica</i> , 2022 , 42, 17-25	2.8	1
264	Risk factors associated with head and neck cancer in former smokers: A Brazilian multicentric study.. <i>Cancer Epidemiology</i> , 2022 , 78, 102143	2.8	
263	Decreased CD1a + and CD83 + cells in tonsillar squamous cell carcinoma regardless of HPV status.. <i>Journal of Applied Oral Science</i> , 2022 , 30, e20210702	3.3	0
262	Risk Factors and Outcomes of Postoperative Neck Hematomas: An Analysis of 5,900 Thyroidectomies Performed at a Cancer Center. <i>International Archives of Otorhinolaryngology</i> , 2021 , 25, e421-e427	1.5	0
261	Transoral endoscopic thyroidectomy vestibular approach (TOETVA): pioneers® point of view.. <i>Archives of Endocrinology and Metabolism</i> , 2021 , 65, 858-859	2.2	1
260	Risk factors associated with disease-specific mortality in papillary thyroid cancer patients with distant metastases. <i>Endocrine</i> , 2021 , 1	4	3
259	Cephaeline is an inducer of histone H3 acetylation and inhibitor of mucoepidermoid carcinoma cancer stem cells. <i>Journal of Oral Pathology and Medicine</i> , 2021 ,	3.3	1
258	Epidemiological profile and clinical implications of oral squamous cell carcinoma adjacent to dental implants. <i>Oral Diseases</i> , 2021 , 27, 1687-1698	3.5	3
257	PD-L1 expression patterns in oral cancer as an integrated approach for further prognostic classification. <i>Oral Diseases</i> , 2021 , 27, 1699-1710	3.5	2
256	Immunohistochemical Expression of Fatty Acid Synthase (FASN) is Correlated to Tumor Aggressiveness and Cellular Differentiation in Salivary Gland Carcinomas. <i>Head and Neck Pathology</i> , 2021 , 15, 1119-1126	3.3	
255	MicroRNA-mediated extracellular matrix remodeling in squamous cell carcinoma of the oral cavity. <i>Head and Neck</i> , 2021 , 43, 2364-2376	4.2	1
254	Implication of the New AJCC pT Classification of SCC of the Lip Comparing With Other Oral Subsites. <i>Laryngoscope</i> , 2021 , 131, E2770-E2776	3.6	
253	Trans Oral Endoscopic Thyroidectomy Vestibular Approach (TOETVA) in Brazil: Safety and complications during learning curve. <i>Archives of Endocrinology and Metabolism</i> , 2021 , 65, 259-264	2.2	2
252	Survival in differentiated thyroid carcinoma: Comparison between the 7th and 8th editions of the AJCC/UICC TNM staging system and the ATA initial risk stratification system. <i>Head and Neck</i> , 2021 , 43, 2913-2922	4.2	4

251	Impact of tumor site on the prognosis of salivary gland neoplasms: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 162, 103352	7	4
250	The Impact of the COVID-19 Pandemic on Head and Neck Surgery Training: A Brazilian National Survey. <i>International Archives of Otorhinolaryngology</i> , 2021 , 25, e339-e342	1.5	
249	Improving Risk Stratification of Early Oral Tongue Cancer with TNM-Immune (TNM-I) Staging System. <i>Cancers</i> , 2021 , 13,	6.6	2
248	Predictive factors for recurrence of papillary thyroid carcinoma: analysis of 4,085 patients. <i>Acta Otorhinolaryngologica Italica</i> , 2021 , 41, 236-242	2.8	2
247	Stromal categorization in early oral tongue cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 925-932	5.1	5
246	Salivary alpha-1-antitrypsin and macrophage migration inhibitory factor may be potential prognostic biomarkers for oncologic treatment-induced severe oral mucositis. <i>Supportive Care in Cancer</i> , 2021 , 29, 2939-2946	3.9	
245	Amelanotic melanoma presenting as a tongue tumor. <i>Oral Oncology</i> , 2021 , 114, 105075	4.4	
244	Prognostic role of intraparotid lymph node metastasis in primary parotid cancer: Systematic review. <i>Head and Neck</i> , 2021 , 43, 997-1008	4.2	10
243	Two sides of the same coin: Insights into the myoepithelial cells in carcinoma ex pleomorphic adenoma development. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 157, 103195	7	1
242	Clinicopathological analysis and survival outcomes of primary salivary gland tumors in pediatric patients: A systematic review. <i>Journal of Oral Pathology and Medicine</i> , 2021 , 50, 435-443	3.3	3
241	Oral cancer adjacent to dental implants mimicking benign lesions: a case series study. <i>Australian Dental Journal</i> , 2021 , 66, 112-118	2.3	1
240	Strategic use of obturator prostheses for the rehabilitation of oral cancer patients during the COVID-19 pandemic. <i>Supportive Care in Cancer</i> , 2021 , 29, 11-15	3.9	4
239	Impact of scalpel type on operative time and acute complications in thyroidectomies. <i>Brazilian Journal of Otorhinolaryngology</i> , 2021 , 87, 205-209	1.6	2
238	Oral squamous cell carcinoma around dental implants: a systematic review. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021 , 131, 660-674	2	1
237	Impact of smoking on dendritic cells in patients with oral squamous cell carcinoma. <i>Brazilian Oral Research</i> , 2021 , 35, e075	2.6	1
236	Short-term survival in extensive craniofacial resections. <i>Clinics</i> , 2021 , 76, e2836	2.3	1
235	Impacts of Environmental Factors on Head and Neck Cancer Pathogenesis and Progression. <i>Cells</i> , 2021 , 10,	7.9	13
234	Predictive Factors of Recurrence of Papillary Thyroid Microcarcinomas: Analysis of 2,538 Patients. <i>International Archives of Otorhinolaryngology</i> , 2021 , 25, e585-e593	1.5	0

233	Prognostic Implications of ALDH1 and Notch1 in Different Subtypes of Oral Cancer. <i>Journal of Oncology</i> , 2021 , 2021, 6663720	4.5	0
232	Profile of sphingolipid-related genes and its association with prognosis highlights sphingolipid metabolism in oral cancer. <i>Cancer Biomarkers</i> , 2021 , 32, 49-63	3.8	2
231	Transoral endoscopic thyroidectomy vestibular approach: Experience from a multicenter national group with 412 patients. <i>Head and Neck</i> , 2021 , 43, 3468-3475	4.2	2
230	Organ preservation and oncological outcomes in early laryngeal cancer: a propensity score-based study. <i>Acta Otorhinolaryngologica Italica</i> , 2021 , 41, 317-326	2.8	0
229	Induction Chemotherapy for Advanced Oral Cavity Cancer. <i>Current Oncology Reports</i> , 2021 , 23, 129	6.3	2
228	Identification of secondary predictive factors for acute hypocalcemia following thyroidectomy in patients with low postoperative parathyroid hormone levels without overt calcium deficiency: A cohort study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103115	2.8	1
227	Germline variants in DNA repair genes are associated with young-onset head and neck cancer. <i>Oral Oncology</i> , 2021 , 122, 105545	4.4	0
226	Co-Overexpression of TWIST1-CSF1 Is a Common Event in Metastatic Oral Cancer and Drives Biologically Aggressive Phenotype. <i>Cancers</i> , 2021 , 13,	6.6	4
225	Gene and immunohistochemical expression of HIF-1, GLUT-1, FASN, and adipophilin in carcinoma ex pleomorphic adenoma development. <i>Oral Diseases</i> , 2020 , 26, 1190	3.5	5
224	Robotic neck dissection: state of affairs. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2020 , 28, 96-99	2	4
223	Impact of treatment modality on survival in patients with stage IV laryngeal cancer: A population-based propensity score analysis. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020 , 41, 102626	2.8	0
222	Transoral thyroidectomy (TOETVA): Complications, surgical time and learning curve. <i>Oral Oncology</i> , 2020 , 110, 104871	4.4	19
221	Increased DSG2 plasmatic levels identified by transcriptomic-based secretome analysis is a potential prognostic biomarker in laryngeal carcinoma. <i>Oral Oncology</i> , 2020 , 103, 104592	4.4	5
220	COVID-19, head and neck cancer, and the need of training of health students and practitioners regarding to tobacco control and patient counseling. <i>Oral Oncology</i> , 2020 , 106, 104739	4.4	7
219	Virtual assistance in oral medicine for prioritizing oral cancer diagnosis during the COVID-19 pandemic. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020 , 130, 127-128	2	5
218	Immunotherapy improves efficacy and safety of patients with HPV positive and negative head and neck cancer: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2020 , 150, 102966	7	21
217	Ki-67 and CK-19 are predictors of locoregional recurrence in papillary thyroid carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2020 , 40, 190-197	2.8	4
216	Quality of life among total laryngectomized patients undergoing speech rehabilitation: correlation between several instruments. <i>Clinics</i> , 2020 , 75, e2035	2.3	0

215	Survival trends of patients with oral and oropharyngeal cancer treated at a cancer center in São Paulo, Brazil. <i>Clinics</i> , 2020 , 75, e1507	2.3	11
214	Parathyroid surgery during the COVID-19 pandemic: Time to think about the "New Normal". <i>Clinics</i> , 2020 , 75, e2218	2.3	
213	Characterization of BRAF mutation in patients older than 45 years with well-differentiated thyroid carcinoma. <i>Brazilian Journal of Otorhinolaryngology</i> , 2020 ,	1.6	2
212	Effect of the COVID-19 Pandemic on the Activity of Physicians Working in the Areas of Head and Neck Surgery and Otorhinolaryngology. <i>International Archives of Otorhinolaryngology</i> , 2020 , 24, e258-e266	1.5	5
211	Somatic copy number alterations in pleomorphic adenoma and recurrent pleomorphic adenoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020 , 129, 59-64	2	2
210	Comparison of supervised machine learning classification techniques in prediction of locoregional recurrences in early oral tongue cancer. <i>International Journal of Medical Informatics</i> , 2020 , 136, 104068	5.3	40
209	Depth of invasion applied to oropharynx does not improve prognosis discrimination according to AJCC stage groups for oral cancer. <i>Oral Oncology</i> , 2020 , 111, 104890	4.4	
208	Head and neck cancer: Emerging concepts in biomarker discovery and opportunities for clinical translation. <i>Clinical and Translational Medicine</i> , 2020 , 10, e209	5.7	1
207	Survival results of 3786 patients with stage I or II laryngeal squamous cell carcinoma: a study based on a propensity score. <i>Brazilian Journal of Otorhinolaryngology</i> , 2020 ,	1.6	1
206	Cancer-associated fibroblast regulation by microRNAs promotes invasion of oral squamous cell carcinoma. <i>Oral Oncology</i> , 2020 , 110, 104909	4.4	5
205	Cell-in-cell phenomenon associates with aggressive characteristics and cancer-related mortality in early oral tongue cancer. <i>BMC Cancer</i> , 2020 , 20, 843	4.8	3
204	Peptidomics-Driven Strategy Reveals Peptides and Predicted Proteases Associated With Oral Cancer Prognosis. <i>Molecular and Cellular Proteomics</i> , 2020 , 20, 100004	7.6	2
203	Increased Tumor Immune Microenvironment CD3+ and CD20+ Lymphocytes Predict a Better Prognosis in Oral Tongue Squamous Cell Carcinoma. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 622161	5.7	6
202	Integrated miRNA and mRNA expression analysis uncovers drug targets in laryngeal squamous cell carcinoma patients. <i>Oral Oncology</i> , 2019 , 93, 76-84	4.4	15
201	Influence of bisphosphonates on clinical features of osteoradionecrosis of the maxilla and mandible. <i>Oral Diseases</i> , 2019 , 25, 1344-1351	3.5	4
200	Altered-fractionation radiotherapy improves local control in early-stage glottic carcinoma: A systematic review and meta-analysis of 1762 patients. <i>Oral Oncology</i> , 2019 , 93, 8-14	4.4	8
199	The stem cell markers expression CD44v6 and podoplanin in lip cancer: clinical significance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 745-754	5.1	6
198	Machine learning application for prediction of locoregional recurrences in early oral tongue cancer: a Web-based prognostic tool. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 475, 489-497	5.1	35

197	DNA Methylation-Based Method to Differentiate Malignant from Benign Thyroid Lesions. <i>Thyroid</i> , 2019 , 29, 1244-1254	6.2	4
196	Preoperative vitamin D deficiency is a risk factor for postoperative hypocalcemia in patients undergoing total thyroidectomy: retrospective cohort study. <i>Sao Paulo Medical Journal</i> , 2019 , 137, 241-247	1.6	9
195	Consumption of minimally processed foods as protective factors in the genesis of squamous cell carcinoma of the head and neck in Brazil. <i>PLoS ONE</i> , 2019 , 14, e0220067	3.7	8
194	An evidence-based analysis of the management of N0 neck in patients with cancer of the parotid gland. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 899-908	3.5	8
193	Pesticides as risk factors for head and neck cancer: A review. <i>Journal of Oral Pathology and Medicine</i> , 2018 , 47, 641-651	3.3	19
192	Expression of cell cycle proteins according to HPV status in oral squamous cell carcinoma affecting young patients: a pilot study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018 , 125, 317-325	2	4
191	In vitro and in silico validation of CA3 and FHL1 downregulation in oral cancer. <i>BMC Cancer</i> , 2018 , 18, 193	4.8	4
190	Inspiratory muscle weakness, diaphragm immobility and diaphragm atrophy after neck dissection. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 1227-1234	3.5	4
189	Genomic profile of a squamous cell carcinoma ex pleomorphic adenoma compared to a head and neck squamous cell carcinoma. <i>Brazilian Journal of Otorhinolaryngology</i> , 2018 , 84, 393-397	1.6	
188	Retroauricular endoscopic and robotic versus conventional neck dissection for oral cancer. <i>Journal of Robotic Surgery</i> , 2018 , 12, 117-129	2.9	20
187	Different patterns of expression of cell cycle control and local invasion-related proteins in oral squamous cell carcinoma affecting young patients. <i>Journal of Oral Pathology and Medicine</i> , 2018 , 47, 32-39	3.3	15
186	Evaluation of cortical mandibular bone in patients with oral squamous cell carcinoma. <i>Clinical Oral Investigations</i> , 2018 , 22, 783-790	4.2	3
185	Small oral tongue cancers (≤4 cm in diameter) with clinically negative neck: from the 7th to the 8th edition of the American Joint Committee on Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 481-487	5.1	14
184	Oral squamous cell carcinoma: a clinicopathological study on 194 cases in northeastern Brazil. A cross-sectional retrospective study. <i>Sao Paulo Medical Journal</i> , 2018 , 136, 165-169	1.6	9
183	Moesin expression by tumor cells is an unfavorable prognostic biomarker for oral cancer. <i>BMC Cancer</i> , 2018 , 18, 53	4.8	19
182	Early metabolic 18F-FDG PET/CT response of locally advanced squamous-cell carcinoma of head and neck to induction chemotherapy: A prospective pilot study. <i>PLoS ONE</i> , 2018 , 13, e0200823	3.7	5
181	Distribution of Metastatic Nodes in N0-1 Patients with Tonsillar Squamous Cell Carcinoma and Its Implications for Selective Neck Dissection. <i>Turkish Archives of Otorhinolaryngology</i> , 2018 , 56, 139-144		1
180	Variations and results of retroauricular robotic thyroid surgery associated or not with neck dissection. <i>Gland Surgery</i> , 2018 , 7, S42-S52	2.2	9

179	Loss of DNA methylation is related to increased expression of miR-21 and miR-146b in papillary thyroid carcinoma. <i>Clinical Epigenetics</i> , 2018 , 10, 144	7.7	20
178	Frequency of Thyroid Carcinoma in Brazilian TP53 p.R337H Carriers With Li Fraumeni Syndrome. <i>JAMA Oncology</i> , 2017 , 3, 1400-1402	13.4	16
177	Integrated data analysis reveals potential drivers and pathways disrupted by DNA methylation in papillary thyroid carcinomas. <i>Clinical Epigenetics</i> , 2017 , 9, 45	7.7	40
176	Patient Concerns Inventory for head and neck cancer: Brazilian cultural adaptation. <i>Revista Da Associação Médica Brasileira</i> , 2017 , 63, 311-319	1.4	4
175	Meta-analysis of microRNAs expression in head and neck cancer: uncovering association with outcome and mechanisms. <i>Oncotarget</i> , 2017 , 8, 55511-55524	3.3	35
174	Safe implementation of retroauricular robotic and endoscopic neck surgery in South America. <i>Gland Surgery</i> , 2017 , 6, 258-266	2.2	7
173	Prognostic Classifier Based on Genome-Wide DNA Methylation Profiling in Well-Differentiated Thyroid Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4089-4099	5.6	33
172	Evaluation of incidence, significance, and prognostic role of circulating tumor microemboli and transforming growth factor- β receptor I in head and neck cancer. <i>Head and Neck</i> , 2017 , 39, 2283-2292	4.2	22
171	Head and neck cancer treatment in a developing country: A survey-based study in Brazil. <i>Journal of Cancer Policy</i> , 2017 , 13, 18-23	1	2
170	Expression of stem cell markers in oral cavity and oropharynx squamous cell carcinoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017 , 123, 113-122	2	22
169	Podoplanin, ezrin, and Rho-A proteins may have joint participation in tumor invasion of lip cancer. <i>Clinical Oral Investigations</i> , 2017 , 21, 1647-1657	4.2	9
168	HABP2 p.G534E variant in patients with family history of thyroid and breast cancer. <i>Oncotarget</i> , 2017 , 8, 40896-40905	3.3	5
167	Carcinoma ex-pleomorphic adenoma derived from recurrent pleomorphic adenoma shows important difference by array CGH compared to recurrent pleomorphic adenoma without malignant transformation. <i>Brazilian Journal of Otorhinolaryngology</i> , 2016 , 82, 687-694	1.6	4
166	Histopathologic and Histomorphometric Analysis of Irradiation Injury in Bone and the Surrounding Soft Tissues of the Jaws. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 190-9	1.8	28
165	Metastases of Melanoma to Head and Neck Mucosa: A Report of Short Series. <i>Clinical and Experimental Otorhinolaryngology</i> , 2016 , 9, 80-4	3.4	3
164	Correlation of Beta-2 Adrenergic Receptor Expression in Tumor-Free Surgical Margin and at the Invasive Front of Oral Squamous Cell Carcinoma. <i>Journal of Oncology</i> , 2016 , 2016, 3531274	4.5	3
163	PLAG1 expression is maintained in recurrent pleomorphic adenoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 477-81	5.1	7
162	Quality assessment in head and neck oncologic surgery in a Brazilian cancer center compared with MD Anderson Cancer Center benchmarks. <i>Head and Neck</i> , 2016 , 38, 1002-7	4.2	5

161	Expression of stem cell-regulating miRNAs in oral cavity and oropharynx squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2016 , 45, 647-654	3.3	19
160	Immunoexpression of hoxb7 and hoxb9 in salivary gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 2016 , 45, 672-681	3.3	3
159	Retroauricular Endoscope-Assisted Approach to the Neck: Early Experience in Latin America. <i>International Archives of Otorhinolaryngology</i> , 2016 , 20, 138-44	1.5	17
158	Loss of expression of Plag1 in malignant transformation from pleomorphic adenoma to carcinoma ex pleomorphic adenoma. <i>Human Pathology</i> , 2016 , 57, 152-159	3.7	21
157	Expression of apoptosis-regulating miRNAs and target mRNAs in oral squamous cell carcinoma. <i>Cancer Genetics</i> , 2015 , 208, 382-9	2.3	20
156	Vascular endothelial growth factor immunoexpression is increased in malignant salivary gland tumors. <i>Annals of Diagnostic Pathology</i> , 2015 , 19, 169-74	2.2	10
155	Head and neck solitary infantile myofibroma: Clinicopathological and immunohistochemical features of a case series. <i>Acta Histochemica</i> , 2015 , 117, 431-6	2	17
154	Double blind randomized prospective trial of bethanechol in the prevention of radiation-induced salivary gland dysfunction in head and neck cancer patients. <i>Radiotherapy and Oncology</i> , 2015 , 115, 253-6	5.3	23
153	Epithelial-mesenchymal transition (EMT) markers have prognostic impact in multiple primary oral squamous cell carcinoma. <i>Clinical and Experimental Metastasis</i> , 2015 , 32, 55-63	4.7	54
152	For early-stage oral tongue cancer, depth of invasion and worst pattern of invasion are the strongest pathological predictors for locoregional recurrence and mortality. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 467, 39-46	5.1	71
151	High Diagnostic Accuracy Based on CLDN10, HMGA2, and LAMB3 Transcripts in Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E890-9	5.6	35
150	Induction chemotherapy for oral cavity cancer patients: Current status and future perspectives. <i>Oral Oncology</i> , 2015 , 51, 1069-75	4.4	15
149	Genomic copy number alterations of primary and secondary metastasizing pleomorphic adenomas. <i>Histopathology</i> , 2015 , 67, 410-5	7.3	3
148	Head and neck squamous cell carcinoma lymphatic spread and survival: Relevance of vascular endothelial growth factor family for tumor evaluation. <i>Head and Neck</i> , 2015 , 37, 1410-6	4.2	9
147	MicroRNAs, cancer and ionizing radiation: Where are we?. <i>Revista Da Associação Médica Brasileira</i> , 2015 , 61, 275-81	1.4	20
146	Cellular Proliferation Index between Carcinoma Ex-Pleomorphic Adenoma and Pleomorphic Adenoma. <i>Brazilian Dental Journal</i> , 2015 , 26, 416-21	1.9	6
145	PHF21B as a candidate tumor suppressor gene in head and neck squamous cell carcinomas. <i>Molecular Oncology</i> , 2015 , 9, 450-62	7.9	12
144	Activin A immunoexpression as predictor of occult lymph node metastasis and overall survival in oral tongue squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 479-86	4.2	35

143	Low miR-143/miR-145 Cluster Levels Induce Activin A Overexpression in Oral Squamous Cell Carcinomas, Which Contributes to Poor Prognosis. <i>PLoS ONE</i> , 2015 , 10, e0136599	3.7	42
142	TWIST1 is a molecular marker for a poor prognosis in oral cancer and represents a potential therapeutic target. <i>Cancer</i> , 2014 , 120, 352-62	6.4	48
141	Cooverexpression of ERBB1 and ERBB4 receptors predicts poor clinical outcome in pN+ oral squamous cell carcinoma with extranodal spread. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 307-16	4.7	14
140	Late surgical outcomes of carotid resection and saphenous vein graft revascularization in patients with advanced head and neck squamous cell carcinoma. <i>Annals of Vascular Surgery</i> , 2014 , 28, 1878-84	1.7	18
139	Diagnosis of second primary tumor and long-term survival after single initial triple endoscopy in patients with head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2285-92	3.5	4
138	Human papillomavirus (HPV) 16 and the prognosis of head and neck cancer in a geographical region with a low prevalence of HPV infection. <i>Cancer Causes and Control</i> , 2014 , 25, 461-71	2.8	56
137	Effect of UGT1A1, UGT1A3, DIO1 and DIO2 polymorphisms on L-thyroxine doses required for TSH suppression in patients with differentiated thyroid cancer. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 1067-75	3.8	21
136	Expression of E-cadherin and Eatenin in basaloid and conventional squamous cell carcinoma of the oral cavity: are potential prognostic markers?. <i>BMC Cancer</i> , 2014 , 14, 395	4.8	8
135	Fluorescence spectroscopy for the detection of potentially malignant disorders and squamous cell carcinoma of the oral cavity. <i>Photodiagnosis and Photodynamic Therapy</i> , 2014 , 11, 82-90	3.5	13
134	Analysis of surgical margins in oral cancer using in situ fluorescence spectroscopy. <i>Oral Oncology</i> , 2014 , 50, 593-9	4.4	17
133	Does elective neck dissection in T1/T2 carcinoma of the oral tongue and floor of the mouth influence recurrence and survival rates?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014 , 52, 590-7 ^{1.4}	1.4	36
132	Natural history and surgical treatment of chordoma: a retrospective cohort study. <i>Sao Paulo Medical Journal</i> , 2014 , 132, 297-302	1.6	4
131	Protecting the skin during thyroidectomy. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2014 , 41, 68-71	0.5	3
130	Evolution in the profile of thyroid cancer cases treated in an oncology reference service: what changed in the last 20 years. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 2014 , 41, 320-4	0.5	5
129	Long-term results of surgical treatment for advanced oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2014 , 36, 1146-54	4.2	9
128	Evaluation of the methylation profile of exfoliated cell samples from patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2014 , 36, 631-7	4.2	12
127	Alcohol and tobacco consumption affects bacterial richness in oral cavity mucosa biofilms. <i>BMC Microbiology</i> , 2014 , 14, 250	4.5	42
126	The origin of regional failure in oral cavity squamous cell carcinoma with pathologically negative neck metastases. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 1130-7	3.9	15

125	Validation and application of the M.D. Anderson Dysphagia Inventory in patients treated for head and neck cancer in Brazil. <i>Dysphagia</i> , 2013 , 28, 24-32	3.7	21
124	Chromosomal imbalances exclusively detected in invasive front area are associated with poor outcome in laryngeal carcinomas from different anatomical sites. <i>Tumor Biology</i> , 2013 , 34, 3015-26	2.9	5
123	Expression of PAR-4 and PHLDA1 is prognostic for overall and disease-free survival in oral squamous cell carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 31-9	5.1	12
122	TIMP3 and CCNA1 hypermethylation in HNSCC is associated with an increased incidence of second primary tumors. <i>Journal of Translational Medicine</i> , 2013 , 11, 316	8.5	30
121	Prognostic significance of TIMP3 hypermethylation in post-treatment salivary rinse from head and neck squamous cell carcinoma patients. <i>Carcinogenesis</i> , 2013 , 34, 20-7	4.6	46
120	Swallowing, speech and quality of life in patients undergoing resection of soft palate. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 305-12	3.5	20
119	TGIF1 splicing variant 8 is overexpressed in oral squamous cell carcinoma and is related to pathologic and clinical behavior. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013 , 116, 614-25	2	11
118	Identification of upregulated genes in oral squamous cell carcinomas. <i>Head and Neck</i> , 2013 , 35, 1475-81	4.2	27
117	Carcinoma ex-pleomorphic adenoma of upper lip showing copy number loss of tumor suppressor genes. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013 , 116, 69-74	2	3
116	Practice of laryngectomy rehabilitation interventions: a perspective from South America. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2013 , 21, 212-7	2	3
115	Mammary analogue secretory carcinoma of salivary glands is a lipid-rich tumour, and adipophilin can be valuable in its identification. <i>Histopathology</i> , 2013 , 63, 558-67	7.3	44
114	Immunohistochemical evaluation of MMP-2, MMP-9 and CD31/microvascular density in squamous cell carcinomas of the floor of the mouth. <i>Brazilian Dental Journal</i> , 2013 , 24, 3-9	1.9	14
113	Are recurrent denture-related sores associated with the risk of oral cancer? A case control study. <i>Revista Brasileira De Epidemiologia</i> , 2013 , 16, 705-15	1.3	15
112	Classification and prevalence 2013 , 52-70		
111	Clinical significance of molecular alterations in histologically negative surgical margins of head and neck cancer patients. <i>Oral Oncology</i> , 2012 , 48, 240-8	4.4	36
110	High-risk human papillomavirus in oral squamous cell carcinoma of young patients. <i>International Journal of Cancer</i> , 2012 , 130, 1726-32	7.5	49
109	A critical appraisal of different survival techniques in oral cancer patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012 , 269, 295-301	3.5	2
108	Do tobacco and alcohol modify protective effects of diet on oral carcinogenesis?. <i>Nutrition and Cancer</i> , 2012 , 64, 1182-9	2.8	9

107	Vocal handicap and quality of life after treatment of advanced squamous carcinoma of the larynx and/or hypopharynx. <i>Journal of Voice</i> , 2012 , 26, e63-71	1.9	20
106	Food restrictions of patients who are undergoing treatment for oral and oropharyngeal cancer. <i>European Journal of Oncology Nursing</i> , 2012 , 16, 253-7	2.8	7
105	HOXA1 is overexpressed in oral squamous cell carcinomas and its expression is correlated with poor prognosis. <i>BMC Cancer</i> , 2012 , 12, 146	4.8	61
104	Chondrosarcoma of the maxilla: report of two cases with different behaviours. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2012 , 40, e71-4	3.6	5
103	Recurrent oral cancer: current and emerging therapeutic approaches. <i>Frontiers in Pharmacology</i> , 2012 , 3, 149	5.6	74
102	HOXB7 expression is a prognostic factor for oral squamous cell carcinoma. <i>Histopathology</i> , 2012 , 60, 662-5	7.3	15
101	Prevalence of upper aerodigestive symptoms in patients who underwent thyroidectomy with and without the use of intraoperative laryngeal nerve monitoring. <i>Thyroid</i> , 2012 , 22, 814-9	6.2	28
100	Prognostic impact of the level of neck metastasis in oral cancer patients. <i>Brazilian Journal of Otorhinolaryngology</i> , 2012 , 78, 15-20	1.6	15
99	Differentially expressed genes and lincRNAs throughout oral squamous cell carcinoma development. <i>FASEB Journal</i> , 2012 , 26, lb461	0.9	
98	Prognostic significance of beta-2 adrenergic receptor in oral squamous cell carcinoma. <i>Cancer Biomarkers</i> , 2011 , 10, 51-9	3.8	21
97	Cumulative coffee consumption and reduced risk of oral and oropharyngeal cancer. <i>Nutrition and Cancer</i> , 2011 , 63, 350-6	2.8	13
96	Cortactin is associated with perineural invasion in the deep invasive front area of laryngeal carcinomas. <i>Human Pathology</i> , 2011 , 42, 1221-9	3.7	12
95	The role of eosinophils and eosinophil cationic protein in oral cancer: a review. <i>Archives of Oral Biology</i> , 2011 , 56, 353-8	2.8	27
94	Which oral cancer patients benefit the most from microsurgical reconstruction?. <i>European Journal of Plastic Surgery</i> , 2011 , 34, 75-80	0.6	
93	Second primary tumors in patients with head and neck cancer. <i>Current Oncology Reports</i> , 2011 , 13, 132-76.3		54
92	Late side effects of radioactive iodine on salivary gland function in patients with thyroid cancer. <i>Head and Neck</i> , 2011 , 33, 686-90	4.2	72
91	Caspase expression in oral squamous cell carcinoma. <i>Head and Neck</i> , 2011 , 33, 1191-8	4.2	29
90	CCND1 amplification and protein overexpression in oral squamous cell carcinoma of young patients. <i>Head and Neck</i> , 2011 , 33, 1413-9	4.2	32

89	Expression of Bcl-2 family proteins and association with clinicopathological characteristics of oral squamous cell carcinoma. <i>Histopathology</i> , 2010 , 57, 304-16	7.3	33
88	Claudin-7 down-regulation is an important feature in oral squamous cell carcinoma. <i>Histopathology</i> , 2010 , 57, 689-98	7.3	17
87	Segundo tumor primário em pacientes com câncer de vias aerodigestivas superiores. <i>Brazilian Journal of Otorhinolaryngology</i> , 2010 , 76, 251-256	1.6	3
86	Nucleophosmin, p53, and Ki-67 expression patterns on an oral squamous cell carcinoma tissue microarray. <i>Human Pathology</i> , 2010 , 41, 1079-86	3.7	24
85	Metastatic renal cell carcinoma to the oral cavity and clear cell mucoepidermoid carcinoma: comparative clinicopathologic and immunohistochemical study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 109, e22-7		21
84	Impacto do esvaziamento cervical radical modificado no número de linfonodos recuperados, recorrência e sobrevida. <i>Brazilian Journal of Otorhinolaryngology</i> , 2010 , 76, 374-377	1.6	4
83	Second salvage surgery for re-recurrent oral cavity and oropharynx carcinoma. <i>Head and Neck</i> , 2010 , 32, 997-1002	4.2	24
82	Case-control study on prognostic factors in oral squamous cell carcinoma in young patients. <i>Head and Neck</i> , 2010 , 32, 1460-6	4.2	20
81	Acceptance of major surgical procedures and quality of life among long-term survivors of advanced head and neck cancer. <i>JAMA Otolaryngology</i> , 2009 , 135, 376-9		21
80	Clinical predictors of quality of life in patients with initial differentiated thyroid cancers. <i>JAMA Otolaryngology</i> , 2009 , 135, 342-6		66
79	Tissue eosinophilia and its association with tumoral invasion of oral cancer. <i>International Journal of Surgical Pathology</i> , 2009 , 17, 244-9	1.2	29
78	Clinicopathological significance of ubiquitin-specific protease 2a (USP2a), fatty acid synthase (FASN), and ErbB2 expression in oral squamous cell carcinomas. <i>Oral Oncology</i> , 2009 , 45, e134-9	4.4	44
77	CYP1A2*1C, CYP2E1*5B, and GSTM1 polymorphisms are predictors of risk and poor outcome in head and neck squamous cell carcinoma patients. <i>Oral Oncology</i> , 2009 , 45, e73-9	4.4	42
76	Comparison of two prognostic scores for patients with parotid carcinoma. <i>Head and Neck</i> , 2009 , 31, 1188-95	4.25	17
75	Multiple granular cell tumors of the tongue and parotid gland. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, e10-3		20
74	Papillary squamous cell carcinoma of the tongue. <i>Otolaryngology - Head and Neck Surgery</i> , 2009 , 141, 298-9	5.5	10
73	Head and neck chondrosarcoma: analysis of 16 cases. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2009 , 47, 555-7	1.4	37
72	Juvenile intraoral mucoepidermoid carcinoma. <i>Journal of Oral and Maxillofacial Surgery</i> , 2008 , 66, 308-11	11.8	11

71	Nonlymphoid mesenchymal tumors of the parotid gland. <i>Oral Oncology</i> , 2008 , 44, 970-4	4.4	22
70	The versatility of the free lateral arm flap in head and neck soft tissue reconstruction: clinical experience of 210 cases. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2008 , 61, 172-9	1.7	27
69	Dental extractions related to head and neck radiotherapy: ten-year experience of a single institution. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008 , 105, e1-6		31
68	Oral myofibromas: report of two cases and review of clinical and histopathologic differential diagnosis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008 , 105, e35-40		29
67	Risk factors for surgical-site infections in head and neck cancer surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2008 , 138, 74-80	5.5	90
66	Cutaneous angiosarcoma of the head and neck: report of 23 cases from a single institution. <i>Otolaryngology - Head and Neck Surgery</i> , 2008 , 139, 519-24	5.5	48
65	Validation of the Washington University Head and Neck Comorbidity Index in a cohort of older patients. <i>JAMA Otolaryngology</i> , 2008 , 134, 603-7		17
64	Biological markers and prognosis in recurrent oral cancer after salvage surgery. <i>JAMA Otolaryngology</i> , 2008 , 134, 743-9		48
63	Comparative cytokeratin expression in the different cell types of salivary gland mucoepidermoid carcinoma. <i>Head and Neck Pathology</i> , 2008 , 2, 257-64	3.3	34
62	Quality of life related to swallowing after tongue cancer treatment. <i>Dysphagia</i> , 2008 , 23, 183-92	3.7	35
61	Metastases of well-differentiated thyroid and oral squamous cell carcinoma to the same neck lymph node. <i>Pathology Research and Practice</i> , 2008 , 204, 143-5	3.4	1
60	Preservation of the internal jugular vein in the radical treatment of node-positive neck--is it safe?. <i>Annals of Surgical Oncology</i> , 2008 , 15, 364-70	3.1	3
59	Dietary patterns and risk of oral cancer: a case-control study in Sã Paulo, Brazil. <i>Revista De Saude Publica</i> , 2007 , 41, 19-26	2.4	27
58	Is galectin-3 a good method for the detection of malignancy in patients with thyroid nodules and a cytologic diagnosis of "follicular neoplasm"? A critical appraisal of the evidence. <i>Head and Neck</i> , 2007 , 29, 1046-54	4.2	16
57	Factors that influence treatment decision in older patients with resectable head and neck cancer. <i>Laryngoscope</i> , 2007 , 117, 835-40	3.6	45
56	Plasmacytoid myoepithelioma of the palate in a child. <i>International Journal of Paediatric Dentistry</i> , 2007 , 17, 223-7	3.1	16
55	Shorter CAG repeat length in the AR gene is associated with poor outcome in head and neck cancer. <i>Archives of Oral Biology</i> , 2007 , 52, 732-9	2.8	7
54	Clinicopathological and immunohistochemical evaluation of oral squamous cell carcinoma in patients with early local recurrence. <i>Oral Oncology</i> , 2007 , 43, 593-601	4.4	45

53	Management of extensive osteoradionecrosis of the mandible with radical resection and immediate microvascular reconstruction. <i>Journal of Oral and Maxillofacial Surgery</i> , 2007 , 65, 434-8	1.8	57
52	Comorbidity is a prognostic factor in elderly patients with head and neck cancer. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1449-57	3.1	132
51	Candida oral colonization and infection in Brazilian patients undergoing head and neck radiotherapy: a pilot study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 103, 355-8		33
50	Internal jugular vein preservation in neck dissection for pN1-N2c oral and oropharyngeal carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2007 , 28, 316-20	2.8	2
49	Adenoid cystic carcinoma and mucoepidermoid carcinoma of the maxillary sinus: report of a 44-year experience of 25 cases from a single institution. <i>Journal of Oral and Maxillofacial Surgery</i> , 2006 , 64, 1592-7 ¹⁸		39
48	Prognostic factors in head and neck adenoid cystic carcinoma. <i>Oral Oncology</i> , 2006 , 42, 139-46	4.4	137
47	Prognostic factors in salvage surgery for recurrent oral and oropharyngeal cancer. <i>Head and Neck</i> , 2006 , 28, 107-13	4.2	129
46	Brazilian-Portuguese validation of the University of Washington Quality of Life Questionnaire for patients with head and neck cancer. <i>Head and Neck</i> , 2006 , 28, 1115-21	4.2	50
45	Voice and vocal self-assessment after thyroidectomy. <i>Head and Neck</i> , 2006 , 28, 1106-14	4.2	85
44	Clinicopathologic and immunohistochemical study of intraoral mucoepidermoid carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2006 , 134, 622-6	5.5	19
43	Socioeconomic effects of and risk factors for disability in long-term survivors of head and neck cancer. <i>JAMA Otolaryngology</i> , 2006 , 132, 32-5		73
42	Salvage for cervical recurrences of head and neck cancer with dissection and interstitial high dose rate brachytherapy. <i>Radiation Oncology</i> , 2006 , 1, 27	4.2	18
41	Oral verrucous carcinoma: a retrospective study in Sã Paulo Region, Brazil. <i>Clinical Oral Investigations</i> , 2006 , 10, 205-9	4.2	48
40	Surgical complications after thyroid surgery performed in a cancer hospital. <i>Otolaryngology - Head and Neck Surgery</i> , 2005 , 132, 490-4	5.5	99
39	The importance of long-term follow-up of head and neck cancer patients for reliable survival analysis. <i>Otolaryngology - Head and Neck Surgery</i> , 2005 , 133, 877-81	5.5	7
38	Predictive factors for distant metastasis from oral and oropharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2005 , 41, 534-41	4.4	76
37	Interstitial high-dose-rate brachytherapy combined with cervical dissection on head and neck cancer. <i>Head and Neck</i> , 2005 , 27, 1035-41	4.2	17
36	Trends in incidence and prognosis for head and neck cancer in the United States: a site-specific analysis of the SEER database. <i>International Journal of Cancer</i> , 2005 , 114, 806-16	7.5	566

35	Dedifferentiated liposarcoma of the oral cavity with angiosarcomatous dedifferentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 456-9	5.1	22
34	Large-scale transcriptome analyses reveal new genetic marker candidates of head, neck, and thyroid cancer. <i>Cancer Research</i> , 2005 , 65, 1693-9	10.1	51
33	Prognoses of oral basaloid squamous cell carcinoma and squamous cell carcinoma: a comparison. <i>JAMA Otolaryngology</i> , 2004 , 130, 83-6		37
32	Long-term quality-of-life evaluation after head and neck cancer treatment in a developing country. <i>JAMA Otolaryngology</i> , 2004 , 130, 1209-13		84
31	Prognostic factors in head and neck mucoepidermoid carcinoma. <i>JAMA Otolaryngology</i> , 2004 , 130, 174-80		110
30	Predictive factors and distribution of lymph node metastasis in lip cancer patients and their implications on the treatment of the neck. <i>Oral Oncology</i> , 2004 , 40, 223-7	4.4	69
29	Dendritic cell sarcoma of the oral cavity. <i>Oral Oncology</i> , 2004 , 40, 341-7	4.4	13
28	Predictive factors of occult metastasis and prognosis of clinical stages I and II squamous cell carcinoma of the tongue and floor of the mouth. <i>Oral Oncology</i> , 2004 , 40, 780-6	4.4	147
27	Cytokeratin expression in central mucoepidermoid carcinoma and glandular odontogenic cyst. <i>Oral Oncology</i> , 2004 , 40, 545-51	4.4	62
26	Cyclin D1 gene polymorphism as a risk factor for squamous cell carcinoma of the upper aerodigestive system in non-alcoholics. <i>Oral Oncology</i> , 2004 , 40, 604-10	4.4	24
25	Pectoralis major and other myofascial/myocutaneous flaps in head and neck cancer reconstruction: experience with 437 cases at a single institution. <i>Head and Neck</i> , 2004 , 26, 1018-23	4.2	123
24	Surgical treatment of paragangliomas of the carotid bifurcation: results of 36 patients. <i>Head and Neck</i> , 2004 , 26, 1058-63	4.2	21
23	Salivary gland tumors in children and adolescents: a clinicopathologic and immunohistochemical study of fifty-three cases. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2004 , 68, 895-902	1.7	81
22	Postoperative complications of thyroidectomy for differentiated thyroid carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2004 , 25, 225-30	2.8	49
21	Auditory effects after organ preservation protocol for laryngeal/hypopharyngeal carcinomas. <i>JAMA Otolaryngology</i> , 2004 , 130, 1265-8		12
20	Alcohol dehydrogenase 3 genotype as a risk factor for upper aerodigestive tract cancers. <i>JAMA Otolaryngology</i> , 2004 , 130, 78-82		18
19	Long-term survival rates in young patients with thyroid carcinoma. <i>JAMA Otolaryngology</i> , 2003 , 129, 746-9		36
18	APACHE II, POSSUM, and ASA scores and the risk of perioperative complications in patients with oral or oropharyngeal cancer. <i>JAMA Otolaryngology</i> , 2003 , 129, 739-45		57

17	Voice and swallowing in patients enrolled in a larynx preservation trial. <i>JAMA Otolaryngology</i> , 2003 , 129, 733-8		77
16	Mel-CAM (CD146) expression in parotid mucoepidermoid carcinoma. <i>Oral Oncology</i> , 2003 , 39, 277-81	4.4	13
15	Clinicopathological and immunohistochemical analysis of twenty-five head and neck osteosarcomas. <i>Oral Oncology</i> , 2003 , 39, 521-30	4.4	78
14	Ethnic difference in serology of <i>Helicobacter pylori</i> CagA between Japanese and non-Japanese Brazilians for non-cardia gastric cancer. <i>Cancer Science</i> , 2003 , 94, 64-9	6.9	15
13	Synchronous mucoepidermoid carcinoma of tongue and pleomorphic adenoma of submandibular gland. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2003 , 95, 328-31		8
12	Epithelial salivary glands neoplasms in children and adolescents: a forty-four-year experience. <i>Medical and Pediatric Oncology</i> , 2002 , 39, 594-600		82
11	Results of the treatment of locally invasive thyroid carcinoma. <i>Head and Neck</i> , 2002 , 24, 340-4	4.2	53
10	Risk factors for stomach cancer in Brazil (II): a case-control study among Japanese Brazilians in São Paulo. <i>Japanese Journal of Clinical Oncology</i> , 2002 , 32, 284-90	2.8	32
9	Risk factors for stomach cancer in Brazil (I): a case-control study among non-Japanese Brazilians in São Paulo. <i>Japanese Journal of Clinical Oncology</i> , 2002 , 32, 277-83	2.8	32
8	Circulating tumor-derived DNA may permit the early diagnosis of head and neck squamous cell carcinomas. <i>International Journal of Cancer</i> , 2001 , 92, 214-9	7.5	24
7	Serological Immunoglobulin G antibody titers to <i>Helicobacter pylori</i> in Japanese Brazilian and Non-Japanese Brazilian gastric cancer patients and controls in São Paulo. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 829-35		14
6	Intraoral salivary duct carcinoma: case report with immunohistochemical observations. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2001 , 91, 689-92		10
5	Distinct chromosomal deleted regions defining different subsets of head and neck tumors. <i>Diagnostic Molecular Pathology</i> , 2000 , 9, 229-33		11
4	A proposal for the integration of immunohistochemical staining and DNA-based techniques for the determination of TP53 mutations in human carcinomas. <i>Diagnostic Molecular Pathology</i> , 2000 , 9, 35-40		18
3	Low prevalence of human papillomavirus in a geographic region with a high incidence of head and neck cancer. <i>American Journal of Surgery</i> , 1998 , 176, 428-9	2.7	28
2	Prognostic factors in carcinoma of the penis: multivariate analysis of 145 patients treated with amputation and lymphadenectomy. <i>Journal of Urology</i> , 1996 , 156, 1637-42	2.5	190
1	Treatment Results for Stage III Laryngeal Cancer: Analysis of a Populational Database Using Propensity Scores. <i>International Archives of Otorhinolaryngology</i> ,	1.5	