## Corneliu Cojocaru

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4144203/publications.pdf

Version: 2024-02-01

96 papers

3,076 citations

32 h-index 52 g-index

97 all docs 97
docs citations

97 times ranked 3798 citing authors

#	Article	IF	CITATIONS
1	Data-driven modeling and optimization of oil spill sorption by wool fibers: retention kinetics and recovery by centrifugation. International Journal of Environmental Science and Technology, 2022, 19, 367-378.	1.8	7
2	New La3+ doped TiO2 nanofibers for photocatalytic degradation of organic pollutants: Effects of thermal treatment and doping loadings. Ceramics International, 2022, 48, 4953-4964.	2.3	29
3	Cu/TiO2 composite nanofibers with improved photocatalytic performance under UV and UV–visible light irradiation. Surfaces and Interfaces, 2022, 28, 101644.	1.5	14
4	Chitosan-Based Therapeutic Systems for Superficial Candidiasis Treatment. Synergetic Activity of Nystatin and Propolis. Polymers, 2022, 14, 689.	2.0	6
5	Innovative nanostructured magnetite/wool/polysiloxane composite as magnetic adsorbent for oil spill removal. Comptes Rendus Chimie, 2022, 25, 245-260.	0.2	4
6	Influence of fuel nature on sol–gel microwave-ignited combustion synthesis of nanosized cobalt and nickel spinel ferrites. Comptes Rendus Chimie, 2022, 25, 189-202.	0.2	0
7	Tuning of Sm3+ and Er3+-doped TiO2 nanofibers for enhancement of the photocatalytic performance: Optimization of the photodegradation conditions. Journal of Environmental Management, 2022, 316, 115317.	3.8	12
8	Investigation of a biosystem based on Arthrospira platensis for air revitalisation in spacecrafts: Performance evaluation through response surface methodology. Chemosphere, 2021, 264, 128465.	4.2	4
9	Molecular Dynamics Simulations and in silico Analysis of Supramolecular Self-assembled Structures. , 2021, , 357-371.		O
10	Boosting catalytic wet-peroxide-oxidation performances of cobalt ferrite by doping with lanthanides for organic pollutants degradation. Journal of Environmental Chemical Engineering, 2021, 9, 104961.	3.3	12
11	New 2,9-disubstituted-1,10-phenanthroline derivatives with anticancer activity by selective targeting of telomeric G-quadruplex DNA. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 249, 119318.	2.0	8
12	Synthesis of benzaldehyde-grafted polysilane: A highly stable and selective "turn-on―fluorescent sensor for cytosine. Journal of Molecular Liquids, 2021, 326, 115300.	2.3	3
13	Bio-based ionically cross-linked alginate composites for PEMFC potential applications. Reactive and Functional Polymers, 2021, 165, 104967.	2.0	3
14	Novel electrospun membranes based on PVDF fibers embedding lanthanide doped ZnO for adsorption and photocatalytic degradation of dye organic pollutants. Materials Research Bulletin, 2021, 141, 111376.	2.7	29
15	Artificial neural network and molecular modeling for assessing the adsorption performance of a hybrid alginate-based magsorbent. Journal of Molecular Liquids, 2021, 337, 116406.	2.3	8
16	Nano-assembly and optical properties of difluoroboron dibenzoylmethane-polysilane. Polymer, 2021, 232, 124188.	1.8	5
17	Di-topic hybrid ligands with an isoxazole ring in the central unit: Synthesis, structural characterization and molecular modeling. Journal of Molecular Structure, 2021, 1245, 131129.	1.8	1
18	Innovative Ag–TiO2 Nanofibers with Excellent Photocatalytic and Antibacterial Actions. Catalysts, 2021, 11, 1234.	1.6	18

#	Article	IF	CITATIONS
19	Baltic Fucus vesiculosus as potential bio-sorbent for Zn removal: Mechanism insight. Chemosphere, 2020, 238, 124652.	4.2	12
20	Photochromic properties of some azomaleimide derivatives and DFT quantum chemical study of thermal cis-trans isomerization pathways. Journal of Photochemistry and Photobiology A: Chemistry, 2020, 390, 112300.	2.0	12
21	Cyclodextrin Encapsulated pH Sensitive Dyes as Fluorescent Cellular Probes: Self-Aggregation and In Vitro Assessments. Molecules, 2020, 25, 4397.	1.7	7
22	The use of C1 symmetry imidazole-carboxylate building block and auxiliary acetate co-ligand for assembly of a 2D wave-like zinc(II) coordination polymer: experimental and theoretical study. Journal of Coordination Chemistry, 2020, 73, 2250-2264.	0.8	5
23	Development of Porous Titania Structure with Improved Photocatalytic Activity: Response Surface Modeling and Multi-Objective Optimization. Nanomaterials, 2020, 10, 998.	1.9	12
24	Nano-assembled oligosilane–pyrazoline structures and their optical properties. Journal of Molecular Liquids, 2020, 303, 112657.	2.3	6
25	Chitosan-Sulfated Titania Composite Membranes with Potential Applications in Fuel Cell: Influence of Cross-Linker Nature. Polymers, 2020, 12, 1125.	2.0	17
26	Polymer assisted ultrafiltration of AO7 anionic dye from aqueous solutions: Experimental design, multivariate optimization, and molecular docking insights. Journal of Membrane Science, 2020, 604, 118054.	4.1	12
27	Photocatalytic and antimicrobial activity of electrospun ZnO:Ag nanostructures. Journal of Alloys and Compounds, 2020, 834, 155144.	2.8	33
28	Binding assessment of methylene blue to human serum albumin and poly(acrylic acid): Experimental and computer-aided modeling studies. Journal of Molecular Liquids, 2019, 285, 811-821.	2.3	11
29	Porous polymer/inorganic composite matrices as efficient desiccants for air dehumidification. Applied Surface Science, 2019, 487, 1189-1197.	3.1	16
30	Novel rare earth (RE-La, Er, Sm) metal doped ZnO photocatalysts for degradation of Congo-Red dye: Synthesis, characterization and kinetic studies. Journal of Environmental Management, 2019, 239, 225-234.	3.8	110
31	Pyrazoline based chloride sensor for body fluids screening. Journal of Molecular Liquids, 2019, 284, 139-146.	2.3	8
32	Photocatalytic Activity of ZnO–SnO 2 Ceramic Nanofibers for RhB Dye Degradation: Experimental Design, Modeling, and Process Optimization. Physica Status Solidi (B): Basic Research, 2019, 256, 1800474.	0.7	13
33	Chitosan-based magnetic adsorbent for removal of water-soluble anionic dye: Artificial neural network modeling and molecular docking insights. International Journal of Biological Macromolecules, 2019, 123, 587-599.	3.6	39
34	Bichromophoric pyrazoline derivative with solvent-selective photoluminescence quenching. Journal of Molecular Liquids, 2019, 278, 156-163.	2.3	11
35	Preparation of La doped ZnO ceramic nanostructures by electrospinning–calcination method: Effect of La3+ doping on optical and photocatalytic properties. Applied Surface Science, 2019, 476, 16-27.	3.1	110
36	Synthesis, structure, computational modeling, and biological activity of two novel bimesitylene derivatives. Research on Chemical Intermediates, 2019, 45, 453-469.	1.3	5

#	Article	IF	CITATIONS
37	Optimized formulation of NiFe 2 O 4 @Ca-alginate composite as a selective and magnetic adsorbent for cationic dyes: Experimental and modeling study. Reactive and Functional Polymers, 2018, 125, 57-69.	2.0	16
38	Novel fibrous composites based on electrospun PSF and PVDF ultrathin fibers reinforced with inorganic nanoparticles: Evaluation as oil spill sorbents. Polymers for Advanced Technologies, 2018, 29, 1435-1446.	1.6	28
39	Novel cyclodextrin-based pH-sensitive supramolecular host–guest assembly for staining acidic cellular organelles. Polymer Chemistry, 2018, 9, 968-975.	1.9	13
40	Electrospun PVDF fibers and a novel PVDF/CoFe 2 O 4 fibrous composite as nanostructured sorbent materials for oil spill cleanup. Applied Surface Science, 2017, 424, 389-396.	3.1	52
41	Surface hydrophobization of polyester fibers with poly(methylhydro-dimethyl)siloxane copolymers: Experimental design for testing of modified nonwoven materials as oil spill sorbents. Polymer Testing, 2017, 59, 377-389.	2.3	22
42	Design and evaluation of electrospun polysulfone fibers and polysulfone/NiFe2O4 nanostructured composite as sorbents for oil spill cleanup. Journal of the Taiwan Institute of Chemical Engineers, 2017, 70, 267-281.	2.7	55
43	Solvatochromic analysis and DFT computational study of an azomaleimide derivative. Journal of Molecular Liquids, 2017, 240, 476-485.	2.3	19
44	Novel chitosan-functionalized samarium-doped cobalt ferrite for adsorptive removal of anionic dye from aqueous solutions. Comptes Rendus Chimie, 2017, 20, 1026-1036.	0.2	17
45	Remarkable catalytic properties of rare-earth doped nickel ferrites synthesized by sol-gel auto-combustion with maleic acid as fuel for CWPO of dyes. Applied Catalysis B: Environmental, 2017, 202, 21-32.	10.8	78
46	Graphical Methodology of Global Pollution Index for the Environmental Impact Assessment Using Two Environmental Components. Sustainability, 2017, 9, 593.	1.6	10
47	Optimization of Polyplex Formation between DNA Oligonucleotide and Poly(ÊŸ-Lysine): Experimental Study and Modeling Approach. International Journal of Molecular Sciences, 2017, 18, 1291.	1.8	22
48	Synthesis, structural characterization and quantum chemical studies of silicon-containing benzoic acid derivatives. Journal of Molecular Structure, 2016, 1120, 302-316.	1.8	18
49	Novel Synthesis Route for Chitosan-Coated Zinc Ferrite Nanoparticles as Potential Sorbents for Wastewater Treatment. Chemical Engineering Communications, 2016, 203, 1591-1599.	1.5	20
50	Pyridyl-indolizine derivatives as DNA binders and pH-sensitive fluorescent dyes. Tetrahedron, 2016, 72, 8215-8222.	1.0	19
51	Dualâ€emissive polydiphenylsilane nanocomposite: effect of <i>N</i> , <i>N</i> ,€Zâ€bis(4â€hydroxysalicylidene)â€1,2â€phenylenediamineâ€Zn complex. Polymers for Advanc Technologies, 2016, 27, 115-124.	e <b>t</b> l6	3
52	Polymer engineering focusing on DRUG/GENE delivery and tissue engineering., 2015,,.		1
53	Nanosized Spinel Ferrites Synthesized by Sol-Gel Autocombustion for Optimized Removal of Azo Dye from Aqueous Solution. Journal of Nanomaterials, 2015, 2015, 1-13.	1.5	45
54	Computational Study of the Electronic Absorption Spectra of Polyhydrosilanes. Silicon, 2015, 7, 343-349.	1.8	3

#	Article	IF	CITATIONS
55	Experimental design, modeling and optimization of polyplex formation between DNA oligonucleotides and branched polyethylenimine. Organic and Biomolecular Chemistry, 2015, 13, 9445-9456.	1.5	9
56	Experimental design for modelling and multi-response optimization of Fe–Ni electroplating process. Chemical Engineering Research and Design, 2015, 96, 138-149.	2.7	21
57	Flexible cyclic siloxane core enhances the transfection efficiency of polyethylenimine-based non-viral gene vectors. Journal of Materials Chemistry B, 2015, 3, 8250-8267.	2.9	17
58	Multi-Objective Optimization of Indigo Carmine Removal by an Electrocoagulation/GAC Coupling Process in a Batch Reactor. Separation Science and Technology, 2014, 49, 924-938.	1.3	9
59	Performances of clay aerogel polymer composites for oil spill sorption: Experimental design and modeling. Separation and Purification Technology, 2014, 133, 260-275.	3.9	37
60	Experimental design and optimization of leaching process for recovery of valuable chemical elements (U, La, V, Mo, Yb and Th) from low-grade uranium ore. Journal of Hazardous Materials, 2014, 275, 136-145.	6.5	40
61	Thermodegradability of soluble polydiphenylsilane copolymers. Polymer Degradation and Stability, 2014, 107, 82-90.	2.7	1
62	Molecular structure and electronic properties of pyridylindolizine derivative containing phenyl and phenacyl groups: Comparison between semi-empirical calculations and experimental studies. Journal of Molecular Structure, 2013, 1034, 162-172.	1.8	10
63	Molecular structure and modeling studies of azobenzene derivatives containing maleimide groups. SpringerPlus, 2013, 2, 586.	1.2	19
64	Chemical kinetic model for methylurea nitrosation reaction: Computer-aided solutions to inverse and direct problems. Chemical Engineering Journal, 2013, 217, 385-397.	6.6	10
65	Artificial neural network model for desalination by sweeping gas membrane distillation. Desalination, 2013, 308, 102-110.	4.0	90
66	Response surface methodology for the modelling of sup>85 / sup>Sr adsorption on zeolite 3A and pumice. Environmental Technology (United Kingdom), 2012, 33, 51-59.	1.2	15
67	Modeling and optimization of sweeping gas membrane distillation. Desalination, 2012, 287, 159-166.	4.0	73
68	Hollow fiber spinning experimental design and analysis of defects for fabrication of optimized membranes for membrane distillation. Desalination, 2012, 287, 146-158.	4.0	33
69	Air gap membrane distillation: Desalination, modeling and optimization. Desalination, 2012, 287, 138-145.	4.0	86
70	Artificial neural network modeling and optimization of desalination by air gap membrane distillation. Separation and Purification Technology, 2012, 86, 171-182.	3.9	117
71	REDUCING ENVIRONMENTAL RISK OF LANDFILLS: LEACHATE TREATMENT BY REVERSE OSMOSIS. Environmental Engineering and Management Journal, 2012, 11, 2319-2331.	0.2	13
72	Sweeping gas membrane distillation of sucrose aqueous solutions: Response surface modeling and optimization. Separation and Purification Technology, 2011, 81, 12-24.	3.9	35

#	Article	IF	CITATIONS
73	Optimization of Co2+ ions removal from water solutions via polymer enhanced ultrafiltration with application of PVA and sulfonated PVA as complexing agents. Journal of Colloid and Interface Science, 2011, 362, 615-624.	5.0	24
74	Design of experiments for statistical modeling and multi-response optimization of nickel electroplating process. Chemical Engineering Research and Design, 2011, 89, 136-147.	2.7	58
75	Peat-based sorbents for the removal of oil spills from water surface: Application of artificial neural network modeling. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2011, 384, 675-684.	2.3	86
76	Artificial neural network modeling and response surface methodology of desalination by reverse osmosis. Journal of Membrane Science, 2011, 368, 202-214.	4.1	179
77	Modeling and optimization of tartaric acid reactive extraction from aqueous solutions: A comparison between response surface methodology and artificial neural network. Separation and Purification Technology, 2010, 75, 273-285.	3.9	105
78	Experimental design and optimization of asymmetric flat-sheet membranes prepared for direct contact membrane distillation. Journal of Membrane Science, 2010, 351, 234-245.	4.1	114
79	Optimization of solar-powered reverse osmosis desalination pilot plant using response surface methodology. Desalination, 2010, 261, 284-292.	4.0	52
80	Modeling and multi-response optimization of pervaporation of organic aqueous solutions using desirability function approach. Journal of Hazardous Materials, 2009, 167, 52-63.	6.5	35
81	Removal of cobalt ions from aqueous solutions by polymer assisted ultrafiltration using experimental design approach. part 1: Optimization of complexation conditions. Journal of Hazardous Materials, 2009, 169, 599-609.	6.5	88
82	Removal of cobalt ions from aqueous solutions by polymer assisted ultrafiltration using experimental design approach. Journal of Hazardous Materials, 2009, 169, 610-620.	6.5	35
83	Biosorption of copper(II) ions from aqua solutions using dried yeast biomass. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2009, 335, 181-188.	2.3	70
84	OPTIMIZATION OF PROCESS VARIABLES FOR CADMIUM REMOVAL FROM SYNTHETIC WASTEWATERS BY SPHAGNUM MOSS PEAT. Environmental Engineering and Management Journal, 2009, 8, 225-231.	0.2	4
85	A STUDY CONCERNING DIESEL BIODEGRADATION IN LIQUID MEDIUM, BY BIOAUGMENTATION, USING A PSEUDOMONAS SP. STRAIN. Environmental Engineering and Management Journal, 2009, 8, 549-552.	0.2	1
86	OPTIMIZATION OF PROCESS VARIABLES TO MAXIMIZE THE COPPER LOADING CAPACITY OF PUROLITE S930 RESIN. Environmental Engineering and Management Journal, 2009, 8, 1413-1419.	0.2	3
87	Application of Low-Cost Sorbent for Oil Spill Sorption Using Response Surface Methodological Approach. NATO Science for Peace and Security Series C: Environmental Security, 2009, , 109-118.	0.1	1
88	Response surface methodology applied for Orange II photocatalytic degradation in TiO <sub>2</sub> aqueous suspensions. Journal of Chemical Technology and Biotechnology, 2008, 83, 1454-1465.	1.6	38
89	Response surface modelling and optimization in pervaporation. Journal of Membrane Science, 2008, 321, 272-283.	4.1	63
90	Studies on pervaporation separation of acetone, acetonitrile and ethanol from aqueous solutions. Separation and Purification Technology, 2008, 63, 303-310.	3.9	45

#	Article	IF	CITATIONS
91	Response surface optimization of the photocatalytic decolorization of a simulated dyestuff effluent. Chemical Engineering Journal, 2008, 141, 18-26.	6.6	71
92	Response surface modeling and optimization of copper removal from aqua solutions using polymer assisted ultrafiltration. Journal of Membrane Science, 2007, 298, 56-70.	4.1	127
93	Application of Response Surface Methodology and Experimental Design in Direct Contact Membrane Distillation. Industrial & Distillation. Industrial & Distill	1.8	102
94	Optimized photocatalytic degradation of Alcian Blue 8 GX in the presence of TiO2 suspensions. Journal of Hazardous Materials, 2007, 144, 265-273.	6.5	66
95	EQUILIBRIUM ISOTHERMS STUDIES FOR SORPTION OF LEAD IONS FROM AQUEOUS SOLUTIONS USING ROMANIAN PEAT SORBENT. Environmental Engineering and Management Journal, 2007, 6, 425-430.	0.2	15
96	MODELING AND OPTIMIZATION OF DIESEL OIL SPILL REMOVAL FROM WATER SURFACE USING SHREDDED STRIPS OF POLYPROPYLENE AS SORBENT. Environmental Engineering and Management Journal, 2003, 2, 145-154.	0.2	4